


Centre for Ecological Sciences
Indian Institute of Science
Bangalore 560 012



Technical Report No. 104

March 2004

<http://ces.iisc.ernet.in/hpg/ragh>
ragh@ces.iisc.ernet.in

Thresiamma Varghese, Milind Kolatkar,
Raghavendra Gadagkar

Checklist of ants in the Insect Museum

595-796 00431
CES 7214

4

.....

.....

4



Table of Contents

1	Preface	2
3	2 Summary Information of Ants in the Insect Museum, Centre for Ecological Sciences, Indian Institute of Science, Bangalore	3
5	3 Checklist of Ants in the Insect Museum, Centre for Ecological Sciences, Indian Institute of Science, Bangalore	5
76	4 References	76

595.796.poc(1) (CES)
CES 9214

Preface

The Insect museum, at the Centre For Ecological Sciences, Indian

Institute of Science, Bangalore, has been actively involved in studying the biodiversity of ants in the Western Ghats and surrounding areas. In addition, the Museum has also provided identification services for many ant

researchers in the country, many of whom have deposited some of their

specimens in the Museum. This report is the first attempt to prepare a

comprehensive checklist of the available ant specimens in the Museum. It is

quite possible that there remain some errors and inconsistencies in this

report. Every effort will be made to correct these while preparing subsequent

editions of this report. In the meanwhile, we will be grateful to readers, who

bring any errors to our notice. If you use the information in this report, please

cite this document as follows:

Varghese, T., Kolatkar, M. and Gadagkar, R. Checklist of ants in the Insect Museum, Centre for Ecological Sciences, Indian Institute of Science, Bangalore, Technical Report No. 104, March 2004.

Thresiamma Varghese

Millind Kolatkar

Raghavendra Gadagkar

March 2004

Summary Information of Ants in the Insect Museum, Centre for Ecological Sciences,
Indian Institute of Science, Bangalore

Subfamily	Genus	Number of Species
Aenictinae	<i>Aenictus</i>	6
Cerapachyinae	<i>Cerapachys</i>	6
Dolichoderinae	<i>Bothriomyrmex</i>	1
	<i>Dolichoderus</i>	2
	<i>Irdomyrmex</i>	1
	<i>Tapinoma</i>	7
	<i>Technomyrmex</i>	2
	UD	1
Dorylinae	<i>Dorylus</i>	4
Formicinae	<i>Acropyga</i>	2
	<i>Anoplolepis</i>	1
	<i>Camponotus</i>	19
	<i>Cataglyphis</i>	1
	<i>Formica</i>	1
	<i>Lasius</i>	1
	<i>Lepisiota</i>	7
	<i>Myrmoteras</i>	2
	<i>Oecophylla</i>	1
	<i>Paratrechina</i>	7
	<i>Plagiolepis</i>	6
	<i>Polyrhachis</i>	15
	<i>Prenolepis</i>	3
	<i>Pseudolasius?</i>	1
Myrmicinae	<i>Acanthomyrmex</i>	1
	<i>Aphaenogaster</i>	5
	<i>Calypsoomyrmex</i>	1
	<i>Cardiocondyla</i>	7
	<i>Catantopus</i>	3
	<i>Crematogaster</i>	19
	<i>Dilobocondyla</i>	1
	<i>Lophomyrmex</i>	1
	<i>Meranoplus</i>	2
	<i>Messor</i>	1
	<i>Monomorium</i>	18
	<i>Myrmecina</i>	1
	<i>Myrmica</i>	3
	<i>Myrmicaria</i>	1
	<i>Neoblephehandatta</i>	1

Subfamily	Genus	Number of Species
	<i>Oligomyrmex</i>	3
	<i>Pheidole</i>	23
	<i>Pheidologeton</i>	4
	<i>Pyramica</i>	1
	<i>Recurvidis</i>	1
	<i>Rhopalomastix</i>	1
	<i>Rhoptomyrmex</i>	1
	<i>Solenopsis</i>	1
	<i>Strumigenys</i>	4
	<i>Tetramorium</i>	15
	UD	1
Ponerinae	<i>Vollenhovia</i>	1
	<i>Amblyopone</i>	1
	<i>Anochetus</i>	5
	<i>Diacamma</i>	6
	<i>Emeryopone</i>	1
	<i>Harpegnathos</i>	2
	<i>Hypoponera</i>	2
	<i>Leptogenys</i>	8
	<i>Odontomachus</i>	3
	<i>Odontoponera</i>	1
	<i>Pachycondyla</i>	11
	<i>Platyhyrea</i>	2
Pseudomyrmecinae	<i>Tetraponera</i>	4
Total:		62
		264

Checklist of Ants in the Insect Museum, Centre for Ecological Sciences, Indian Institute of Science, Bangalore

Sl. No.	Subfamily, Genus Species	Museum Number *	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
1	Aenictinae, <i>Aenictus aratus</i> Forel	5	Santagal (10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E 74° 9' to 75° 10' E).	01-Jan-87	8	1	4 trapping methods and All out search
2	Aenictinae, <i>Aenictus aratus</i> Forel	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall Traps
3	Aenictinae, <i>Aenictus brevicornis</i> (Mayr)	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
4	Aenictinae, <i>Aenictus brevicornis</i> (Mayr)	2	Bidaralli (4 & 5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Sep-86	1	1	4 trapping methods and All out search
5	Aenictinae, <i>Aenictus ceylonicus</i> (Mayr)	6	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
6	Aenictinae, <i>Aenictus pachycerus</i> (Smith)	1	Bidaralli (4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Sep-86	1	1	4 trapping methods and All out search
7	Aenictinae, <i>Aenictus pachycerus</i> (Smith)	1	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
8	Aenictinae, <i>Aenictus pachycerus</i> (Smith)	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4" N, 76° 17' 4"E).	01-Apr-01	9	Subramaniam, K.A.	All out search
9	Aenictinae, <i>Aenictus pachycerus</i> (Smith)	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
10	Aenictinae, <i>Aenictus</i> sp. 3	3	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	6	Ganapathy, H.M.	All out search

* Museum numbers are given separately for each genus.

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
11	Aenictinae, Aenictus sp.3	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
12	Aenictinae, Aenictus sp.4	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P	All out search
13	Cerapachyinae, Cerapachys altkenii	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
14	Cerapachyinae, Cerapachys longitarsus (Mayr)	3	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	1	4	All out search
15	Cerapachyinae, Cerapachys longitarsus (Mayr)	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
16	Cerapachyinae, Cerapachys sp. 4	4	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	9	4	All out search
17	Cerapachyinae, Cerapachys sp. 5	5	Santagal (8), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	04-Feb-86	1	1	4 Trapping methods and All out search
18	Cerapachyinae, Cerapachys sp. 6	6	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	1	Neekamal Rastogi	All out search
19	Cerapachyinae, Cerapachys sulcinodis Emery	1	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	2	1	4 Trapping methods and All out search
20	Cerapachyinae, Cerapachys sulcinodis Emery	1	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	1	4	All out search
21	Dolichoderinae, Bothnomymex sp. 1	1	Bidaralli (4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	29-Sep-86	2	1	4 Trapping methods and All out search
22	Dolichoderinae, Bothnomymex sp. 1	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
23	<i>Dolichodermnae, Bothriomyrmex sp. 1</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
24	<i>Dolichodermnae, Dolichoderus affinis</i>	1	Ranganthittu Bird Sanctuary, Mandya, Karnataka, India (12° 25' N, 76° 39'E).	23-Jan-99	2	Philip S. Ward	All out search
25	<i>Dolichodermnae, Dolichoderus affinis</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
26	<i>Dolichodermnae, Dolichoderus affinis</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	3	4	All out search
27	<i>Dolichodermnae, Dolichoderus affinis</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
28	<i>Dolichodermnae, Dolichoderus sp. 2</i>	2	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	2	2	All out search
29	<i>Dolichodermnae, Iridomyrmex sp. 1</i>	1	Bidaralli, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	4	1	4 trapping methods and All out search
30	<i>Dolichodermnae, Tapinoma indicum</i>	6	Muthanga 880m, Wayanad, Kerala, India (11° 41' N, 76° 23	26-Jan-99	2	Philip S. Ward	All out search
31	<i>Dolichodermnae, Tapinoma melanocephalum (Fabricius)</i>	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7"E).	25-Dec-03	5	Alexander Jesudasan	All out search
32	<i>Dolichodermnae, Tapinoma melanocephalum (Fabricius)</i>	1	Osiam Village, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	06-Apr-02	13	Thresamma Varghese	All out search
33	<i>Dolichodermnae, Tapinoma melanocephalum (Fabricius)</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	9	4	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
34	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
35	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	50	3	All out search and Pit-fall trap methods
36	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Cubbon Park, Bangalore, Karnataka, India (12° 58" N, 77° 35" E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search
37	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	4	Mintu Mallik	All out search
38	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
39	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Malir?, ?, India (? , ?).	08-Jul-01	10	Pramod, P.	All out search
40	<i>Dolichoderinae, Tapinoma melanocephalum</i> (Fabricius)	1	Santagal (90, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Oct-86	2	1	4 Trapping methods and All out search
41	<i>Dolichoderinae, Tapinoma sp. 2</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	3	Subramaniam, K.A.	All out search
42	<i>Dolichoderinae, Tapinoma sp. 2</i>	2	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	8	1	4 Trapping methods and All out search
43	<i>Dolichoderinae, Tapinoma sp. 2</i>	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
44	<i>Dolichoderinae, Tapinoma sp. 3</i>	3	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	21	1	4 Trapping methods and All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
45	<i>Dolichoderinae, Tapinoma sp. 4</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	15	Pramod, P.	All out search
46	<i>Dolichoderinae, Tapinoma sp. 4</i>	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
47	<i>Dolichoderinae, Tapinoma sp. 4</i>	4	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
48	<i>Dolichoderinae, Tapinoma sp. 4</i>	4	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39' E).	08-Nov-95	1	Pramod, P	All out search
49	<i>Dolichoderinae, Tapinoma sp. 5</i>	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
50	<i>Dolichoderinae, Tapinoma sp. 7</i>	7	AFTRI Guest house Jodhpur, Jodhpur, Rajasthan, India (26° 0' to 27° 37' N, 72° 55' to 73° 52' E).	06-Apr-02	37	Thresiamma Varghese	All out search
51	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4" N, 76° 17' 4" E).	01-Apr-01	7	Subramaniam, K.A.	All out search
52	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P	All out search
53	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Achenkoti, Kollam, Kerala, India (9° 28" N, 76° 17" E).	28-Dec-03	2	Alexander Jesudasan	All out search
54	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	3	1	4 Trapping methods and All out search
55	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Cumburn, Theni, Tamil Nadu, India (15° 34" N, 79° 9" E).	26-Dec-03	3	Alexander Jesudasan	All out search
56	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58" N, 77° 35" E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
57	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7'E).	25-Dec-03	2	Alexander Jesudasan	All out search
58	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	6	4	All out search
59	<i>Dolichoderinae, Technomyrmex albipes (Smith)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	16	3	All out search and Pit-fall trap methods
60	<i>Dolichoderinae, Technomyrmex sp.3</i>	3	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	4	Ganapathy, H.M.	All out search
61	<i>Dolichoderinae, Technomyrmex sp.3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	6	Pramod, P.	All out search
62	<i>Dolichoderinae, UD sp. 1</i>	1	Mali?, ?, India (?, ?).	08-Jul-01	1	Pramod,P	All out search
63	<i>Dorylinae, Dorylus labiatus Shuckard</i>	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
64	<i>Dorylinae, Dorylus sp. 1</i>	1	Bidaralli, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	29-Sep-86	1	1	4 trapping methods and All out search
65	<i>Dorylinae, Dorylus sp. 2</i>	2	Bidaralli, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	29-Sep-86	2	1	4 trapping methods and All out search
66	<i>Dorylinae, Dorylus sp. 4</i>	4	Mali?, ?, India (?, ?).	08-Jul-01	1	Pramod,P	All out search
67	<i>Formicinae, Acropyga acutiventris Roger</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	2	Subramaniam, K.A.	All out search
68	<i>Formicinae, Acropyga acutiventris Roger</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35'E).	03-Aug-00	6	Yogesh, P., Vidya,V.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
69	Formicinae, <i>Acropyga acutiventris</i> Roger	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
70	Formicinae, <i>Acropyga</i> sp.2	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	25	Ganapathy, H.M.	All out search
71	Formicinae, <i>Anoplolepis gracilipes</i>	1	Anyankavu, Kollam, Kerala, India (9° 28'N, 76°17"E).	28-Feb-03	1	Alexander Jesudasan	All out search
72	Formicinae, <i>Anoplolepis gracilipes</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	2	Pramod, P	All out search
73	Formicinae, <i>Anoplolepis gracilipes</i>	1	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	2	1	4 Trapping methods and All out search
74	Formicinae, <i>Anoplolepis gracilipes</i>	1	Cumbum, Theni, Tamil Nadu, India (15° 34'N, 79°9'E).	26-Dec-03	6	Alexander Jesudasan	All out search
75	Formicinae, <i>Anoplolepis gracilipes</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	56	Ganapathy, H.M.	All out search
76	Formicinae, <i>Anoplolepis gracilipes</i>	1	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7"E).	11-Jul-01	6	Alexander Jesudasan	All out search
77	Formicinae, <i>Anoplolepis gracilipes</i>	1	Malil?, ?, India (?, ?).	08-Jul-01	25	Pramod, P.	All out search
78	Formicinae, <i>Anoplolepis gracilipes</i>	1	Achenkoti, Kollam, Kerala, India (9° 28'N, 76°17"E).	28-Dec-03	1	Alexander Jesudasan	All out search
79	Formicinae, <i>Anoplolepis gracilipes</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	20	Subramaniam, K.A.	All out search
80	Formicinae, <i>Anoplolepis gracilipes</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	25	Pramod, P.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
81	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
82	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	15	4	All out search
83	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	1	Neelkamal Rastogi	All out search
84	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	4	2	All out search
85	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Oslam Village, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	06-Apr-02	6	Thresamma Varghese	All out search
86	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
87	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7"E).	11-Jul-01	4	Alexander Jesudasan	All out search
88	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	1	Mintu Mallik	All out search
89	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	06-Jan-86	2	1	4 Trapping methods and All out search
90	<i>Formicinae, Camponotus compressus (Fabrncius)</i>	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	12	3	All out search and Pit-fall trap methods
91	<i>Formicinae, Camponotus paria Emery</i>	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	30	Ganapathy, H.M.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
92	<i>Formicinae, Camponotus para Emery</i>	2	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	11-Jul-01	2	Alexander Jesudasan	All out search
93	<i>Formicinae, Camponotus para Emery</i>	2	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	7	Pramod, P.	All out search
94	<i>Formicinae, Camponotus para Emery</i>	2	Keerampura Taluk, Ernakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	3	Subramaniam, K.A.	All out search
95	<i>Formicinae, Camponotus para Emery</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	3	Pramod, P	All out search
96	<i>Formicinae, Camponotus para Emery</i>	2	Cuttack, Orissa, India (20° 28"N, 85°54"E).	22-Dec-03	1	Alexander Jesudasan	All out search
97	<i>Formicinae, Camponotus para Emery</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	16	3	All out search and Pit-fall trap methods
98	<i>Formicinae, Camponotus para Emery</i>	2	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search
99	<i>Formicinae, Camponotus para Emery</i>	2	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82° 51'33"E).	01-Jan-98	1	Neelkmal Rastogi	All out search
100	<i>Formicinae, Camponotus para Emery</i>	2	Maili?, ?, India (?, ?).	08-Jul-01	3	Pramod, P.	All out search
101	<i>Formicinae, Camponotus para Emery</i>	2	10km SW Heggadadevankote 760m, Mysore, Karnataka, India (12° 01" N, 76° 16 E).	24-Jan-99	1	Philip S. Ward	All out search
102	<i>Formicinae, Camponotus para Emery</i>	2	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	4	Pramod, P.	All out search
103	<i>Formicinae, Camponotus para Emery</i>	2	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	6	1	4 Trapping methods and All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
104	<i>Formicinae, Camponotus parva Emery</i>	2	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	2	4	All out search
105	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	30	4	All out search
106	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	18	2	All out search
107	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	10km SW Heggadadevankote 760m, Mysore, Karnataka, India (12° 01' N, 76° 16 E).	24-Jan-99	1	Philip S. Ward	All out search
108	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
109	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Santagal (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	1	1	4 Trapping methods and All out search
110	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Keerampura Taluk, Ernakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	4	Subramaniam, K.A.	All out search
111	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Cuttack, Orissa, India (20° 28' N, 85° 54"E).	22-Dec-03	1	Alexander Jesudasan	All out search
112	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	4	Yogesh, P., Vidya, V.	All out search
113	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
114	<i>Formicinae, Camponotus sericeus (Fabriscus)</i>	8	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
115	Formicinae, <i>Camponotus</i> sp. 1	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	7	Ganapathy, H.M.	All out search
116	Formicinae, <i>Camponotus</i> sp. 1	1	Mali?, ?, India (?, ?).	08-Jul-01	2	Pramod, P	All out search
117	Formicinae, <i>Camponotus</i> sp. 1	1	Santagal (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	3	1	4 Trapping methods and All out search
118	Formicinae, <i>Camponotus</i> sp. 1	1	Nungi-Budgebudge, Kolkata, West Bengal, India (?, ?).	01-Jan-03	1	Mintu Mallik	All out search
119	Formicinae, <i>Camponotus</i> sp. 1	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
120	Formicinae, <i>Camponotus</i> sp. 1	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
121	Formicinae, <i>Camponotus</i> sp. 10	10	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	2	2	All out search
122	Formicinae, <i>Camponotus</i> sp. 11	11	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
123	Formicinae, <i>Camponotus</i> sp. 11	11	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
124	Formicinae, <i>Camponotus</i> sp. 12	12	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	5	2	All out search
125	Formicinae, <i>Camponotus</i> sp. 13	13	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	1	4	All out search
126	Formicinae, <i>Camponotus</i> sp. 14	14	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
127	<i>Formicinae, Camponotus sp. 14</i>	14	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	06-Jan-86	1	1	4 Trapping methods and All out search
128	<i>Formicinae, Camponotus sp. 15</i>	15	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
129	<i>Formicinae, Camponotus sp. 16</i>	16	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
130	<i>Formicinae, Camponotus sp. 17</i>	17	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
131	<i>Formicinae, Camponotus sp. 18</i>	18	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
132	<i>Formicinae, Camponotus sp. 19</i>	19	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7'E).	11-Jul-01	2	Alexander Jesudasan	All out search
133	<i>Formicinae, Camponotus sp. 3</i>	3	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	1	1	4 Trapping methods and All out search
134	<i>Formicinae, Camponotus sp. 3</i>	3	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	25-Dec-03	3	Alexander Jesudasan	All out search
135	<i>Formicinae, Camponotus sp. 3</i>	3	Keerampura Taluk, Emakulam, Kerala, India (9° 58. 4"N, 76° 17' 4"E).	01-Apr-01	8	Subramaniam, K.A.	All out search
136	<i>Formicinae, Camponotus sp. 3</i>	3	Mall?, ?, India (? , ?).	08-Jul-01	2	Pramod, P.	All out search
137	<i>Formicinae, Camponotus sp. 4</i>	4	Indian Institute of Science 900m, Bangalore, Karnataka, India (13°01" N, 77° 34E).	28-Jan-99	2	Philip S. Ward	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
138	Formicinae, <i>Camponotus</i> sp. 5	5	Varanasi, Uttar Pradesh, India (25° 27' 08" N, 82° 51' 33" E).	01-Jan-98	1	Neelkamal Rastogi	All out search
139	Formicinae, <i>Camponotus</i> sp. 5	5	Cubbon Park, Bangalore, Karnataka, India (12° 58' N, 77° 35' E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search
140	Formicinae, <i>Camponotus</i> sp. 5	5	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
141	Formicinae, <i>Camponotus</i> sp. 5	5	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	1	Pramod, P	All out search
142	Formicinae, <i>Camponotus</i> sp. 5	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	3	Pramod, P	All out search
143	Formicinae, <i>Camponotus</i> sp. 5	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
144	Formicinae, <i>Camponotus</i> sp. 5	5	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	4	4	All out search
145	Formicinae, <i>Camponotus</i> sp. 5	5	Indian Institute of Science 900m, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	28-Jan-99	2	Phillip S. Ward	All out search
146	Formicinae, <i>Camponotus</i> sp. 5	5	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	3	1	4 Trapping methods and All out search
147	Formicinae, <i>Camponotus</i> sp. 6	6	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	3	Ganapathy, H.M.	All out search
148	Formicinae, <i>Camponotus</i> sp. 6	6	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
149	Formicinae, <i>Camponotus</i> sp. 6	6	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	4	4	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
150	<i>Formicinae, Camponotus sp. 6</i>	6	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	15	Pramod, P.	All out search
151	<i>Formicinae, Camponotus sp. 7</i>	7	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7'E).	11-Jul-01	4	Alexander Jesudasan	All out search
152	<i>Formicinae, Camponotus sp. 7</i>	7	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	2	4	All out search
153	<i>Formicinae, Camponotus sp. 7</i>	7	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
154	<i>Formicinae, Camponotus sp. 7</i>	7	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	06-Jan-86	2	1	4 Trapping methods and All out search
155	<i>Formicinae, Camponotus sp. 7</i>	7	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E74° 24' to 74° 45' E).	01-May-98	12	Ganapathy, H.M.	All out search
156	<i>Formicinae, Camponotus sp. 9</i>	9	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
157	<i>Formicinae, Camponotus sp. 9</i>	9	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3.	All out search and Pit-fall trap methods
158	<i>Formicinae, Camponotus sp. 9</i>	9	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
159	<i>Formicinae, Camponotus sp. 9</i>	9	Santagal (8), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	04-Feb-86	1	1	4 Trapping methods and All out search
160	<i>Formicinae, Cataglyphis bicolor setipes (Forel)</i>	1	Osiam Village, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E 73°52'72° 55' to 73° 52' E).	06-Apr-02	8	Thresamma Varghese	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
161	<i>Formicinae, Cataglyphis bicolor setipes (Forel)</i>	1	Paota village, Lal maidan (a school ground), Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	04-Apr-02	9	Thresiamma Varghese	All out search
162	<i>Formicinae, Formica sp. 1</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	30	2	All out search
163	<i>Formicinae, Lasius sp. 1</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
164	<i>Formicinae, Lepisiota frauenfeldi (Mayr)</i>	6	Osiam Village, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	06-Apr-02	35	Thresiamma Varghese	All out search
165	<i>Formicinae, Lepisiota frauenfeldi (Mayr)</i>	6	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
166	<i>Formicinae, Lepisiota frauenfeldi (Mayr)</i>	6	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
167	<i>Formicinae, Lepisiota frauenfeldi (Mayr)</i>	6	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	6	4	All out search
168	<i>Formicinae, Lepisiota sp. 1</i>	1	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-86	6	1	4 Trapping methods and All out search
169	<i>Formicinae, Lepisiota sp. 1</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
170	<i>Formicinae, Lepisiota sp. 1</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
171	<i>Formicinae, Lepisiota sp. 1</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
172	<i>Formicinae, Lepisiota sp. 1</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	25	Ganapathy, H.M.	All out search
173	<i>Formicinae, Lepisiota sp. 1</i>	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7"E).	25-Dec-03	1	Alexander Jesudasan	All out search
174	<i>Formicinae, Lepisiota sp. 2</i>	2	Bangalore, Karnataka, India (12° 57"N, 77° 37' E).	01-Apr-97	2	4	All out search
175	<i>Formicinae, Lepisiota sp. 2</i>	2	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	1	1	4 Trapping methods and All out search
176	<i>Formicinae, Lepisiota sp. 2</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
177	<i>Formicinae, Lepisiota sp. 3</i>	3	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	06-Jan-86	20	1	4 Trapping methods and All out search
178	<i>Formicinae, Lepisiota sp. 4</i>	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	4	Ganapathy, H.M.	All out search
179	<i>Formicinae, Lepisiota sp. 4</i>	4	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	06-Jan-86	1	1	4 Trapping methods and All out search
180	<i>Formicinae, Lepisiota sp. 4</i>	4	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	4	4	All out search
181	<i>Formicinae, Lepisiota sp. 5</i>	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P	All out search
182	<i>Formicinae, Lepisiota sp. 5</i>	5	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	4	4	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
183	<i>Formicinae, Lepisiota sp. 5</i>	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	3	3	All out search and Pit-fall trap methods
184	<i>Formicinae, Lepisiota sp. 5</i>	5	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
185	<i>Formicinae, Lepisiota sp. 5</i>	5	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P	All out search
186	<i>Formicinae, Lepisiota sp. 7</i>	7	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
187	<i>Formicinae, Myrmoterax sp. 1</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-May-95	1	Ganapathy, H.M.	All out search
188	<i>Formicinae, Myrmoterax sp. 2</i>	2	Mali?, ?, India (? , ?).	08-Jul-01	1	Pramod, P	All out search
189	<i>Formicinae, Oecophylla smaragdina (Fabricius)</i>	1	Cuttack, Orissa, India (20° 28'N, 85°54'E).	22-Dec-03	4	Alexander Jesudasan	All out search
190	<i>Formicinae, Oecophylla smaragdina (Fabricius)</i>	1	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	5	1	4 Trapping methods and All out search
191	<i>Formicinae, Oecophylla smaragdina (Fabricius)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	7	Pramod, P	All out search
192	<i>Formicinae, Oecophylla smaragdina (Fabricius)</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	9	Pramod, P	All out search
193	<i>Formicinae, Oecophylla smaragdina (Fabricius)</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	50	Ganapathy, H.M.	All out search
194	<i>Formicinae, Oecophylla smaragdina (Fabricius)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	29	3	All out search and Pit-fall trap methods

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
195	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Indian Institute of Science 900m, Bangalore, Karnataka, India (13°01' N, 77° 34E).	22-Jan-99	1	Phillip S. Ward	All out search
196	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	19	Subramaniam, K.A.	All out search
197	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10':79°20'E).	01-Jun-94	21	2	All out search
198	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Cumbum, Theni, Tamil Nadu, India (15° 34"N, 79°9"E).	26-Dec-03	3	Alexander Jesudasan	All out search
199	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	1	Mintu Mallik	All out search
200	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	20	Pramod, P.	All out search
201	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	8	4.	All out search
202	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search
203	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	11-Jul-01	5	Alexander Jesudasan	All out search
204	<i>Formicinae, Oecophylla smaragdina (Fabrncius)</i>	1	Mal?, ?, ?, India (? , ?).	08-Jul-01	7	Pramod, P	All out search
205	<i>Formicinae, Paratrechina longicornis (Latreille)</i>	5	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	1	Neelkamal Rastogi	All out search
206	<i>Formicinae, Paratrechina longicornis (Latreille)</i>	5	Ranganathitu 710m, Mandya, Karnataka, India (12°25' N, 76° 39E).	23-Jan-99	1	Philip S. Ward	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
207	<i>Formicinae, Paratrechina longicornis (Latreille)</i>	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	3	3	All out search and Pit-fall trap methods
208	<i>Formicinae, Paratrechina longicornis (Latreille)</i>	5	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	25	Ganapathy, H.M.	All out search
209	<i>Formicinae, Paratrechina longicornis (Latreille)</i>	5	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	11	1	4 Trapping methods and All out search
210	<i>Formicinae, Paratrechina sp.2</i>	2	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	20	4	All out search
211	<i>Formicinae, Paratrechina sp.2</i>	2	Muthapanpuzhe 460m, ?, Kerala, Inda (11° 26' N, 76° 05E).	25-Jan-99	2	Philip S. Ward	All out search
212	<i>Formicinae, Paratrechina sp.2</i>	2	MalI?, ?, India (? , ?).	08-Jul-01	2	Pramod,P	All out search
213	<i>Formicinae, Paratrechina sp.2</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P	All out search
214	<i>Formicinae, Paratrechina sp.2</i>	2	Santagal (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	1	1	4 Trapping methods and All out search
215	<i>Formicinae, Paratrechina sp.3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
216	<i>Formicinae, Paratrechina sp.3</i>	3	Bidaralli (1), Uttara Kannada,UttaraKannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	3	1	4 Trapping methods and All out search
217	<i>Formicinae, Paratrechina sp.3</i>	3	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	2	Pramod, P	All out search
218	<i>Formicinae, Paratrechina sp.3</i>	3	MalI?, ?, ?, India (? , ?).	08-Jul-01	3	Pramod, P	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
219	<i>Formicinae, Paratrechina sp. 3</i>	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	5	Ganapathy, H.M.	All out search
220	<i>Formicinae, Paratrechina sp. 4</i>	4	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	20	4	All out search
221	<i>Formicinae, Paratrechina sp. 4</i>	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
222	<i>Formicinae, Paratrechina sp. 5</i>	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
223	<i>Formicinae, Paratrechina sp. 6</i>	6	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20"-30°35'N, 79°10'-79°20'E).	01-Jun-94	10	2	All out search
224	<i>Formicinae, Paratrechina sp. 7</i>	7	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20"-30°35'N, 79°10'-79°20'E).	01-Jun-94	2	2	All out search
225	<i>Formicinae, Paratrechina sp. 7</i>	7	Mall?, ?, India (? , ?).	08-Jul-01	2	Pramod, P	All out search
226	<i>Formicinae, Paratrechina yerburyi (Forel)</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	2	Subramaniam, K.A.	All out search
227	<i>Formicinae, Paratrechina yerburyi (Forel)</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	10	Pramod, P	All out search
228	<i>Formicinae, Paratrechina yerburyi (Forel)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
229	<i>Formicinae, Paratrechina yerburyi (Forel)</i>	1	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	1	Mintu Mallik	All out search
230	<i>Formicinae, Paratrechina yerburyi (Forel)</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	25	Ganapathy, H.M.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
231	Formicinae, <i>Paratrechina yerburyi</i> (Forel)	1	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	1	Neelkamal Rastogi	All out search
232	Formicinae, <i>Paratrechina yerburyi</i> (Forel)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	23	3	All out search and Pit-fall trap methods
233	Formicinae, <i>Plagirolepis dichroa</i> Forel	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
234	Formicinae, <i>Plagirolepis dichroa</i> Forel	4	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	2	1	4 Trapping methods and All out search
235	Formicinae, <i>Plagirolepis dichroa</i> Forel	4	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	2	4	All out search
236	Formicinae, <i>Plagirolepis exigua</i> Forel	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	3	3	All out search and Pit-fall trap methods
237	Formicinae, <i>Plagirolepis exigua</i> Forel	5	Santagal (7.8), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	04-Feb-86	2	1	4 Trapping methods and All out search
238	Formicinae, <i>Plagirolepis exigua</i> Forel	5	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	2	4	All out search
239	Formicinae, <i>Plagirolepis jerdonii</i> Forel	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
240	Formicinae, <i>Plagirolepis jerdonii</i> Forel	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	6	3	All out search and Pit-fall trap methods
241	Formicinae, <i>Plagirolepis jerdonii</i> Forel	1	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	30	4	All out search
242	Formicinae, <i>Plagirolepis jerdonii</i> Forel	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	6	Ganapathy, H.M.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
243	<i>Formicinae, Plagiolepis sp. 2</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
244	<i>Formicinae, Plagiolepis sp. 3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
245	<i>Formicinae, Plagiolepis sp. 6</i>	6	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
246	<i>Formicinae, Polyrhachis exercita (Walker)</i>	15	Ranganathittu 710m, Mandya, Karnataka, India (12°25' N, 76° 39'E).	23-Jan-99	2	Philip S. Ward	All out search
247	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	11	Pramod, P	All out search
248	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Bangalore, Karnataka, India (12° 57'N, 77° 37"E).	01-Apr-97	2	4	All out search
249	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Achenkoil, Kollam, Kerala, India (9° 28'N, 76° 17"E).	28-Dec-03	6	Alexander Jesudasan	All out search
250	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
251	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	4	3	All out search and Pit-fall trap methods
252	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	6	1	4 Trapping methods and All out search
253	<i>Formicinae, Polyrhachis exercita sub rastrata (Walker)</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	6	Subramaniam, K.A.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
254	<i>Formicinae, Polyrhachis lacteipennis</i>	7	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P	All out search
255	<i>Formicinae, Polyrhachis lacteipennis</i>	7	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	1	4	All out search
256	<i>Formicinae, Polyrhachis lacteipennis</i>	7	Santagal (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	15-May-85	3	1	4 Trapping methods and All out search
257	<i>Formicinae, Polyrhachis lacteipennis</i>	7	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
258	<i>Formicinae, Polyrhachis punctillata</i> Roger	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
259	<i>Formicinae, Polyrhachis punctillata</i> Roger	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
260	<i>Formicinae, Polyrhachis punctillata</i> Roger	4	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	3	Ganapathy, H.M.	All out search
261	<i>Formicinae, Polyrhachis punctillata</i> Roger	4	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	5	1	4 Trapping methods and All out search
262	<i>Formicinae, Polyrhachis punctillata</i> Roger	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
263	<i>Formicinae, Polyrhachis rastellata</i> (Latreille)	8	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
264	<i>Formicinae, Polyrhachis rastellata</i> (Latreille)	8	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	2	4	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
265	<i>Formicinae, Polyrhachis sp. 1</i>	1	Santagal (7), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	2	1	4 Trapping methods and All out search
266	<i>Formicinae, Polyrhachis sp. 1</i>	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80° 7"E).	25-Dec-03	1	Alexander Jesudasan	All out search
267	<i>Formicinae, Polyrhachis sp. 1</i>	1	Keerampura Taluk, Ernakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
268	<i>Formicinae, Polyrhachis sp. 10</i>	10	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
269	<i>Formicinae, Polyrhachis sp. 11</i>	11	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
270	<i>Formicinae, Polyrhachis sp. 12</i>	12	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
271	<i>Formicinae, Polyrhachis sp. 13</i>	13	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
272	<i>Formicinae, Polyrhachis sp. 3</i>	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
273	<i>Formicinae, Polyrhachis sp. 3</i>	3	Santagal (7), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	1	1	4 Trapping methods and All out search
274	<i>Formicinae, Polyrhachis sp. 3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
275	Formicinae, <i>Polytrachis</i> sp. 5	5	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E; 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
276	Formicinae, <i>Polytrachis</i> sp. 5	5	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
277	Formicinae, <i>Polytrachis</i> sp. 9	9	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
278	Formicinae, <i>Polytrachis</i> sp. 9	9	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
279	Formicinae, <i>Polytrachis tibialis</i> Smith	14	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80° 7'E).	11-Jul-01	1	Alexander Jesudasan	All out search
280	Formicinae, <i>Prenolepis</i> sp. 1	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
281	Formicinae, <i>Prenolepis</i> sp. 2	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
282	Formicinae, <i>Prenolepis</i> sp. 3	3	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P.	All out search
283	Formicinae, <i>Pseudolasius?</i> sp. 1	1	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	2	1	4 Trapping methods and All out search
284	Myrmicinae, <i>Acanthomyrmex</i> sp. 1	1	Mangalore port (from Teak Wood, came from Malaysia), Mangalore, Karnataka, India (12° 12' 46.6"N, 74° 48' 27.56" E.).	25-Jun-03	2	Veeranna	All out search
285	Myrmicinae, <i>Aphaenogaster beccarii</i> (Emery)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	5	3	All out search and Pit-fall trap methods

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
286	<i>Myrmicinae, Aphaenogaster beccarii (Emery)</i>	1	Indian Institute of Science 900m, Bangalore, Karnataka, India (13°01' N, 77° 34'E).	28-Jan-99	1	Philip S. Ward	All out search
287	<i>Myrmicinae, Aphaenogaster beccarii (Emery)</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	6	4	All out search
288	<i>Myrmicinae, Aphaenogaster beccarii (Emery)</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35"E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search
289	<i>Myrmicinae, Aphaenogaster beccarii (Emery)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
290	<i>Myrmicinae, Aphaenogaster sp. 2</i>	2	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	8	2	All out search
291	<i>Myrmicinae, Aphaenogaster sp. 3</i>	3	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	4	2	All out search
292	<i>Myrmicinae, Aphaenogaster sp. 4</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
293	<i>Myrmicinae, Aphaenogaster sp. 5</i>	5	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	2	Pramod, P.	All out search
294	<i>Myrmicinae, Aphaenogaster sp. 5</i>	5	Western Ghats, Uttara Kannada/Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P	All out search
295	<i>Myrmicinae, Calyptomyrmex sp. 1</i>	1	Santegal (9), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	29-Oct-86	1	1	4 trapping methods and All out search
296	<i>Myrmicinae, Cardiocondyla sp. 2</i>	2	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	4	4	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
297	<i>Myrmicinae, Cardiocondyla sp.2</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	8	Ganapathy, H.M.	All out search
298	<i>Myrmicinae, Cardiocondyla sp.2</i>	2	Bidaralli (4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Sep-86	1	1	4 trapping methods and All out search
299	<i>Myrmicinae, Cardiocondyla sp.2</i>	2	Indian Institute of Science Campus., Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	9	3	All out search and Pit-fall trap methods
300	<i>Myrmicinae, Cardiocondyla sp.2</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
301	<i>Myrmicinae, Cardiocondyla sp.3</i>	3	Bidaralli (2-4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-May-98	6	1	4 trapping methods and All out search
302	<i>Myrmicinae, Cardiocondyla sp.3</i>	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
303	<i>Myrmicinae, Cardiocondyla sp.3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
304	<i>Myrmicinae, Cardiocondyla sp.4</i>	4	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
305	<i>Myrmicinae, Cardiocondyla sp.4</i>	4	Santagal (9), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Oct-86	9	1	4 trapping methods and All out search
306	<i>Myrmicinae, Cardiocondyla sp.4</i>	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
307	<i>Myrmicinae, Cardiocondyla sp.4</i>	4	Kumta, Uttara Kannada, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
308	<i>Myrmicinae, Cardiocondyla sp. 5</i>	5	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	8	4	All out search
309	<i>Myrmicinae, Cardiocondyla sp. 5</i>	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
310	<i>Myrmicinae, Cardiocondyla sp. 6</i>	6	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	1	2	All out search
311	<i>Myrmicinae, Cardiocondyla sp. 7</i>	7	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	4	Ganapathy, H.M.	All out search
312	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	10	3	All out search and Pit-fall trap methods
313	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P.	All out search
314	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	6	Ganapathy, H.M.	All out search
315	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Varanasi, Uttar Pradesh, India (25° 27' 08"N, 82°51' 33"E).	01-Jan-98	1	Neeekamal Rastogi	All out search
316	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Bidaralli (2,3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	11	1	4 trapping methods and All out search
317	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Keerampura Taluk, Ernakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
318	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	5	Pramod, P	All out search
319	<i>Myrmicinae, Cardiocondyla wroughtonii (Forel)</i>	1	Mali?, ?, ?, India (? , ?).	08-Jul-01	1	Pramod, P.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
320	Myrmicinae, <i>Cataulacus</i> sp.2	2	Bidaralli (2-5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	5	1	4 trapping methods and All out search
321	Myrmicinae, <i>Cataulacus</i> sp.2	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
322	Myrmicinae, <i>Cataulacus</i> sp.3	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	15	3	All out search and Pit-fall trap methods
323	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	3	Subramaniam, K.A.	All out search
324	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	3	Pramod, P.	All out search
325	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	3	3	All out search and Pit-fall trap methods
326	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Muthapanpuzhe 460m, ?, Kerala, India (11° 26" N, 76° 05E).	25-Jan-99	2	Philip S. Ward	All out search
327	Myrmicinae, <i>Cataulacus taprobanae smith</i>	1	Bidaralli (2,3) and Santagal (all), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	1	1	4 trapping methods and All out search
328	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Cumbum, Theni, Tamil Nadu, India (15° 34"N, 79°9"E).	26-Dec-03	2	Alexander Jesudasan	All out search
329	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	1	4	All out search
330	Myrmicinae, <i>Cataulacus taprobanae</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
331	<i>Myrmicinae, Cataulacus taprobanae</i>	1	Ranganathittu 710m, Mandya, Karnataka, India (12°25' N, 76° 39'E).	23-Jan-99	1	Phillip S. Ward	All out search
332	<i>Myrmicinae, Cataulacus taprobanae</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
333	<i>Myrmicinae, Crematogaster biroi</i> Mayr	18	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Sep-03	6	Thresamma Varghese	All out search
334	<i>Myrmicinae, Crematogaster brunnea contenta</i> Mayr	12	Osiam Village, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	06-Apr-02	12	Thresamma Varghese	All out search
335	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
336	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	4	Pramod, P.	All out search
337	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7"E).	11-Jul-01	2	Alexander Jesudasan	All out search
338	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82° 51'33"E).	01-Jan-98	1	Neeilkamal Rastogi	All out search
339	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	20	3	All out search and Pit-fall trap methods
340	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7"E).	25-Dec-03	2	Alexander Jesudasan	All out search
341	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	12	4	All out search
342	<i>Myrmicinae, Crematogaster ranssonneti</i> Mayr	2	Mali?, ?, India (?, ?).	08-Jul-01	1	Pramod, P.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
343	<i>Myrmicinae, Crematogaster ranssoneti</i> Mayr	2	Bidaralli (1,2) Santagal (5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10'	18-Dec-84	11	1	4 trapping methods and All out search
344	<i>Myrmicinae, Crematogaster ranssoneti</i> Mayr	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
345	<i>Myrmicinae, Crematogaster rogenhofen</i> Mayr	19	Coondapur, mangrove ecosystem, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°30' - 14°30').	12-May-02	1	Rajil, B.	All out search
346	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	30	Ganapathy, H.M.	All out search
347	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
348	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
349	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	3	4	All out search
350	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
351	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
352	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	2	Pramod, P	All out search
353	<i>Myrmicinae, Crematogaster rothneyi</i> Mayr	5	Bidaralli (2,4) Santagal (8), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10'	16-Apr-85	1	1	4 trapping methods and All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
354	<i>Myrmicinae, Crematogaster sp. 1</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	11	Subramaniam, K.A.	All out search
355	<i>Myrmicinae, Crematogaster sp. 1</i>	1	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	11-Jul-01	1	Alexander Jesudasan	All out search
356	<i>Myrmicinae, Crematogaster sp. 1</i>	1	Cumbum, Theni, Tamil Nadu, India (15° 34"N Longitude: 79o9'E., 79°9"E).	26-Dec-03	5	Alexander Jesudasan	All out search
357	<i>Myrmicinae, Crematogaster sp. 1</i>	1	Cuttack, Orissa, India (20° 28"N, 85°54"E).	22-Dec-03	6	Alexander Jesudasan	All out search
358	<i>Myrmicinae, Crematogaster sp. 1</i>	1	Bidaralli (1,3,4,5) and Santagal (6,7,9,10), Utara Karnataka, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	3	1	4 trapping methods and All out search
359	<i>Myrmicinae, Crematogaster sp. 1</i>	11	Kumta, Utara Karnataka, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
360	<i>Myrmicinae, Crematogaster sp. 12</i>	12	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
361	<i>Myrmicinae, Crematogaster sp. 13</i>	13	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82° 51'33"E).	01-Jan-98	1	Neelkamal Rastogi	All out search
362	<i>Myrmicinae, Crematogaster sp. 13</i>	13	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
363	<i>Myrmicinae, Crematogaster sp. 14</i>	14	Chopta-Tunganath, Chamoli?, Utaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	1	2	All out search
364	<i>Myrmicinae, Crematogaster sp. 15</i>	15	Western Ghats, Utara Karnataka, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
365	Myrmicinae, Crematogaster sp. 15	15	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	8	Pramod, P	All out search
366	Myrmicinae, Crematogaster sp. 16	16	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
367	Myrmicinae, Crematogaster sp. 17	17	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
368	Myrmicinae, Crematogaster sp. 3	3	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
369	Myrmicinae, Crematogaster sp. 3	3	Mali?, ?, India (? , ?).	08-Jul-01	1	Pramod, P	All out search
370	Myrmicinae, Crematogaster sp. 3	3	Santagal (7.8,9), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	4	1	4 trapping methods and All out search
371	Myrmicinae, Crematogaster sp. 3	3	Ayankavu, Kollam, Kerala, India (9° 28"N, 76° 17"E).	28-Dec-03	2	Alexander Jesudasan	All out search
372	Myrmicinae, Crematogaster sp. 4	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	60	Ganapathy, H.M.	All out search
373	Myrmicinae, Crematogaster sp. 4	4	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N,30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
374	Myrmicinae, Crematogaster sp. 4	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
375	Myrmicinae, Crematogaster sp. 4	4	Bidaralli (1-5), Santagal (6,7,8,10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	64	1	4 trapping methods and All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
376	<i>Myrmicinae, Crematogaster</i> sp. 6	6	Bidaralli (4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Oct-86	0	1	4 trapping methods and All out search
377	<i>Myrmicinae, Crematogaster</i> sp. 7	7	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	8	1	4 trapping methods and All out search
378	<i>Myrmicinae, Crematogaster</i> sp. 8	8	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	20	Ganapathy, H.M.	All out search
379	<i>Myrmicinae, Crematogaster</i> sp. 8	8	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P.	All out search
380	<i>Myrmicinae, Crematogaster</i> sp. 9	9	Santagal (6-10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	2	1	4 trapping methods and All out search
381	<i>Myrmicinae, Crematogaster</i> sp. 9	9	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	9	Ganapathy, H.M.	All out search
382	<i>Myrmicinae, Crematogaster</i> sp. 9	9	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
383	<i>Myrmicinae, Crematogaster</i> sp. 9	9	Malr?, ?, ?, India (? , ?).	08-Jul-01	1	Pramod, P. Dr.Pramod	All out search
384	<i>Myrmicinae, Dilobocondyla bangalorea</i> new sp.	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	90	3	All out search and Pit-fall trap methods
385	<i>Myrmicinae, Dilobocondyla bangalorea</i> new sp.	1	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	3	4	All out search
386	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	9	Pramod, P.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
387	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Cuttack, Orissa, India (20° 28'N, 85°54'E).	22-Dec-03	2	Alexander Jesudasan	All out search
388	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	8	2	All out search
389	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	70	Ganapathy, H.M.	All out search
390	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
391	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Bidaralli (1-5) and Santagal (10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	9	1	4 Trapping methods and All out search
392	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58.4"N, 76° 17' 4"E).	01-Apr-01	10	Subramaniam, K.A.	All out search
393	<i>Myrmicinae, Lophomyrmex quadrispinosus</i> (Jerdon)	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
394	<i>Myrmicinae, Meranoplus bicolor</i> (Guer.)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	5	3	All out search and Pit-fall trap methods
395	<i>Myrmicinae, Meranoplus bicolor</i> (Guer.)	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58.4"N, 76° 17' 4"E).	01-Apr-01	3	Subramaniam, K.A.	All out search
396	<i>Myrmicinae, Meranoplus bicolor</i> (Guer.)	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	6	4	All out search
397	<i>Myrmicinae, Meranoplus bicolor</i> (Guer.)	1	Tivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
398	<i>Myrmicinae, Meranoplus bicolor (Guer.)</i>	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55'N, 80°7'E).	25-Dec-03	3	Alexander Jesudasan	All out search
399	<i>Myrmicinae, Meranoplus bicolor (Guer.)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	3	Pramod, P.	All out search
400	<i>Myrmicinae, Meranoplus bicolor (Guer.)</i>	1	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	6	1	4 Trapping methods and All out search
401	<i>Myrmicinae, Meranoplus bicolor (Guer.)</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	30	Ganapathy, H.M.	All out search
402	<i>Myrmicinae, Meranoplus sp.2</i>	2	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35'E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
403	<i>Myrmicinae, Meranoplus sp.2</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
404	<i>Myrmicinae, Meranoplus sp.2</i>	2	Bidaralli (1) And Santagal (8), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	3	1	4 Trapping methods and All out search
405	<i>Myrmicinae, Meranoplus sp.2</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
406	<i>Myrmicinae, Messor sp. 1</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	29	2	All out search
407	<i>Myrmicinae, Monomorium alatum Forel</i>	7	Bidaralli (2) Santagal (6-10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	15-May-85	9	1	4 Trapping methods and All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
408	<i>Myrmicinae, Monomorium atomum</i> Forel	7	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	20	3	All out search and Pit-fall trap methods
409	<i>Myrmicinae, Monomorium atomum</i> Forel	7	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	3	Ganapathy, H.M.	All out search
410	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
411	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
412	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	12	Ganapathy, H.M.	All out search
413	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	Varanasi, Uttar Pradesh, India (25° 27' 08" N, 82° 51' 33" E).	01-Jan-98	6	Neelkamal Rastogi	All out search
414	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
415	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	10km SW Heggadadevanakote 760m, Mysore, Karnataka, India (12° 01' N, 76° 16' E).	24-Jan-99	2	Philip S. Ward	All out search
416	<i>Myrmicinae, Monomorium criniceps</i> (Mayr)	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	24-Jan-99	2	Philip S. Ward	All out search
417	<i>Myrmicinae, Monomorium destructor</i> (Jerdon)	12	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	2	Pramod, P	All out search
418	<i>Myrmicinae, Monomorium destructor</i> (Jerdon)	12	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39' E).	08-Nov-95	1	Pramod, P	All out search
419	<i>Myrmicinae, Monomorium destructor</i> (Jerdon)	12	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	15	3	All out search and Pit-fall trap methods

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
420	<i>Myrmicinae, Monomorium destructor (Jerdon)</i>	12	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
421	<i>Myrmicinae, Monomorium destructor (Jerdon)</i>	12	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	6	Pramod, P.	All out search
422	<i>Myrmicinae, Monomorium destructor (Jerdon)</i>	12	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35"E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search
423	<i>Myrmicinae, Monomorium destructor (Jerdon)</i>	12	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	4	4	All out search
424	<i>Myrmicinae, Monomorium destructor (Jerdon)</i>	12	Indian Institute of Science Campus, Bangalore, Karnataka, India (13°01" N, 77° 34E).	22-Jan-99	2	Philip S. Ward	All out search
425	<i>Myrmicinae, Monomorium fossulatum group</i>	?	Vythiri 460m, Wayanad, Kerala, India (11°31" N, 76° 01 E).	24-Jan-99	1	Philip S. Ward	All out search
426	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	2	4	All out search
427	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Bidaralli (1-5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	24	1	4 Trapping methods and All out search
428	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
429	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Kottavadi?, ?, India (? , ?).	27-Dec-03	1	Alexander Jesudasan	All out search
430	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	16	Pramod, P	All out search
431	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
432	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Cumbum, Theni, Tamil Nadu, India (15° 34'N, 79°9'E).	26-Dec-03	3	Alexander Jesudasan	All out search
433	<i>Myrmicinae, Monomorium glabrum (Andre)</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	2	Subramaniam, K.A.	All out search
434	<i>Myrmicinae, Monomorium indicum Forel</i>	17	AFTRI Guest house Jodhpur, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	06-Apr-02	53	Thresiamma Varghese	All out search
435	<i>Myrmicinae, Monomorium indicum Forel</i>	17	Osiam Village, Jodhpur, Rajasthan, India (26°0' to 27°37' N, 72° 55' to 73° 52' E).	06-Apr-02	25	Thresiamma Varghese	All out search
436	<i>Myrmicinae, Monomorium sp. 1</i>	1	Santagal (7), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	15-May-85	1	1	4 Trapping methods and All out search
437	<i>Myrmicinae, Monomorium sp. 1</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
438	<i>Myrmicinae, Monomorium sp. 1</i>	1	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	5	Pramod, P.	All out search
439	<i>Myrmicinae, Monomorium sp. 1</i>	1	Aryankavu, Kollam, Kerala, India (9° 28"N, 76°17"E).	28-Dec-03	3	Alexander Jesudasan	All out search
440	<i>Myrmicinae, Monomorium sp. 1</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	12	Subramaniam, K.A.	All out search
441	<i>Myrmicinae, Monomorium sp. 1</i>	1	Kumta., Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
442	<i>Myrmicinae, Monomorium sp. 10</i>	10	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	16	1	4 Trapping methods and All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
443	<i>Myrmicinae, Monomorium sp. 11</i>	11	Santagal (9), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Oct-86	3	1	4 Trapping methods and All out search
444	<i>Myrmicinae, Monomorium sp. 11</i>	11	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
445	<i>Myrmicinae, Monomorium sp. 11</i>	11	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	6	Pramod, P	All out search
446	<i>Myrmicinae, Monomorium sp. 13</i>	13	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
447	<i>Myrmicinae, Monomorium sp. 13</i>	13	Western Ghats, Uttara Kannada, Uttara Karnataka, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
448	<i>Myrmicinae, Monomorium sp. 14</i>	14	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
449	<i>Myrmicinae, Monomorium sp. 14</i>	14	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
450	<i>Myrmicinae, Monomorium sp. 14</i>	14	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
451	<i>Myrmicinae, Monomorium sp. 15</i>	15	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
452	<i>Myrmicinae, Monomorium sp. 16</i>	16	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
453	<i>Myrmicinae, Monomorium sp. 18</i>	18	10km SW Heggadadevanakote 760m, Mysore, Karnataka, India (12° 01' N, 76° 16' E).	24-Jan-99	2	Philip S. Ward	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
454	<i>Myrmicinae, Monomorium sp.5</i>	5	Santagal (9), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	29-Oct-86	2	1	4 Trapping methods and All out search
455	<i>Myrmicinae, Monomorium sp.5</i>	5	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
456	<i>Myrmicinae, Monomorium sp.6</i>	6	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
457	<i>Myrmicinae, Monomorium sp.6</i>	6	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
458	<i>Myrmicinae, Monomorium sp.8</i>	8	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
459	<i>Myrmicinae, Monomorium sp.8</i>	8	Bidaralli (1-5),Santagal (5,6), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	18-Dec-84	23	1	4 Trapping methods and All out search
460	<i>Myrmicinae, Monomorium sp.8</i>	8	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82° 51'33"E).	01-Jan-98	2	Neelkamal Rastogi	All out search
461	<i>Myrmicinae, Monomorium sp.8</i>	8	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
462	<i>Myrmicinae, Monomorium sp.8</i>	8	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
463	<i>Myrmicinae, Monomorium sp.8</i>	8	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
464	<i>Myrmicinae, Monomorium sp.9</i>	9	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	2	1	4 Trapping methods and All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
465	<i>Myrmicinae, Monomorium sp. 9</i>	9	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P.	All out search
466	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
467	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	11-Jul-01	2	Alexander Jesudasan	All out search
468	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P.	All out search
469	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	Santagal (7), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	15-May-85	6	1	4 Trapping methods and All out search
470	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	7	4	All out search
471	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
472	<i>Myrmicinae, Monomorium subopacum (Smith)</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
473	<i>Myrmicinae, Myrmecina urbanii Tiwar</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
474	<i>Myrmicinae, Myrmica sp. 1</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	60	2	All out search
475	<i>Myrmicinae, Myrmica sp. 2</i>	2	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	15	2	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
476	<i>Myrmicinae, Myrmica sp. 3</i>	3	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	3	2	All out search
477	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P	All out search
478	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Cumburn, Theni, Tamil Nadu, India (15° 34"N, 79°9"E).	26-Dec-03	10	Alexander Jesudasan	All out search
479	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Keerampura Taluk, Ernakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	16	Subramaniam, K.A.	All out search
480	<i>Myrmicinae, Myrmicaria brunnea</i>	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	25-Dec-03	3	Alexander Jesudasan	All out search
481	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	52	4	All out search
482	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	7	Ganapathy, H.M.	All out search
483	<i>Myrmicinae, Myrmicaria brunnea</i>	1	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	11-Jul-01	3	Alexander Jesudasan	All out search
484	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	4	Pramod, P	All out search
485	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	4	Yogesh, P., Vidya, V.	All out search
486	<i>Myrmicinae, Myrmicaria brunnea</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	40	3	All out search and Pit-fall trap methods

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
487	<i>Myrmicinae, Neoblepharidatta sp. 1</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
488	<i>Myrmicinae, Oligomyrmex sp. 2</i>	2	Vythiri 5km SSW 460m, Wayanad, Kerala, India (11° 31' N, 76° 01' E).	24-Jan-99	2	Phillip S. Ward	Winkler method
489	<i>Myrmicinae, Oligomyrmex sp. 1</i>	1	Bidaraili (2.5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	5	1	4 Trapping methods and All out search
490	<i>Myrmicinae, Oligomyrmex sp. 3</i>	3	Muthapanpuzhe, ?, Kerala, India (11° 26' N, 76° 05E).	25-Jan-99	2	Phillip S. Ward	All out search
491	<i>Myrmicinae, Pheidole sp. 1</i>	1	Mall?, ?, India (? , ?).	08-Jul-01	3	Pramod,P	All out search
492	<i>Myrmicinae, Pheidole sp. 1</i>	1	Bidaraili (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	2	1	4 Trapping methods and All out search
493	<i>Myrmicinae, Pheidole sp. 1</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	12	Subramaniam, K.A.	All out search
494	<i>Myrmicinae, Pheidole sp. 1</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya,V.	All out search
495	<i>Myrmicinae, Pheidole sp. 1</i>	1	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	9	Neelkamal Rstogi	All out search
496	<i>Myrmicinae, Pheidole sp. 1</i>	1	Chopta-Tunganath, Chamoli?, Uttaraanchal, India (30°20"-30°35'N, 79°10'-79°20'E).	01-Jun-94	12	2	All out search
497	<i>Myrmicinae, Pheidole sp. 1</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	30	Ganapathy, H.M.	All out search
498	<i>Myrmicinae, Pheidole sp. 1</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	6	Pramod, P.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
499	<i>Myrmicinae, Pheidole sp. 10</i>	10	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	22	1	4 Trapping methods and All out search
500	<i>Myrmicinae, Pheidole sp. 10</i>	10	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
501	<i>Myrmicinae, Pheidole sp. 11</i>	11	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	18	1	4 Trapping methods and All out search
502	<i>Myrmicinae, Pheidole sp. 12</i>	12	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	1	1	4 Trapping methods and All out search
503	<i>Myrmicinae, Pheidole sp. 12</i>	12	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	8	Ganapathy, H.M.	All out search
504	<i>Myrmicinae, Pheidole sp. 14</i>	14	Santagal (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	1	1	4 Trapping methods and All out search
505	<i>Myrmicinae, Pheidole sp. 16</i>	16	Santagal (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	17	1	4 Trapping methods and All out search
506	<i>Myrmicinae, Pheidole sp. 17</i>	17	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30° 20' - 30° 35' N, 79° 10' - 79° 20' E).	01-Jun-94	18	2	All out search
507	<i>Myrmicinae, Pheidole sp. 18</i>	18	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30° 20' - 30° 35' N, 79° 10' - 79° 20' E).	01-Jun-94	1	2	All out search
508	<i>Myrmicinae, Pheidole sp. 19</i>	19	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30° 20' - 30° 35' N, 79° 10' - 79° 20' E).	01-Jun-94	6	2	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
509	<i>Myrmicinae, Pheidole sp. 2</i>	2	Kunta, Uttara KannadaUttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E74° 24' to 74° 45' E).	01-May-98	16	Ganapathy, H.M.	All out search
510	<i>Myrmicinae, Pheidole sp. 2</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
511	<i>Myrmicinae, Pheidole sp. 2</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	7	Pramod, P	All out search
512	<i>Myrmicinae, Pheidole sp. 2</i>	2	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	3	Yogesh, P., Vidya, V.	All out search
513	<i>Myrmicinae, Pheidole sp. 2</i>	2	Malir?, ?, India (?, ?).	08-Jul-01	1	Pramod, P.	All out search
514	<i>Myrmicinae, Pheidole sp. 2</i>	2	Bidaralli and Santagal all sites, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Dec-94	803	1	4 Trapping methods and All out search
515	<i>Myrmicinae, Pheidole sp. 20</i>	20	Western Ghats, Uttara KannadaUttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
516	<i>Myrmicinae, Pheidole sp. 21</i>	21	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
517	<i>Myrmicinae, Pheidole sp. 22</i>	22	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
518	<i>Myrmicinae, Pheidole sp. 23</i>	23	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
519	<i>Myrmicinae, Pheidole</i> sp. 3	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
520	<i>Myrmicinae, Pheidole</i> sp. 3	3	Muthapampuzhe, ?, Kerala, India (11° 26' N, 76° 05E).	25-Jan-99	2	Philip S. Ward	sifted leaf litter/ Winkler Method
521	<i>Myrmicinae, Pheidole</i> sp. 3	3	Mal?, ?, India (?, ?).	08-Jul-01	4	Pramod, P.	All out search
522	<i>Myrmicinae, Pheidole</i> sp. 3	3	Bidaralli (2,5) Santagal (1), Uttara Kannada, Kamataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10'	16-Apr-85	0	1	4 Trapping methods and All out search
523	<i>Myrmicinae, Pheidole</i> sp. 4	4	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	13	1	4 Trapping methods and All out search
524	<i>Myrmicinae, Pheidole</i> sp. 4	4	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P.	All out search
525	<i>Myrmicinae, Pheidole</i> sp. 4	4	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	6	2	All out search
526	<i>Myrmicinae, Pheidole</i> sp. 4	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
527	<i>Myrmicinae, Pheidole</i> sp. 4	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E74° 24' to 74° 45' E).	01-May-98	3	Ganapathy, H.M.	All out search
528	<i>Myrmicinae, Pheidole</i> sp. 5	5	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	8	4	All out search
529	<i>Myrmicinae, Pheidole</i> sp. 5	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
530	<i>Myrmicinae, Pheidole</i> sp. 5	5	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	4	1	4 Trapping methods and All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
531	<i>Myrmicinae, Pheidole sp. 5</i>	5	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
532	<i>Myrmicinae, Pheidole sp. 6</i>	6	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	4	Pramod, P	All out search
533	<i>Myrmicinae, Pheidole sp. 6</i>	6	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
534	<i>Myrmicinae, Pheidole sp. 6</i>	6	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	12	3	All out search and Pit-fall trap methods
535	<i>Myrmicinae, Pheidole sp. 6</i>	6	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
536	<i>Myrmicinae, Pheidole sp. 7</i>	7	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P	All out search
537	<i>Myrmicinae, Pheidole sp. 7</i>	7	Santagal (1-5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	1	1	4 Trapping methods and All out search
538	<i>Myrmicinae, Pheidole sp. 7</i>	7	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	0	Ganapathy, H.M.	All out search
539	<i>Myrmicinae, Pheidole sp. 7</i>	7	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
540	<i>Myrmicinae, Pheidole sp. 7</i>	7	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	13	3	All out search and Pit-fall trap methods
541	<i>Myrmicinae, Pheidole sp. 8</i>	8	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	2	Pramod, P.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
542	<i>Myrmicinae, Pheidole</i> sp. 8	8	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	12	3	All out search and Pit-fall trap methods
543	<i>Myrmicinae, Pheidole</i> sp. 8	8	Cubbon Park, Bangalore, Karnataka, India (12° 58' N, 77° 35' E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
544	<i>Myrmicinae, Pheidole</i> sp. 8	8	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39' E).	08-Nov-95	7	Pramod, P	All out search
545	<i>Myrmicinae, Pheidole</i> sp. 8	8	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
546	<i>Myrmicinae, Pheidole</i> sp. 8	8	Santagal (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	1	1	4 Trapping methods and All out search
547	<i>Myrmicinae, Pheidole</i> sp. 8	8	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
548	<i>Myrmicinae, Pheidole</i> sp. 9	9	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P.	All out search
549	<i>Myrmicinae, Pheidole</i> sp. 9	9	Santagal (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-Feb-85	28	1	4 Trapping methods and All out search
550	<i>Myrmicinae, Pheidole</i> sp. 9	9	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39' E).	08-Nov-95	20	Pramod, P.	All out search
551	<i>Myrmicinae, Pheidole</i> sp. 9	9	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
552	<i>Myrmicinae, Pheidole spathifera</i> Forel	13	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	2	4	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
553	<i>Myrmicinae, Pheidole spathifera</i> Forel	13	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
554	<i>Myrmicinae, Pheidole spathifera</i> Forel	13	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
555	<i>Myrmicinae, Pheidole woodmasoni</i> Forel	15	Muthapampuzhe, ?, Kerala, India (11° 26' N, 76° 05E).	25-Jan-99	2	Phillip S. Ward	sifted leafitter/ Winkler Method
556	<i>Myrmicinae, Pheidole woodmasoni</i> Forel	15	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	2	4	All out search
557	<i>Myrmicinae, Pheidole woodmasoni</i> Forel	15	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
558	<i>Myrmicinae, Pheidole woodmasoni</i> Forel	15	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
559	<i>Myrmicinae, Pheidole woodmasoni</i> Forel	15	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	13	2	All out search
560	<i>Myrmicinae, Pheidologeton affinis</i>	2	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	1	4	All out search
561	<i>Myrmicinae, Pheidologeton affinis</i>	2	Mali?, ?, India (?, ?).	08-Jul-01	2	Pramod, P r.Pramodd	All out search
562	<i>Myrmicinae, Pheidologeton affinis</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	4	3	All out search and Pit-fall trap methods
563	<i>Myrmicinae, Pheidologeton affinis</i>	2	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	1	1	4 Trapping methods and All out search
564	<i>Myrmicinae, Pheidologeton affinis</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	20	Ganapathy, H.M.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
565	<i>Myrmicinae, Pheidologeton affinis</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P	All out search
566	<i>Myrmicinae, Pheidologeton sp. 1</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
567	<i>Myrmicinae, Pheidologeton sp. 1</i>	1	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	8	1	4 Trapping methods and All out search
568	<i>Myrmicinae, Pheidologeton sp. 1</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	2	Subramaniam, K.A.	All out search
569	<i>Myrmicinae, Pheidologeton sp. 3</i>	3	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	10	2	All out search
570	<i>Myrmicinae, Pheidologeton sp. 4</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
571	<i>Myrmicinae, Pyramica sp. 1</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
572	<i>Myrmicinae, Recurvidis recurvispinosa (Forel)</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	6	Ganapathy, H.M.	All out search
573	<i>Myrmicinae, Recurvidis recurvispinosa (Forel)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
574	<i>Myrmicinae, Recurvidis recurvispinosa (Forel)</i>	1	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-86	18	1	4 Trapping methods and All out search
575	<i>Myrmicinae, Recurvidis recurvispinosa (Forel)</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	2	2	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
576	<i>Myrmicinae, Rhopalomastix sp. 1</i>	1	Santagal (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	1	1	4 Trapping methods and All out search
577	<i>Myrmicinae, Rhoptromyrmex wroughtonii Forel</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	21	2	All out search
578	<i>Myrmicinae, Rhoptromyrmex wroughtonii Forel</i>	1	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	21	1	4 Trapping methods and All out search
579	<i>Myrmicinae, Rhoptromyrmex wroughtonii Forel</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
580	<i>Myrmicinae, Rhoptromyrmex wroughtonii Forel</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	5	3	All out search and Pit-fall trap methods
581	<i>Myrmicinae, Rhoptromyrmex wroughtonii Forel</i>	1	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	1	Neelkamal Rastogi	All out search
582	<i>Myrmicinae, Rhoptromyrmex wroughtonii Forel</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	8	Ganapathy, H.M.	All out search
583	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	06-Jan-86	2	1	4 Trapping methods and All out search
584	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13°01' N, 77° 34E).	28-Jan-99	2	Phillip S. Ward	All out search
585	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	1	2	All out search
586	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35"E).	03-Aug-00	2	Yogesh, P., Vidya, V.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
587	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	3	Mihnu Malik	All out search
588	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	18	3	All out search and Pit-fall trap methods
589	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	7	4	All out search
590	<i>Myrmicinae, Solenopsis geminata (Fabricius)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	12	Pramod, P.	All out search
591	<i>Myrmicinae, Strumigenys emmae (Emery)</i>	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
592	<i>Myrmicinae, Strumigenys sp. 1</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4" N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
593	<i>Myrmicinae, Strumigenys sp. 1</i>	1	Bidaralli (3,4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	2	1	4 Trapping methods and All out search
594	<i>Myrmicinae, Strumigenys sp. 2</i>	2	Santagal (10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	27-Dec-86	1	1	4 Trapping methods and All out search
595	<i>Myrmicinae, Strumigenys sp. 3</i>	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
596	<i>Myrmicinae, Tetramorium mixtum Forel</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
597	<i>Myrmicinae, Tetramorium mixtum Forel</i>	4	Santagal (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-96	2	1	4 Trapping methods and All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
598	<i>Myrmicinae, Tetramorium mixtum</i> Forel	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
599	<i>Myrmicinae, Tetramorium mixtum</i> Forel	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
600	<i>Myrmicinae, Tetramorium obesum?</i> (Andre)	7	Santagal (10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	27-Dec-86	1	1	4 Trapping methods and All out search
601	<i>Myrmicinae, Tetramorium obesum?</i> (Andre)	7	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	16	Ganapathy, H.M.	All out search
602	<i>Myrmicinae, Tetramorium obesum?</i> (Andre)	7	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	5	3	All out search and Pit-fall trap methods
603	<i>Myrmicinae, Tetramorium obesum?</i> (Andre)	7	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
604	<i>Myrmicinae, Tetramorium sentosum</i> Sheela& Narendran	15	Vythiri 460km, Wayanad, Kerala, India (11° 31' N, 76° 01' E).	24-Jan-99	2	Phillip S. Ward	sifted
605	<i>Myrmicinae, Tetramorium sentosum</i> Sheela& Narendran	15	Muthapampuzhe, ? Kerala, India (11° 26' N, 76° 05E).	25-Jan-99	1	Phillip S. Ward	sifted
606	<i>Myrmicinae, Tetramorium smithi</i> Mayr	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
607	<i>Myrmicinae, Tetramorium smithi</i> Mayr	5	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	3	4	All out search
608	<i>Myrmicinae, Tetramorium smithi</i> Mayr	5	Bidaralli (1), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	6	1	4 Trapping methods and All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
609	<i>Myrmicinae, Tetramorium smithi</i> Mayr	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
610	<i>Myrmicinae, Tetramorium smithi</i> Mayr	5	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	3	Ganapathy, H.M.	All out search
611	<i>Myrmicinae, Tetramorium smithi</i> mayr	5	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	1	Pramod, P.	All out search
612	<i>Myrmicinae, Tetramorium</i> sp. 1	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	7	Subramaniam, K.A.	All out search
613	<i>Myrmicinae, Tetramorium</i> sp. 1	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
614	<i>Myrmicinae, Tetramorium</i> sp. 1	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	1	Pramod, P.	All out search
615	<i>Myrmicinae, Tetramorium</i> sp. 1	1	Santagal (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	14	1	4 Trapping methods and All out search
616	<i>Myrmicinae, Tetramorium</i> sp. 1	1	Mali?, ?, ?, India (?, ?).	08-Jul-01	8	Pramod, P.	All out search
617	<i>Myrmicinae, Tetramorium</i> sp. 10	10	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20"-30°35'N, 79°10'-79°20'E).	01-Jun-94	1	2	All out search
618	<i>Myrmicinae, Tetramorium</i> sp. 12	12	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	1	Pramod, P.	All out search
619	<i>Myrmicinae, Tetramorium</i> sp. 12	12	Santagal (10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	27-Dec-86	7	1	4 Trapping methods and All out search
620	<i>Myrmicinae, Tetramorium</i> sp. 12	12	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	6	Ganapathy, H.M.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
621	<i>Myrmicinae, Tetramorium sp. 13</i>	13	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
622	<i>Myrmicinae, Tetramorium sp. 13</i>	13	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39' E).	08-Nov-95	1	Pramod, P.	All out search
623	<i>Myrmicinae, Tetramorium sp. 14</i>	14	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
624	<i>Myrmicinae, Tetramorium sp. 2</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	3	Subramaniam, K.A.	All out search
625	<i>Myrmicinae, Tetramorium sp. 2</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	4	Ganapathy, H.M.	All out search
626	<i>Myrmicinae, Tetramorium sp. 2</i>	2	Bidaralli (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	3	1	4 Trapping methods and All out search
627	<i>Myrmicinae, Tetramorium sp. 2</i>	2	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	6	4	All out search
628	<i>Myrmicinae, Tetramorium sp. 2</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search
629	<i>Myrmicinae, Tetramorium sp. 3</i>	3	Bidaralli (3), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	06-Jan-86	1	1	4 Trapping methods and All out search
630	<i>Myrmicinae, Tetramorium sp. 3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	6	Pramod, P.	All out search
631	<i>Myrmicinae, Tetramorium sp. 3</i>	3	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
632	<i>Myrmicinae, Tetramorium sp. 8</i>	8	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
633	<i>Myrmicinae, Tetramorium sp. 9</i>	9	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	1	2	All out search
634	<i>Myrmicinae, Tetramorium sp. 9</i>	9	Santagal (9), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	29-Oct-86	1	1	4 Trapping methods and All out search
635	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Varanasi, Uttar Pradesh, India (25° 27'08"N, 82°51'33"E).	01-Jan-98	2	Neelkamal Rastogi	All out search
636	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	2	Pramod, P.	All out search
637	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	22	Ganapathy, H.M.	All out search
638	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Bangalore, Karnataka, India (12° 57"N, 77° 37" E).	01-Apr-97	2	4	All out search
639	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	10km SW Heggadadevankote 760m, Mysore, Karnataka, India (12° 01" N, 76° 16' E).	24-Jan-99	1	Philip S. Ward	All out search
640	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
641	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Cubbon Park, Bangalore, Karnataka, India (12° 58"N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
642	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Bidaralli (1,2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	6	1	4 Trapping methods and All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
643	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	2	3	All out search and Pit-fall trap methods
644	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Indian Institute of Science 900m, Bangalore, Karnataka, India (13°01' N, 77° 34E).	28-Jan-99	2	Phillip S. Ward	All out search
645	<i>Myrmicinae, Tetramorium walshi (Forel)</i>	6	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	4	Pramod, P.	All out search
646	<i>Myrmicinae, UD sp. 1</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	12	2	All out search
647	<i>Myrmicinae, Vollenhovia sp. 1</i>	1	Vythiri, Wayanad, Kerala, India (11°31' N, 76° 01 E).	24-Jan-99	1	Phillip S. Ward	sifted
648	<i>Ponerinae, Amblyopone sp. 1</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	7	Ganapathy, H.M.	All out search
649	<i>Ponerinae, Anochetus graeffei Mayr</i>	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
650	<i>Ponerinae, Anochetus graeffei Mayr</i>	3	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	3	Ganapathy, H.M.	All out search
651	<i>Ponerinae, Anochetus kanaransis Forel</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	8	4	All out search
652	<i>Ponerinae, Anochetus kanaransis Forel</i>	1	Bidaralli, (Plot -16), Upper Ghats, Karnataka, India., Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10'	18-Dec-84	4	1	4 trapping methods and All out search
653	<i>Ponerinae, Anochetus obscurior Brown</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
654	<i>Ponerinae, Anochetus obscurior</i> Brown	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
655	<i>Ponerinae, Anochetus obscurior</i> Brown	2	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	1	4	All out search
656	<i>Ponerinae, Anochetus</i> sp. 5	5	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
657	<i>Ponerinae, Anochetus yerburyi</i> Forel	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
658	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	26	3	All out search and Pit-fall trap methods
659	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13°01" N, 77° 34E).	01-Jul-02	91	Thresiamma Varghese & Nutan Pisolkar	All out search
660	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	Valley school, Kanakapura Road, Bangalore, Karnataka, India (?),	08-Apr-03	82	Thresiamma Varghese, Nutan Pisolkar, Ganesh, S. and Ponnanna,K.	All out search
661	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	Jakkur, Bangalore, Karnataka, India (? , ?).	03-Dec-03	82	Nutan Pisolkar, Thresiamma Varghese, Ganesh, s. and Ponnanna,K.	All out search
662	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	Cubbon Park, Bangalore, Karnataka, India (12° 58" N, 77° 35"E).	01-Sep-02	111	Thresiamma Varghese, Nutan Pisolkar and Ganesh, S.	All out search
663	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55"N, 80°7"E).	11-Jul-01	1	Alexander Jesudasan	All out search
664	<i>Ponerinae, Diacamma ceylonense</i> Emery	2	Bangalore, Karnataka, India (12° 57"N, 77° 37' E).	01-Apr-97	20	4	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
665	<i>Ponerinae, Diacamma ceylonense Emery</i>	2	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35'E).	03-Aug-00	3	Yogesh, P., Vidya, V.	All out search
666	<i>Ponerinae, Diacamma cyaneiventre Andre</i>	5	Masinagudi, Hectare plots and 3kms from HP, Nilgiris, Tamil Nadu, India (11° 32'-11° 43' N, 76° 22'-76° 45' E).	28-Apr-03	120	Nutan Pisolkar and Ponnanna, K.	All out search
667	<i>Ponerinae, Diacamma cyaneiventre Andre</i>	5	CFTRI, Mysore, Mysore, Karnataka, India (12° 18'N, 76° 42' E).	28-Mar-97	1	Vedham, K	All out search
668	<i>Ponerinae, Diacamma indicum Forel</i>	6	Masinagudi, Hectare plots, Nilgiris, Tamil Nadu, India (11° 32'-11° 43' N, 76° 22'-76° 45').	28-Apr-03	4	Nutan Pisolkar, Ponnanna, K.	All out search
669	<i>Ponerinae, Diacamma indicum Forel</i>	6	Kolathada, Wayanad, Kerala, India (? , ?).	28-Dec-99	2	Thresamma Varghese	All out search
670	<i>Ponerinae, Diacamma indicum Forel</i>	6	Kumta, Utara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	20	Ganapathy, H.M.	All out search
671	<i>Ponerinae, Diacamma indicum Forel</i>	6	10km SW Heggadadevankote 760m, Mysore, Karnataka, India (12° 01" N, 76° 16 E).	24-Jan-99	1	Phillip S. Ward	All out search
672	<i>Ponerinae, Diacamma sculptum Jerdon</i>	4	Dhoni Hills, Palakkad, Kerala, India (10° 46" N and 10° 59', 76° 39E).	08-Nov-95	4	Pramod, P.	All out search
673	<i>Ponerinae, Diacamma sculptum Jerdon</i>	4	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	10	Subramaniam, K.A.	All out search
674	<i>Ponerinae, Diacamma sculptum Jerdon</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	3	Pramod, P.	All out search
675	<i>Ponerinae, Diacamma sp. 1</i>	1	Masinagudi, Ooty Road, Nilgiris, Tamil Nadu, India (? , ?).	30-Apr-03	80	Nutan Pisolkar and Ponnanna, K.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
676	<i>Ponerinae, Diacamma sp. 1</i>	1	Trimbakapura, Chamaraaj Nagar, Karnataka, India (? , ?).	20-Oct-02	109	Nutan Pisolkar Ganesh, S. and Ponnanna, K.	All out search
677	<i>Ponerinae, Diacamma sp. 1</i>	1	Bidaralli (1-5) and Santagall(e), Upper Ghats, Karnataka, India, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	4	1	4 trapping methods and All out search
678	<i>Ponerinae, Diacamma sp. 3</i>	3	Kottayam, Kottayam, Kerala, India (8°29' N, 76°59' E).		1	Padmini Nair	All out search
679	<i>Ponerinae, Emeryopone sp. 1</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
680	<i>Ponerinae, Harpegnathos saltator</i>	1	Bidaralli 29/9/86, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).		2	1	4 trapping methods and All out search
681	<i>Ponerinae, Harpegnathos saltator</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
682	<i>Ponerinae, Harpegnathos saltator</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P	All out search
683	<i>Ponerinae, Harpegnathos venator (Smith)</i>	2	Dehradun, Utaranchal, India (30°00' to 30°35'N, 77°40' to 78°1°5'E).	01-Sep-03	1	visitor (Wild Life Institute)	All out search
684	<i>Ponerinae, Hypoponera sp. 1</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	4	Pramod, P	All out search
685	<i>Ponerinae, Hypoponera sp. 2</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
686	<i>Ponerinae, Leptogenys chinensis (Mayr)</i>	2	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	4	4	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
687	<i>Ponerinae, Leptogenys chinensis (Mayr)</i>	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
688	<i>Ponerinae, Leptogenys chinensis (Mayr)</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	4	3	All out search and Pit-fall trap methods
689	<i>Ponerinae, Leptogenys chinensis (Mayr)</i>	2	Bidaralli (2,4), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	5	1	4 trapping methods and All out search
690	<i>Ponerinae, Leptogenys chinensis (Mayr)</i>	2	Malī?, ?, India (? , ?).	08-Jul-01	5	Pramod,P.	All out search
691	<i>Ponerinae, Leptogenys dalvi Forel</i>	8	Vythiri, Wayanad, Kerala, India (11°31' N, 76° 01 E).	24-Jan-99	1	Phillip S. Ward	All out search
692	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Indian Institute of Science 900m, Bangalore, Karnataka, India (13°01' N, 77° 34E).	22-Jan-99	1	Phillip S. Ward	All out search
693	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	5	Subramaniam, K.A.	All out search
694	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Bangalore, Karnataka, India (12° 57'N, 77° 37" E).	01-Apr-97	30	4	All out search
695	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Malī?, ?, India (? , ?).	08-Jul-01	2	Pramod,P	All out search
696	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	20	3	All out search and Pit-fall trap methods
697	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Bidaralli and Santagal, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10'	01-Jan-87	36	1	4 trapping methods and All out search
698	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	8	Pramod, P	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
699	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P.	All out search
700	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Cubbon Park, Bangalore, Karnataka, India (12° 58" N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
701	<i>Ponerinae, Leptogenys processionalis (Jerdon)</i>	1	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
702	<i>Ponerinae, Leptogenys sp. 3</i>	3	Bidaralli (1.5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	2	1	4 trapping methods and All out search
703	<i>Ponerinae, Leptogenys sp. 3</i>	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
704	<i>Ponerinae, Leptogenys sp. 4</i>	4	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39'E).	08-Nov-95	13	Pramod, P.	All out search
705	<i>Ponerinae, Leptogenys sp. 4</i>	4	Bidaralli (5) and Santagal (10), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	28-Nov-86	3	1	4 trapping methods and All out search
706	<i>Ponerinae, Leptogenys sp. 4</i>	4	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	6	Ganapathy, H.M.	All out search
707	<i>Ponerinae, Leptogenys sp. 4</i>	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	5	Pramod, P	All out search
708	<i>Ponerinae, Leptogenys sp. 5</i>	5	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76° 39'E).	08-Nov-95	5	Pramod, P.	All out search
709	<i>Ponerinae, Leptogenys sp. 5</i>	5	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
710	<i>Ponerinae, Leptogenys sp. 6</i>	6	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35"E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
711	<i>Ponerinae, Leptogenys sp. 7</i>	7	Vythiri 460km, Wayanad, Kerala, India (11°31' N, 76° 01 E).	24-Jan-99	1	Philip S. Ward	All out search
712	<i>Ponerinae, Odontomachus haematodes Linnaeus</i>	1	Trivandrum, Kerala, India (8° 29' N, 76° 59 E).	12-Dec-95	12	Pramod, P	All out search
713	<i>Ponerinae, Odontomachus haematodes Linnaeus</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
714	<i>Ponerinae, Odontomachus haematodes Linnaeus</i>	1	Mall?, ?, India (? , ?).	08-Jul-01	3	Pramod, P.	All out search
715	<i>Ponerinae, Odontomachus haematodes Linnaeus</i>	1	Dhoni Hills, Palakkad, Kerala, India (10° 46' N, 76°39'E).	08-Nov-95	19	Pramod, P	All out search
716	<i>Ponerinae, Odontomachus haematodes Linnaeus</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	6	Pramod, P	All out search
717	<i>Ponerinae, Odontomachus haematodes Linnaeus</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	20	Subramaniam, K.A.	All out search
718	<i>Ponerinae, Odontomachus similimus Smith</i>	3	Muthapanpuzhe, ?, Kerala, India (11° 26' N, 76° 05E).	25-Jan-99	1	Philip S. Ward	sifted litter/Winkler method
719	<i>Ponerinae, Odontomachus sp. 2</i>	2	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	1	2	All out search
720	<i>Ponerinae, Odontoponera transversa Smith</i>	1	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	23	2	All out search
721	<i>Ponerinae, Pachycondylia aratus Forel</i>	5	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
722	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	3	Pramod, P.	All out search
723	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Bidaralli and Santagal, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	18-Dec-84	30	1	4 trapping methods and All out search
724	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	15	Ganapathy, H.M.	All out search
725	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Thivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	5	Pramod, P	All out search
726	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	1	Mintu Malik	All out search
727	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	10km SW Heggadadevanakote 760m, Mysore, Karnataka, India (12° 01' N, 76° 16' E).	24-Jan-99	1	Philip S. Ward	All out search
728	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	9	3	All out search and Pit-fall trap methods
729	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	3	Subramaniam, K.A.	All out search
730	<i>Ponerinae, Pachycondyla crassa (Emery)</i>	2	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
731	<i>Ponerinae, Pachycondyla melanara (Emery)</i>	3	Cubbon Park, Bangalore, Karnataka, India (12° 58'N, 77° 35'E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
732	<i>Ponerinae, Pachycondyla melanara (Emery)</i>	3	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
733	<i>Ponerinae, Pachycondyla melanaria</i> (Emery)	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
734	<i>Ponerinae, Pachycondyla melanaria</i> (Emery)	3	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	2	Subramaniam, K.A.	All out search
735	<i>Ponerinae, Pachycondyla melanaria</i> (Emery)	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
736	<i>Ponerinae, Pachycondyla melanaria</i> (Emery)	3	Bidaralli (3-5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	06-Jan-86	9	1	4 trapping methods and All out search
737	<i>Ponerinae, Pachycondyla obscurans</i> (Walker)	11	Muthapanpuzhe, ?, Kerala, India (11° 26' N, 76° 05E).	25-Jan-99	1	Philip S. Ward	Winkler method
738	<i>Ponerinae, Pachycondyla rufipes</i>	1	Bidaralli (2-5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	16-Apr-85	2	1	4 trapping methods and All out search
739	<i>Ponerinae, Pachycondyla rufipes</i>	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
740	<i>Ponerinae, Pachycondyla rufipes</i>	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P	All out search
741	<i>Ponerinae, Pachycondyla rufipes</i>	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	5	Subramaniam, K.A.	All out search
742	<i>Ponerinae, Pachycondyla sp. 10</i>	10	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
743	<i>Ponerinae, Pachycondyla sp. 4</i>	4	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30° 20'-30° 35' N, 79° 10'-79° 20' E).	01-Jun-94	1	2	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
744	<i>Ponerinae, Pachycondyla sp.4</i>	4	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
745	<i>Ponerinae, Pachycondyla sp.4</i>	4	Bidaralli (3,5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	06-Jan-86	2	1	4 trapping methods and All out search
746	<i>Ponerinae, Pachycondyla sp.4</i>	4	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4"N, 76° 17' 4"E).	01-Apr-01	1	Subramaniam, K.A.	All out search
747	<i>Ponerinae, Pachycondyla sp.4</i>	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
748	<i>Ponerinae, Pachycondyla sp.5</i>	5	Santagal, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	15-Feb-85	6	1	4 trapping methods and All out search
749	<i>Ponerinae, Pachycondyla sp.6</i>	6	Trivandrum, Kerala, India (8° 29' N, 76° 59' E).	12-Dec-95	6	Pramod, P	All out search
750	<i>Ponerinae, Pachycondyla sp.6</i>	6	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P.	All out search
751	<i>Ponerinae, Pachycondyla sp.7</i>	7	Mali?, ?, India (? , ?).	08-Jul-01	3	Pramod,P	All out search
752	<i>Ponerinae, Pachycondyla sp.7</i>	7	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P	All out search
753	<i>Ponerinae, Pachycondyla sp.8</i>	8	Chopta-Tunganath, Chamoli?, Uttaranchal, India (30°20'-30°35'N, 79°10'-79°20'E).	01-Jun-94	18	2	All out search
754	<i>Ponerinae, Pachycondyla sp.8</i>	8	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	12	4	All out search
755	<i>Ponerinae, Pachycondyla sp.8</i>	8	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	6	Pramod, P.	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
756	<i>Ponerinae, Pachycondyla</i> sp. 8	8	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
757	<i>Ponerinae, Pachycondyla</i> sp. 9	9	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
758	<i>Ponerinae, Platythyrea parallela</i> (Smith)	1	Ranganathittu 710m, Mandya, Karnataka, India (12°25' N, 76°39'E).	23-Jan-99	1	Philip S. Ward	All out search
759	<i>Ponerinae, Platythyrea parallela</i> (Smith)	1	Santagal (7), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	15-May-85	4	1	4 trapping methods and All out search
760	<i>Ponerinae, Platythyrea parallela</i> (Smith)	1	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search
761	<i>Ponerinae, Platythyrea parallela</i> (Smith)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	1	3	All out search and Pit-fall trap methods
762	<i>Ponerinae, Platythyrea</i> sp. 2	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
763	<i>Pseudomyrmecinae, Tetraponera aikerii</i> (Forel)	4	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
764	<i>Pseudomyrmecinae, Tetraponera aikerii</i> (Forel)	4	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	3	3	All out search and Pit-fall trap methods
765	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Kunta., Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	10	Ganapathy, H.M.	All out search
766	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	10km SW Heggadadevankote 760m, Mysore, Karnataka, India (12° 01' N, 76° 16' E).	24-Jan-99	2	Philip S. Ward	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
767	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Ranganathittu 710m, Mandya, Karnataka, India (12°25' N, 76°39'E).	23-Jan-99	2	Philip S. Ward	All out search
768	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13°01' N, 77° 34E).	28-Jan-99	3	Philip S. Ward	All out search
769	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Bidaraili (2), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	1	1	4 trapping methods and All out search
770	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	01-Oct-95	2	Pramod, P	All out search
771	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	12	4	All out search
772	<i>Pseudomyrmecinae, Tetraponera allaborans</i> (Walker)	3	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	6	3	All out search and Pit-fall trap methods
773	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Calicut University 20m, Malappuram, Kerala, India (11° 08" N, 75° 53E).	25-Jan-99	3	Philip S. Ward	All out search
774	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Muthanga, Wayanad, Kerala, India (11° 41" N, 76° 23 E).	26-Jan-99	3	Philip S. Ward	All out search
775	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Ranganathittu 710m, Mandya, Karnataka, India (12°25' N, 76°39E).	23-Jan-99	3	Philip S. Ward	All out search
776	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Bidaraili (2,5), Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74°9' to 75°10' E).	16-Apr-85	1	1	4 trapping methods and All out search
777	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Bangalore, Karnataka, India (12° 57'N, 77° 37' E).	01-Apr-97	1	4	All out search

SL. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
778	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	5	3	All out search and Pit-fall trap methods
779	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Kumta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	2	Ganapathy, H.M.	All out search
780	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Cubbon Park, Bangalore, Karnataka, India (12° 58' N, 77° 35' E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
781	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Varanasi, Uttar Pradesh, India (25° 27' 08" N, 82° 51' 33" E).	01-Jan-98	2	Neelkamal Rastogi	All out search
782	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	1	Pramod, P	All out search
783	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55" N, 80° 7" E).	25-Dec-03	1	Alexander Jesudasan	All out search
784	<i>Pseudomyrmecinae, Tetraponera nigra</i> (Jerdon)	2	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55" N, 80° 7" E).	11-Jul-01	1	Alexander Jesudasan	All out search
785	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34E).	22-Jan-99	2	Philip S. Ward	All out search
786	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	M.C.C. college Campus, Chennai, Tamil Nadu, India (12° 55" N, 80° 7" E).	25-Dec-03	1	Alexander Jesudasan	All out search
787	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Nungi-Budgebudge, Kolkata, West Bengal, India (? , ?).	01-Jan-03	1	Mintu Mallik	All out search
788	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	M.C.C.college Campus, Chennai, Tamil Nadu, India (12° 55" N, 80° 7" E).	11-Jul-01	3	Alexander Jesudasan	All out search

Sl. No.	Subfamily, Genus Species	Museum Number	Place	Date of Collection	Number of Specimens	Reference / Collector	Method of Collection
789	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Kunta, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 24' to 74° 45' E).	01-May-98	1	Ganapathy, H.M.	All out search
790	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Cubbon Park, Bangalore, Karnataka, India (12° 58' N, 77° 35' E).	03-Aug-00	1	Yogesh, P., Vidya, V.	All out search
791	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Western Ghats, Uttara Kannada, Karnataka, India (13° 55' to 15° 31' N, 74° 9' to 75° 10' E).	01-Oct-95	2	Pramod, P	All out search
792	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Keerampura Taluk, Emakulam, Kerala, India (9° 58' 4" N, 76° 17' 4" E).	01-Apr-01	7	Subramaniam, K.A.	All out search
793	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Bangalore, Karnataka, India (12° 57' N, 77° 37' E).	01-Apr-97	1	4	All out search
794	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Indian Institute of Science Campus, Bangalore, Karnataka, India (13° 01' N, 77° 34' E).	01-Jun-93	7	3	All out search and Pit-fall trap methods
795	<i>Pseudomyrmecinae, Tetraponera rufonigra</i> (Jerdon)	1	Osiam Village, Jodhpur, Rajasthan, India (26° 0' to 27° 37' N, 72° 55' to 73° 52' E).	06-Apr-02	4	Thresiamma Varghese	All out search

References

- 1 Gadagkar, R. Nair, P., Chandrashekara, K. and Bhat, D.M. (1993). Ant species richness and diversity in some selected localities in western Ghats, India. *Hexapoda*, 5: 79-94.
- 2 Negi, H.R. (2001). Inventorying diversity of Ants: A case study from Garhwal Himalaya. *Ann. For.*, 9: 62-72.
- 3 Rastogi, N., Nair, P., Kolatkar, M., William, H., and Gadagkar, R. (1997). Ant fauna of the Indian Institute of Science Campus - Survey and some preliminary observations. *J. Indian Inst. Sci.*, 77: 133-140.
- 4 Sunil Kumar, M., Srihari, K. T., Nair, P., Varghese, T. and Gadagkar, R. (1997). Ant species richness at selected localities of Bangalore. *Insect Environment*, 3: 3-5.

