

Index to Botanical Names (Gymnosperms)

(Accepted names in bold and synonyms in *italics*)

Araucaria Juss.	2	GNETACEAE	4
bidwillii Hook.	2	Gnetum L.	4
columnaris (G.Forst.) Hook.	2	<i>funiculare</i> Brongn.	4
<i>cookii</i> R.Br. ex Endl.	2	scandens Roxb.	4
cunninghamii Aiton ex D.Don	2	ula Brongn.	4
<i>excelsa</i> (Lamb.) R.Br.	2	Juniperus L.	2
ARAUCARIACEAE	2	<i>cernua</i> Roxb.	2
<i>Callitropsis lusitanica</i> (Mill.) D.P.Little	3	chinensis L.	2
<i>Columbea bidwillii</i> (Hook.) Carrière	2	communis L.	2
<i>excelsa</i> (Lamb.) Spreng.	2	<i>Marywildea bidwillii</i> (Hook.) A.V.Bobrov & Melikyan	2
CUPRESSACEAE	2	<i>Palmifolium angustifolium</i> (Jacq.) Kuntze	4
Cupressus L.	2	<i>fischeri</i> (Miq. ex Lem.) Kuntze	4
<i>columnaris</i> G.Forst.	2	<i>furfuraceum</i> (L.f. ex Aiton) Kuntze	4
<i>doniana</i> Hook.f.	3	<i>pygmaeum</i> (Sims) Kuntze	4
funnebris Endl.	2	PINACEAE	5
<i>glauca</i> Lam.	3	Pinus L.	5
lusitanica Mill.	3	<i>caribaea</i> subsp. <i>hondurensis</i> (Sénécl.) Silba	5
subsp. <i>torulosa</i> (D.Don) Silba & D.Z.Fu	3	var. hondurensis (Sénécl.) W.H.Barrett & Golfari	5
subsp. <i>torulosa</i> (D.Don) Silba & Brian Chen	3	<i>hondurensis</i> Sénécl.	5
<i>nepalensis</i> Loudon	3	<i>insularis</i> var. <i>khasyana</i> (Griff.) Silba	5
sempervirens L.	3	<i>kasya</i> Royle ex Parl.	5
subsp. <i>indica</i> (Parl.) Silba	3	kesiya Royle ex Gordon	5
var. <i>indica</i> Parl.	3	<i>khasyana</i> Griff.	5
torulosa D.Don	3	oocarpa Schiede	5
CYCADACEAE	3	subsp. <i>manzanoi</i> (Martínez) Silba	5
Cycas L.	3	var. <i>manzanoi</i> Martínez	5
circinalis L.	3	var. <i>oocarpoides</i> (Lindl. ex Loudon) Endl.	5
<i>indica</i> A.Lindstr. & K.D.Hill	3	<i>oocarpoides</i> Lindl. ex Loudon	5
revoluta Thunb.	3	pinaster Aiton	5
rumphii Miq.	3	<i>Platycyparis funnebris</i> (Endl.) A.V.Bobrov & Melikyan	2
swamyi Rita Singh & P.Radha	3	<i>Sabina dimorpha</i> (Roxb.) Antoine	2
<i>Dombeya excelsa</i> Lamb.	2	Zamia L.	3
Ephedra L.	4	acuminata Oerst. ex Dyer	3
foliata Boiss. ex C.A.Mey.	4	angustifolia Jacq.	4
<i>Eutacta cunninghamii</i> (Aiton ex D.Don) Link	2	fischeri Miq. ex Lem.	4
<i>excelsa</i> (Lamb.) Link	2	furfuracea L.f. ex Aiton	4
<i>Eutassa cunninghamii</i> (Aiton ex D.Don) G.Don	2	pygmaea Sims	4

Index to Botanical Names (Angiosperms) (Accepted names in bold and synonyms in italics)

<i>Aalius androgyna</i> (L.) Kuntze	578	theophrasti Medik.	477
<i>ceratogynum</i> (Baill. ex Mull.Arg.)Kuntze	579	Acacia Mill.	384
<i>lanceolata</i> (Hook.f.) Kuntze	578	<i>alba</i> (Rottler) Willd.	401
<i>quadrangularis</i> (Mull.Arg.) Kuntze	579	<i>arabica</i> auct. non (Lam.) Willd.	402
<i>retroversa</i> (Wight) Kuntze	578	var. <i>cupressiformis</i> J.L.Stewart	401
<i>Abarema bigemina</i> (L.) Kosterm.	387	var. <i>indica</i> Benth.	402
<i>monadelpha</i> (Roxb.) Kosterm.	387	<i>arrophula</i> D.Don	396
var. <i>gracile</i> (Bedd.) Kosterm.	387	auriculiformis Benth.	384
Abelmoschus Medik.	475	<i>caesia</i> (L.) Willd.	395
angulosus Wall. ex Wight & Arn.	475	<i>caffra</i> Willd.	395
<i>caillei</i> (A.Chev.) Stevels	475	<i>campbellii</i> Arn.	401
crinitus Wall.	475	<i>catechu</i> (L.f.) Willd.	395
esculentus (L.) Moench	475	var. <i>catechuoides</i> (Roxb.) Prain	395
ficulneus (L.) Wight & Arn.	475	var. <i>sundra</i> (Roxb.) Prain	395
<i>longifolius</i> (Willd.) Kostel.	475	var. <i>wallichiana</i> P.C. Huang	395
manihot (L.) Medik.	475	<i>catechuoides</i> (Roxb.) Benth.	395
subsp. manihot	476	<i>chundra</i> (Rottler) Willd.	395
subsp. tetraphyllus (Roxb. ex Hornem.)		<i>columnaris</i> Craib.	395
Borss.Waalk.	476	<i>concinna</i> (Willd.) DC.	397
var. <i>caillei</i> A.Chev.	475	var. <i>rugata</i> (Benth.) Baker	397
var. <i>megaspermus</i> Hemadri	476	decurrens Willd.	384
moschatus Medik.	476	<i>eburnea</i> (L.f.) Willd.	401
subsp. moschatus	476	<i>elata</i> (Roxb.) Voigt	386
subsp. tuberosus (Span.) Borss.Waalk.	476	<i>farnesiana</i> (L.) Willd.	401
<i>rugosus</i> Wall. ex Wight & Arn.	476	<i>ferruginea</i> DC.	396
setinervis (Dum) R.S.Rao et Hemadri ex Shama et al.	476	<i>gamblei</i> Bahadur & R.C.Gaur	397
<i>tuberculatus</i> Pal & Singh	475	<i>hainanensis</i> Hayata	396
var. <i>deltoideifolius</i> T.K.Paul & M.P.Nayar	475	<i>hohenackeri</i> Craib	396
<i>Abena jamaicensis</i> (L.) Hitchc.	747	<i>horrida</i> (L.) Willd.	401
<i>Abildgaardia cinnamometorum</i> (Vahl) Thwaites	284	<i>intsia</i> auct. non (L.) Willd.	395
<i>densa</i> (Wall.) Lye.	270	<i>intsia</i> (L.) Willd.	396
<i>eragrostis</i> Nees	285	var. <i>caesia</i> (L.) Baker	395
<i>indica</i> (Rich. ex Pers.) Nees	287	<i>juliflora</i> (Sw.) Willd.	394
<i>monostachya</i> (L.) Vahl	287	<i>latisiliqua</i> (L.) Willd.	392
<i>ovata</i> (Burm.f.) Kral	287	<i>latronum</i> (L.f.) Willd.	401
<i>rottboelliana</i> Nees ex Hook. & Arn.	287	<i>lebbeck</i> (L.) Willd.	386
<i>wallichiana</i> (Schult.) Lye	269	<i>leucocephala</i> (Lam.) Link	391
Abrus Adans.	407	<i>leucophloea</i> (Roxb.) Willd.	401
precatorius L.	407	mangium Willd.	385
pulchellus Thwaites	407	<i>megaladena</i> Desv.	396
Abutilon Mill.	476	<i>minutifolia</i> Ragup., A.Mahad. & Thoth.	401
<i>asiaticum</i> (L.) G.Don	477	<i>nilotica</i> subsp. <i>cupressiformis</i> (J.L.Stewart) Ali & Faruqui	401
bidentatum Hochst. ex A.Rich.	476	subsp. <i>indica</i> (Benth.) Brenan	402
var. <i>major</i> (Blatt. & Hallb.) Bhandari	476	subsp. <i>indica</i> var. <i>cupressiformis</i> (J.L.Stewart)	
<i>crispum</i> (L.) Medik.	485	Vajrav. & Kamble	401
fruticosum Guill. & Perr.	476	var. <i>indica</i> (Benth.) A.F.Hill	402
<i>glaucum</i> (Cav.) Sweet	477	<i>odoratissima</i> (L.f.) Willd.	386
grandifolium (Willd.) Sweet	476	<i>pennata</i> (L.) Willd.	396
<i>graveolens</i> (Roxb. ex Hornem.) Wight & Arn.	476	var. <i>arrophula</i> (D.Don) Baker	396
hirtum (Lam.) Sweet	476	<i>planifrons</i> Wight & Arn.	402
indicum (L.) Sweet	477	<i>polyacantha</i> Willd.	396
<i>muticum</i> (Delile ex DC.) Sweet	477	<i>procera</i> (Roxb.) Willd.	386
neelgherrense Munro	477	var. <i>elata</i> (Roxb.) Baker	386
var. <i>fischeri</i> T.K.Paul & M.P.Nayar	477	<i>roxburghii</i> Wight & Arn.	401
pannosum (G.Forst.) Schltdl.	477	<i>rugata</i> Buch.-Ham. ex Benth.	397
persicum (Burm.f.) Merr.	477	<i>rupestris</i> Stock ex Boiss.	397
<i>polyandrum</i> (Roxb.) Wight & Arn. ex Wight	477	<i>senegal</i> (L.) Willd.	397
ramosum (Cav.) Guill. & Perr.	477		

<i>sinuata</i> (Lour.) Merr.	397	Acanthus L.	23
<i>stipulata</i> DC.	385	ilicifolius L.	23
<i>suma</i> (Roxb.) Voigt	396	<i>integrifolius</i> L. f.	30
<i>sundra</i> (Roxb.) DC.	395	<i>maderaspatensis</i> L.	30
<i>tomentosa</i> Willd.	402	<i>molluginifolius</i> (Pers.) Poir.	30
<i>torta</i> (Roxb.) Craib	397	<i>repens</i> Vahl	30
<i>wallichiana</i> DC.	395	<i>Acaypha racemosa</i> B. Heyne Wall. ex Baill.	318
<i>wightii</i> Wight & Arn.	385	<i>wallichii</i> Thwaites	318
<i>xylocarpa</i> (Roxb.) Willd.	402	<i>Aceras lanceum</i> (Thunb. ex Sw.) Steud.	544
Acalypha L.	317	<i>Acetosella acetosella</i> (L.) Small	672
<i>albicans</i> B.Heyne ex Hook.f.	318	<i>multifida</i> (L.) Á.Löve	672
alnifolia Klein ex Willd.	317	<i>vulgaris</i> f. <i>multifida</i> (L.) Dostál	672
<i>amentacea</i> subsp. <i>wilkesiana</i> (Müll.Arg.) Fosberg	319	Achariaceae	54
<i>betulina</i> Retz.	318	<i>Achimenes sesamoides</i> Vahl	459
brachystachya Hornem.	317	<i>Achras mammosa</i> L.	726
<i>canascens</i> Wall.	318	<i>sapota</i> L.	726
<i>capitata</i> Wall.	318	<i>tomentosa</i> (Roxb.) Bedd.	727
ciliata Forssk.	317	<i>zapota</i> L.	726
<i>collina</i> Hayne ex Hook.f.	318	Achyranthes L.	56
<i>conferta</i> Roxb.	317	<i>alternifolia</i> L.	63
<i>cylindrica</i> Roxb.	317	<i>aquatica</i> R.Br.	62
<i>fallax</i> Mull.Arg.	318	aspera L.	56
filiformis Poir.	317	var. aspera	56
var. ovalifolia (Baill.) Govaerts	317	var. porphyristachya (Wall. ex Moq.) Hook.f.	57
<i>floribunda</i> B.Heyne ex Hook.f.	318	var. rubrofusca (Wight) Hook.f.	57
fruticosa Forssk.	318	<i>atropurpurea</i> Lam.	65
hispida Burm.f.	318	bidentata Blume	57
<i>hispida</i> Wall.	318	<i>brachiata</i> L.	64
indica L.	318	<i>corymbosa</i> L.	216
<i>indica</i> K.Schum. & Holtr.	318	coynei Santapau	57
integrifolia Willd.	318	<i>ficoidea</i> (L.) Lam.	58
subsp. marginata (Poir.) Couda	318	<i>incana</i> Roxb.	57
lanceolata Willd.	318	<i>javanica</i> (Burm.f.) Pers.	57
<i>macrophylla</i> Ule	319	<i>lanata</i> L.	57
malabarica Müll.Arg.	318	<i>lappacea</i> L.	65
<i>marginata</i> (Poir.) Spreng.	318	<i>muricata</i> L.	63
<i>ovalifolia</i> Baill.	317	<i>nodiflora</i> (Willd.) Roxb.	58
paniculata Miq.	318	<i>nuda</i> B.Heyne ex Wall.	65
<i>reticulata</i> var. <i>ovalifolia</i> (Baill.) Müll.Arg.	317	<i>orbiculata</i> Heyne ex Wall.	65
<i>rubra</i> Wight ex Wall.	317	<i>porphyristachya</i> Wall. ex Moq.	57
<i>spiciflora</i> Burm.f.	321	<i>prostrata</i> L.	63
stachyura Pax	319	<i>repens</i> L.	59
<i>supera</i> Forssk.	317	<i>repens</i> B.Heyne ex Roth	63
<i>virginica</i> Wall.	318	<i>rubrofusca</i> Wight	57
<i>wightiana</i> Müll.Arg.	318	<i>sanguinolenta</i> L.	57
wilkesiana Müll.Arg.	319	<i>scandens</i> Roxb.	57
Acampe Lindl.	529	<i>sessilis</i> (L.) Besser	59
ochracea (Lindl.) Hochr.	529	<i>triandra</i> Roxb.	59
praemorsa (Roxb.) Blatt. & McCann	529	<i>zaririi</i> M.R.Almeida & S.M.Almeida	57
<i>wightiana</i> (Lindl. ex Wight) Lindl.	529	<i>Acidoton leucopyrus</i> (Willd.) Kuntze	570
Acanthaceae	23, 761	<i>virosus</i> (Roxb. ex Willd.) Kuntze	571
Acanthephippium Blume	529	Acilepis H.Rob.	136
bicolor Lindl.	529	aspera (Buch.-Ham.) H.Rob.	136
<i>Acanthonotus echinatus</i> (Willd.) Benth.	434	<i>dalzelliana</i> (J.R.Drumm. & Hutch.) H.Rob.	137
<i>Acanthopale jogensis</i> Gilli	50	dendigulensis (DC.) H.Rob.	136
Acanthospermum Schrank	136	divergens (Roxb.) H.Rob. & Skvarla	136
australe (Loeff.) Kuntze	136	gardneri (Thwaites) H.Rob. & Skvarla	137
<i>australe</i> sensu Raizada & V.S. Sharma	136	ornata (Talbot) H.Rob. & Skvarla	137
consobrinum S.F. Blake	136	saligna (DC.) H.Rob.	137
hispidum DC.	136	<i>Aclisia indica</i> Wight	236
<i>humile</i> var. <i>hispidum</i> (DC.) Kuntze	136	<i>secundiflora</i> (Blume) Bakh.f.	236

Acmella Rich. ex Pers.	137	Adelocaryum Brand	193
<i>biflora</i> (L.) Spreng.	166	coelestinum (Lindl.) Brand	193
calva (DC.) R.K.Jansen	137	malabaricum (C.B.Clarke) Brand	193
ciliata (Kunth) Cass.	137	Adenanthera L.	385
oleracea (L.) R.K.Jansen	137	<i>aculeata</i> Roxb.	394
paniculata (Wall. ex DC.) R.K.Jansen	137	pavonina L.	385
radicans (Jacq.) R.K.Jansen	137	<i>triphyssa</i> Dennst.	728
uliginosa (Sw.) Cass.	138	Adenia Forssk.	564
Acoraceae	55	hondala (Gaertn.) de Wilde	564
<i>Acorellus laevigatus</i> (L.) Palla	277	<i>palmata</i> (Lam.) Engl.	564
Acorus L.	55	Adenocalymma Mart. ex Meissin.	185
calamus L.	55	comosum (Cham.) DC.	185
Acrachne Wight & Arn. ex Chiov.	588	<i>Adenochlaena indica</i> Bedd. ex Hook.f.	324
<i>eleusinoides</i> Wight & Arn. ex Steud.	588	Adenoon Dalzell	138
racemosa (B.Heyne ex Roem. & Schult.) Ohwi	588	indicum Dalzell	138
var. <i>sumanensis</i> Aggarwal & C.S.Purohit	588	<i>Adenoropium gossypiiifolium</i> (L.) Pohl	333
<i>verticillata</i> (Roxb.) Wight & Arn. ex Lindl.	588	<i>roxburghii</i> Kostel.	333
<i>Acratherum pumilum</i> Hochst. ex A. Rich.	595	<i>Adenosacme lawii</i> Hook.f.	697
<i>Acroblastum polyandrum</i> (Griff.) Setch.	179	Adenosma R. Br.	582
Acrocarpus Wight ex Arn.	385	<i>balsamica</i> (L.f.) Spreng.	36
fraxinifolius Arn.	385	<i>capitatum</i> (Benth.) Benth. ex Hance	582
<i>Acrocephalus hispidus</i> (L.) Nicolson & Sivad.	367	indianum (Lour.) Merr.	582
<i>indicus</i> (Burm.f.) Kunze	367	<i>pinnatifida</i> (Dalzell) T.Anderson	36
Acroceras Stapf	588	<i>spatulata</i> Blume	46
munroanum (Balansa) Henrard	588	<i>thymus</i> Nees	36
Acronychia J. R. Forst. & G. Forst.	712	<i>verticillata</i> Nees	36
<i>laurifolia</i> Blume	712	Adenostemma J.R. & G. Forst.	138
pedunculata (L.) Miq.	712	<i>angustifolium</i> Arn.	138
Actephila Blume	566	<i>biflorum</i> (L.) Less.	166
<i>bantamensis</i> Miq.	566	lavenia (L.) Kuntze	138
excelsa (Dalzell) Müll.Arg.	566	var. angustifolium (Arn.) J. Kost.	138
<i>neilgherrensis</i> Wight	566	var. lavenia	138
<i>thomsonii</i> Müll.Arg.	566	var. madurense (DC.) Panigrahi	138
<i>Actinea biternata</i> (Lour.) Spreng.	141	var. reticulatum (DC.) Panigrahi	138
Actinodaphne Nees	377	var. rugosum (DC.) C.B.Clarke ex Kuntze	138
<i>angustifolia</i> Nees	377	var. viscosum (J.R.Forst. & G.Forst.) M.R.Almeida	138
<i>angustifolia</i> Hook.f. & Thomson ex Meisn.	378	<i>madurense</i> DC.	138
<i>areolata</i> Blume	377	<i>reticulatum</i> DC.	138
bourdillonii Gamble	377	<i>rugosum</i> DC.	138
gullavara (Buch.-Ham. ex Nees) M.R.Almeida	377	<i>viscosum</i> var. <i>reticulatum</i> (DC.) Hook.f.	138
<i>hirsuta</i> Hook. f.	378	var. rugosum (DC.) C.B.Clarke ex Hook.f.	138
hookeri Meisn.	378	<i>Adenostylis gracilis</i> (Breda) Merr.	557
madraspatana Bedd. ex Hook.f.	378	<i>strateumatica</i> (L.) Ames	558
<i>malabarica</i> N.P.Balakr.	378	<i>sulcata</i> (Roxb.) Hayata	558
tadulingamii Gamble	378	Adhatoda Mill.	37
wightiana (Kuntze) Noltie	378	<i>nilgherrensis</i> Nees	39
<i>Actinophloeus macarthurii</i> (H.Wendl. ex H.J.Veitch)	123	<i>vasica</i> Nees	37
Becc. ex Raderm.	114	<i>wynaadensis</i> (Nees) Nees	41
Actinorhynchitis H.Wendl. & Drude	114	<i>zeylanica</i> Medik.	37
calapparia (Blume) H.Wendl. & Drude ex Scheff.	114	<i>Adina cordifolia</i> (Roxb.) Hook. f.	690
Actinoscirpus (Ohwi) R.W.Haines & Lye	269	<i>Adipera tomentosa</i> (L.f.) Britton & Rose	398
grossus (L.f.) Goetgh. & D.A.Simpson	269	Adonidia Becc.	114
<i>Acyntha cylindrica</i> (Bojer ex Hook.) Kuntze	135	merrillii (Becc.) Becc.	114
<i>roxburghiana</i> (Schult. & Schult.f.) Kuntze	135	Adoxaceae	55
<i>stuckyi</i> (God.-Leb.) Chiov.	135	<i>Adventina ciliata</i> Raf.	157
<i>thyrsiflora</i> (Thunb.) Kuntze	135	<i>parviflora</i> (Cav.) Raf.	157
Adansonia L.	477	<i>Aechmandra conocarpa</i> Dalzell & A.Gibson	260
digitata L.	477	<i>epigaea</i> (Rottler) Arn.	260
<i>Adelia neriifolia</i> B.Heyne ex Roth	332	<i>rostrata</i> (Rottler) Arn.	264
<i>resinosa</i> Blanco	335	<i>zeylanica</i> Thwaites	259
<i>retusa</i> J.Graham ex Wight	332	Aegiceras Gaertn.	674

corniculatum (L.) Blanco	674	var. cymosa	80
<i>minus</i> Gaertn.	237	var. elegans (G.Don) Hook.f.	80
<i>Aegilops exaltata</i> L.	641	var. <i>fulva</i> Craib	80
Aeginetia L.	558, 769	var. <i>glabra</i> A.DC.	80
<i>abbreviata</i> Buch.-Ham. ex Benth.	558	var. <i>lanceolata</i> Hook.f.	80
<i>acaulis</i> (Roxb.) Walp.	558	dichotoma (Roth) K. Schum.	81
indica L.	558	<i>doniana</i> Wight	80
pedunculata Wall.	558	<i>elegans</i> G.Don	80
sessilis Shivam. & Rajanna	558, 769	<i>harmandiana</i> Pierre	80
Aegle Correa	713	<i>laevigata</i> (Moon) J. Graham	95
marmelos (L.) Correa	713	<i>roxburghii</i> G.Don	94
Aeluropus Trin.	588	<i>Agati coccinea</i> (L.f.) Desv.	444
<i>brevifolius</i> (Willd.) Nees ex Steud.	588	<i>grandiflora</i> var. <i>albiflora</i> Wight & Arn.	444
lagopoides (L.) Thwaites	588	var. <i>coccinea</i> (L.f.) Wight & Arn.	444
Aerides Lindl.	529	Agave L.	126
<i>calceolaris</i> Buch.-Ham. ex Sm.	540	americana L.	126
crispa Lindl.	529	var. <i>marginata</i> Trel.	126
<i>cylindrica</i> Lindl.	550	cantala Roxb. ex Salm-Dyck	126
<i>dalzelliana</i> (Santapau) Garay	555	<i>cuspidata</i> Baker	127
<i>decumbens</i> Griff.	552	<i>foetida</i> L.	133
<i>guttata</i> (Lindl.) Roxb.	553	<i>gigantea</i> (Vent.) D.Dietr.	133
maculosa Lindl.	529	<i>ingens</i> A.Berger	126
ringens (Lindl.) C.E.C.Fisch.	530	<i>rigida</i> var. <i>sisalana</i> (Perrine) Engelm.	127
<i>tenuifolia</i> (L.) Moon	532	var. <i>sisalana</i> Baker	127
<i>tessellata</i> (Roxb.) Wight ex Wall.	557	sisalana Perrine	127
Aerva Forssk.	57	<i>tuberosa</i> (L.) Thiede & Eggli	134
<i>brachiata</i> (L.) Mart.	64	vera-cruz Mill.	127
<i>floribunda</i> Wight	57	vivipara L.	127
javanica (Burm.f.) Juss. ex Schult.	57	<i>wightii</i> J.R.Drumm. & Prain	127
lanata (L.) Juss.	57	Ageratina Spach	138
<i>monsoniae</i> (L.f.) Mart.	65	adenophora (Spreng.) R.M. King & H. Rob.	138
<i>persica</i> (Burm.f.) Merr.	57	riparia (Regel) R.M. King & H. Rob.	139
sanguinolenta (L.) Blume	57	Ageratum L.	139
<i>scandens</i> (Roxb.) Wall.	57	conyzoides L.	139
<i>tomentosa</i> Forssk.	57	houstonianum Mill.	139
Aeschynanthus Jack.	344	<i>Aggeranthus marchantioides</i> Wight	553
<i>ceylanicus</i> Wight	344	Aglaia Lour.	498
<i>grandiflorus</i> J.Graham	344	<i>anamallayana</i> (Bedd.) Kosterm.	501
perrottetii A.DC.	344	<i>barberi</i> Gamble	498
Aeschynomene L.	407	<i>bourdillonii</i> Gamble	498
americana L.	407	<i>canarana</i> (Turcz.) C.J.Saldanha	498
aspera L.	407	<i>canarensis</i> Gamble	498
<i>bispinosa</i> Jacq.	444	edulis (Roxb.) Wall.	498
<i>gangetica</i> (L.) Poir.	425	elaegnoides (A.Juss.) Benth.	498
indica L.	408	<i>jainii</i> M.V.Viswan. & K.Ramach.	498
<i>maculata</i> (L.) Poir.in Lam.	425	lawii (Wight) C.J.Saldanha	498
<i>paludosa</i> Roxb.	444	<i>litoralis</i> Talbot	498
<i>procumbens</i> Roxb.	444	<i>maiae</i> Bourd.	498
<i>sesban</i> L.	444	<i>odoratissima</i> Benth.	498
<i>spinulosa</i> Roxb.	444	perviridis Hiern	498
<i>Aetheilema reniforme</i> Nees	43	<i>polystachya</i> Wall.	499
Afrohybanthus Flicker	748	<i>roxburghiana</i> sensu Bedd.	498
enneaspermus (L.) Flicker	748	simplicifolia (Bedd.) Harms	498
stellarioides (Domin) Flicker	748	<i>talbotii</i> Sundararagh.	498
Aganope Miq.	408	<i>tamilnadensis</i> N.C. Nair & Rajan	498
thyrsiflora (Benth.) Polhill	408	Aglaonema Schott	103
Aganosma (Blume) G. Don	80	commutatum Schott	103
<i>caryophyllata</i> auct. non G.Don	81	var. <i>robustum</i> (Alderw.) Nicolson	103
<i>concanensis</i> Hook.	95	<i>marantifolium</i> var. <i>commutatum</i> (Schott) Engl.	103
cymosa (Roxb.) G. Don	80	<i>robustum</i> Alderw.	103
var. <i>conferta</i> Hook.f.	80	<i>Agnus-castus incisa</i> (Lam.) Carrière	376

<i>negundo</i> (L.) Carrière	376	<i>fruticosa</i> Roxb.	354
Agrostis L.	589	Alangium Lam.	255
<i>bicuspidata</i> Hack. ex Hook.f.	589	<i>hexapetalum</i> Lam.	255
<i>ciliata</i> Trin.	589	<i>lamarckii</i> Thwaites	255
<i>cimicina</i> (L.) Poir.	589	salviifolium (L.f.) Wangerin	255
<i>compressa</i> (Sw.) Poir.	597	subsp. hexapetalum (Lam.) Wangerin	255
<i>coromandeliana</i> Retz.	657	subsp. salviifolium	255
<i>diandra</i> Retz.	658	<i>Albersia blitum</i> var. <i>oleraceus</i> (L.) Hook.f.	59
<i>elongata</i> var. <i>flaccida</i> Roth	658	<i>oleracea</i> (L.) Kunth	59
<i>fertilis</i> Steud.	658	Albizia Durazz.	385
<i>globosa</i> (Thunb.) Poir.	632	amara (Roxb.) B.Boivin	385
<i>indica</i> L.	658	chinensis (Osbeck) Merr.	385
<i>matrella</i> L.	665	<i>dulcis</i> (Roxb.) F.Muell.	394
<i>maxima</i> Roxb.	661	julibrissin Durazz.	385
pilosula Trin.	589	subsp. <i>mollis</i> (Wall.) Ali & Quraishi	386
f. <i>ciliata</i> (Trin.) Bhattacharya & S.K. Jain	589	var. julibrissin	385
f. <i>filifolia</i> (Bor) Bhattacharya & S.K. Jain	589	var. mollis (Wall.) Benth.	386
f. <i>wallichiana</i> (Steud.) Bhattacharya & S.K. Jain	589	lathamii Hole	386
var. <i>alpestris</i> (Hook.f.) Veldkamp	589	lebbeck (L.) Benth.	386
var. <i>ciliata</i> (Steud.) Bor	589	var. <i>pubescens</i> Haines	386
var. <i>filifolia</i> Bor	589	var. <i>rostrata</i> Haines	386
var. <i>royleana</i> (Trin.) Bor	589	<i>marginata</i> (Lam.) Merr.	385
var. <i>wallichiana</i> (Steud.) Bor	589	<i>mollis</i> (Wall.) Boivin	386
<i>procera</i> Retz.	626	odoratissima (L.f.) Benth.	386
<i>royleana</i> Trin.	589	var. <i>mollis</i> Baker	386
<i>spicata</i> Vahl	659	procera (Roxb.) Benth.	386
<i>tenacissima</i> Roxb.	659	saman (Jacq.) Merr.	386
<i>tremula</i> Willd.	659	<i>stipulata</i> (DC.) Boivin	385
<i>triracemosa</i> Roxb. ex Hook.f.	615	Alcea L.	477
<i>tungnathii</i> Bhattacharya & S.K.Jain	589	rosea L.	477
<i>virginica</i> L.	659	<i>Aletris fragrans</i> L.	131
Agrostistachys Dalzell	319	<i>hyacinthoides</i> (L.) L.	135
borneensis Becc.	319	var. <i>zeylanica</i> L.	135
indica Dalzell	319	Aleurites J. R. Forst. & G. Forst.	319
<i>longifolia</i> (Wight) Trimen	319	<i>cordata</i> R. Br. ex Steud.	339
<i>meeboldii</i> Pax & K. Hoffm.	319	<i>fordii</i> Hemsl.	339
<i>Agyneia bacciformis</i> (L.) A.Juss.	579	<i>laccifera</i> (L.) Willd.	322
<i>impubes</i> Vent.	579	moluccanus (L.) Willd.	319
<i>ovata</i> Poir. Encycl.	578	<i>montana</i> (Lour.) E.H. Wilson	339
<i>phyllanthoides</i> Spreng.	579	<i>triloba</i> J.R.Forst. & G.Forst.	319
Aidia Lour.	685	<i>trispermus</i> Blanco	337
<i>candolleana</i> (Wight & Arn.) Swamin.	688	<i>Algarobia glandulosa</i> (Torr.) Torr. & A. Gray	394
gardneri (Thwaites) Tirveng.	685	<i>juliflora</i> (Sw.) Heynh.	394
<i>rugulosa</i> (Thwaites) Swamin.	704	Alhagi Gagnebin	408
<i>Aikinia carnososa</i> G.Don	344	<i>camelorum</i> Fisch.	408
Ailanthus Desf.	728	maurorum Medik.	408
excelsa Roxb.	728	<i>Alisma obtusifolium</i> (L.) Thwaites	56
<i>malabarica</i> DC.	728	Alismataceae	56
triphysa (Dennst.) Alston	728	<i>Alismorchis masuca</i> (D.Don) Kuntze	532
Aiphanes Willd.	114	<i>Allamanada violacea</i> Gardner	81
<i>aculeata</i> Willd.	114	Allamanda L. ('Allemanda')	81
<i>caryotifolia</i> (Kunth) H.Wendl.	114	blanchetii A.DC.	81
horrida (Jacq.) Burret	114	<i>cathartica</i> var. <i>nobilis</i> (T.Moore) L.H.Bailey & Raffill	81
<i>Aira bengalensis</i> (Retz.) J.F.Gmel.	596	var. <i>schottii</i> (Pohl) L.H.Bailey & Raffill	81
<i>capillaris</i> B.Heyne ex Hook.f.	610	<i>magnifica</i> B.S.Williams	81
<i>filiformis</i> J.Koenig ex Roxb.	637	<i>neriifolia</i> Hook.	81
<i>indica</i> L.	652	nobilis T.Moore	81
<i>repens</i> B.Heyne ex Wall.	611	schottii Pohl	81
<i>tenuissima</i> (Schränk) Spreng.	659	Allium L.	458
Aizoaceae	55	cepa L.	458
<i>Ajuga disticha</i> (L.) Roxb.	354	sativum L.	458

Allmania R. Br. ex Wight	58	calcarata (Haw.) Roscoe	754
<i>albida</i> (Willd.) R.Br. ex Hook.f.	58	<i>cardamomum</i> (L.) Roxb.	758
<i>aspera</i> (Roth) Wight	58	<i>carnea</i> Griff.	754
<i>dichotoma</i> (B.Heyne ex Roth) Wight	58	<i>elatio</i> Jack	758
<i>longipedunculata</i> (Trimen) Gamble	58	galanga (L.) Willd.	754
nodiflora (L.) R.Br. ex Wight	58	<i>magnifica</i> Roscoe	758
var. <i>angustifolia</i> Hook.f.	58	malaccensis (Burm.f.) Roscoe	755
var. <i>aspera</i> (Roth) Hook.f.	58	mutica Roxb.	755
var. <i>dichotoma</i> (B.Heyne ex Roth) Hook.f.	58	<i>neesana</i> J.Graham	760
var. <i>esculenta</i> Hook.f.	58	nigra (Gaertn.) Burt	755
var. <i>procumbens</i> Ridl.	58	<i>nimmonii</i> J.Graham	760
<i>procumbens</i> Wight ex Hook.f.	58	purpurata (Vieill.) K.Schum.	755
Allophylus L.	722	<i>rheedei</i> Wight	754
cobbe (L.) Raeusch.	722	<i>spicata</i> Roxb.	754
cominia (L.) Sw.	722	<i>viridiflora</i> Griff.	754
<i>concanicus</i> Radlk.	722	Alseodaphne Nees	378
<i>distachys</i> (DC.) Radlk.	722	semecarpifolia Nees	378
<i>rheedei</i> (Wight) Radlk.	722	var. <i>angustifolia</i> Meisn.	378
serratus (Hiern) KurzJ.	722	<i>Alsine media</i> L.	216
subfalcatus Radlk.	722	<i>prostrata</i> Forssk.	216
var. distachyus (DC.) S.Mukh.	722	<i>Alsodeia bengalensis</i> Wall.	748
Alloteropsis C.Persl.	589	<i>zeylanica</i> (Arn.) Thw.	748
cimicina (L.) Stapf	589	Alstonia R. Br.	81
semialata (R.Br.) Hitchc.	590	<i>kurzii</i> Hook.f.	81
var. <i>viatica</i> (Griff.) Ellis & Karthik. ex Karthik.	590	macrophylla Wall. ex G. Don	81
Alocasia Schott	103	<i>pangkorensis</i> King & Gamble	81
cucullata (Lour.) G.Don	103	scholaris (L.) R. Br.	81
fornicata (Roxb.) Schott	103	venenata R. Br.	81
<i>indica</i> (Lour.) Schott	103	var. <i>pubescens</i> Monach.	81
macrorrhizos (L.) G.Don	103	Alternanthera Forssk.	58
<i>pedata</i> (Link & Otto) Raf.	110	bettzickiana (Regel) G.Nicholson	58
<i>rapiformis</i> (Roxb.) Schott	103	ficoidea (L.) Sm.	58
sanderiana W.Bull	104	<i>ficoidea</i> Griseb.	58
Aloe L.	753	<i>ficoides</i> P.Beauv.	59
<i>americana</i> (L.) Crantz	126	var. <i>bettzickiana</i> (Regel) Backer	58
aristata Haw.	753	littoralis P.Beauv.	58
<i>barbadensis</i> Mill.	753	paronychioides A.St.-Hil.	59
<i>chinensis</i> Steud. ex Baker	753	var. <i>bettzickiana</i> (Regel) Fosberg	58
<i>foetida</i> (L.) Crantz	133	philoxeroides (Mart.) Griseb.	59
<i>hyacinthoides</i> L.	135	pungens Kunth	59
<i>indica</i> Royle	753	<i>repens</i> (L.) Link	59
<i>latifolia</i> (Haw.) Haw.	753	sessilis (L.) R.Br. ex. DC.	59
<i>longiaristata</i> Schult. & Schult.f.	753	<i>tenella</i> Colla	58
maculata All.	753	var. <i>bettzickiana</i> (Regel) Veldkamp	58
<i>perfoliata</i> var. <i>vera</i> L.	753	<i>Althaea rosea</i> (L.) Cav.	477
<i>transvaalensis</i> Kuntze	754	<i>Alwisia minuta</i> Thwaites ex Lindl.	555
vanbalenii Pillans	753	Alysicarpus Neck. ex Desv.	408
vera (L.) Burm.f.	753	<i>beddomei</i> Schindl.	424
<i>vivipara</i> (L.) Crantz	127	<i>belgaumensis</i> Wight	424
zebrina Baker	754	var. <i>racemosus</i> (Benth.) Baker	424
<i>Alopecurus aristatus</i> var. <i>monspeliensis</i> (L.) Huds.	649	bupleurifolius (L.) DC.	408
<i>bengalensis</i> Houtt.	648	var. bupleurifolius	408
<i>monspeliensis</i> L.	649	var. gracilis (Edgew.) Baker	408
<i>otiporensis</i> Griff.	648	var. hybridus DC.	408
<i>typhoides</i> Burm.f.	646	var. <i>intermedius</i> Haines	408
Alphonsea Hook. f. & Thomson	71	gamblei Schindl.	408
lutea (Roxb.) Hook. f. & Thomson	71	glumaceus (Vahl) DC.	408
<i>madraspatana</i> Bedd.	71	var. <i>piliifer</i> (Prain) S.V.Ramaswamy & Razi	410
<i>sclerocarpa</i> Thwaites	71	<i>gracilis</i> Edgew.	408
Alpinia Roxb.	754	hamosus Edgew.	409
<i>allughas</i> (Retz.) Roscoe	755	heterophyllus (Baker) Jafri & Ali	409

heyneanus Wight & Arn.	409	var. <i>paniculatus</i> (L.) Thell.	60
longifolius (Spreng.) Wight & Arn.	409	hypochondriacus L.	61
monilifer (L.) DC.	409	var. <i>macrostachys</i> Moq.	61
naikianus Pokle	409	var. <i>monstrosus</i> Moq.	61
<i>parviflorus</i> Dalzell	424	var. <i>racemosus</i> Moq.	61
<i>parviflorus</i> Dalzell	424	var. <i>tortuosus</i> Moq.	61
<i>procumbens</i> (Roxb.) Schindl.	409	<i>lanceolatus</i> Roxb.	61
pubescens J.S.Law	409	<i>lancifolius</i> Roxb.	61
var. pubescens	409	<i>lividus</i> L.	59
var. vasavadae (Hemadri) Sanjappa	409	<i>lividus</i> Roxb.	61
<i>racemosus</i> Benth.	424	subsp. <i>oleraceus</i> (L.) Soó	60
roxburghianus Thoth. & A. Pramanik	409	var. <i>oleraceus</i> (L.) Thell.	60
rugosus (Willd.) DC.	410	<i>macrostachyus</i> Mérat ex Moq.	61
var. <i>heyneanus</i> (Wight & Arn.) Baker	409	<i>mangostanus</i> L.	61
var. <i>Pilifer</i> Prain	410	<i>melancholicus</i> L.	61
var. <i>styracifolius</i> (DC.) Baker	410	var. <i>tricolor</i> (L.) Lam. ex Moq.	61
scariosus (Spreng.) Thwaites	410	<i>monstrosus</i> Moq.	61
var. pilifer (Prain) A.Pramanik & Thoth.	410	<i>oleraceus</i> L.	59
var. scariosus	410	<i>oleraceus</i> Roxb.	61
tetragonolobus Edgew.	410	<i>paniculatus</i> L.	60
vaginalis (L.) DC.	410	<i>polygamus</i> Roxb.	61
var. <i>heterophyllus</i> Baker	409	<i>polygamus</i> Thwaites	61
var. stocksii Baker	410	var. <i>angustifolia</i> (Lam.) Hook. f.	60
<i>vasavade</i> Hemadri	409	polygonoides L.	61
<i>Amanoa collina</i> (Roxb.) Baill.	570	<i>retroflexus</i> var. <i>hybridus</i> (L.) A.Gray	61
<i>indica</i> Wight	570	<i>roxburghianus</i> var. <i>aschersonianus</i> (Thell.) N.C.Nair	60
<i>patula</i> (Roxb.) Thwaites	570	spinosus L.	61
Amaranthaceae	56	<i>thellungianus</i> Nevski	60
Amaranthus L.	59	tricolor L.	61
× caturus B.Heyne ex Hook.f.	59	var. <i>gangeticus</i> (L.) Fiori	61
<i>anardana</i> Buch.-Ham. ex Moq.	61	var. <i>mangostanus</i> (L.) Aellen	61
<i>angustifolius</i> Lam.	60	var. <i>tristis</i> (L.) Thell.	61
<i>ascendens</i> var. <i>oleraceus</i> (L.) Thell. ex Priszter	60	var. <i>tristis</i> (Willd.) Mehrotra, Aswal & Bisht	61
<i>aschersonianus</i> (Thell.) Chiov.	60	<i>tristis</i> L.	61
blitum L.	59	<i>tristis</i> Wall.	61
subsp. oleraceus (L.) Costea	59	viridis L.	62
var. <i>graecizans</i> (L.) Moq.	60	Amaryllidaceae	66
var. <i>oleraceus</i> (L.) Hook.f.	60	<i>Amaryllis carinata</i> (Herb.) Spreng.	68
caudatus L.	60	<i>multiflora</i> (Martyn) Tratt.	67
<i>chlorostachys</i> Willd.	61	<i>punicea</i> Lam.	67
var. <i>hybridus</i> (L.) S.Watson	61	<i>reginae</i> L.	67
cruentus L.	60	<i>vittata</i> L'Hér.	67
dubius Mart. ex Thell.	60	<i>vivipara</i> Lam.	66
var. <i>flexuosus</i> Thell.	60	<i>Amberboa indica</i> (Klein ex Willd.) DC.	159
var. <i>leptostachys</i> Thell.	60	<i>ramosa</i> (Roxb.) Jafri	167
var. <i>xanthostachys</i> Thell.	60	<i>Amblyachyrum mangalorensense</i> Hochst.	591
<i>fasciatus</i> Roxb.	62	Ambrosia L.	139
<i>flavus</i> L.	61	artemisifolia L.	139
<i>frumentaceus</i> Buch.-Ham.	61	psilostachya DC.	139
<i>gangeticus</i> L.	61	<i>Ambrosina ciliaris</i> Spreng.	107
<i>gracilis</i> Desf.	62	<i>ciliata</i> Roxb.	107
graecizans L.	60	<i>retrospiralis</i> Roxb.	107
subsp. <i>thellungianus</i> (Nevski) Gusev	60	<i>roxburghiana</i> Voigt	107
hybridus L.	61	<i>spirialis</i> (Retz.) Roxb.	107
<i>hybridus</i> Vell.	61	<i>unilocularis</i> Roxb.	107
subsp. <i>cruentus</i> (L.) Thell.	60	<i>Ambulia aromatica</i> Lam.	584
subsp. <i>hypochondriacus</i> (L.) Thell.	61	<i>conferta</i> (Benth.) Baill. ex Wettst.	584
subsp. <i>hypochondriacus</i> var. <i>chlorostachys</i> (Willd.)	61	<i>Ameletia indica</i> DC.	471
Thell.	61	<i>rotundifolia</i> Wight	472
var. <i>chlorostachys</i> (Willd.) Beck	61	<i>tenuis</i> Wight	469
var. <i>hypochondriacus</i> (L.) H.Rob.	61	<i>Amerimnon horridum</i> Dennst.	421

<i>latifolium</i> (Roxb.) Kuntze	421	var. <i>wayanadensis</i> Sivad. & Jaleel	104
<i>rubiginosum</i> (Roxb.) Kuntze	422	<i>dubius</i> Blume	104
<i>sissoides</i> (Wight & Arn.) Kuntze	422	hohenackeri (Schott) Engl. & Gehrm.	104
<i>sissoo</i> (Roxb.) Kuntze	422	konkanensis Hett., S.R.Yadav & K.S.Patil	104
<i>tortum</i> (J.Graham) Kuntze	421	mysorensis E.Barnes & C.E.C.Fisch.	104, 763
<i>Amethystanthus japonicus</i> (Burm.f.) Nakai	360	paeoniifolius (Dennst.) Nicolson	104
Amherstia Wall.	405	var. <i>campanulatus</i> (Decne.) Sivad.	104
nobilis Wall.	405	<i>rex</i> Prain ex Hook. f.	104
<i>Amischophacelus axillaris</i> (L.) R.S.Rao & Kammathy	230	sylvaticus (Roxb.) Kunth	105
<i>cucullata</i> (Roth) R.S.Rao & Kammathy	231	<i>taccoides</i> Hook.f.	104
Ammannia L.	469	Ampelocissus Planch.	749
aegyptiaca Willd.	469	araneosa (Dalzell) Gamble	749
auriculata Willd.	469	<i>arnottiana</i> Planch.	749
baccifera L.	469	indica (L.) Planch.	749
subsp. <i>aegyptica</i> (Willd.) Koehne	469	latifolia (Roxb.) Planch.	749
<i>cordata</i> Wight & Arn.	470	tomentosa (B.Heyne & Roth) Planch.	749
<i>densiflora</i> Roth	471	<i>Amphidonax bengalensis</i> Roxb. ex Nees	596
<i>lanceolata</i> B.Heyne ex C.B.Clarke	470	<i>Amphilophis concanensis</i> (Hook.f.) Blatt. & McCann	613
<i>leptopetala</i> Blume	472	<i>foulkesii</i> (Hook.f.) C.E.C. Fisch.	613
multiflora Roxb.	469	<i>haenkei</i> (J.Presl) Haines	598
<i>pentandra</i> var. <i>fimbriata</i> (Wight) Clarke	471	<i>insculpta</i> (Hochst. ex A.Rich.) Stapf	599
var. <i>illecebroides</i> Arn.	471	<i>ischaemum</i> (L.) Nash	599
<i>peplodes</i> Spreng.	471	<i>kuntzeana</i> (Hack.) Haines	599
<i>prostrata</i> Buch.-Ham. ex Dillwyn	471	<i>odorata</i> (Lisboa) A. Camus	598
<i>ritchiei</i> Clarke	472	<i>pertusa</i> (L.) Nash ex Stapf	599
<i>rosea</i> Poir.	472	<i>pertusa</i> Stapf	599
<i>rotala</i> Clarke	472	<i>pseudischaemum</i> (Nees ex Steud.) C.E.C. Fisch.	599
<i>rotundifolia</i> Buch.-Ham. ex Roxb.	472	Amphilophium Kunth	185
<i>salicifolia</i> Hiern	469	buccinatorium (DC.) L.G.Lohmann	185
tenuis (Wight) C.B.Clarke	469	<i>Amyris anisata</i> Willd.	714
<i>triflora</i> R.Br. ex Benth.	470	<i>dentata</i> Willd.	714
<i>Ammocallis rosea</i> (L.) Small	85	<i>linanoe</i> La Llave	204
Amomum Roxb.	755	Anacardiaceae	68
cannicarpum (Wight) Benth. ex Baker	755	Anacardium L.	68
<i>cardamomum</i> L.	758	occidentale L.	68
<i>galanga</i> (L.) Lour.	754	<i>Anacyclus australis</i> Sieber ex Spreng.	150
ghaticum K. G. Bhat	755	Anagallis L.	674
hypoleucum Thwaites	755	arvensis L.	674
<i>magnificum</i> (Roscoe) Benth. & Hook.f. ex B.D.Jacks.	758	subsp. <i>latifolia</i> (L.) Arcang.	674
masticatorium Thwaites	755	var. <i>latifolia</i> (L.) Lange	674
<i>microstephanum</i> Baker	756	<i>indica</i> Sweet	674
<i>montanum</i> J.Koenig	759	<i>latifolia</i> L.	674
muricatum Bedd.	756	pumila Sw.	674
<i>nigrum</i> (Gaertn.) Raeusch.	755	<i>Anagalloides procumbens</i> Krock.	461
<i>pierardioides</i> Bedd.	755	<i>Analectis speciosa</i> Vahl	375
pterocarpum Thwaites	756	Anamirta Colebr.	502
<i>roseum</i> Roxb.	760	cocculus (L.) Wight & Arn.	502
<i>zedoaria</i> Christm.	758	<i>paniculata</i> Colebr.	502
<i>zerumbet</i> L.	760	Ananas Miller	202
<i>zingiber</i> L.	760	comosus (L.) Merr.	202
<i>Amoora canarana</i> (Turcz.) Hiern	498	<i>Ananthopus undulatus</i> (R.Br.) Raf.	229
<i>lawii</i> (Wight) Bedd.	498	Anaphalis DC.	139
<i>polystachya</i> (Wall.) Hook.f. & Jackson ex Craib	499	lawii (Hook.f.) Gamble	139
<i>rohituka</i> (Roxb.) Bedd.	499	marcescens (Wight) C.B.Clarke	139
Amorphophallus Blume ex Decne.	104, 763	<i>oblonga</i> DC.	139
<i>aculatum</i> Hook.f.	104	var. <i>lawii</i> Hook. f.	139
bulbifer (Roxb.) Blume	104	subdecurrens (DC.) Gamble	139
<i>campanulatus</i> Decne.	104	wightiana (DC.) DC.	139
commutatus (Schott) Engl.	104	Anaphyllum Schott	105
var. <i>anmodensis</i> Sivad. & Jaleel	104	wightii Schott	105
var. <i>anshiensis</i> Puneekar & Lakshmin.	104	<i>Anastrophus compressus</i> (Sw.) Schltdl.	597

<i>paspalodes</i> (Michx.) Nash	645	<i>var. mollicomus</i> (Kunth) Hack.	613
<i>Anatherum glabrum</i> (Roxb.) Schult.	598	<i>castratus</i> Griff.	592
<i>montanum</i> (Roxb.) Schult.	598	chinensis (Nees) Merr.	590
<i>nitidum</i> (Vahl) Spreng.	657	<i>ciliatus</i> (L.f.) Thunb.	660
<i>parviflorum</i> (R.Br.) Spreng.	602	<i>citratus</i> DC.	608
<i>zizanioides</i> (L.) Hitchc. & Chase	607	<i>coloratus</i> Nees ex Wight	608
Ancistrocladaceae	71	<i>concanensis</i> Hook. f.	613
Ancistrocladus Wall.	71	<i>confertiflorus</i> Steud.	609
heyneanus Wall. ex J. Graham	71	<i>conjugatus</i> Roxb.	626
<i>Andersonia rohituka</i> Roxb.	499	<i>contortus</i> L.	630
<i>Andrachne orbiculata</i> Roth	570	<i>controversus</i> Steud.	656
<i>trifoliata</i> Roxb.	568	<i>courtallumensis</i> Steud.	591
Andrographis Wall. ex Nees	23, 761	<i>crinitus</i> Thunb.	649
affinis Nees	23	<i>cuspidatus</i> Hochst. ex A. Rich.	592
alata (Vahl) Nees	23	<i>deccanensis</i> S.K. Jain	593
atropurpurea (Dennst.) Alston	23	<i>demissus</i> Steud.	590
ceylanica Nees	23	<i>echinatus</i> (Nees) B. Heyne ex Steud.	592
echioides (L.) Nees	24	<i>exilis</i> Hochst.	653
elongata (Vahl) T. Anderson	24	<i>fascicularis</i> Roxb.	650
explicata (C.B. Clarke) Gamble	24	<i>filiculmis</i> Hook. f.	602
glandulosa Nees	24	<i>filiformis</i> Roxb.	618
<i>gracilis</i> Nees	23	<i>flexuosus</i> Nees ex Steud.	608
lawsonii Gamble	24	<i>foulkesii</i> Hook. f.	613
lineata Wall. ex Nees	24	<i>foveolatus</i> Delile	613
<i>var. lawii</i> C.B. Clarke	24, 761	<i>gangeticus</i> Hack.	650
<i>var. lineata</i>	24	<i>geniculatus</i> (Roxb.) Steud.	633
longipedunculata (Sreem.) L.H. Cramer	24	<i>gidarba</i> Buch.-Ham. ex Hook. f.	608
<i>macrobotrys</i> Nees	23	<i>glaber</i> Roxb.	598
<i>var. ceylanica</i> (Nees) L.H. Cramer	23	<i>glaucopsis</i> Steud.	602
<i>var. parvifolia</i> C.B. Clarke	23	<i>gryllus</i> L.	605
neesiana Wight	24	<i>hackelii</i> Hook. f.	605
<i>var. affinis</i> (Nees) C.B. Clarke	23	<i>halepensis</i> (L.) Brot.	656
<i>var. producta</i> C.B. Clarke	25	<i>heugelli</i> Hack.	602
ovata (T. Anderson ex Bedd.) Benth. & Hook. f.	25	<i>himalayensis</i> Gand.	609
paniculata (Burm. f.) Wall. ex Nees	25	<i>humilis</i> Wright ex Steud.	590
<i>var. glandulosa</i> Trimen	25	<i>insculptus</i> Hochst. ex A. Rich.	599
producta (C.B. Clarke) Gamble	25	<i>intermedius</i> <i>var. caucasicus</i> (Trin.) Hack.	598
serpyllifolia (Vahl) Wight	25	<i>ischaemum</i> L.	599
subg. <i>Indoneesiella</i> (Sreem.) L.H. Cramer	23	<i>jwarancusa</i> Jones	609
<i>viscosula</i> Nees	25	<i>khasianus</i> (Hack.) Munro ex Duthie	609
<i>var. explicata</i> C.B. Clarke	24	<i>kuntzeanus</i> Hack.	599
<i>wightiana</i> Arn. ex Nees	23	<i>lanceolatus</i> Roxb.	593
<i>Andromeda katagherensis</i> Hook.	311	<i>lancifolius</i> Trin.	593
Andropogon L.	590	<i>lawsonii</i> Hook. f.	605
<i>aciculatus</i> Retz.	605	<i>laxum</i> Roxb.	656
<i>afer</i> J.F. Gmel.	633	<i>loharduggae</i> C.B. Clarke ex Duthie	626
<i>amboinicus</i> <i>var. nitidus</i> (Vahl) Backer	657	<i>martini</i> Roxb.	609
<i>annulatus</i> Forssk.	612	<i>micranthus</i> Kunth	602
<i>var. bladhii</i> (Retz.) Hack.	598	<i>miliaceus</i> Roxb.	656
<i>apricus</i> <i>var. chinensis</i> (Nees) Hack.	590	<i>mollicomus</i> Kunth	613
<i>aristatus</i> Poir.	613	<i>monandrus</i> Roxb.	649
<i>ascinodis</i> C.B. Clarke	590	<i>montanus</i> Roxb.	598
<i>asper</i> Heyne	605	<i>var. glaucopsis</i> (W. Watson) Hack.	602
<i>assimilis</i> Steud.	602	<i>monticola</i> Roem. & Schult.	605
<i>beckettii</i> Thwaites ex Hook. f.	628	<i>var. robustus</i> Hook. f.	606
<i>bicolor</i> (L.) Roxb.	656	<i>var. trinii</i> (Steud.) Hook. f.	606
<i>binatus</i> Roxb.	613	<i>muticus</i> (L.) Steud.	634
<i>bladhii</i> Retz.	598	<i>nardus</i> L.	609
<i>brevifolius</i> Sw.	653	<i>subsp. flexuosus</i> (Nees ex Steud.) Hack.	608
<i>caesius</i> Nees ex Hook. & Arn.	608	<i>subsp. nilagiricus</i> Hack.	609
<i>caricosus</i> L.	613	<i>var. coloratus</i> Nees ex Hook. f.	608

var. <i>luridus</i> Hook.f.	609	<i>velutinus</i> Hook. f.	606
<i>nervosus</i> Rottler ex Roem. & Schult.	653	<i>venustus</i> Thwaites	630
<i>nigrum</i> Buch.-Ham. ex Wall.	657	<i>verticillatus</i> Roxb.	606
<i>nilagiricus</i> Hochst.	609	<i>villosulus</i> Nees ex Steud.	602
<i>nitidulus</i> Hook. f.	650	<i>wightianus</i> Nees ex Steud.	606
<i>nitidus</i> (Vahl) Kunth	657	<i>zeylanicus</i> Nees ex Steud.	606
<i>nodulibarbis</i> Hochst. ex Steud.	606	<i>zizanioides</i> (L.) Urb.	607
<i>nudus</i> Steud.	594	<i>Androscepia tremula</i> (Nees ex Steud.) Andersson	660
<i>odoratus</i> Lisboa	598	<i>Aneilema compressum</i> Dalzell	234
<i>oliganthus</i> Hochst. ex Steud.	614	<i>crocea</i> Griff.	232
<i>orientalis</i> (Desf.) Druce	606	<i>dimorphum</i> Dalzell	233
<i>paranjpyeanus</i> Bhide	614	<i>ensifolium</i> Wight	233
<i>parviflorus</i> (R.Br.) Domin	602	<i>esculentum</i> Wall. ex C.B. Clarke	233
<i>parviflorus</i> Roxb.	653	<i>giganteum</i> (Vahl) R.Br.	233
<i>pertusus</i> (L.) Willd.	599	<i>hallbergii</i> Blatt.	232
var. <i>insculptus</i> (Hochst. ex A.Rich.) Hack.	599	<i>herbaceum</i> (Roxb.) Wall. ex C.B. Clarke	233
var. <i>insculptus</i> (Hochst. ex A.Rich.) Hook.f.	599	<i>japonicum</i> (Thunb.) Kunth	233
<i>pilosus</i> Klein ex Willd.	633	<i>koenigii</i> Wall. ex C.B. Clarke	234
<i>polyneuros</i> Steud.	609	<i>lancifolium</i> Griff.	234
<i>polyphyllus</i> Hack. ex Hook.f.	606	<i>lanuginosum</i> Wall. ex C.B. Clarke	234
<i>prostratus</i> L.	636	<i>latifolium</i> Wight	233
<i>pseudischaemum</i> Nees ex Steud.	599	<i>lineolatum</i> (Blume) Kunth	233
pumilus Roxb.	590	<i>loriforme</i> Hassk.	234
<i>punctatus</i> Roxb.	598	<i>malabaricum</i> (L.) Merr.	234
<i>purpureosericeus</i> Hochst. ex A. Rich.	657	<i>montanum</i> (Wight) C.B. Clarke	232
<i>quadrivalvis</i> L.	660	<i>nudiflorum</i> var. <i>terminale</i> (Wight) C.B. Clarke	234
<i>rhizophorus</i> Steud.	657	<i>ochraceum</i> Dalzell	232
<i>ritchiei</i> Hook. f.	630	<i>ovalifolium</i> (Wight) Hook.f. ex C.B. Clarke	232
<i>rudis</i> Steud.	592	<i>paniculatum</i> Wight	233
<i>schoenanthus</i> L.	609	<i>paniculatum</i> Wall. ex C.B. Clarke	235
var. <i>caesius</i> (Nees ex Hook. & Arn.) Hack.	608	<i>pauciflorum</i> Wight	234
var. <i>caesius</i> (Nees ex Hook. & Arn.) Rangachariar	608	<i>protensum</i> (Wight) Wall. ex Thwaites	236
var. <i>gracillimus</i> Hook. f.	608	<i>pulneyense</i> Fyson	233
var. <i>martini</i> (Roxb.) Benth.	609	<i>rigidum</i> Blatt.	235
<i>serratus</i> Thunb.	657	<i>scaberrimum</i> (Blume) Kunth	236
var. <i>nitidus</i> (Vahl) Hack.	657	var. <i>fruticosum</i> C.B. Clarke	236
<i>serrulatus</i> Link	593	<i>scapiflorum</i> (Roxb.) Kostel.	233
<i>sorghum</i> (L.) Brot.	656	<i>secundiflora</i> (Blume) Kunth	236
subsp. <i>halepensis</i> (L.) Hack.	656	<i>secundum</i> Wight	235
var. <i>caudatus</i> Hack.	656	<i>semiteres</i> Dalzell	235
var. <i>coimbatonicus</i> Burkill ex Benson & Subba Rao	656	<i>serotinum</i> D. Don ex C.B. Clarke	233
var. <i>halepensis</i> (L.) Hack.	656	<i>sienneum</i> Blatt.	234
var. <i>hians</i> Hook.f.	656	<i>simplex</i> (Vahl) Kunth	235
var. <i>nervosus</i> (Rottler ex Roem. & Schult.) Stapf	653	<i>simplex</i> (Vahl) C.B. Clarke	235
var. <i>obovatus</i> (Hack.) Hook. f.	656	<i>spiratum</i> (L.) Sweet	235
var. <i>pulcher</i> G.T. Benson & Subba Rao	656	<i>spiratum</i> (L.) R.Br.	235
var. <i>vulgaris</i> (Pers.) Stapf ex Hook. f.	656	<i>terminale</i> Wight	234
var. <i>wightii</i> (Hack.) Hook. f.	656	<i>vaginatum</i> (L.) R.Br.	235
var. <i>wrightii</i> Hack.	656	<i>vaginatum</i> (L.) Wall.	235
<i>squarrosus</i> J. Koenig	644	<i>versicolor</i> Dalzell	235
<i>strictus</i> Roxb.	613	<i>zeylanicum</i> C.B. Clarke	236
<i>submuticus</i> Steud.	594	var. <i>longiscapum</i> C.B. Clarke	236
<i>tenellus</i> Roxb.	613	Anemopaegma C. Mart. ex Meiss.	186
<i>tetra-aristatus</i> Roxb. ex Hook.f.	604	chamberlaynii (Sims) Bureau & K. Schum.	186
<i>timorensis</i> (Kunth) Steud.	635	Anethum L.	76
<i>tridentatus</i> Roxb.	638	graveolens L.	76
<i>trinii</i> Steud.	606	sowa Roxb. ex DC.	76
<i>trispicatus</i> Schult.	627	Angelonia Bonpl.	582
<i>tristachyus</i> Roxb.	627	gardneri Hook.	582
<i>triticeus</i> R. Br.	630	salicariifolia Bonpl.	582
<i>umbellatus</i> Hack.	650	<i>Anguillaria indica</i> (L.) R.Br.	224

<i>solanacea</i> Poir.	675	<i>rhinosporum</i> Thwaites	82
<i>Anguina perrottetiana</i> (Cogn.) Kuntze	267	Anogeissus (DC.) Wall. ex Guill. & Perr.	224
<i>villosula</i> (Cogn.) Kuntze	267	latifolia (Roxb. ex DC.) Wall. ex Guillem. & Perr.	224
<i>Ania bicornis</i> Lindl.	556	<i>Anomospermum excelsum</i> Dalz.	566
<i>latifolia</i> Wight	556	<i>Anosporum cephalotes</i> (Vahl) Kurz	273
<i>maculata</i> Thwaites	532	<i>monocephalum</i> (Roxb.) Nees	273
<i>Anila arnottii</i> Kuntze	432	<i>pallidum</i> Boeckeler	279
<i>echinata</i> (Willd.) Kuntze	434	<i>Anotis affinis</i> Benth. & Hook.f.	698
<i>hirsuta</i> (L.) Kuntze	434	<i>calycina</i> Wall. ex Hook.f.	698
<i>linifolia</i> (L.f.) Kuntze	434	<i>carnosa</i> (Dalzell) Benth. & Hook.f. ex B.D.Jacks.	698
Aniseia Choisy	238	<i>decipiens</i> Hook.f.	698
<i>barlerioides</i> Choisy	244	<i>foetida</i> Hook.f.	699
<i>biflora</i> (L.) Choisy	245	<i>lancifolia</i> Hook.f.	698
<i>calycina</i> (Roxb.) Choisy	245	<i>leschenaultiana</i> (Wight & Arn.) Benth. & Hook.f. ex	
martinicensis (Jacq.) Choisy	238	Hook.f.	698
<i>uniflora</i> (Burm.f.) Choisy	238	var. <i>affinis</i> (Wight & Arn.) Hook.f.	698
Anisochilus Wall.ex Benth.	353, 768	var. <i>deltoidea</i> (Wight & Arn.) Hook.f.	698
adenanthus Dalzell in Dalzell & A.Gibson	353	<i>longiflora</i> Hutch.	698
<i>albidus</i> Wight	354	<i>monosperma</i> (Wight & Arn.) Benth. & Hook.f. ex	
carnosus (L.f.) Wall.	353	B.D.Jacks.	699
var. <i>eriocephalus</i> (Benth.) T.Cooke	353	<i>montholonii</i> Hook.f.	699
var. <i>eriocephalus</i> (Benth.) S. R. Paul	353	<i>prainiana</i> Talbot	699
var. <i>glabrior</i> (Schrاد.) Benth.	353	<i>quadriocularis</i> (Thwaites) Benth. & Hook.f. ex	
var. <i>glabrus</i> (Schrاد.) Benth.	353	B.D.Jacks.	699
var. <i>purpurascens</i> Benth.	353	<i>rheedei</i> (Wight & Arn.) Benth. & Hook.f. ex	
var. <i>villosior</i> Benth.	353	B.D.Jacks.	699
var. <i>viridis</i> Benth.	353	<i>ritchiei</i> Hook.f.	699
<i>crassus</i> Benth.	353	<i>wightiana</i> (Wall. ex Wight & Arn.) Benth. & Hook.f.	700
<i>decussatus</i> Dalzell & A.Gibson	353	<i>wightiana</i> (Wall. ex Wight & Arn.) Wall.	700
dysophylloides Benth.	354	<i>Anserina muralis</i> (L.) Montandon	63
var. <i>purpureus</i> (Wight) Gamble	354	<i>Anstrutheria ceylanica</i> Gardner	683
<i>eriocephalus</i> Benth.	353	<i>Antheliacanthus micranthus</i> Ridl.	44
<i>glaber</i> Schrاد.	353	<i>Anthemis Mysurunsis</i> DC.	160
paniculatus Benth.	354	<i>Anthericum comosum</i> Thunb.	129
plantagineus Hook. f.	354, 768	<i>heynei</i> Rottler ex Baker	129
<i>purpureus</i> Wight	354	<i>nimmonii</i> J.Graham	129
<i>rupestris</i> Wight ex Hook.f.	353	<i>parviflorum</i> (Wight) Benth.	130
<i>sericeus</i> Benth.	354	<i>tuberosum</i> Hook.f.	128
<i>suffruticosus</i> Thwaites	354	<i>tuberosum</i> Roxb.	130
<i>verticillatus</i> Hook.f.	353	<i>Anthistiria ciliata</i> L. f.	660
Anisomeles R.Br.	354	<i>cimicina</i> Edgew.	636
<i>disticha</i> (L.) B.Heyne ex Roth	354	<i>glandulosa</i> Wight ex Steud.	636
heyneana Benth.	354	<i>heteroclita</i> Roxb.	650
indica (L.) Kuntze	354	<i>imberbis</i> Retz.	661
<i>intermedia</i> Wight ex Benth.	354	var. <i>roylei</i> Hook.f.	661
malabarica (L.) R.Br. ex Sims	354	<i>laxa</i> Andersson	660
<i>Anisonema reticulatum</i> (Poir.) A.Juss.	576	<i>linneana</i> Steud.	636
<i>Anisophyllum atoto</i> (G.Forst.) Klotzsch & Garcke	324	<i>polystachya</i> Roxb.	661
<i>orbiculatum</i> (Kunth) Klotzsch & Garcke	328	<i>scandens</i> Roxb.	660
<i>thymifolium</i> (L.) Haw.	330	<i>thwaitesii</i> Hook.f.	660
Annona L.	71	<i>tremula</i> Nees ex Steud.	660
glabra L.	71	var. <i>thwaitesii</i> (Hook.f.) Hook.f.	660
<i>hexapetala</i> L.f.	72	<i>wightii</i> Nees ex Steud.	636
muricata L.	71	<i>Anthocephalus cadamba</i> (Roxb.) Miq.	700
<i>palustris</i> L.	71	<i>indicus</i> var. <i>glabrescens</i> H.L.Li	700
reticulata L.	71	<i>Anthoxanthum avenaceum</i> Retz.	617
squamosa L.	72	<i>indicum</i> L.	648
Annonaceae	71, 762	Anthurium Schott	105
Anodendron A.DC.	82	acaule (Jacq.) Schott	105
<i>manubriatum</i> Merr.	82	andraeanum Linden ex André	105
paniculatum A.DC.	82	<i>lanceolatum</i> (L.) Schott	105

schlechtendalii Kunth	105	mutica L.	590
<i>tetragonum</i> Hook. ex Schott	105	subsp. <i>aristata</i> (L.) Babu	590
Antiaris Lesch.	506	subsp. <i>aristata</i> (L.) R.D.Gaur	590
<i>innoxia</i> Blume	506	var. <i>aristata</i> (L.) Pilg.	590
<i>saccidora</i> Dalzell	506	var. <i>major</i> (Hack.) S.K.Jain	590
toxicaria Lesch.	506	<i>varia</i> Hook.	590
Antidesma L.	566	subsp. <i>aristata</i> (L.) Hack.	590
acidum Retz.	566	subsp. <i>aristata</i> var. <i>ciliata</i> Hook. f.	590
<i>acuminatum</i> Wight	567	subsp. <i>aristata</i> var. <i>rostrata</i> var. <i>villosula</i> Hook.f.	590
<i>andamanicum</i> Hook.f.	567	var. <i>major</i> Hack.	590
bunius (L.) Spreng.	567	var. <i>humilis</i> Hook. f.	590
<i>ciliatum</i> C.Presl	567	Apocopsis Nees	591
<i>diandrum</i> (Roxb.) Roth	566	cochinchinensis A.Camus	591
<i>floribundum</i> Tul.	567	courtallumensis (Steud.) Henrard	591
ghaesembilla Gaertn.	567	mangalorensis (Hochst. ex Steud.) Henrard	591
var. <i>paniculatum</i> (Blume) Müll.Arg.	567	<i>pallidus</i> Hook.f.	613
<i>glabrum</i> Tul.	567	<i>tridentatus</i> (Roxb.) Benth.	638
<i>lanceolarium</i> (Roxb.) Steud.	566	vaginatus Hack.	591
<i>menasu</i> (Tul.) Müll.Arg.	567	<i>wightii</i> Nees ex Steud.	591
var. <i>linearifolia</i> Hook.f.	567	subsp. <i>mangalorensis</i> (Hochst. ex Steud.) Hack.	591
montanum Blume	567	var. <i>mangalorensis</i> (Hochst. ex Steud.) Hack.	591
<i>paniculatum</i> Roxb. ex Willd.	567	var. <i>vaginata</i> (Hack.) Hook. f.	591
<i>pubescens</i> Roxb.	567	var. <i>zeylanicus</i> Hack.	591
var. <i>menasu</i> Tul.	567	Apocynaceae	80, 762
<i>refractum</i> Müll.Arg.	567	<i>Apocynum foetidum</i> Burm.f.	705
<i>ribes</i> (Burm.f.) Raeusch.	675	<i>frutescens</i> L.	93
<i>wallichianum</i> C.Presl	566	Apodytes E.Mey. ex Arn.	352
Antigonon Endl.	668	<i>acutifolia</i> A.Rich	352
leptopus Hook. & Arn.	668	<i>beddomei</i> Mast.	352
Antirrhinum L.	582	dimidiata E.Mey. ex Arn.	352
<i>gratissimum</i> (Roxb.) Hook.f.	585	var. <i>acutifolia</i> (A.Rich.) Boutique	352
majus L.	582	Aponogeton L. f.	102
<i>orontium</i> L.	586	crispus Thunb.	102
<i>Antonia obliqua</i> (Blume) R.Br.	346	<i>echinatus</i> Roxb.	102
<i>Anuragia cruciata</i> (Benth.) Raizada	370	<i>flavidum</i> Ham. ex Hook.f.	102
<i>erecta</i> (Dalzell) Raizada	371	<i>microphyllus</i> Roxb.	102
<i>tomentosa</i> (Dalzell) Raizada	372	<i>monostachyon</i> L.f.	102
<i>verticillata</i> (Benth.) Raizada	372	natans (L.) Engl. & K.Krause	102
<i>Apama dalzellii</i> (Hook.f.) Kuntze	126	nateshii S.R.Yadav	102
<i>siliquosa</i> Lam.	126	undulatus Roxb.	102
<i>Apaturia lindleyana</i> Wight	550	Aponogetonaceae	102
<i>senilis</i> Lindl.	550	Aporosa Blume	567
<i>Apetalon minutum</i> Wight	537	<i>affinis</i> Baill.	567
Aphanamixis Blume	499	cardiosperma (Gaertn.) Merr.	567
polystachya (Wall.) R.Parker	499	<i>lindleyana</i> (Wight) Baill.	567
Aphananthe Planch.	210	<i>sphaerocarpa</i> Mull.Arg.	567
cuspidata (Blume) Planch.	210	Aquifoliaceae	102, 763
<i>Aphylax spiralis</i> Salisb.	235	<i>Aquilicia sambucina</i> L.	752
Aphyllorchis Blume	530	Araceae	103, 763
montana Rchb.f.	530	Arachis L.	410
<i>prainii</i> Hook.f.	530	<i>fruticosa</i> Retz.	447
Apiaceae	76, 762	hypogaea L.	410
<i>Apium involucratum</i> Roxb. ex Fleming	80	<i>Arachnanthe flos-aeris</i> (L.) J.J.Sm.	530
<i>Aplostemon atropurpureum</i> (Retz.) Raf.	281	Arachnis Blume	530
<i>polytrichoides</i> (Retz.) Raf.	287	flos-aeris (L.) Rchb.f.	530
Apluda L.	590	Aralia L.	112
<i>aristata</i> L.	590	<i>digitata</i> Roxb.	113
var. <i>ciliata</i> (Andersson) S.K.Jain	590	leschenaultii (DC.) J.Wen	112
var. <i>jainii</i> S.K.Jain	590	Araliaceae	112
<i>geniculata</i> Roxb.	590	Archidendron F.Muell	387
<i>kobila</i> Buch.-Ham. ex Nees	590	bigeminum (L.) I.C.Nielsen	387

<i>monadelphum</i> (Roxb.) I.C.Nielsen	387	<i>frutescens</i> (L.) Sch.Bip.	140
var. <i>gracile</i> (Bedd.) Sanjappa	387	Argyreia Lour.	238
Archontophoenix H.Wendl. ex Drude	114	<i>aggregata</i> (Roxb.) Choisy	239
alexandrae (F.Muell.) H.Wendl. & Drude	114	<i>alulata</i> Miq.	253
<i>elegans</i> (R.Br.) F.M.Bailey	123	<i>bona-nox</i> Sweet	253
Ardisia Sw.	674	bracteata Choisy	238
<i>basaal</i> Roem. & Schult.	676	cuneata (Willd.) Ker Gawl.	238
<i>courtallensis</i> Wight	675	cymosa Sweet	238
<i>doca</i> Buch.-Ham. ex A.DC.	675	daltonii C.B.Clarke	238
<i>elliptica</i> Bedd.	674	elliptica Arn. ex Choisy	238
humilis Vahl	674	hirsuta Wight & Arn.	238
var. <i>arborescens</i> C.B.Clarke	674	hookeri C.B.Clarke	239
missionis Wall. ex A.DC.	675	<i>imbricata</i> (Roth) Santapau & V.Patel	239
<i>oleracea</i> Buch.-Ham. ex A.DC.	674	involucrata C.B.Clarke	239
paniculata Roxb.	675	var. <i>inequalis</i> C.B.Clarke	239
parviflora Talbot	675	<i>kleiniana</i> Raizada	238
pauciflora B.Heyne ex Roxb.	675	lawii C.B.Clarke	239
<i>polycephala</i> Wight	674	<i>leschenaultii</i> Choisy	239
<i>pyramidalis</i> Roth	675	<i>malabarica</i> Choisy	243
<i>rothii</i> A.DC.	675	nellygherya Choisy	239
solanacea (Poir.) Roxb.	675	nervosa (Burm.f.) Bojer	239
var. <i>parviflora</i> (Talbot) Puneekar & Lakshmin.	675	<i>ornata</i> Sweet	254
<i>tsjeriam-cottam</i> Roem. & Schult	676	osyrensis (Roth) Choisy	239
<i>volubilis</i> Wall. ex Steud.	675	pilosa Wight & Arn.	239
<i>Arduina grandiflora</i> E.Mey.	85	pomacea Choisy	239
<i>macrocarpa</i> Eckl.	85	populifolia Choisy	240
Areca L.	114	serecia Dalzell & A.Gibson	240
<i>alba</i> Bory	119	<i>setosa</i> Arn. ex Choisy	251
<i>calapparia</i> Blume	114	<i>strigosa</i> (Roth) Roberty	251
catechu L.	114	<i>tiliifolia</i> (Desr.) Wight	254
var. <i>deliciosa</i> Rau	114	<i>uniflor</i> Sweet	253
<i>cathechu</i> Burm.f.	114	<i>Argyria speciosa</i> (L.f.) Sweet	239
<i>cocoides</i> Griff.	114	<i>Arikury schizophylla</i> (Mart.) Becc.	124
<i>dicksonii</i> Roxb.	122	<i>Arikuryroba schizophylla</i> (Mart.) L.H.Bailey	124
<i>himalayana</i> Griff. ex H.Wendl.	114	Ariopsis Nimmo	105
macrocalyx Zipp. ex Blume	115	peltata Nimmo	105
<i>normanbyi</i> (W.Hill) F.Muell.	121	Arisaema C.Martius	105
<i>sechellarum</i> (H.Wendl.) Baill.	121	<i>attenuatum</i> E.Barnes & C.E.C.Fisch.	106
triandra Roxb. ex Buch.-Ham.	115	barnesii C.E.C.Fisch.	105
<i>verschaffeltii</i> Lem.	120	caudatum Engl.	105
Arecaceae	114, 763	<i>commutatum</i> Schott	106
<i>Arecastrum romanzoffianum</i> (Cham.) Becc.	124	<i>curvatum</i> (Roxb.) Kunth	106
Arenaria L.	215	jacquemontii Blume	105
neelgherrensis Wight & Arn.	215	leschenaultii Blume	106
Arenga Labill. Nom. Cons.	115	<i>longicaudatum</i> Blatt.	106
caudata (Lour.) H.E.Moore	115	murrayi (J.Graham) Hook.	106
engleri Becc.	115	var. murrayi	106
wightii Griff.	115	var. sahyadricum (S.R.Yadav, K.S.Patil & Bachulkar) M.R.Almeida	106
<i>Arethusa bengalensis</i> Hemsl.	537	var. <i>sivadasanii</i> (S.R.Yadav, K.S.Patil & Janarth.) M.R.Almeida	106
<i>ecristata</i> Griff.	537	<i>neglectum</i> Schott	106
<i>plicata</i> Andrews	547	<i>peltatum</i> C.E.C.Fisch.	106
Argemone L.	564	<i>sahyadricum</i> S.R.Yadav, K.S.Patil & Bachulkar	106
mexicana L.	564	<i>sivadasanii</i> S.R.Yadav, K.S.Patil & Janarth	106
Argostemma Wall.	685	tortuosum (Wall.) Schott	106
<i>acutum</i> Wall. ex Hook.f.	686	subsp. <i>sivadasanii</i> (S.R.Yadav, K.S.Patil & Janarth.) Puneekar & Kumaran	106
<i>calycinum</i> R.Br. ex Benn.	700	subsp. tortuosum	106
<i>connatum</i> Dalzell	685	var. <i>curvatum</i> (Roxb.) Engl.	106
courtallense Arn.	685	var. <i>neglectum</i> (Schott) C. E. C. Fisch.	106
<i>glaberrimum</i> Dalzell	686		
verticillatum Wall.	686		
Argyranthemum Webb ex Sch.Bip.	140		

<i>tylophorum</i> C.E.C.Fisch.	105	pallens Wall. ex Besser	140
<i>venosum</i> (Dryand. ex Aiton) Blume	110	<i>paniculata</i> Roxb.	140
<i>wightii</i> Schott	105	parviflora Roxb. ex D. Don	140
<i>wightii</i> Hook.f.	106	<i>parviflora</i> Buch.-Ham. ex Roxb.	140
<i>Arisarum ovatum</i> (L.) Raf.	109	princeps Pamp.	140
Aristida L.	591	<i>tenuifolia</i> Willd.	156
adscensionis L.	591	<i>vulgaris</i> auct. non L.	140
cyanantha Steud.	591	var. <i>nilagirica</i> C.B.Clarke	140
<i>depressa</i> Retz.	591	Arthraxon P. Beauv.	592
funiculata Trin. & Rupr.	591	castratus (Griff.) V. Naray. ex Bor	592
var. <i>stocksii</i> Hook. f.	592	<i>ciliare</i> subsp. <i>quartinianus</i> (A.Rich.) Hack.	593
hystrix L.f.	591	var. <i>quartinianus</i> (A.Rich.) Hack.	593
<i>montana</i> Rottler ex Wall.	628	<i>ciliaris</i> P. Beauv.	593
mutabilis Trin. & Rupr.	592	subsp. <i>nudus</i> (Steud.) Hack.	594
redacta Stapf	592	<i>cryptatherus</i> subsp. <i>nudus</i> (Hack.) Koidz.	594
setacea Retz.	592	cuspidatus (Hochst. ex A.Rich.) Hochst. ex Hack.	592
stocksii (Hook.f.) Domin	592	depressus Stapf ex C.E.C. Fisch.	592
Aristolochia L.	125	echinatus (Nees) Hochst.	592
acuminata Lam.	125	hispidus (Thunb.) Makino	593
<i>angulosa</i> Wall. ex Duch.	125	var. <i>nudus</i> (Steud.) Ohwi	594
<i>bracteata</i> Retz.	125	var. <i>santapau</i> (Bor) Welzen	594
bracteolata Lam.	125	<i>hohenackeri</i> (Hochst. ex Miq.) Steud.	617
<i>brasiliensis</i> Mart.	126	<i>hookeri</i> (Hack.) Henrard	593
<i>elegans</i> Mast.	126	inermis Hook.f.	593
grandis Craib	125	var. <i>tzzelevii</i> S.K. Jain	593
indica L.	125	jubatus Hack.	593
var. <i>lanceolata</i> (Wight) Duch.	125	lanceolatus (Roxb.) Hochst.	593
labiata Willd.	126	var. <i>echinatus</i> (Nees) Hack.	592
<i>lanceolata</i> Wight	125	var. <i>meeboldii</i> (Stapf) Welzen	593
littoralis Parodi	126	var. <i>raizadae</i> (S.K.Jain)	594
<i>maysorensis</i> Fisch. ex Duch.	125	var. <i>villosus</i> (C.E.C.Fisch.) Welzen	594
<i>ornithocephala</i> Hook.	126	lancifolius (Trin.) Hochst.	593
<i>pandurata</i> Wall. ex Duch.	125	var. <i>hindustanicus</i> S.K. Jain & Deshp.	593
<i>ringens</i> Link & Otto	126	meeboldii Stapf	593
<i>roxburghiana</i> Klotzsch	125	<i>micans</i> (Nees) Hochst.	593
<i>tagala</i> Cham.	125	<i>microphyllus</i> sensu Hook. f.	593
Aristolochiaceae	125	var. <i>hindustanicus</i> (S.K. Jain & Deshp.) S.M. &	
<i>Arnica tussilaginea</i> Burm. f.	156	M.R. Almeida	593
<i>Arodes aethiopicum</i> (L.) Kuntze	112	<i>nitidulus</i> Stapf ex Bor	594
<i>Arrabidaea magnifica</i> (W.Bull) Sprague ex Steenis	186	nudus (Steud.) Hochst.	594
Artabotrys R. Br.	72	<i>prionodes</i> (Steud.) Dandy	593
hexapetalus (L.f.) Bhandari	72	<i>purandharensis</i> Bharucha	593
<i>odoratissimus</i> R.Br.	72	<i>quartinianus</i> (A.Rich.) Nash	593
zeylanicus Hook.f. & Thomson	72	raizadae S.K.Jain	594
Artanema D.Don	459	<i>rudis</i> (Steud.) Hochst.	592
longifolium (L.) Vatke	459	santapau Bor	594
<i>sesamoides</i> (Vahl) Benth.	459	<i>satarensis</i> Almeida	592
<i>Artanthe hymenophylla</i> Miq.	581	<i>spathaceus</i> Hook. f.	592
Artemisia L.	140	submuticus (Steud.) Hochst.	594
abrotanum L.	140	typicus (Buse) Koord.	594
<i>absinthii</i> Hook.f.	140	villosus C.E.C.Fisch.	594
<i>capillifolia</i> Lam.	156	<i>Arthrocnemum indicum</i> (Willd.) Moq.	64
<i>indica</i> auct. non Willd.	140	<i>Arthrolophis pumilus</i> (Roxb.) Chiov.	590
japonica Thunb.	140	Artocarpus J. R. Forst. & G. Forst.	506
var. <i>parviflora</i> (Roxb. ex D. Don) Pamp.	140	altilis (Parkinson ex F.A.Zorn) Fosberg	506
var. <i>purandharensis</i> M.R. Almeida	140	gomezianus Wall. ex Trecul	506
lactiflora Wall. ex DC.	140	subsp. <i>zeylanicus</i> F.M.Jarrett	506
<i>maderaspatana</i> L.	159	heterophyllus Lam.	506
<i>minima</i> L.	147	hirsutus Lam.	506
nilagirica (C.B.Clarke) Pamp.	140	<i>incisus</i> (Thunb.) L.f.	506
<i>orientalis</i> DC.	140	<i>integrifolius</i> sensu Gamble	506

<i>lakoocha</i> auct.	506	mesophylla Nees ex Steud.	595
<i>ponga</i> Dennst.	304	metzii Hochst. ex Miq.	595
<i>Arum angulatum</i> Griff.	111	nepalensis Trin.	595
<i>auritum</i> L.	111	nervosa (Roxb.) Nees. ex Hook. & Arn.	595
<i>bicolor</i> Aiton	106	pumila (Hochst. ex A.Rich.) Steud.	595
<i>bulbiferum</i> Roxb.	104	purpurea Hochst. ex Steud.	595
<i>campanulatum</i> Roxb.	104	var. laxa Bor	595
<i>chinense</i> L.	107	var. purpurea	595
<i>ciliatum</i> (Roxb.) Loudon	107	<i>pygmaea</i> Hook. f.	595
<i>colocasia</i> L.	107	<i>ritchei</i> Munro ex Lisboa	595
<i>cucullatum</i> Lour.	103	setosa Trin.	596
<i>curvatum</i> Roxb.	106	var. <i>lanifera</i> C.E.C.Fisch.	596
<i>divaricatum</i> L.	111	var. <i>nilagiriana</i> Subba Rao & Kumari	596
<i>esculentum</i> L.	107	spicata Dalzell	596
<i>flagelliforme</i> Lodd.	111	<i>tenella</i> Nees ex Steud.	595
<i>fornicatum</i> Roxb.	103	tuberculata Munro ex Lisboa	596
<i>guttatum</i> Wall.	110	vaginata Bor	596
<i>indicum</i> Lour.	103	<i>villosa</i> auct. non Arn. ex Steud.	596
<i>lacerum</i> Jacq.	109	var. <i>heynei</i> Hook. f.	596
<i>macrorrhizon</i> L.	103	Arundo L.	596
<i>macrorrhizum</i> L.	103	<i>bambos</i> L.	597
<i>montanum</i> Roxb.	103	<i>bengalensis</i> Retz.	596
<i>murrayi</i> J.Graham	106	donax L.	596
<i>nymphaeifolium</i> (Vent.) Roxb.	107	<i>karka</i> Retz.	648
<i>ovatum</i> L.	109	<i>roxburghii</i> Kunth	648
<i>pedatum</i> Willd.	110	<i>spinosa</i> (Roxb. ex Buch.-Ham.) Oken	597
<i>peregrinum</i> L.	103	<i>tibialis</i> Roxb.	648
<i>rapiforme</i> Roxb.	103	<i>vallatoria</i> L.	648
<i>sagittifolium</i> L.	112	<i>Ascaricida anthelminthica</i> (L.) Sweet	168
<i>seguine</i> Jacq.	108	Asclepias L.	82
<i>sessiliflorum</i> Roxb.	110	<i>acida</i> Roxb.	97
<i>spirale</i> Retz.	107	<i>annularia</i> Roxb.	92
<i>sylvaticum</i> Roxb.	105	<i>asthmatica</i> L.f.	100
<i>tortuosum</i> Wall.	106	<i>carnosa</i> L.f.	93
<i>venosum</i> Dryand. ex Aiton	110	<i>cordata</i> Burm. f.	99
<i>viviparum</i> Roxb.	110	curassavica L.	82
<i>Arundarbor arundinacea</i> (Retz.) Kuntze	597	<i>daemia</i> Forssk.	96
<i>balcooa</i> (Roxb.) Kuntze	597	fruticosa L.	82
<i>bambos</i> (L.) Kuntze	597	<i>gigantea</i> L.	84
<i>brandisii</i> (Munro) Kuntze	611	<i>laurifolia</i> Roxb.	90
<i>spinosa</i> (Buch.-Ham.) Kuntze	597	<i>microphylla</i> Roxb.	95
<i>striata</i> (Lindl.) Kuntze	598	<i>montana</i> Roxb.	91
<i>tuldoides</i> (Munro) Kuntze	597	<i>odoratissima</i> Roxb.	99
<i>Arundastrum virgatum</i> (Roxb.) Kuntze	494	<i>pallida</i> Roxb.	99
Arundinella Raddi	594	<i>pendula</i> Roxb.	93
<i>agrostoides</i> auct. non Trin.	594	physocarpa (E.Mey.) Schltr.	82
var. <i>ciliata</i> (Roxb.) Hook. f.	594	<i>procera</i> Aiton	84
<i>avenacea</i> Munro ex Thwaites	636	<i>prolifera</i> Rottler ex Ainslie	100
<i>brasiliensis</i> auct. non Raddi	595	<i>racemosa</i> Roxb.	88
<i>campbelliana</i> Lisboa	636	<i>tenacissima</i> Roxb.	94
ciliata (Roxb.) Nees ex Miq.	594	<i>tenuissima</i> Roxb. ex Willd.	100
<i>decomposita</i> Janowski	595	<i>tetrapetala</i> Dennst.	100
<i>fuscata</i> auct. non Nees ex Buese	595	<i>tingens</i> Roxb.	91
<i>gigantea</i> Dalzell	595	<i>volubilis</i> L. f.	90
<i>griffithiana</i> (C.Muell.) Bor	636	<i>Ascopholis gamblei</i> C.E.C.Fisch.	278
<i>holcoides</i> auct. non Trin.	594	<i>Aspalathus indica</i> L.	432
var. <i>ciliata</i> (Roxb.) Jansen	594	Asparagaceae	126, 763
intricata Hughes	594	<i>Asparagopsis aethiopica</i> (L.) Kunth	127
<i>lawii</i> Hook. f.	595	<i>hohenackeri</i> Kunth	128
<i>lawsonii</i> Hook. f.	595	<i>sarmentosa</i> Dalzell & A.Gibson	128
leptochloa (Nees ex Steud.) Hook. f.	595	Asparagus L.	127

<i>acerosus</i> Roxb.	128	subsp. gangetica	26
aethiopicus L.	127	subsp. micrantha (Nees) Ensermu	26
africanus Lam.	127	var. <i>mendeliana</i> S.R.Kundu & Mahua Pal	26
asiaticus L.	127	<i>lawiana</i> Dalzell	26
<i>draco</i> L.	131	mysorensis (Roth) T.Anderson	26
gonoclados Baker	127	nemorum Nees	26
<i>jacquemontii</i> Baker	128	<i>plumbaginea</i> Nees	26
laevissimus Steud. ex Baker	127	<i>quarterna</i> Nees	26
officinalis L.	127	<i>violacea</i> Dalzell ex C.B. Clarke	25
<i>plumosus</i> Baker	128	<i>violacea</i> Dalzell	26
<i>polyphyllus</i> Steven	127	Atalantia Correa	713
racemosus Willd.	128	<i>ceylanica</i> (Arn.) Oliver	713
var. <i>javanicus</i> (Kunth) Baker	128	<i>floribunda</i> Wight	713
var. <i>zeylanicus</i> Baker	128	<i>missionis</i> (Wall. ex Wight) Oliv.	716
setaceus (Kunth) Jessop	128	monophylla DC.	713
<i>sprengeri</i> Regel	127	racemosa Wight ex Hook.	713
<i>zeylanicus</i> (Baker) Hook.f.	128	wightii Yu.Tanaka	713
Asphodelus L.	754	<i>Ate elwesii</i> (Hook.f.) Szlach.	541
<i>capensis</i> L.	129	<i>virens</i> Lindl.	540
<i>clavatus</i> Roxb.	754	<i>Athanasia indica</i> Roxb.	159
<i>fistulosus</i> subsp. <i>tenuifolius</i> (Cav.) Arcang.	754	<i>Atragene zeylanica</i> L.	678
tenuifolius Cav.	754	Atriplex L.	62
<i>Aspidixia angulata</i> (B.Heyne ex DC) Tiegh.	721	<i>alba</i> (L.) Crantz	63
<i>attenuata</i> (DC.) Tiegh.	721	<i>ambrosioides</i> (L.) Crantz	63
Aspidopterys A.Juss. ex Endl.	474	hortensis L.	62
canarensis Dalzell	474	<i>muralis</i> (L.) Crantz	63
cordata (B.Heyne ex Wall.) A.Juss.	474	<i>Atropa physalodes</i> L.	731
<i>glomerata</i> Wight	474	<i>Atrategia wynaadensis</i> Bedd.	73
indica (Willd.) W.Theob.	474	<i>Atylosia albicans</i> (Wight & Arn.) Benth.	411
<i>roxburghiana</i> A.Juss.	474	<i>barbata</i> Baker	411
<i>Asprella hexandra</i> (Sw.) Roem. & Schult.	636	<i>crassa</i> King	411
<i>mexicana</i> (Kunth) Roem. & Schult.	636	<i>goensis</i> (Dalzell) Dalzell	411
Aster L.	141	<i>lawii</i> Wight	411
amellus L.	141	<i>lineata</i> Wight & Arn.	411
<i>annuus</i> L.	155	<i>rugosa</i> Wight & Arn.	412
<i>benghalensis</i> B.Heyne ex DC.	155	<i>scarabaeoides</i> (L.) Benth.	412
<i>canadensis</i> (L.) E.H.L.Krause	155	<i>sericea</i> Benth. ex Baker f.	412
<i>chinensis</i> L.	146	<i>volubilis</i> (Blanco) Gamble	411
<i>ericoides</i> L.	174	<i>Aurantium maximum</i> Burm.	714
<i>hydrabadensis</i> Wall.	169	Avena L.	596
<i>Asteracantha longifolia</i> (L.) Nees	37	<i>fatua</i> var. <i>sterilis</i> (L.) Fiori & Paol.	596
Asteraceae (Compositae)	136	<i>ludoviciana</i> Durieu	596
<i>Astragalus biflorus</i> L.	415	<i>malabarica</i> B.Heyne ex Hook.f.	636
<i>Astrocaryum borsigianum</i> K.Koch	121	<i>Mysurunsis</i> Spreng.	662
<i>Astylis venusta</i> Wight	677	sativa L.	596
<i>Astyposanthes humilis</i> (Kunth) Herter	447	subsp. <i>sterilis</i> (L.) De Wet	596
Asyneuma Griseb & Schenk.	207	var. <i>sterilis</i> (L.) Fiori	596
fulgens (Wall.) Briquet	207	sterilis L.	596
Asystasia Blume	25	subsp. <i>ludoviciana</i> (Durieu) Gillet & Magne	596
<i>blumei</i> Nees A.DC.	26	Averrhoa L.	561
<i>calycina</i> Nees	26	<i>acida</i> L.	574
chelonoides Nees	25	bilimbi L.	561
var. <i>quadranguiaris</i> B.Heyne ex C.B.Clarke	25	carambola L.	561
var. <i>variabilis</i> (Nees) M.R.Almeida	25	Avicennia L.	26
<i>coromandeliana</i> Wight	25	<i>alba</i> Blume	26
<i>coromandeliana</i> Nees	26	marina (Forssk.) Vierh.	26
var. <i>micrantha</i> Nees	26	<i>obovata</i> Griff.	26
var. <i>variabilis</i> Nees	25	<i>oepata</i> Buch.-Ham.	26
crispata Benth.	25	officinalis L.	26
dalzelliana Santapau	25	var. <i>alba</i> (Blume) C.B.Clarke	26
gangetica (L.) T.Anderson	26	<i>Avicularia indica</i> Didr.	671

<i>Axenfeldia intermedia</i> Baill.	335	Baliospermum Blume	319
Axonopus P. Beauv.	597	<i>angulare</i> Decne. ex Baill.	320
<i>cimicinus</i> (L.) P. Beauv.	589	<i>axillare</i> Blume	319
compressus (Sw.) P. Beauv.	597	var. <i>dioica</i> Haines	320
<i>semialatus</i> (R.Br.) Hook. f.	590	<i>indicum</i> Decne.	319
<i>Ayapana triplinervius</i> (Vahl) R.M. King & H. Rob.	156	<i>montanum</i> (Willd.) Mull.Arg.	320
Azadirachta A.Juss.	499	<i>moritzianum</i> Baill.	320
<i>indica</i> A.Juss.	499	<i>polyandrum</i> (Roxb.) Wight	320
Azima Lam.	720	<i>raziana</i> Keshav	320
tetracantha Lam.	720	solanifolium (Burm.) Suresh	319
<i>Azukia angularis</i> (Willd.) Ohwi	451	<i>Ballota disticha</i> L.	354
<i>mungo</i> (L.) Masam.	452	<i>suaveolens</i> L.	359
<i>umbellata</i> (Thunb.) Ohwi	452	<i>Balsamina minor</i> DC.	182
Baccaurea Lour.	567	<i>mysorensis</i> DC.	183
courtallensis (Wight) Müll.Arg.	567	<i>oppositifolia</i> (L.) DC.	183
<i>macrostachya</i> (Wight & Arn.) Hook.f.	567	Balsaminaceae	179, 763
<i>sapida</i> auct. non (Roxb.) Mull.Arg.	567	<i>Balsamodendron berryi</i> Arn.	204
<i>Baccharis auriculata</i> Wall. ex DC.	144	<i>wightii</i> Arn.	204
<i>ovalis</i> Pers.	169	<i>Balsamodendrum mukul</i> Hook. ex Stocks	204
<i>ovata</i> Sieber ex DC.	169	<i>Bambos arundinacea</i> Retz.	597
<i>Baccharoides anthelmintica</i> (L.) Moench	168	<i>bambos</i> (L.) W.F.Wright	597
<i>hookeri</i> (C.B.Clarke) M.R. Almeida	168	<i>stricta</i> Roxb.	612
<i>lilacinum</i> (Dalzell & A.Gibson) M.R.Almeida	168	Bambusa Schreb. nom. cons.	597
<i>mayurii</i> (C.E.C.Fisch.) Punekar & Vasudeva Rao	168	<i>andamanica</i> Kurz	628
<i>microcephalum</i> (Dalzell) M.R.Almeida	164	<i>arundinacea</i> (Retz.) Roxb	597
<i>ritchiei</i> (Hook.f. f.) M.R. Almeida	168	var. <i>spinosa</i> (Buch.-Ham.) E.G.Camus	597
<i>scabridum</i> (DC.) M.R.Almeida	168	<i>baccifera</i> Roxb.	639
Bacopa Aubl.	582	balcooa Roxb.	597
floribunda (R.Br.) Wettst.	582	bambos (L.) Voss	597
hamiltoniana (Benth.) Wettst.	583	var. <i>spinosa</i> (Buch.-Ham.) S.S.Jain & S.Biswas	597
monnieri (L.) Wettst.	583	<i>brandisii</i> Munro	611
<i>procumbens</i> (Mill.) Greenm.	585	<i>gigantea</i> Wall. ex Munro	612
Bactris Jacq. ex Scop.	115	<i>glomerata</i> Royle ex Munro	612
major Jacq.	115	<i>hexandra</i> Roxb. ex Munro	612
<i>Baeobotrys indica</i> Roxb.	676	<i>macala</i> Buch.-Ham. ex Munro	597
<i>Baeothryon fistulosum</i> (Schult.) A.Dietr.	281	<i>monadelphæ</i> (Thwaites) Muell.	651
<i>Bahel schulli</i> Buch.-Ham.	37	<i>ritcheyi</i> Munro	651
Baikiaea Benth.	405	<i>scriptoria</i> Dennst.	640
insignis Benth.	405	<i>spinosa</i> Roxb.	597
<i>Balaniella abbreviata</i> (Blume) Tiegh.	178	<i>spinosa</i> Roxb. ex Buch.-Ham.	597
Balanites Delile	760	<i>striata</i> Lodd. ex Lindl.	598
<i>aegyptiaca</i> auct non (L.) Delie	760	<i>stricta</i> (Roxb.) Roxb.	612
roxburghii Planch.	760	<i>trigyna</i> Roxb. ex Munro	597
<i>Balanocarpus erosus</i> Bedd.	304	tulda Roxb.	597
Balanophora J. R. Forst. & G. Forst.	178	tuldoides Munro	597
abbreviate Blume	178	<i>ventricosa</i> McClure	597
<i>burmannica</i> Griff.	179	vulgaris Schrad.	598
dioica R.Br. ex Royle	178	var. <i>striata</i> (Lodd. ex Lindl.) Gamble	598
<i>elkinsii</i> Blatt.	179	<i>wightii</i> Munro	640
fungosa J. R. & G. Forst.	179	<i>Banalia thyrsoflora</i> Moq.	64
var. <i>indica</i> (Arn.) B.Hansen	179	<i>Bancalua missionis</i> (Wall. ex G.Don) Kuntze	700
<i>indica</i> (Arn.) Griff.	179	<i>purpurea</i> (Roxb.) Kuntze	700
var. <i>agastyamalayana</i> M.B.Viswan. & Prem Kumar		<i>Banisteria benghalensis</i> L.	474
& N. Ramesh	179	<i>Banksea speciosa</i> J.König	256
var. <i>globosa</i> (Jungh.) Ban	179	<i>Baphiacanthus</i> Bremek.	46
var. <i>minor</i> Eichler	179	Barleria L.	27
var. <i>tirunelveli</i> ensis M.B.Viswan. & Prem Kumar & N.Ramesh	179	acuminata Wight ex Nees in Wall.	27
<i>picta</i> Griff.	179	<i>auriculata</i> Schumach.	37
polyandra Griff.	179	<i>beddomei</i> T.Anderson ex Bedd.	28
Balanophoraceae	178	<i>bispinosa</i> Nees	28
		buxifolia L.	27

<i>caerulea</i> Roxb.	29	<i>Barnardia indica</i> Wight	133
<i>ciliata</i> Roxb.	27	Barringtonia J. R. Forst. & G. Forst.	384
courtallica Nees	27	<i>acutangula</i> (L.) Gaertn.	384
cristata L.	27	<i>racemosa</i> (L.) Spreng.	384
var. <i>albida</i> Haines	27	Bartlettina R.M.King & H.Rob.	141
var. <i>dichotoma</i> (Roxb.) Prain	27	<i>sordida</i> (Less.) R.M.King & H.Rob.	141
cuspidata B. Heyne ex Nees	27	<i>Bartramia indica</i> L.	492
<i>dichotoma</i> Roxb.	27	Basella L.	184
<i>elata</i> Dalzell	28	<i>alba</i> L.	184
gibsonii Dalzell	27	<i>rubra</i> L.	184
<i>gibsonioides</i> Blatt.	27	Basellaceae	184
grandiflora Dalzell	28	Basilicum Moench.	355
<i>grandifolia</i> R. Br. ex T.Anderson	28	<i>polystachyon</i> (L.) Moench	355
<i>grandis</i> auct. non Hochst. ex Nees	28	<i>Bassia bourdillonii</i> Gamble	725
<i>hystrix</i> L.	29	<i>elliptica</i> Dalzell	727
<i>inaequalis</i> Benth.	27	<i>insignis</i> Radlk.	725
<i>indica</i> L. ex T.Anderson	27	<i>latifolia</i> Roxb.	726
involucrata Nees	28	<i>longifolia</i> J.Koenig ex L.	725
var. elata (Dalzell) C.B.Clarke	28	<i>malabarica</i> Bedd.	726
var. involucrata	28	<i>neriifolia</i> Moon	726
<i>laciniata</i> Nees	27	<i>wightiana</i> (A.DC.) Bedd.	725
lawii T.Anderson	28	<i>Batatas acetosifolia</i> (Vahl) Choisy	246
longiflora L.f.	28	<i>crassicaulis</i> Benth.	246
<i>longifolia</i> L.	37	<i>edulis</i> (Thunb.) Choisy	244
lupulina Lindl.	28	<i>littoralis</i> (L.) Choisy	246
<i>mackenii</i> Hook.f.	27	<i>maritimus</i> (Desr.) Bojer	249
<i>macrophylla</i> B. Heyne ex C.B. Clarke	29	<i>pentaphylla</i> (L.) Choisy	242
montana Nees	28	<i>quinquefolia</i> (L.) Choisy	242
<i>montana</i> Wight & Nees ex C.B.Clarke	27	<i>triloba</i> (L.) Choisy	250
<i>morrisiana</i> E.Barnes & C.E.C. Fisch.	28	<i>Bathratherum echinatum</i> Nees	592
mysorensis B.Heyne ex Roth	28	<i>Batratherum cuspidatum</i> Hochst.	592
<i>napalensis</i> Nees	27	<i>khasianum</i> Munro ex Hook.f.	594
nitida Nees	28	<i>micans</i> Nees	593
noctiflora L.f.	28	<i>nudum</i> Nees ex Steud.	594
<i>nuda</i> Nees	27	<i>plumbeum</i> Munro ex Duthie	593
<i>nutans</i> Nees	27	Bauhinia L.	402
<i>paniculata</i> Wall. ex Nees	29	× blakeana Dunn	403
<i>pentandra</i> Arn. ex Nees	28	<i>acida</i> Reinw. ex Korth.	404
<i>polystachya</i> Nees	29	acuminata L.	402
<i>polytricha</i> Wall.	29	<i>benthamii</i> Bedd.	403
prattensis Santapau	29	<i>candida</i> auct. non Aiton	404
prionitis L.	29	<i>coromandeliana</i> DC.	403
subsp. prionitis	29	<i>foveolata</i> Dalzell	404
subsp. <i>prionitis</i> var. <i>diacantha</i> Blatt. & Hallb.	29	galpinii N.E.Br.	403
subsp. <i>prionitis</i> var. <i>prionitis</i>	29	<i>lawii</i> Baker	404
subsp. pubiflora (Benth. ex Hohen.) Brummitt & J.R.I. Wood	29	<i>linnaei</i> Ali	402
<i>pubiflora</i> Benth. ex Hohen.	29	<i>malabarica</i> Roxb.	404
repens Nees	29	var. <i>reniformis</i> Royle ex Baker	404
<i>sepalosa</i> C.B.Clarke	28	monandra Kurz	403
<i>spina-ceylanica</i> Nees	28	<i>parviflora</i> Vahl	403
stocksii T.Anderson	29	phoenicea Wight & Arn.	403
strigosa Willd.	29	<i>purpurea</i> L.	403
var. <i>polystachya</i> (Nees) C.B. Clarke	29	racemosa Lam.	403
var. <i>subglabra</i> Kuntze	29	<i>retusa</i> Roxb.	404
var. <i>terminalis</i> (Nees) C.B. Clarke	29	<i>roxburghiana</i> Voigt	404
terminalis Nees	29	<i>semula</i> Wunderlin	404
tomentosa Roth	29	tomentosa L.	403
var. <i>acuminata</i> (Wight ex Nees) C.B. Clarke	27	<i>triandra</i> Roxb.	403
var. <i>glandulosa</i> C.E.C.Fisch.	29	<i>vahlia</i> Wight & Arn.	404
<i>Barleriacanthus noctiflora</i> (L.f.) Oerst.	28	variegata L.	404
		Beaucarnea Lem.	128

recurvata Lem.	128	<i>scoparia</i> Munro ex Hook.f.	628
Beaumontia Wall.	82	<i>tenella</i> Arn. ex Miq.	628
grandiflora Wall.	82	Bergia L.	311
jerdoniana Wight	82	ammannioides Roxb. ex Roth	311
<i>wallichii</i> (A.DC.) Walp.	101	capensis L.	311
<i>Becium filamentosum</i> (Forssk.) Chiov.	365	<i>verticillata</i> Willd.	311
<i>Beddomea simplicifolia</i> Bedd.	498	Berrya Roxb.	478
<i>Beesha baccifera</i> (Roxb.) Kunth	639	<i>ammonilla</i> Roxb.	478
<i>rheedii</i> Kunth	639	cordifolia (Willd.) Burret	478
<i>travancorica</i> Bedd.	640	Beta L.	62
Begonia L.	184	vulgaris L.	62
albococcinea Hook.	184	Bhidea Stapf ex Bor	598, 770
<i>aliciae</i> C.E.C.Fisch.	184	borii Deshp., V.Prakash & N.P.Singh	598, 770
<i>arnottiana</i> (Wight) A.DC.	185	burnsiana Bor	598
<i>canarana</i> Miq.	184	Biancaea Tod.	387
concanensis A.DC.	184	decapetala (Roth) O.Deg.	387
<i>cordifolia</i> (Wight) Thwaites	185	sappan (L.) Tod.	387
crenata Dryand.	184	<i>Bidaria cuspidata</i> (Thunb.) H. Huber	90
<i>fallax</i> A.DC.	185	<i>inodora</i> Decne.	91
<i>grahamiana</i> Wight	184	<i>montana</i> (Roxb.) M.A. Rahman & Wilcock	91
hirtella Link	184	<i>tingens</i> (Roxb.) Decne.	91
integrifolia Dalzell	185	Bidens L.	141
malabarica Lam.	185	<i>acmella</i> (L.) Lam.	142
var. <i>hydrophila</i> C.B.Clarke	185	<i>aristosa</i> (Michx.) Britton	149
var. <i>rheedii</i> A.DC.	185	<i>artemisiifolia</i> (Jacq.) Kuntze	150
<i>minima</i> Bedd.	184	subsp. <i>caudata</i> (Kunth) Kuntze	150
picta Sm.	185	bipinnata L.	141
subpeltata Wight	185	biternata (Lour.) Merr. & Sherff	141
trichocarpa Dalzell	185	<i>caudata</i> (Kunth) Sch.Bip.	150
Begoniaceae	184	<i>comosa</i> (A.Gray) Wiegand	141
Beilschmiedia Nees	378	<i>connata</i> var. <i>comosa</i> A.Gray	141
<i>bourdillonii</i> Brandis	378	<i>decomposita</i> Wall. ex DC.	141
dalzellii (Meisn.) Kostermans	378	<i>grandiflora</i> var. <i>humilis</i> (Kunth) Kuntze	141
<i>fagifolia</i> var. <i>dalzellii</i> Meisn.	378	<i>humilis</i> Kunth	141
gemmaeflora (Blume) Kosterm.	378	<i>pilosa</i> non L.	141
roxburghiana Nees	378	var. <i>bipinnata</i> (L.) Hook. f.	141
wightii (Nees) Benth. ex Hook. f.	378	var. <i>decomposita</i> (Wall.) Hook. f.	141
<i>Belamcanda chinensis</i> (L.) DC.	352	var. <i>wallichii</i> (DC.) C.B.Clarke	141
Bellis L.	141	<i>pinnatifida</i> DC.	158
perennis L.	141	<i>ramtilla</i> Wall. ex DC.	160
Belosynapsis Hassk.	227	<i>rigida</i> C.B.Clarke	158
<i>vivipara</i> (Dalzell) C.E.C.Fisch.	227	<i>sulfurea</i> (Cav.) Sch.Bip.	150
<i>Beluttakaka griffithii</i> (Hook.f.) Kuntze	88	<i>tinctoria</i> (Nutt.) Baill.	149
<i>malabarica</i> (Lam.) Kuntze	93	tripartita L.	141
Benincasa Savi	258	triplinervia Kunth	141
<i>cerifera</i> Savi	258	<i>wallichii</i> DC.	141
fistulosa (Stocks) H.Schaeff. & S.S.Renner	258	<i>Biermannia decumbens</i> (Griff.) Tang & F.T.Wang ex	
hispida (Thunb.) Cogn.	258	Merr. & Metcalf	552
<i>pruriens</i> f. <i>hispida</i> (Thunb.) W.J.de Wilde & Duyfjes	258	<i>Bigelovia kleinii</i> Wight & Arn.	703
Benkara Adans.	686	<i>lasiocarpa</i> Wight & Arn.	703
malabarica (Lam.) Tirveng.	686	<i>ocymoides</i> (Burm.f.) Miq.	710
<i>pandacakai</i> (J.F.Gmel.) M.R.Almeida	686	<i>pusilla</i> (Wall.) Spreng.	710
Benstonea Callm. & Buerki	562	<i>roxburghiana</i> Wight & Arn.	703
foetida (Roxb.) Callm. & Buerki	562	<i>stricta</i> (L.f.) Blume	703
thwaitesii (Martelli) Callm. & Buerki	562	Bignonia L.	186
<i>Benteca rheedei</i> Roem. & Schult.	691	<i>adenophylla</i> Wall. ex G.Don	188
<i>Bentinckia renda</i> (Blume) Mart.	119	aequinocialis L.	186
<i>Bergera koenigii</i> L.	715	<i>africana</i> Lam.	189
<i>Berghausia courtallensis</i> (Arn. & Nees) Endl.	627	<i>aurea</i> Silva Manso	192
<i>courtallensis</i> Nees ex Miq.	627	<i>azedarachta</i> König & Sims	189
<i>elata</i> Arn. ex Miq.	628	binata Thunb.	186

callistegioides Cham.	186	umbraculum Welw.	561
<i>capensis</i> Thunb.	192	Bischofia Blume	568
<i>castaneifolia</i> (D.Don) DC.	192	<i>cumingiana</i> Decais.	568
<i>caudata</i> DC.	191	javanica Blume	568
<i>chamberlaynii</i> Sims	186	<i>leptopoda</i> Müll. Arg.	568
<i>chelonoides</i> L. f.	191	<i>oblongifolia</i> Decais.	568
<i>cherere</i> Lindl.	185	<i>roeperiana</i> Decais.	568
<i>chinensis</i> Lam.	186	<i>toui</i> Decais.	568
<i>colais</i> Buch.-Ham. ex Dillwyn	191	<i>trifoliata</i> (Roxb.) Hook. f.	568
<i>colei</i> Bojer ex Hook.	187	Bismarckia Hildebr. & H.Wendl.	115
<i>comosa</i> Cham.	185	nobilis Hildebr. & H.Wendl.	115
<i>crispa</i> Buch.-Ham.	187	<i>Bistella dichotoma</i> (Murray) Bullock	744
diversifolia Kunth	186	<i>digyna</i> (Retz.) Bullock	745
<i>gracilis</i> Lodd.	187	Bixa L.	193
<i>grandiflora</i> Thunb.	186	orellana L.	193
<i>gratissima</i> K.D.Koenig ex DC.	191	Bixaceae	193
<i>hortensis</i> (L.f.) Oken	189	Blachia Baill.	320
<i>igneae</i> Vell.	190	andamanica (Kurz) Hook.f.	320
<i>incarnata</i> Aubl.	186	subsp. Denudata (Benth.) N.P.Balakr. & Chakrab.	320
<i>indica</i> L.	189	calycina Benth.	320
<i>indica</i> Lour.	190	<i>denudata</i> Benth.	320
<i>longifolia</i> Willd.	190	<i>reflexa</i> Benth.	320
<i>longissima</i> Lour.	188	umbellata Gamble	320
<i>macrostachya</i> Wall. ex G.Don	190	<i>Blackwellia ceylanica</i> Gardner	719
magnifica W. Bull	186	<i>Bladhia humilis</i> (Vahl) Sasaki	674
<i>multijuga</i> Wall.	190	<i>solanacea</i> (Roxb.) Nakai	674
<i>noterophila</i> Mart. ex DC.	186	Blainvillea Cass.	142
<i>pajanelia</i> Buch.-Ham.	190	acmella (L.) Philipson	142
<i>pallida</i> Lindl.	192	<i>latifolia</i> (L.f.) DC.	142
<i>pandorana</i> Andrews	190	<i>rhomboidea</i> Cass.	142
<i>pentandra</i> Lour.	189	<i>Blairia nodiflora</i> (L.) Gaertn.	746
<i>purpurea</i> Lodd. ex Sweet	186	<i>Blancoa caudata</i> (Lour.) Kuntze	115
<i>quadricularis</i> Roxb.	188	<i>Blandinia biflora</i> (Vahl) Raf.	361
<i>radicans</i> L.	186	<i>chinensis</i> (Retz.) Raf.	362
<i>serrulata</i> Wall. ex DC.	187	Blastania Kotschy & Peyr. 3	258
<i>spathacea</i> Roxb.	187	<i>garcini</i> (L.) Cogn.	260
<i>spathacea</i> L.f.	188	garcinii (Burm.f.) Cogn.	258
<i>speciosa</i> Graham	186	<i>Blephariglottis longicornu</i> (Lindl.) Raf.	543
<i>stipulata</i> (Wall.) Roxb.	189	Blepharis Juss.	30
<i>suaveolens</i> Roxb.	191	<i>asperrima</i> Nees	30
<i>suberosa</i> Roxb.	189	<i>boerhaviifolia</i> Pers.	30
<i>tetragona</i> Wall. ex DC.	191	var. <i>maderaspatensis</i> (L.) Nees	30
<i>tuberculata</i> Roxb. ex DC.	189	integrifolia (L.f.) E. Mey. ex Schinz	30
<i>unguis-cati</i> L.	187	<i>lawsonii</i> G.S.Giri & R. N. Banerjee	30
<i>venusta</i> Ker Gawl.	190	maderaspatensis (L.) B. Heyne ex Roth	30
<i>xylocarpa</i> Roxb.	190	<i>molluginifolia</i> Pers.	30
Bignoniaceae	185	<i>repens</i> (Vahl) Roth	30
<i>Bihai angusta</i> (Vell.) Griggs	347	Blepharispermum DC.	142
<i>angustifolia</i> (Hook.) Kuntze	347	sessile DC.	142
<i>bihai</i> (L.) Griggs	347	Blepharistemma Wall. ex Benth.	682
<i>rostrata</i> (Ruiz & Pav.) Griggs	347	<i>corymbosum</i> Wall ex Benth.	682
Biophytum DC.	561	<i>membranifolia</i> (Miq.) Ding Hou	682
<i>apodiscias</i> (Turcz.) Edgew. & Hook. f.	561	serratum (Dennst.) Suresh	682
<i>candolleianum</i> Wight	561	<i>Bletia dabia</i> D.Don	539
nervifolium Thwaites	561	<i>masuca</i> D.Don	532
nudum (Arn.) Wight	561	<i>Blitum ambrosioides</i> (L.) Beck	63
<i>petersianum</i> Klotz.	561	<i>graecizans</i> (L.) Moench	60
reinwardtii (Zucc.) Klotzsch.	561	<i>lividum</i> (L.) Moench	59
sensitivum (L.) DC.	561	<i>oleraceum</i> (L.) Moench	59
var. <i>candolleianum</i> (Wight) Edgew. & Hook.f.	561	Blumea DC.	142
var. <i>nervifolium</i> (Thw.) Edgew. & Hook.f.	561	<i>acutata</i> DC.	144

<i>alata</i> (D.Don) DC.	163	var. <i>jacquemontii</i> (Hook.f.) Randeria	169
<i>amplectens</i> DC.	145	var. <i>subsimplex</i> (DC.) Hook.f.	169
var. <i>arenaria</i> (DC.) Hook.f.	145	<i>metziana</i> Sch.Bip. ex Hook.f.	142
var. <i>maritima</i> C.B.Clarke ex Hook. f.	145	<i>mollis</i> (D.Don) Merr.	142
var. <i>pubiflora</i> (DC.) Hook.f.	145	<i>myriocephala</i> DC.	144
var. <i>tenella</i> Hook. f.	145	<i>neilgherrensis</i> Hook. f.	142
<i>arenaria</i> DC.	145	<i>nodiflora</i> Hook. f.	143
<i>aurita</i> (L.f.) DC.	169	obliqua (L.) Druce	145
axillaris (Lam.) DC.	142	var. <i>arenaria</i> (DC.) Maheshw.	145
balsamifera (L.) DC.	142	var. <i>arenaria</i> (DC.) G.S.Giri & B.Mitra	145
barbata DC.	142	var. <i>aurita</i> (L.f.) Naik & Bhog.	145
belangeriana DC.	142	var. <i>maritima</i> (C.B.Clarke) Maheshw.	145
bifoliata (L.) DC.	142	var. <i>maritima</i> (Hook.f.) G.S.Giri & B.Mitra	145
<i>bovei</i> (DC.) Vatke	152	var. <i>pubiflora</i> (DC.) Maheshw.	145
<i>cinerascens</i> DC.	144	var. <i>tenella</i> (Hook.f.) Maheshw.	145
clarkei Hook.f.	143	oxyodonta DC.	145
<i>commersonii</i> Edgew.	144	<i>paniculata</i> (Willd.) M.R.Almeida	169
<i>crispata</i> (Vahl) Merxm.	163	<i>paucifolia</i> DC.	145
<i>diffusa</i> Kurz	146	procera DC.	145
eriantha DC.	143	<i>pterodonta</i> DC.	163
<i>fasciculata</i> DC.	145	<i>pubiflora</i> DC.	145
fistulosa (Roxb.) Kurz	143	<i>senecioides</i> DC.	169
var. <i>glomerata</i> (DC.) C.B.Clarke	143	<i>sessifolia</i> var. <i>lanceolaria</i> (Roxb.) Kurz	144
<i>flava</i> DC.	146	sessiliflora Decne.	145
<i>flexuosa</i> C.B.Clarke	143	<i>sessilifolia</i> auct. non DC.	144
var. <i>peninsularis</i> Hook. f.	143	sinuata (Lour.) Merr.	145
var. <i>zeylanica</i> Hook. f.	143	<i>solidaginoides</i> (Poir.) DC.	142
<i>fontinalis</i> Edgew.	144	<i>spectabilis</i> DC.	144
<i>glandulosa</i> DC.	144	var. <i>longifolia</i> Hook. f.	144
<i>glandulosa</i> Benth.	144	<i>squarrosa</i> C.B.Clarke	144
<i>glomerata</i> DC.	143	<i>subcapitata</i> DC.	144
hamiltonii DC.	143	<i>subsimplex</i> DC.	169
<i>heyneana</i> DC.	144	<i>villosa</i> Sch.Bip. ex Hook. f.	144
hieracifolia (D.Don) DC.	143	virens DC.	146
var. evolutior C.B.Clarke	143	var. <i>minor</i> Hook. f.	146
var. <i>flexuosa</i> (C.B.Clarke) Randeria	143	<i>wallichii</i> C.B.Clarke	144
var. <i>hamiltonii</i> (DC.) C.B.Clarke	143	<i>wightiana</i> DC.	142
var. hieracifolia	143	<i>Blumella capitellata</i> (Wight & Arn.) Tiegh.	467
var. <i>macrostachya</i> (DC.) Hook.f.	143	<i>Blumenbachia halepensis</i> (L.) Koeler	656
<i>hieraciifolia</i> Hook.f. & Thomson	144	Blumeopsis Gagnep.	146
hirsuta (Less.) M.R.Almeida	143	<i>falcata</i> (D.Don) Merr.	149
<i>hispidula</i> DC. ex C.B.Clarke	169	flava (DC.) Gagnep.	146
<i>jacquemontii</i> Hook.f.	169	Blyxa Nronha ex Thouars	348
<i>kingii</i> C.B.Clarke ex Hook.f.	169	aubertii Rich.	348
<i>kingii</i> C.B.Clarke ex Hook.f.	169	var. <i>echinosperma</i> (C.B.Clarke) C.D.K.Cook & Luond	348
lacera (Burm.f.) DC.	144	<i>ceylanica</i> Hook.f.	348
var. <i>blumei</i> DC.	145	echinosperma (C.B.Clarke) Hook.f.	348
var. <i>cinerascens</i> (DC.) Hook.f.	144	<i>echinospermoides</i> Blatt.	348
var. <i>glandulosa</i> (DC.) Hook.f.	144	mangalensis K.Rashmi & G.Krishnak.	348
var. <i>hymenophylla</i> (DC.) C.B.Clarke	144	octandra (Roxb.) Planch. ex Thwaites	348
laciniata (Wall. ex Roxb.) DC.	144	<i>roxburghii</i> Rich.	348
laevis (Lour.) Merr.	144	<i>talbotii</i> Hook.f.	348
var. <i>minor</i> (Hook.f.) Karthik. & Moorthy	146	<i>Boberella angulata</i> (L.) E.H.L.Krause	731
lanceolaria (Roxb.) Druce	144	<i>peruviana</i> (L.) E.H.L.Krause	732
var. <i>spectabilis</i> (DC.) Randeria	144	<i>Bocagea dalzellii</i> Hook.f. & Thomson	76
<i>leucanthema</i> DC.	149	<i>lutea</i> (Roxb.) Baill.	71
<i>macrostachya</i> DC.	143	Boehmeria Jacq.	739
<i>malabarica</i> Hook.f.	143	<i>caudata</i> (Burm.f.) J.J.Sm. ex Koord. & Valetton	740
malcolmii (C.B.Clarke) Hook.f.	145	glomerulifera Miq.	739
membranacea DC.	145	japonica (L.f.) Miq.	740
<i>membranacea</i> DC.	169		

macrophylla Hornem.	740	Borago indica L.	199
subsp. <i>canescens</i> (Wedd.) Panigrahi & Murti	740	<i>spinulosa</i> Roxb.	199
var. <i>canescens</i> (Wedd.) D.G.Long	740	<i>zeylanica</i> Burm.f.	200
var. <i>longissima</i> (Hook.f.) V.S.Ramach. & V.J.Nair	740	Borassus L.	115
var. macrophylla	740	<i>caudatus</i> Lour.	115
var. scabrella (Roxb.) D.G.Long	740	flabellifer L.	115
<i>macrostachya</i> (Wight) Wedd.	740	<i>Borraginoides zeylanica</i> (Burm.f.) Hiern	200
<i>malabarica</i> Wedd.	739	<i>Borreria alata</i> (Aubl.) DC.	709
<i>platyphylla</i> D.Don	740	<i>articularis</i> (L.f.) F.N.Williams	710
var. <i>longissima</i> Hook.f.	740	var. <i>hispida</i> (L.) Sivar. & Manilal	710
var. <i>scabrella</i> (Gaudichaud) Wedd.	740	<i>assurgens</i> (Ruiz & Pav.) Griseb.	711
<i>scabrella</i> (Roxb.) Gaudich.	740	<i>exilis</i> L.O.Williams	710
Boerhavia L.	518	<i>gracilis</i> Miq. ex Hook.f.	710
boissieri Heimerl	518	<i>hispida</i> auct. non Spruce ex K.Schum.	710
chinensis (L.) Rottb.	518	<i>latifolia</i> (Aubl.) K.Schum.	709
crispa B.Heyne ex Hook.f.	518	<i>malabarica</i> Sivar. & Manilal	710
diffusa L.	518	<i>ocymoides</i> (Burm.f.) DC.	710
erecta L.	519	var. <i>thekkumalensis</i> Sivar. & K.T.Joseph	710
<i>repanda</i> Willd.	518	<i>pusilla</i> (Wall.) DC.	710
repens L.	519	<i>remota</i> (Lam.) Bacigalupo & E.L.Cabral	711
var. <i>diffusa</i> (L.) Hook.f.	518	<i>repens</i> DC.	710
<i>rottleri</i> Steud.	518	<i>rosea</i> (Sivar. & Manilal) Sivar.	710
<i>rugosa</i> Rottler ex Wall.	518	<i>roxburghiana</i> Walp.	710
<i>umbellata</i> Wight ex Hook.f.	518	<i>stricta</i> (L.f.) K.Schum.	703
Boesenbergia Kuntze	756	var. <i>rosea</i> Sivar. & Manilal	710
<i>pulcherrima</i> (Wall.) Kuntze	756	<i>tetracocca</i> Thwaites	689
<i>Bolborchis crociformis</i> Zoll. & Moritzi	547	<i>verticillata</i> (L.) G.Mey.	711
Bolboschoenus Asch. ex Palla	269	var. <i>brevifolia</i> DC.	711
<i>affinis</i> (Roth) Drobow	269	Boswellia Roxb. ex Colebr.	203
maritimus (L.) Palla	269	<i>glabra</i> Roxb.	203
subsp. <i>affinis</i> (Roth) T.Koyama	269	<i>serrata</i> Roxb. ex Colebr.	203
subsp. maritimus	269	Bothriochloa Kuntze	598
var. <i>affinis</i> (Roth) Parmar	269	<i>assimilis</i> (Steud.) Ohwi	602
<i>strobilinus</i> (Roxb.) V.I.Krecz.	269	bladhii (Retz.) S.T. Blake	598
Bombax L.	478	subsp. <i>glabra</i> (Roxb.) B.K.Simon	598
ceiba L.	478	var. <i>punctata</i> (Roxb.) R.R.Stewart	598
insigne Wall.	478	<i>concanensis</i> (Hook.f.) Henrard	613
<i>malabaricum</i> DC.	478	<i>foulkesii</i> (Hook.f.) Henrard	613
<i>pentandrum</i> L.	479	<i>glabra</i> (Roxb.) A. Camus.	598
<i>religiosum</i> L.	193	insculpta (Hochst. ex A.Rich.) A.Camus	599
<i>scopulorum</i> Dunn	478	<i>intermedia</i> (R.Br.) A. Camus	598
<i>Bombyx micranthus</i> (L.f.) I.Riedl	486	ischaemum (L.) Keng	599
Bonamia Thouars	240	kuntzeana (Hack.) Henrard	599
<i>cordata</i> (Hallier f.) Hallier f.	240	<i>odorata</i> (Lisboa) A. Camus	598
semidigyna (Roxb.) Hallier f.	240	<i>parameswaranii</i> Sreek., Malathi & V.J.Nair	599
<i>Bonatea benghalensis</i> Griff.	541	<i>parviflora</i> (R.Br.) Ohwi	602
<i>herbacea</i> Wall. ex Lindl.	541	pertusa (L.) A. Camus	599
<i>Bonnaya antipoda</i> (L.) Druce	460	pseudischaemum (Nees ex Steud.) Henrard	599
<i>bracteata</i> Griff.	460	<i>punctata</i> (Roxb.) L.Liou	598
<i>cyanea</i> Griff.	460	<i>venusta</i> (Thwaites) A. Camus	630
<i>estaminodiosa</i> Blatt. & Hallb.	460	<i>Bothriospermum marifolium</i> A.DC.	198
<i>hyssopoides</i> (L.) Benth.	460	<i>Botrysicyos pentaphyllus</i> (L.) Hochst.	303
<i>minima</i> G.Don	461	<i>Botrys alba</i> (L.) Nieuwl.	63
<i>parviflora</i> (Roxb.) Benth.	461	<i>ambrosioides</i> (L.) Nieuwl.	63
<i>reptans</i> (Roxb.) Spreng.	462	Boucerosia Wight & Arn.	82
<i>rotundifolia</i> Benth.	462	<i>adscendens</i> (Roxb.) Wall.	84
<i>ruellioides</i> Spreng.	462	<i>campanulata</i> Wight	83
<i>tenuifolia</i> (Colsm.) Spreng.	462	crenulata (Wall.) Wight & Arn.	82
<i>vahlia</i> G.Don	463	diffusa Wight	82
Boraginaceae	193, 766	<i>hutchinia</i> Decne.	83
<i>Boraginella indica</i> (L.) Kuntze	199	indica (Wight & Arn.) Plowes	83

<i>lasiantha</i> Wight	83	<i>zeylanica</i> Gaertn.	573
<i>truncatocoronata</i> Sedgw.	82	<i>Bragantia dalzellii</i> Hook.f.	126
umbellata (Haw.) Wight & Arn.	83	<i>wallichii</i> R. Br. ex Wight & Arn.	126
var. <i>campanulata</i> (Wight) Hook.f.	83	<i>Brahea filifera</i> (Linden ex André) W. Watson	125
<i>Bouchea hyderabadensis</i> Walp.	745	<i>Bramia floribunda</i> (R.Br.) F. Muell.	582
Bougainvillea Comm. ex Juss.	519	<i>indica</i> Lam.	583
glabra Choisy	519	<i>monnieri</i> (L.) Drake	583
spectabilis Willd.	519	<i>Brassaia actinophylla</i> Endl.	113
var. <i>glabra</i> (Choisy) Hook.	519	<i>capitata</i> (Wight & Arn.) C.B. Clarke	113
<i>Bourreria aspera</i> G. Don	196	Brassica L.	200
<i>dichotoma</i> Rottler ex G. Don	196	<i>campestris</i> L.	200
<i>glabra</i> G. Don	195	cretica Lam.	200
<i>punctata</i> G. Don	196	<i>eruca</i> L.	201
Brachiaria Griseb.	600	junceae (L.) Czern.	200
brizantha (A. Rich.) Stapf	600	nigra (L.) K. Koch	200
var. <i>ciliata</i> Basappa & Muniy.	600	oleracea L.	200
<i>chennaveeraiana</i> Basappa & Muniy.	601	var. <i>botrytis</i> L.	200
deflexa (Schumacher) C.E. Hubb. ex Robyns	600	var. <i>capitata</i> L.	200
distachya (L.) Stapf	600	rapa L.	200
eruciformis (Sm.) Griseb.	600	Brassicaceae	200
var. <i>divaricata</i> Basappa & Muniy.	600	<i>Brathys japonica</i> (Thunb.) Wight	350
<i>hybrida</i> Basappa & Muniy.	602	<i>Bremekampia</i> Sreem.	35
kurzii (Hook.f.) A. Camus	600	<i>neilgherryensis</i> (Wight) Sreem.	35
<i>miliiformis</i> (J. Presl) Chase	602	<i>tentaculata</i> (L.) Sreem.	35
munae Basappa	601	<i>verticillata</i> (Roxb.) Sreem.	36
mutica (Forssk.) Stapf	601	Breweria R. Br.	240
ramosa (L.) Stapf	601	<i>cordata</i> Blume	240
var. <i>pubescens</i> Basappa & Muniy.	601	evolvuloides Choisy	240
remota (Retz.) Haines	601	<i>latifolia</i> (Hochst.) Benth.	254
reptans (L.) C.A. Gardner & C.E. Hubb.	601	<i>roxburghii</i> Choisy	240
var. <i>hispidula</i> Basappa & Munniy.	601	Breynia J. R. Forst. & G. Forst.	568
semiundulata (Hochst. ex A. Rich.) Stapf	601	<i>angustifolia</i> Hook.f.	568
var. <i>intermedia</i> Basappa & Munniy.	601	disticha J.R. Forst. & G. Forst.	568
var. <i>lanata</i> Basappa & Muniy.	601	<i>microphylla</i> var. <i>angustifolia</i> (Hook.f.) Airy Shaw	568
<i>setigera</i> (Retz.) C.E. Hubb.	663	<i>nivosa</i> (W. Bull.) Small	568
var. <i>albistyla</i> Basappa & Muniy.	663	<i>patens</i> (Roxb.) Rolfe	568
<i>stapfiana</i> Basappa & Muniy.	600	retusa (Dennst.) Alston	568
subquadripata (Trin.) Hitchc.	602	<i>rhamnoides</i> (Retz.) Müll. Arg.	568
var. <i>miliiformis</i> (C. Presl) S.L. Chen & Y.X. Jin	602	vitis-idaea (Burm.f.) C.E.C. Fisch.	568
Brachychiton Schott & Endl.	478	Bridelia Willd.	569
acerifolius (A. Cunn. ex G. Don) F. Muell.	478	<i>airy-shawii</i> P.T. Li	569
<i>Brachypterum benthamii</i> Thwaites	423	<i>amoena</i> Wall. ex Baill.	569
<i>canarense</i> (Dalzell) Dalzell	439	<i>cinerescens</i> Gehrm.	569
<i>Brachyramphus heyneanus</i> (DC.) Wight	164	<i>collina</i> (Roxb.) Hook. & Arn.	570
<i>intybaceus</i> (Jacq.) DC.	164	<i>crenulata</i> Roxb.	569
<i>obtusum</i> DC.	165	glauca Blume	569
<i>remotiflorum</i> (DC.) Kamelin	165	<i>hamiltoniana</i> Wall. ex Mull. Arg.	569
<i>Brachyspatha sylvatica</i> (Roxb.) Schott	105	var. <i>glabra</i> Mull. Arg.	569
Brachystelma R. Br.	83, 762	<i>loureiroi</i> Hook. & Arn.	570
ciliatum Arekal & T.M. Ramakrishna	83, 762	<i>monica</i> (Lour.) Merr.	570
edulis Collett & Hemsl.	83	montana (Roxb.) Willd.	569
elenaduensis M.B.S. Char	83	var. <i>hamiltoniana</i> (Wall. ex Mull. Arg.) Haines	569
kolarensis Arekal & T.M. Ramakrishna	83, 762	<i>nooteboomii</i> Chakrab.	569
maculatum Hook.f.	83	<i>patula</i> (Roxb.) Hook. & Arn.	570
shrirangii Kambale, Gholave & Sardesai	83	<i>pubescens</i> Kurz	569
volubile Hook.f.	84	retusa (L.) A. Juss.	569
<i>Bradelia sinica</i> Gaertn.	572	var. <i>glabra</i> Gehrm.	569
<i>Bradleya hirsuta</i> Roxb.	574	var. <i>glauca</i> Hook.f.	569
<i>lanceolaria</i> Roxb.	573	var. <i>pubescens</i> Gehrm.	569
<i>nitida</i> Roxb.	573	var. <i>roxburghiana</i> Mull. Arg.	569
<i>wightiana</i> Wall.	571	var. <i>squamosa</i> (Lam.) Mull. Arg.	569

var. <i>stipulata</i> Gerhm.	569	<i>scabra</i> Thunb.	269
<i>roxburghiana</i> (Mull.Arg.) Gerhm.	569	<i>scabrella</i> L.f.	261
<i>scandens</i> (Roxb.) Willd.	569	<i>sinuata</i> Wall.	260
<i>sinica</i> J.Graham	572	<i>tubiflora</i> Wight & Arn.	263
<i>spinosa</i> (Roxb.) Willd.	569	<i>umbellata</i> Klein ex Willd.	266
<i>squamosa</i> (Lam.) Gehrm.	569	<i>Bryonopsis bennettii</i> Miq.	264
var. <i>meeboldii</i> Gerhm.	569	<i>courtallensis</i> Arn.	264
stipularis (L.) Blume	569	<i>laciniosa</i> var. <i>walkeri</i> Chakrav.	263
<i>Brindonia indica</i> Thouars	222	Bryophyllum Salisb.	256
<i>Briza bipinnata</i> L.	612	<i>calycinum</i> Salisb.	256
<i>eragrostis</i> L.	622	pinnatum (Lam.) Oken	256
<i>major</i> L. ex Kunth	622	<i>tubiflorum</i> Harv.	257
Bromeliaceae	202	<i>Buccaferrea pectinata</i> (L.) Bubani	674
<i>Bromus myurus</i> B.Heyne ex Hook.f.	662	Buchanania Spreng.	68
<i>Brotera trinervata</i> (Willd.) Pers.	157	<i>angustifolia</i> Roxb.	68
Broussonetia Ortega	506	axillaris (Desr.) Ramamoorthy	68
papyrifera (L.) L'Hér. ex Vent.	506	cochinchinensis (Lour.) M.R.Almeida	68
Browallia L.	729	<i>intermedia</i> Wight	68
americana L.	729	lanceolata Wight	68
<i>demissa</i> L.	729	<i>lanzas</i> Spreng.	68
Brownea Jacq.	405	<i>latifolia</i> Roxb.	68
ariza Benth.	405	<i>oppositifolia</i> Sm.	357
coccinea Jacq.	405	Buchnera L.	558
grandiceps Jacq.	405	<i>angustifolia</i> D.Don	560
<i>rosa</i> Otto	405	<i>asiatica</i> L.	560
rosa-de-monte Bery.	405	<i>cordifolia</i> L.f.	746
Brownlowia Roxb.	478	<i>densiflora</i> Benth.	560
<i>lanceolata</i> Benth.	478	<i>euphrasioides</i> Vahl	560
tersa (L.) Kosterm.	478	<i>gesnerioides</i> Willd.	560
Brugmansia Pers.	729	hispida Buch.-Ham. ex D.Don	558
suaveolens (Humb. & Bonpl. ex Willd.) Bercht. & J.Presl	729	<i>longiflora</i> Arn.	559
Bruguiera Savigny	224	<i>orobanchoides</i> R.Br.	560
<i>caryophylloides</i> (Burm.f.) Blume	224	<i>schimperiana</i> Hochst. ex A.Rich.	558
<i>conjugata</i> (L.) Merr.	225	<i>Bucholzia philoxeroides</i> Mart.	59
cylindrica (L.) Blume	224	Buddleja L.	202
gymnorhiza (L.) Lam.	225	asiatica Lour.	202
parviflora (Roxb.) Wight & Arn. ex Griff.	225	davidii Franch.	202
<i>rheedei</i> Blume	225	<i>densiflora</i> Blume	202
Brunfelsia L.	729	<i>discolor</i> Roth	202
americana L.	729	<i>heterophylla</i> Lindl.	202
latifolia (Pohl) Benth.	729	madagascariensis Lam.	202
<i>Bryonia amplexicaulis</i> Lam.	266	<i>neemda</i> Buch.-Ham. ex Roxb.	202
<i>callosa</i> Rottler	261	<i>serrulata</i> Roth	202
<i>cheirophylla</i> Wall.	265	<i>subserrata</i> Buch.-Ham. ex D.Don	202
<i>cochinchinensis</i> Lour.	263	<i>sundaica</i> Blume	202
<i>cordifolia</i> L.	261	Buddlejaceae	202
<i>epigaea</i> Rottler Ges.	260	<i>Buekia malaccensis</i> (Burm.f.) Raeusch.	755
<i>garcinii</i> (Burm.f.) Willd.	258	<i>Bulbine asiatica</i> (L.) Gaertn.	66
<i>gracilis</i> Wall.	261	Bulbophyllum Thouars	530
<i>grandis</i> L.	260	<i>acutiflorum</i> A.Rich.	530
<i>laciniosa</i> L.	259	<i>albidum</i> (Wight) Hook.f.	530
<i>leiosperma</i> Wight & Arn.	261	<i>caudatum</i> Lindl.	531
<i>maderaspatana</i> (L.) Lam.	261	elegantulum (Rolfe) J.J.Sm.	530
<i>maysorensis</i> Arn.	268	fimbriatum (Lindl.) Rchb.f.	530
<i>mucronata</i> Blume	268	fischeri Seidenf.	531
<i>mysorensis</i> Wight & Arn.	268	fuscopurpureum Wight	531
<i>palmata</i> L.	263	<i>gamblei</i> (Hook.f.) J.J.Sm.	531
<i>rostrata</i> Rottler	264	kaitiense Rchb.f.	531
<i>scabra</i> Rottler ex Wight & Arn.	261	mysorensis (Rolfe) J.J.Sm.	531
<i>scabra</i> L.f.	269	<i>nilgherrense</i> Wight	531
		proudlockii (King & Pantl.) J.J.Sm.	531

rheedei Manilal & Sath.Kumar	531	herbacea Roxb.	478
sterile (Lam.) Suresh	531	<i>Cacalia angulosa</i> Wall.	160
stocksii (Benth. ex Hook.f.) J.J.Verm., Schuit. & de Vogel	531	<i>articulata</i> L.f.	162
tremulum Wight	531	<i>aurantiaca</i> Blume	160
Bulbostylis Kunth	269	<i>bicolor</i> Roxb. ex Willd.	160
barbata (Rottb.) C.B.Clarke	269	<i>clarkeana</i> Kuntze	168
subsp. barbata	270	<i>coccinea</i> Sims	154
subsp. pulchella (Thwaites) T.Koyama	270	<i>cusimbua</i> D.Don	160
var. <i>pulchella</i> (Thwaites) C.B.Clarke	270	<i>divergens</i> (Roxb.) Kuntze	136
<i>capillaris</i> f. <i>densus</i> (Wall.) C.B.Clarke	270	<i>elaegnifolia</i> (DC.) Kuntze	175
densa (Wall.) Hand.-Mazz.	270	<i>hookeri</i> (C.B.Clarke) Kuntze	168
<i>geniculatus</i> (L.) Steven	282	<i>lycopersicum</i> DC.	160
puberula C.B.Clarke	270	<i>malabarica</i> (Hook.f.) Kuntze	177
var. <i>gracilis</i> C.E.C.Fisch.	270	<i>pectiniformis</i> Kuntze	177
subspinescens C.B.Clarke	270	<i>sagittata</i> Vahl	154
<i>trifida</i> Nees	270	<i>saligna</i> (DC.) Kuntze	137
Bunium L.	77	<i>sonchifolia</i> L.	154
<i>nilghirens</i> H.Wolff	77	<i>travancorica</i> Kuntze	177
nothum (C.B.Clarke) P.K.Mukh.	77	Cactaceae	205
Bupleurum L.	77	<i>Cactus cochenillifer</i> L.	205
<i>falcatum</i> var. <i>ramosissimum</i> (Wight & Arn.) Dalzell & A.Gibson	77	<i>dillenii</i> Ker Gawl.	205
<i>mucronatum</i> Wight & Arn.	77	<i>elator</i> (Mill.) Willd.	206
ramosissimum Wight & Arn.	77	<i>figus-indica</i> L.	206
var. <i>mucronatum</i> Panigrahi & S.C.Mishra	77	<i>indicus</i> Roxb.	205
var. <i>virgatum</i> (C.B.Clarke) Panigrahi & S.C.Mishra	77	<i>monacanthos</i> Willd.	206
var. <i>wightii</i> Bennet	77	<i>peruvianus</i> L.	205
<i>virgatum</i> Wight & Arn.	77	<i>strictus</i> Haw.	206
<i>wightii</i> P.K.Mukh.	77	Cadaba Forssk.	212
var. <i>ramosissimum</i> (Wight & Arn.) Chandrab.	77	fruticosa (L.) Druce	212
Burmattia L.	203	<i>indica</i> Lam.	212
<i>bifurca</i> Ham. ex Hook.f.	203	<i>Cadelari lappacea</i> (L.) Medik.	65
candelabrum Gagnep.	203	<i>Caenotus canadensis</i> (L.) Raf.	155
candida Griff. ex Hook.f.	203	Caesalpinia L.	387
championii Thwaites	203	<i>bonduc</i> (L.) Roxb.	391
coelestis D.Don	203	<i>bonducella</i> (L.) Fleming	391
var. <i>pusilla</i> (Miers) Thwaites	203	<i>coriaria</i> (Jacq.) Willd.	391
disticha L.	203	crista L.	387
indica Jonker	203	<i>crista</i> Thunb.	391
pusilla (Miers) Thwaites	203	<i>cucullata</i> Roxb.	392
<i>triflora</i> Roxb.	203	<i>dasyrachis</i> Miq.	393
<i>uniflora</i> Rottler ex Spreng.	203	<i>decapetala</i> (Roth) Alston	387
Burmanniaceae	203	<i>dubia</i> Spreng.	394
Bursera Jacq. ex L.	204	<i>ferrea</i> C. Mart	391
<i>delpechiana</i> Poiss. ex Engl.	204	globulorum Bakh.f. & P.Royen	387
linanoe (La Llave) Rzed.	204	<i>lacerans</i> Roxb.	395
Burseraceae	203	<i>major</i> (Medik.) Dandy & Exell	387
<i>Bursinopetalum arboreum</i> Wight	255	<i>mimosoides</i> Lam.	391
Butea Roxb. ex Willd.	410	<i>nuga</i> (L.) Aiton	387
<i>frondosa</i> Roxb.	410	<i>paniculata</i> (Lam.) Roxb.	387
monosperma (Lam.) Taub.	410	pulcherrima (L.) Sw.	388
<i>parviflora</i> DC.	446	<i>resupinata</i> Roxb.	391
<i>purpurea</i> (Prain) Blatt.	446	<i>sappan</i> L.	387
superba Roxb.	411	<i>sepiaria</i> Roxb.	387
<i>Buteraea</i> Nees	46	<i>simora</i> Roxb.	391
Buxaceae	205	<i>spicata</i> Dalzell	392
<i>Buxus saligna</i> D.Don	205	<i>Caesia comosa</i> (Thunb.) Spreng.	129
<i>Bystropogon bipinnatus</i> Roth	360	Caesulia Roxb.	146
<i>suaveolens</i> (L.) L'Hér.	359	axillaris Roxb.	146
Byttneria Loefl.	478	<i>Cailliea cinerea</i> (L.) Roberty	390
		Cajanus Adans.	411
		albicans (Wight & Arn.) Maesen	411

cajan (L.) Millsp.	411	<i>zalacca</i> Gaertn.	124
crassus (King) Maesen	411	Calanthe R. Br.	532
goensis Dalzell	411	<i>masuca</i> (D.Don) Lindl.	532
heynei (Wight & Arn.) Maesen	411	var. <i>purpurea</i> (Lindl.) Rao & S.R.Rathor	532
<i>indicus</i> Spreng.	411	<i>purpurea</i> Lindl.	532
lineatus (Wight & Arn.) Maesen	411	sylvatica (Thouars) Lindl.	532
rugosus (Wight & Arn.) Maesen	412	<i>Calappa nucifera</i> (L.) Kuntze	118
scarabaeoides (L.) Thouars	412	<i>romanzoffiana</i> (Cham.) Kuntze	124
sericeus (Baker) Maesen	412	<i>schizophylla</i> (Mart.) Kuntze	124
Calacanthus T.Anderson ex Benth.	30	Calathea G.Mey.	493
<i>dalzelliana</i> T.Anderson ex Benth.	30	mediopicta (E.Morren) Jacob-Makoy ex E.Morren	493
grandiflorus (Dalzell) Radlk.	30	zebrina (Sims) Lindl.	493
Caladium Vent.	106	<i>Calcarunia hastata</i> (L.) Raf.	672
<i>auritum</i> (L.) Vent.	111	Calceolaria L.	206
bicolor (Aiton) Vent.	106	mexicana Benth.	206
<i>colocasia</i> Schott ex Wight	103	Calceolariaceae	206
<i>cucullatum</i> (Lour.) Pers.	103	<i>Calchas parviflorus</i> (Benth.) P.V.Heath	369
<i>esculentum</i> (L.) Vent.	107	Caldesia Parl.	56
<i>lacerum</i> (Jacq.) Willd.	109	parnassifolia (L.) Parl.	56
<i>macrorrhizon</i> (L.) R.Br.	103	Calendula L.	146
<i>nymphaeifolium</i> Vent.	107	officinalis L.	146
<i>ovatum</i> (L.) Vent.	109	<i>Calla aethiopica</i> L.	112
<i>sagittifolium</i> (L.) Vent.	112	<i>virosa</i> Roxb.	107
<i>seguine</i> (Jacq.) Vent.	108	Calliandra Benth.	388
<i>viviparum</i> (Roxb.) Nees	110	brevipes Benth.	388
<i>Calamagrostis hookeriana</i> Steud.	589	haematocephala Hassk.	388
<i>jacquemontii</i> Hook.f.	589	tweedii Benth.	388
<i>karka</i> (Retz.) J.F.Gmel.	648	Callicarpa L.	355
<i>pilosa</i> var. <i>alpestris</i> Hook. f.	589	<i>arborea</i> Miq. ex C.B.Clarke	355
<i>pilosula</i> var. <i>ciliata</i> (Steud.) Hook.f.	589	<i>farinosa</i> Roxb. ex C.B.Clarke	355
var. <i>scabra</i> Hook. f.	589	<i>lanata</i> L.	355
var. <i>wallichiana</i> (Steud.) Hook.f.	589	<i>lobata</i> C.B.Clarke	355
<i>Calamina imberbis</i> (Retz.) P.Beauv.	661	tomentosa (L.) L.	355
<i>Calamogrostis jacquemontii</i> Hook. f.	589	<i>wallichiana</i> Walp.	355
<i>pilosula</i> (Trin.) Hook. f.	589	<i>Calliopsis atkinsoniana</i> (Douglas) Hook.	149
Calamus L.	116, 763	<i>tinctoria</i> (Nutt.) DC.	149
brandisii Becc.	116	<i>Callista aphylla</i> (Roxb.) Kuntze	535
dransfieldii Renuka	116	<i>aquea</i> (Lindl.) Kuntze	535
gamblei Becc.	116	<i>barbatula</i> (Lindl.) Kuntze	535
hookerianus Becc.	116	<i>cathcartii</i> (Hook.f.) Kuntze	537
<i>huegelianus</i> Mart.	117	<i>crepidata</i> (Lindl. & Paxton) Kuntze	535
karnatakensis Renuka & Lakshmana	116	<i>erriiflora</i> (Griff.) Kuntze	535
lacciferus Lakshmana & Renuka	116	<i>flavescens</i> (Blume) Kuntze	552
lakshmanae Renuka	116	<i>graminifolia</i> Kuntze	537
<i>melanolepis</i> (Mart.) H.Wendl.	117	<i>haemoglossa</i> (Thwaites) Kuntze	537
metzianus Schltdl.	116	<i>herbacea</i> (Lindl.) Kuntze	536
<i>monoecus</i> Roxb.	117	<i>heterocarpa</i> (Wall. ex Lindl.) Kuntze	536
nagbettai R.R. Fernandez & Dey	116	<i>heyneana</i> (Lindl.) Kuntze	536
prasinus Lakshmana & Renuka	116	<i>jerdoniana</i> (Wight) Kuntze	536
pseudotenuis Becc.	116	<i>lawiana</i> (Lindl.) Kuntze	535
<i>rivalis</i> Thwaites ex Trimen	116	<i>macraei</i> (Lindl.) Kuntze	536
rotang L.	117	<i>macrostachya</i> (Lindl.) Kuntz	536
<i>roxburghii</i> Griff.	117	<i>microbulbon</i> (A.Rich.) Kuntze	536
<i>rudentum</i> Mart.	116	<i>nana</i> (Hook.f.) Kuntze	536
stoloniferus Renuka	117, 763	<i>nutans</i> (Lindl.) Kuntze	536
thwaitesii Becc.	117	<i>salaccense</i> (Blume) Kuntze	537
var. <i>canaranus</i> Becc.	117	Callistemon R. Br.	512
travancoricus Bedd. ex Becc.	117	citrinus (Curtis) Skeels	512
vattayila Renuka	117	linearis (Schrader & J.C.Wendl.) Colv. ex Sweet	512
viminalis Willd.	117	speciosus (Sims) Sweet	513
wightii Griff.	117	<i>speciosus</i> (Sims) DC.	513

Callistephus Cass., nom. cons.	146	<i>moluccanum</i> (L.) Kuntze	319
chinensis (L.) Nees	146	<i>Camirium cordifolium</i> Gaertn.	319
<i>concolor</i> Dalzell	169	Camonea Raf.	241
<i>heyneanus</i> DC.	169	umbellata (L.) A.R.Simoes & Staples	240
<i>hortensis</i> Cass.	146	vitifolia (Burm.f.) A.R.Simoes & Staples	240
<i>Calococcus</i> Kurz ex Teijsm. & Binn.	574	Campanula L.	208
<i>Calonyction album</i> (L.) House	243	<i>agrestis</i> Wall.	210
<i>asperum</i> Choisy	251	alphonsii Wall. ex A. DC.	208
<i>bona-nox</i> (L.) Bojer	243	<i>bentharii</i> Wall. ex Kitam.	208
<i>comespermum</i> Bojer	251	<i>betharii</i> Wall.	208
<i>comorensis</i> Bojer	251	<i>canescens</i> Wall. ex A. DC.	208
<i>grand iflorum</i> (Jacq.) Choisy	251	<i>colorata</i> Collett	208
<i>muricatum</i> (L.) G. Don	248	<i>dehiscens</i> Roxb ex Wall.	210
<i>muticum</i> Decne.	251	dimorphantha Schweinf.	208
<i>speciosum</i> Choisy	243	<i>fulgens</i> Wall.	207
var. <i>muricatum</i> (L.) Choisy	250	<i>gracilis</i> G.Forst.	210
<i>tuba</i> (Schltdl.) Colla	251	<i>marginata</i> Thunb.	210
<i>Calophanes</i> D.Don	32	<i>wallichii</i> Babu	208
<i>dalzellii</i> T.Anderson ex Bedd.	32	Campanulaceae	207
<i>depressus</i> (L.) T.Anderson	32	<i>Camphora camphora</i> (L.) H.Karst.	379
<i>nagchana</i> Nees	32	<i>Camphorina camphora</i> (L.) Farw.	379
<i>vagans</i> Wight	32	<i>cassia</i> (Nees & T.Nees) Farw.	379
Calophyllaceae	206	Campsis Lour.	186
Calophyllum L.	206	<i>adrepens</i> Lour.	186
apetalum Willd.	206	<i>chinensis</i> (Lam.) Voss	186
austroindicum Kosterm. ex P.F.Stevens	206	<i>fortunei</i> Seem.	565
<i>decipiens</i> Wight	206	grandiflora (Thunb.) K. Schum.	186
<i>elatum</i> Bedd.	207	<i>pandorana</i> (Andrews) Steenis	190
inophyllum L.	206	radicans (L.) Seem.	186
<i>madruno</i> Kunth	223	<i>Campylus sinensis</i> Lour.	504
<i>nagassarium</i> Burm.f.	207	Cananga (Dunal) Hook.f. & Thomson	72
polyanthum Wall. ex Choisy	207	odorata (Lam.) Hook.f. & Thomson	72
<i>suriga</i> Buch.-Ham. ex Roxb.	207	<i>Canangium odoratum</i> (Lam.) Baill. ex King	72
<i>tomentosum</i> Wight	207	Canarium L.	204
<i>trapezifolium</i> auct. non Thwaites	206	strictum Roxb.	204
<i>wightianum</i> Wall. ex Planch. & Triana	206	Canavalia Adans.	412
Calopogonium Desv.	412	africana Dunn	412
mucunoides Desv.	412	cathartica Thouars	412
<i>Calosanthus indica</i> (L.) Blume	189	ensiformis (L.) DC.	413
Calotropis R. Br.	84	var. <i>mollis</i> (Wight & Arn.) Baker	413
gigantea (L.) R. Br.	84	var. <i>turgida</i> Baker	412
<i>hamiltonii</i> Wight	84	var. <i>virosa</i> (Roxb.) Baker	412
procera (Aiton) R. Br.	84	gladiata (Jacq.) DC.	413
<i>Calpicarpum roxburghii</i> G.Don	94	<i>gladiata</i> Wight	413
Calpurnia E.Mey.	412	lineata (Thunb.) DC.	413
aurea (Aiton) Benth.	412	<i>maritima</i> Thouars	413
<i>Calycopteris floribunda</i> Lam.	226	mollis Wight & Arn.	413
Calyplocarpus Less.	146	rosea (Sw.) DC.	413
vialis Less.	146	<i>virosa</i> (Roxb.) Wight & Arn.	412
<i>Calyptracordia alba</i> (Jacq.) Britton	194	var. <i>mollis</i> (Wight & Arn.) Gamble	413
<i>Calyptrostylis articulata</i> (Roxb.) Nees	296	<i>Candarium roxburghii</i> Schott.	104
<i>Calystegia keriana</i> Sweet	243	Canna L.	211
<i>Calyxhymenia viscosa</i> (Cav.) Ruiz & Pav.	519	× orchiodes L.H.Bailey	211
<i>Camara tiliifolia</i> (Cham.) Benth.	746	flaccida Salisb.	211
<i>trifolia</i> (L.) Kuntze	746	<i>glauca</i> var. <i>flaccida</i> (Salisb.) Willd.	211
var. <i>grandifolia</i> Kuntze	746	indica L.	211
var. <i>indica</i> Kuntze	746	<i>orientalis</i> Roscoe	211
<i>Cambogia gummi-gutta</i> L.	222	Cannabaceae	210
Camellia L.	738	Cannabis L.	211
sinensis (L.) Kuntze	738	sativa L.	211
<i>Camerium cordatum</i> (Thunb.) Kuntze	339	Cannaceae	211

<i>Cannacorus indicus</i> (L.) Medik.	211	<i>pedunculosa</i> Wall ex Wight & Arn.	213
Canscora Lam.	339	var. <i>longispina</i> (Hook.f. & Thomson) T. Cooke	213
<i>alata</i> (Roth) Wall.	339	<i>pyrifolia</i> Wight & Arn.	212
<i>decurrens</i> Dalzell	340	<i>rheedei</i> DC.	212
<i>decussata</i> (Roxb.) Schult. & Schult.f.	339	<i>rotundifolia</i> Rottler	213
<i>devendrae</i> Diwakar & R.Kr.Singh	340	<i>roxburghii</i> auct non DC.	212
<i>diffusa</i> (Vahl) R.Br. ex Roem. & Schult.	340	<i>sepiaria</i> L.	213
var. <i>tetraptera</i> Naik & Pokle	340	<i>spinosa</i> L.	213
<i>grandiflora</i> Wight	340	<i>stylosa</i> DC.	212
<i>heteroclita</i> (L.) Gilg	340	<i>tenera</i> Dalzell	213
<i>justicioides</i> Griff. ex Voigt	342	<i>tomentosa</i> Lam.	213
<i>khandalensis</i> Santapau	340	<i>zeylanica</i> L.	213
<i>lawii</i> Wight	340	<i>Capraria crustacea</i> L.	460
<i>pauciflora</i> Dalzell	340	<i>dulcis</i> (L.) Kuntze	587
<i>perfoliata</i> Lam.	340	<i>gratissima</i> Roxb.	585
<i>sanjappae</i> Diwakar & R.Kr.Singh	340	<i>monnieria</i> Roxb.	583
<i>sessiliflora</i> (Roxb.) Schult.	340	Caprifoliaceae	214
<i>stricta</i> Sedgw.	340	<i>Caprifolium japonicum</i> (Thunb.) Dum.Cours.	214
<i>tenella</i> Wall. ex Wight	340	<i>leschenaultii</i> Kuntze	214
<i>ventricosa</i> J.F.Gmel.	340	<i>paniculatum</i> Noronha	356
Cansjera Juss.	528	<i>Capriola dactylon</i> (L.) Kuntze	610
<i>rheedei</i> J.F.Gmel.	528	Capsicum L.	729
<i>Cantharospermum albicans</i> Wight & Arn.	411	<i>annuum</i> L.	729
<i>volubile</i> (Blanco) Merr.	411	var. <i>acuminatum</i> Fingerh.	729
Canthium Lam.	686	<i>frutescens</i> L.	729
<i>angustifolium</i> Roxb.	686	Carallia Roxb.	682
<i>coromandelicum</i> (Burm.f.) Alston	686	<i>brachiata</i> (Lour.) Merr.	682
<i>dicocum</i> (Gaertn.) Merr.	708	<i>integerrima</i> DC.	682
var. <i>umbellatum</i> (Wight) Santapau & Merchant	708	<i>lanceaefolia</i> Roxb.	682
<i>leschenaultii</i> (DC.) Wight & Arn.	686	<i>lucida</i> Roxb.	682
<i>parviflorum</i> Lam.	686	Caralluma R. Br.	84
<i>rheedei</i> DC.	686	<i>adscendens</i> (Roxb.) Haw.	84
var. <i>minus</i> Thwaites	686	var. <i>adscendens</i>	84
<i>umbellatum</i> Wight	708	var. <i>attenuata</i> (Wight) Gravely & Mayur.	84
<i>Caoutchoua</i> Gmelin	332	var. <i>fimbriata</i> (Wall.) Gravely & Mayur.	84
Capillipedium Stapf	602	var. <i>gracilis</i> Gravely & Mayur.	84
<i>assimile</i> (Steud.) A. Camus	602	<i>attenuata</i> Wight	84
<i>filiculme</i> (Hook.f.) Stapf	602	<i>campanulata</i> (Wight) N. E. Br.	83
<i>glaucopsis</i> (Steud.) Stapf	602	<i>crenulata</i> Wall.	82
<i>huegellii</i> (Hack.) Stapf	602	<i>diffusa</i> (Wight) N.E.Br.	82
<i>magdalenii</i> M.R. Almeida	602	<i>fimbriata</i> Wall.	84
<i>parviflorum</i> (R.Br.) Stapf	602	<i>indica</i> (Wight & Arn.) N.E.Br.	83
var. <i>montanum</i> (Roxb.) Roberty	598	<i>lasiantha</i> (Wight) N. E. Br.	83
var. <i>villosulum</i> (Nees ex Steud.) Haines	602	<i>nilagiriana</i> Kumari & Subba Rao	82
<i>venustum</i> (Thwaites) Bor	630	<i>stalagmifera</i> C.E.C.Fisch.	84
Capparaceae	212	var. <i>longipetala</i> Karupp. & Pull.	84
Capparis L.	212	<i>truncatocoronata</i> (Sedgw.) Gravely & Mayur.	82
<i>aphylla</i> Roth	212	<i>umbellata</i> Haw.	83
<i>baducca</i> L.	212	Cardamine L.	201
<i>cleghornii</i> Dunn	212	<i>africana</i> L.	201
<i>decidua</i> (Forssk.) Edgew.	212	<i>hirsuta</i> L.	201
<i>divaricata</i> Lam.	212	var. <i>subumbellata</i> Dalzell	201
<i>floribunda</i> Wight	213	<i>subumbellata</i> Hook. ex Hook.f. & T.Anderson	201
<i>grandiflora</i> Wall. ex Hook.f. & Thomson	212	<i>trichocarpa</i> Hochst. ex A.Rich.	201
<i>grandis</i> L.f.	213	<i>Cardamomum cannicarpum</i> (Wight) Kuntze	755
<i>heyneana</i> Wall. ex Wight & Arn.	212	<i>pterocarpum</i> (Thwaites) Kuntze	756
<i>horrida</i> L.f.	213	<i>Cardanthera</i> Buch.-Ham. ex Nees	36
<i>longispina</i> Hook.f. & Thomson	213	<i>balsamica</i> (L.f.) Benth.	36
<i>magna</i> Lour.	214	var. <i>thymus</i> (Nees) C.B. Clarke	36
<i>moonii</i> Wight	213	<i>pinnatifida</i> (Dalzell) Benth.	36
<i>oblongifolia</i> Forsk.	214	<i>triflora</i> (Nees) Buch.-Ham. ex C.B.Clarke	585

<i>verticillata</i> (Nees) C.B. Clarke	36	<i>grandiflora</i> (E.Mey.) A.DC.	85
<i>Cardiophorus decussata</i> (Benth.) Griff.	583	<i>hirsuta</i> Roth	85
Cardiospermum L.	722	<i>inermis</i> Vahl	85
<i>canescens</i> Wall.	722	var. <i>macrophylla</i> Haines	85
corindum L.	722	macrocarpa (Eckl.) A.DC.	85
halicacabum L.	723	<i>macrophylla</i> A.DC.	85
<i>Carduus radicans</i> Roxb.	176	<i>paucinervia</i> A.DC.	85
<i>ramosus</i> Roxb.	167	<i>salicina</i> Lam.	85
<i>Carelia houstoniana</i> (Mill.) Kuntze	139	spinarum L.	85
Carex L.	270	<i>suavissima</i> Bedd. ex Hook.f.	85
baccans Nees	270	<i>villosa</i> Roxb.	85
var. <i>siccifructus</i> C.B. Clarke	270	<i>Carmona heterophylla</i> Cav.	197
<i>bengalensis</i> Thwaites	271	<i>lycioides</i> G. Don	199
<i>caricina</i> (D. Don) Ghildyal & U.C. Bhattach.	271	<i>microphylla</i> (Lam.) G. Don	197
var. <i>glauca</i> (Boeckeler) Ghildyal & U.C. Bhattach.	271	<i>retusa</i> (Vahl) Masam.	197
var. <i>microgyna</i> (C.B. Clarke) Karth.	271	<i>viminea</i> (Wall.) G. Don; C.B. Clarke	199
var. <i>minor</i> Ghildyal & U.C. Bhattach.	271	Carpentaria Becc.	117
filicina Nees	270	acuminata (H. Wendl. & Drude) Becc.	117
var. <i>leptocarpa</i> (C.B. Clarke) Kük.	271	<i>Carpogon capitatus</i> Roxb.	438
var. <i>meiogyna</i> (Nees) Strachey	270	<i>niveus</i> Roxb.	438
var. <i>microgyna</i> C.B. Clarke	270	<i>Carpopogon atropurpureum</i> Roxb.	437
var. <i>saturata</i> (C.B. Clarke) Kük.	271	<i>monospermum</i> Roxb.	437
foliosa D. Don	271	<i>pruriens</i> (L.) Roxb.	438
<i>glauca</i> Boeckeler	270	Carthamus L.	146
indica L.	271	lanatus L.	146
<i>indica</i> J. Koenig ex Willd.	300	tinctorius L.	147
subsp. <i>laetebrunnea</i> (C.B. Clarke) T. Koyama	271	<i>Carum copticum</i> (L.) Benth. & Hook.f. ex C.B. Clarke	80
var. <i>laetebrunnea</i> C.B. Clarke	271	<i>nothum</i> C.B. Clarke	77
var. <i>milnei</i> C.B. Clarke	271	<i>stictocarpum</i> C.B. Clarke	80
<i>laevis</i> (Retz.) J.F. Gmel.	299	<i>Carumbium insigne</i> (Royle) Kurz	331
<i>leptocarpa</i> C.B. Clarke	270	<i>Carvia</i> Bremek.	46
lindleyana Nees	271	<i>callosa</i> (Nees) Bremek.	47
maculata Boott	271	var. <i>hispida</i> (C.B. Clarke) Bremek.	47
<i>meiogyna</i> Nees	270	Caryophyllaceae	215
<i>mercurensis</i> Hochst. ex Steud.	271	Caryota L.	117
var. <i>major</i> Steud.	271	<i>horrida</i> Jacq.	114
<i>milnei</i> Boott ex C.B. Clarke	271	rumphiana Mart.	117
<i>nilagirica</i> Hochst. ex Steud.	270	urens L.	118
<i>ovata</i> Burm.f.	287	<i>Cascabela thevetia</i> (L.) Lippold	99
<i>poiformis</i> (Retz.) J.F. Gmel.	299	<i>Cascarilla aromatica</i> (L.) Raf.	321
raphidocarpa Nees	271	Casearia Jacq.	718
var. <i>major</i> (Steud.) Kük.	271	bourdillonii Mukh.	718
var. <i>mercurensis</i> (Hochst. ex Steud.) Kük.	271	<i>championii</i> Thwaites	718
<i>saturata</i> C.B. Clarke	271	<i>elliptica</i> Willd.	718
speciosa Kunth	271	esculenta Roxb.	718
<i>thyrsiflora</i> Boott	271	graveolens Dalzell	718
Careya Roxb.	384	<i>ovata</i> (Lam.) Willd.	718
arborea Roxb.	384	rubescens Dalzell	718
Carica L.	215	var. <i>gamblei</i> N. Mukh.	718
papaya L.	215	tomentosa Roxb.	718
Caricaceae	215	wynadensis Bedd.	719
<i>Carigola hastata</i> (L.) Raf.	672	<i>zeylanica</i> Thwaites	718
<i>Carinta repens</i> (L.) L.B. Sm. & Downs	690	<i>Caspaeopsis monandra</i> (Kurz) Britton & Rose	403
Carissa L.	85	<i>purpurea</i> (L.) Pittier	403
<i>axillaris</i> Roxb.	85	Cassia L.	388
carandas L.	85	<i>absus</i> L.	389
var. <i>congesta</i> (Wight) Bedd.	85	<i>acutifolia</i> Delile	397
<i>congesta</i> Wight	85	<i>alata</i> L.	397
<i>dalzellii</i> Bedd.	85	<i>angustifolia</i> Vahl	397
<i>diffusa</i> Roxb.	85	<i>arborescens</i> Vahl	400
<i>gangetica</i> Stapf ex Gamble	85	<i>auriculata</i> L.	398

<i>bifoliolata</i> DC.	389	Castanospermum A.Cunn. ex Hook.	413
<i>canadanensis</i> Dennst.	421	australe A.Cunn. & Fraser	413
<i>enneaphylla</i> Wight & Arn.	400	Casuarina L.	216
fistula L.	388	equisetifolia L.	216
<i>floribunda</i> Cav.	398	<i>indica</i> Pers.	216
<i>florida</i> Vahl	399	<i>litorea</i> L. ex Fosberg & Sachet	216
<i>glauca</i> Lam.	400	Casurinaceae	216
var. <i>suffruticosa</i> (Koenig ex Roth.) Baker	400	<i>Catapodium bifarium</i> (Vahl) Link	621
<i>goensis</i> Dalzell	400	<i>coromandelianum</i> (J.Koenig ex Rottler) Link	621
<i>hirsuta</i> L.	398	<i>filiforme</i> Nees ex Duthie	662
<i>italica</i> (Mill.) F.W.Andrews	398	Catha Forssk. ex Scop.	217
javanica L.	388	edulis (Vahl) Endl.	217
subsp. <i>renigera</i> (Wall. ex Benth.) K.Larsen	388	<i>rothiana</i> Walp.	218
<i>kleinii</i> Wight & Arn.	389	Catharanthus G.Don	85
<i>leavigata</i> Willd.	398	pusillus (Murray) G. Don	85
<i>lechenaultiana</i> DC.	389	roseus (L.) G. Don	85
<i>marginata</i> Roxb.	388	<i>Catimbium malaccense</i> (Burm.f.) Holttum	755
<i>mimosoides</i> L.	389	<i>muticum</i> (Roxb.) Holttum	755
subsp. <i>lechenaultiana</i> (DC.) Ohashi	389	<i>Catonia elliptica</i> Vahl	243
<i>montana</i> Roth	398	<i>glauca</i> Vahl	242
<i>multiglandulosa</i> Jacq.	398	Catunaregam Wolf.	687
<i>multijuga</i> Rich.	399	<i>malabarica</i> (Lam.) Sivar.	686
<i>nigricans</i> Vahl	389	spinosa (Thunb.) Tirveng.	687
<i>obovata</i> Collad.	398	<i>uliginosa</i> (Retz.) Sivar.	711
<i>obtusata</i> (Roxb.) Wight & Arn.	398	<i>Caturus spiciflorus</i> auct. non L.	318
<i>obtusifolia</i> L.	399	<i>Caulinia graminea</i> (Delile) Tzvelev	349
<i>occidentalis</i> L.	399	<i>indica</i> Willd.	349
var. <i>sophera</i> (L.) Kuntze	399	<i>minor</i> (All.) Coss. & Germ.	349
<i>pumila</i> Lam.	389	Cayaponia Silva Manso	259
renigera Wall. ex Benth.	388	laciniosa (L.) C.Jeffrey	259
<i>rhubifolia</i> Roxb.	388	Cayratia Juss.	749
<i>rotundifolia</i> Pers.	389	<i>auriculata</i> (Roxb.) Gamble	751
roxburghii DC.	388	<i>carnosa</i> (Lam.) Gagnep.	750
<i>senna</i> L.	397	<i>elongata</i> (Roxb.) Suess.	750
<i>sericea</i> Sw.	400	japonica (Thunb.) Gagnep.	749
<i>siamea</i> Lam.	399	mollissima (Planch.) Gagnep.	749
<i>sophera</i> L.	399	pedata (Lam.) Gagnep.	750
<i>spectabilis</i> DC.	399	tenuifolia (Wight & Arn.) Gagnep.	750
<i>splendida</i> Vogel	400	trifolia (L.) Domin	750
<i>suffruticosa</i> Koenig ex Roth.	400	<i>Ceanothus asiaticus</i> L.	679
<i>sulfurea</i> Collad.	400	<i>paniculatus</i> Roth	217
<i>sumatrana</i> Roxb. ex Hornem.	399	<i>Cedrela mahagoni</i> L.	501
<i>surattensis</i> Burm. f.	400	<i>toona</i> Roxb. ex Rottler	501
subsp. <i>glauca</i> (Lam.) K.Larsen & S.S.Larsen	400	Ceiba Mill.	479
subsp. <i>suffruticosa</i> (Roth) K.Larsen & S.S.Larsen	400	pentandra (L.) Gaertn.	479
var. <i>suffruticosa</i> (Roth) Ali	400	speciosa (A.St.-Hil.) Ravenna	479
<i>timoriensis</i> DC.	400	Celastraceae	216, 766
<i>tomentosa</i> L.f.	398	Celastrus L.	217
<i>tora</i> L.	400	<i>emarginatus</i> Willd.	218
var. <i>obtusifolia</i> (L.) Haines	399	<i>heyneana</i> Roth	218
<i>uniflora</i> Mill.	400	<i>montanus</i> Roth	218
<i>wallichiana</i> DC.	389	<i>multiflorus</i> Roxb.	217
Cassine L.	216	<i>opposita</i> Wall.	219
<i>albans</i> (Retz.) Kosterm.	216	paniculatus Willd.	217
glauca (Rottb.) Kuntze	216	subsp. aggregatus K.T.Mathew ex K.M.Mathew	217
paniculata (Wight & Arn.) Lobl.-Callen	217	subsp. paniculatus	217
Cassipourea Aubl.	683	<i>rothianus</i> Schult.	217
ceylanica (Gardn.) Alston	683	<i>rothianus</i> Wight & Arn.	218
Cassytha Osbeck	379	<i>serrulatus</i> Roth	218
capillaris Meisn.	379	Celosia L.	62
filiformis L.	379	<i>albida</i> Willd.	58

argentea L.	62	<i>meyeri</i> auct. non (Bunge) Druce	340
var. <i>cristata</i> (L.) Kuntze	62	<i>roxburghii</i> (D.Don) Druce	340
<i>aspera</i> Roth	58	Centella L.	77
<i>castrensis</i> L.	62	<i>asiatica</i> (L.) Urb.	77
<i>cernua</i> Roxb.	62	Centipeda Lour.	147
<i>coccinea</i> L.	62	<i>minima</i> (L.) A. Braun & Asch.	147
<i>cristata</i> L.	62	<i>orbicularis</i> Lour.	147
<i>dichotoma</i> B.Heyne ex Roth	58	<i>Centosteca lappacea</i> (L.) Desv.	603
<i>lanata</i> L.	57	Centotheca Desv.	603
<i>margaritacea</i> L.	62	<i>lappacea</i> (L.) Desv.	603
<i>monsoniae</i> Retz.	65	<i>latifolia</i> Trin.	603
<i>nodiflora</i> L.	58	<i>malabarica</i> (L.) Merr.	637
polygonoides Retz.	62	Centranthera R. Br.	558
pulchella Moq.	62	<i>humifusa</i> Wall. ex Benth.	559
<i>pyramidalis</i> Burm.f.	62	<i>indica</i> (L.) Gamble	558
<i>Celsia coromandelina</i> Vahl	727	<i>procumbens</i> Benth.	558
Celtis L.	211	<i>tranquebarica</i> (Spreng.) Merr.	559
<i>cinnamomea</i> Lindl. ex Planch.	211	Centratherum Cass.	147
<i>orientalis</i> L.	211	<i>anthelminticum</i> (L.) Kuntze	168
philippensis Blanco	211	<i>courtallense</i> (Wight) Benth. & Hook.f.	168
<i>serotina</i> Planch.	211	<i>hookeri</i> C.B.Clarke	168
tetrandra Roxb.	211	<i>mayurii</i> C.E.C.Fisch.	168
timorensis Span.	211	<i>metzianum</i> Sch.Bip. ex Hook. f.	168
<i>wightii</i> Planch.	211	<i>molle</i> (DC.) Benth.	168
Cenchrus L.	603	<i>phyllolaenum</i> (DC.) Benth. ex C.B.Clarke	168
<i>americanus</i> (L.) Morrone	646	punctatum Cass.	147
<i>barbatus</i> Schumach. Beskr.	603	<i>rangacharii</i> Gamble	168
biflorus Roxb.	603	<i>ritchiei</i> Hook. f.	168
<i>biflorus</i> auct. non Roxb.	603	<i>tenue</i> C.B.Clarke	168
<i>catharticus</i> Delile	603	Centrosema (DC.) Benth.	413
ciliaris L.	603	<i>pubescens</i> Benth.	413
var. <i>pennisetiformis</i> (Steud.) Chiov. ex Pirota	603	<i>virginianum</i> (L.) Benth.	413
var. <i>setigerus</i> (Vahl) Maire & Weiller	603	<i>Centrosis sylvatica</i> Thouars	532
<i>glaucus</i> C.R.Mudaliar & Sundararaj	603	Centrostachys Wall.	62
<i>granularis</i> L.	629	<i>aquatica</i> (R.Br.) Moq.	62
<i>hohenackeri</i> (Hochst. ex Steud.) Morrone	646	<i>Centunculus indicus</i> Royle	674
<i>hordeiformis</i> Rottler ex Steud.	646	<i>pumilus</i> (Sw.) Kuntze	674
<i>hordeoides</i> (Lam.) Morrone	647	<i>Ceodes umbellifera</i> J.R.Forst. & G.Forst.	519
<i>lappaceus</i> L.	603	<i>Cephalandra grandis</i> Kurz	260
<i>montanus</i> Nees	603	<i>indica</i> Naudin	260
<i>muricatus</i> L.	661	var. <i>palмата</i> C.B.Clarke	260
<i>mutabilis</i> Wight ex Hook.f.	603	<i>Cephalocroton indicus</i> Bedd.	324
<i>orientalis</i> (Pers.) Willd. ex Kunth	647	<i>Cephalophilon nepalense</i> (Meisn.) Tzvelev	670
<i>parviflorus</i> Poir.	655	<i>Cephaloschoenus articulatus</i> (Roxb.) Nees	296
<i>pedicellatus</i> (Trin.) Morrone	647	<i>Cephalostigma erecta</i> (Roth ex Roem. & Schult.) Vatke	210
pennisetiformis Steud.	603	<i>flexuosum</i> Hook. f. & Thomson	210
<i>polystachios</i> (L.) Morrone	647	<i>schimperi</i> Hochst. ex A. Richard	210
<i>purpureus</i> (Schumach.) Morrone	647	<i>Cerasiocarpum bennettii</i> (Miq.) Cogn.	264
<i>quinquevalvis</i> Buch.-Ham. ex Wall.	603	<i>zeylanicum</i> Hook.f.	259
<i>rajasthanensis</i> Kanodia & P.C.Nanda	603	Cerastium L.	215
setigerus Vahl	603	<i>glomeratum</i> Thuill.	215
<i>villosus</i> (Fresen.) Kuntze	647	<i>vulgatum</i> var. <i>glomeratum</i> (Thuill.) Edgew. & Hook.f.	215
<i>Cenia turbinata</i> (L.) Pers.	150	<i>Ceratocephalus acmella</i> (L.) Kuntze	173
Centaurea L.	147	<i>Ceratogynum</i> Wight	578
calcitrapa L.	147	<i>rhamnoides</i> Wight	579
cyanus L.	147	Ceratophyllaceae	221
<i>lanata</i> (L.) Lam. & DC.	146	Ceratophyllum L.	221
melitensis L.	147	demersum L.	221
Centaureium Hill.	340	<i>verticillatum</i> Roxb.	221
centaurioides (Roxb.) R.S. Rao & Hemadri	340	<i>Ceratopsis rosea</i> (D.Don) Lindl.	538
<i>malabaricum</i> Borkh.	340	Cerbera L.	86

<i>fruticosa</i> Roxb.	94	nocturnum L.	729
<i>lactaria</i> Buch.-Ham. ex Spreng.	86	<i>Chadara tenax</i> Forssk.	484
<i>manghas</i> auct. non L.	86	<i>Chaetaria cyanantha</i> (Steud.) Nees ex B.D.Jacks.	591
odollam Gaertn.	86	<i>Chaetochloa barbata</i> (Lam.) Hitchc. & Chase	654
<i>peruviana</i> Pers.	99	<i>costata</i> (Roxb.) Skeels	654
<i>thetia</i> L.	99	<i>glauca</i> (L.) Scribn.	646
Cereus Mill.	205	<i>intermedia</i> (Roem. & Schult.) Stuntz	654
<i>bonplandii</i> Parm ex Pfeiffer	205	<i>italica</i> (L.) Scribn.	654
<i>peruvianus</i> (L.) Mill.	205	<i>palmifolia</i> (J.Koenig) Hitchc. & Chase	654
repandus (L.) Mill.	205	<i>parviflora</i> (Poir.) Scribn.	655
Ceriops Arn.	683	<i>verticillata</i> (L.) Scribn.	655
<i>candolleana</i> Arn.	683	Chaetoseries C.Shih	147
tagal (Perr.) C.B.Rob.	683	cyanea (D.Don) C.Shih	147
Ceriscoides Tirveng.	687	<i>Chalcas paniculata</i> L.	716
turgida (Roxb.) Tirveng.	687	Chamaecostus C.D.Specht & D.W.Stev.	256
<i>Ceriscus malabaricus</i> Gaertn.	687	<i>cuspidatus</i> (Nees & Mart.) C.D.Specht & D.W.Stev.	256
Ceropegia L.	86, 762	Chamaecrista Moench	389
<i>acuminata</i> Roxb.	86	absus (L.) H.S.Irwin & Barneby	389
<i>attenuata</i> Hook.	86	<i>bifoliolata</i> (Collad.) Greene	389
barnesii E.A.Bruce & Chatterjee	86	kleinii (Wight & Arn.) V.Singh	389
bhatii S.R.Yadav & Shendage	86, 762	leschenaultiana (DC.) Degener	389
<i>biflora</i> L.	86	mimosoides (L.) Greene	389
<i>brevicollis</i> Hook.f.	86	nigricans (Vahl) Greene	389
bulbosa Roxb.	86	pumila (Lam.) K.Larsen	389
var. <i>esculenta</i> (Edgew.) Hook.f.	86	rotundifolia (Pers.) Greene	389
var. <i>lushii</i> (J.Graham) Hook.f.	86	<i>wallichiana</i> (DC.) V.Singh	389
candelabrum L.	86	Chamaedorea Willd.	118
var. <i>biflora</i> (L.) Ansari	86	<i>erumpens</i> H.E.Moore	118
var. <i>tuberosa</i> (Roxb.) N.P.Singh	86	metallica O.F.Cook ex H.E.Moore	118
decaisneana Wight	86	seifrizii Burret	118
<i>discreta</i> N. E. Br.	86	<i>Chamaedrys polium</i> (L.) Raf.	375
elegans Wall.	86	<i>Chamaefistula floribunda</i> (Cav.) G.Don	398
<i>elliottii</i> Hook.f.	86	<i>Chamaemelum coronarium</i> (L.) E.H.L.Krause	158
<i>esculenta</i> Edgew.	86	<i>Chamaeraphis costata</i> (Roxb.) Kuntze	654
fantastica Sedgw.	87	<i>glauca</i> (L.) Kuntze	646
fimbriifera Bedd.	87	<i>italica</i> (L.) Kuntze	654
hirsuta Wight & Arn.	87	var. <i>verticillata</i> (L.) Kuntze	655
var. <i>jacquemontiana</i> (Decne.) Hook.f.	87	<i>palmifolia</i> (J.Koenig) Kuntze	654
var. <i>ophiocephala</i> (Dalzell) Hook.f.	87	<i>spinescens</i> (R.Br.) Poir.	650
var. <i>stenophylla</i> Hook.f.	87	var. <i>subglabra</i> Trimen	650
<i>hispida</i> Blatt. & McCann	87	<i>verticillata</i> (L.) Porter	655
intermedia Wight	87	<i>viridis</i> (L.) Millsp.	655
<i>jacquemontiana</i> Decne.	87	Chamaerops L.	118
jainii Ansari & B.G. Kulk.	87, 763	<i>excelsa</i> Thunb.	123
juncea Roxb.	87	humilis L.	118
<i>lushii</i> J. Graham	86	<i>palmetto</i> (Walter) Michx.	124
metziana Miq.	87	<i>Chamaesenna multijuga</i> (Rich.) Pittier	399
<i>munroii</i> Wight	87	<i>Chamaesyce atoto</i> (G.Forst.) Croizat	324
<i>mysurunsis</i> Wight	86	<i>auricularia</i> (Boiss.) V.S.Raju & P.N.Rao	329
<i>ophiocephala</i> Dalzell	87	<i>clarkeana</i> (Hook.f.) Sojak	324
pusilla Wight & Arn.	87	<i>coccinea</i> (B.Heyne ex Roth) Sojak	325
<i>sphenantha</i> Wight & Arn.	86	<i>concanensis</i> (Janarth. & S.R.Yadav) M.R.Almeida,	
spiralis Wight	87	S.Dutta & S.M.Almeida	325
<i>tuberosa</i> Roxb.	86	<i>concanensis</i> (Janarth. & S.R.Yadav) V.S.Raju	325
<i>walkerae</i> Wight	86	<i>corrigioloides</i> (Boiss.) Sojak	325
<i>Cervicina gracilis</i> (G.Forst.) Britten	210	<i>cristata</i> (Heyne ex Roth) G.L. Webster	325
<i>Cestichis elliptica</i> (Wight) M.A.Clem. & D.L.Jones	545	<i>elegans</i> (Spreng.) Sojak	326
<i>longipes</i> (Lindl.) Ames	545	<i>erythroclada</i> (Boiss.) Sojak	326
Cestrum L.	729	<i>fimbriata</i> (B.Heyne ex Roth) R.R.Rao & Razi	327
aurantiacum Lindl.	729	<i>heyneana</i> (Spreng.) Sojak	326
diurnum L.	729	<i>hirta</i> (L.) Millsp.	327

<i>hypericifolia</i> (L.) Millsp.	327	<i>Chiococca malabarica</i> Dennst.	692
<i>hyssopifolia</i> (L.) Small	327	Chionachne R. Br.	604
<i>indica</i> (Lam.) Croizat	327	<i>barbata</i> (Roxb.) R.Br.	604
<i>katrajensis</i> var. <i>kasargodensis</i> (V.J.Nair et al.)		gigantea (J.Koenig) Veldkamp	604
V.S.Raju	325	<i>koenigii</i> (Spreng.) Thwaites	604
<i>lacinata</i> (Panigrahi) V.S. Raju & P.N.Rao	327	Chionanthus L.	521
<i>lawsonii</i> (Binojk. & Dwarakan) V.S.Raju	327	<i>intermedius</i> Bedd.	522
<i>linearifolia</i> (Roth) Soják	325	<i>linocieroides</i> (Wight) Bennet & Raizada	522
<i>longistyla</i> (Boiss.) Croizat	328	<i>macrophyllus</i> (Wall. & G.Don) Blume	522
<i>notoptera</i> (Boiss.) Sojak	328	var. <i>attenuatus</i> (C.B.Clarke) K.K.N.Nair &	
<i>orbiculata</i> (Kunth) Sojak	328	K.P.Janardh.	522
<i>pallens</i> (Dillwyn) V.S.Raju	328	<i>malabarica</i> Bedd.	521
<i>pilulifera</i> (L.) Small	327	mala-elegi (Dennst.) P.S.Green	521
<i>prostrata</i> (Aiton) Small	329	subsp. linocieroides (Wight) P.S.Green	522
<i>pycnostegia</i> (Boiss.) Sojak	329	subsp. mala-elegi	522
<i>rosea</i> (Retz.) G.L. Webster	329	<i>palembanicus</i> Miq.	522
<i>senguptae</i> (N.P.Balakr. & Subr.) V.S.Raju & P.N.Rao	330	<i>paniculatus</i> (Roxb.) K. K. K. Nair & Janardh.	522
<i>serpens</i> (Kunth) Small	330	var. <i>roxburghii</i> (Spreng.) K.K.K.Nair & Janardh.	522
<i>thymifolia</i> (L.) Millsp.	330	<i>pauciflorus</i> (Wall. ex G.Don) Bennet & Raizada	522
<i>zornioides</i> (Boiss.) Sojak	329	var. <i>evolutior</i> (C.B.Clarke) K.K.N.Nair &	
<i>Chamissoa angustifolia</i> Buch.-Ham. ex Hook.f.	58	K.P.Janardh.	522
<i>aspera</i> Wight	58	var. <i>palembanicus</i> (Miq.) Bennet & Raizada	522
<i>margaritacea</i> (L.) Schouw	62	ramiflorus Roxb	522
<i>nodiflora</i> sensu Wight	58	var. <i>palembanicus</i> (Miq.) P.Daniel	522
Chandrasekharania V.J. Nair	603	var. <i>peninsularis</i> K.Ravik. & Lakshm.	522
keralensis V.J. Nair	603	<i>roxburghii</i> (Spreng.) S.K.Srivast. & S.L.Kapoor	522
<i>Charieis heterophylla</i> Cass.	156	var. <i>intermedius</i> (Wight) S.K.Srivast. & S.L.Kapoor	522
<i>Charlwoodia stricta</i> (Sims) Sweet	130	<i>tenuiflora</i> Wall. ex DC.	522
Chascanum E.Mey.	745	<i>wightii</i> (C.B.Clarke) Bahadur & R.C.Gaur	522
hyderabadense (Walp.) Moldenke	745	<i>Chirita cristata</i> (Dalzell) B.L.Burt	345
<i>Chasmanthera cordifolia</i> (DC.) Baill.	504	<i>hamosa</i> R.Br.	345
Chassalia Comm. ex Poir.	687, 772	var. <i>finlaysonii</i> C.B.Clarke	345
<i>ambigua</i> (Wight & Arn.) Alston	687	var. <i>unifolia</i> C.B.Clarke	345
curviflora (Wall.) Thwaites	687	<i>sahyadriensis</i> Puneekar & Lakshmin.	345
var. ophioxylodes (Wall.) Deb & B.Krishna	687	<i>Chironia carinata</i> Banks ex Roxb.	340
<i>ophioxylodes</i> (Wall.) Craib	687	<i>centaurioides</i> Roxb.	340
virgata Talbot	687, 772	Chloris Sw.	604
<i>Chavica betle</i> (L.) Miq.	580	barbata Sw.	604
<i>roxburghii</i> Miq.	581	var. <i>divaricata</i> Kuntze	604
Cheilocostus C.Specht	256	bournei Rang. & Tadul.	604
speciosus (J.Koenig) C.Specht	256	<i>dolichostachya</i> Lag.	621
Cheirostylis Blume	532	gayana Kunth	604
flabellata (A.Rich.) Wight	532	<i>incompleta</i> Wight ex Steud.	605
<i>kanarensis</i> Blatt. & McCann	537	<i>incompleta</i> Roth	621
parvifolia Lindl.	532	<i>inflata</i> Link	604
Chenopodium L.	63	<i>medinipurensis</i> D.K.Dey, Pati & D.C.Pal	621
album L.	63	montana Roxb.	604
subsp. <i>ambrosioides</i> (L.) H.J.Coste & A.Reyn.	63	var. <i>glauca</i> Hook.f.	604
<i>ambrosioides</i> L.	63	<i>polystachya</i> auct. non Lag.	604
murale L.	63	quinquesetica Bhide	604
<i>Chilmania pentandra</i> Buch.-Ham.	54	roxburghiana Schult.	604
Chilocarpus Blume	88	<i>roxburghii</i> Edgew.	621
<i>atrovirens</i> (G.Don) Blume	88	<i>tenella</i> J. Konig ex Roxb.	659
<i>atroviridis</i> Hook.f.	88	<i>triangulata</i> Hochst. ex A.Rich.	659
denudatus Blume	88	virgata Sw.	604
var. <i>nicobaricus</i> M.Gangop. & Chakrab.	88	wightiana Nees ex Steud.	605
<i>malabaricus</i> Bedd.	88	<i>Chlorocharis geniculata</i> (L.) Rikli	282
<i>sunainaianus</i> Yogan.	88	<i>Chlorocyperus alopecuroides</i> (Rottb.) Grossh.	272
Chiloschista Lindl.	532	<i>articulatus</i> (L.) Rikli	272
glandulosa Blatt. & McCann	532	<i>compressus</i> (L.) Palla	273
lunifera (Rchb.f.) J.J.Sm.	532	<i>globosus</i> (Rchb.) Palla	293

<i>iria</i> (L.) Rikli	276	<i>burmanni</i> Spreng.	320
<i>laevigatus</i> (L.) Palla	277	<i>parvifolia</i> Klotzsch ex Schweinf.	320
<i>malaccensis</i> (Lam.) Palla	277	plicata (Vahl) A.Juss. ex Spreng.	320
<i>nilagiricus</i> (Hochst. ex Steud.) Rikli	293	var. 2 & 3 Hook.f.	320
<i>polystachyus</i> (Rottb.) Rikli	294	var. <i>rottleri</i> (Geiseler) Mull.Arg.	321
<i>rotundus</i> (L.) Palla	279	<i>prostrata</i> Dalzell & Gibson	320
<i>salaamensis</i> Palla	280	var. <i>parvifolia</i> (Klotzsch ex Schweinf.) N.P.Balakr.	320
Chlorophytum Ker-Gawler	128, 763	rottleri (Geiseler) A.Juss. ex Spreng.	321
<i>acaule</i> Baker	130	<i>tinctoria</i> auct. non (L.) A.Juss.	321
<i>amaniense</i> Engl.	129	<i>Chrysalidocarpus lutescens</i> H.Wendl.	119
<i>anthericoideum</i> Dalzell	130	Chrysanthemum Rich.	148
arundinaceum Baker	128	carinatum Schousb.	148
<i>attenuatum</i> (Wight) Baker	129	<i>cinerariifolium</i> (Trevir.) Vis.	174
belagaumense Chandore., Malpure, Adsul &		coccineum Willd.	148
S.R.Yadav	128, 763	<i>coronarum</i> L.	158
bharuchae Ansari	128, 763	foeniculaceum Steud.	148
<i>borivilianum</i> Santapau & R.R.Fern.	128	<i>frutescens</i> L.	140
brevicapum Dalzell	129, 763	indicum L.	148
capense (L.) Voss	129	<i>leucanthemum</i> L.	165
comosum (Thunb.) Jacques	129	morifolium Ramat.	148
filipendulum Baker	129	myconis L.	148
subsp. amaniense (Engl.) Nordal & A.D.Poulsen	129	parthenium (L.) Bernh.	148
glaucum Dalzell	129	<i>roxburghii</i> Desf. ex Cass.	158
<i>heyneanum</i> Wall. ex Hook.f.	129	<i>sinense</i> Sabine	148
heynei Baker	129	Chrysoglossum Blume	532
indicum (Willd. ex Schult. & Schult.f.) Dress	129	<i>maculatum</i> (Thwaites) Hook.f.	532
kolhapurensis Sardesai, S.P.Gaikwad & S.R.Yadav	129	ornatum Blume	532
laxum R.Br.	130	<i>Chrysogonum arnotianum</i> C.B.Clarke	167
malabaricum Baker	130	Chrysophyllum L.	724
nimmonii Dalzell	130	<i>acuminatum</i> Roxb.	725
orchidastrum Lindl.	130	cainito L.	724
<i>petiolatum</i> Baker	130	<i>lanceolatum</i> (Blume) A.DC.	725
<i>talbotii</i> Rendle	130	<i>roxburghianum</i> Speede	725
tuberosum (Roxb.) Baker	130	roxburghii G.Don	725
Chloroxylon DC.	713	Chrysopogon Trin.	605, 770
swietenia DC.	713	aciculatus (Retz.) Trin.	605
<i>Chomelia asiatica</i> (L.) Kuntze	711	<i>arnottianus</i> Nees ex Steud.	606
<i>Chondrilla secunda</i> Royle ex C.B.Clarke	165	asper (Heyne) Blatt. & McCann	605
Chonemorpha G.Don	88	<i>filiformis</i> Voight	618
<i>antidysenterica</i> (Roth) G.Don	92	fulvus (Spreng.) Chiov.	605
fragrans (Moon) Alston	88	var. <i>robustus</i> (Hook.f.) R.R. Stewart	606
<i>grandiflora</i> (Roth) M.R. & S.M. Almeida	88	<i>glaucoopsis</i> W.Watson	602
<i>griffithii</i> Hook.f.	88	<i>gryllus</i> (L.) Trin.	605
<i>macrophylla</i> G.Don	88	hackelii (Hook.f.) C.E.C. Fisch.	605
<i>malabarica</i> (Lam.) G. Don	93	lawsonii (Hook.f.) Veldkamp	605
<i>rheedei</i> Ridl.	88	<i>montanus</i> Trin.	605
<i>valvata</i> Chatterjee	88	var. <i>robusta</i> Hook. f.	605
<i>Choripetalum viridiflorum</i> A.DC.	676	<i>monticola</i> (Roem. & Schult.) Haines	605
<i>Chorisandra pinnata</i> Wight	576	<i>muricatus</i> Wight ex Hook.f.	628
<i>Chorisia speciosa</i> A.St.-Hil.	479	nodulibarbis (Hochst. ex Steud.) Henrard	606
Christisonia Gardner	559, 770	orientalis (Desv.) A.Camus	606
<i>aurantiaca</i> Wight	559	<i>parviflorus</i> (R.Br.) Nees	602
bicolor Gardner	559	polyphyllus (Hack.) Blatt. & McCann	606
calcarata Wight	559	pseudozeylanicus K.G. Bhat & Nagendran	606, 770
flammea Sedgw.	559, 770	serrulatus Trin.	606
<i>lawii</i> Wight	559	velutinus (Hook.f.) Bor	606
<i>stocksii</i> Hook.	559	verticillatus (Roxb.) Trin. ex Steud.	606
tubulosa (Wight) Benth. ex Hook.f.	559	<i>villosulus</i> (Steud.) W.Watson	602
Chromolaena DC.	147	<i>wightianus</i> (Nees ex Steud.) Thwaites	606
odorata (L.) R.M. King & H. Rob.	147	<i>zeylanicus</i> (Nees ex Steud.) Thwaites	606
Chrozophora A.Juss.	320	zizanioides (L.) Roberty	607

Chukrasia A.Juss.	499	<i>discolor</i> Blume	750
tabularis A.Juss.	499	elongata Roxb.	750
var. <i>velutina</i> (M.Roem.) King	499	<i>gigantea</i> Bedd.	751
<i>Cicca disticha</i> L.	574	<i>glauca</i> Roxb.	751
<i>emblica</i> (L.) Kurz	575	glyptocarpa Thwaites	750
<i>leucopyrus</i> (Willd.) Kurz	570	javana DC.	750
<i>reticulata</i> (Poir.) Kurz	576	<i>lanceolaria</i> Roxb.	753
<i>Cicendia fastigiata</i> Griseb.	343	latifolia Lam.	751
<i>roxburghii</i> Griseb.	343	<i>leucostaphyla</i> Dennst.	753
Cicer L.	414	<i>pallida</i> (Wight & Arn.) Steud.	750
arietinum L.	414	<i>pedata</i> Lam.	750
<i>Cicerbita cyanea</i> (D.Don) Beauverd	147	quadrangularis L.	751
<i>intybacea</i> (Jacq.) Wallr.	164	repanda (Wight & Arn.) Vahl	751
<i>Cinchona orixensis</i> Roxb.	691	repens Lam.	751
<i>Cineraria sarmentosa</i> Lesch. ex DC.	170	rotundifolia Vahl	751
Cinnamomum Schaeff.	379	<i>setosa</i> Roxb.	752
camphora (L.) J.Presl	379	<i>tenuifolia</i> (Wight & Arn.) B.Heyne ex Planch.	750
cassia (L.) J.Presl	379	vitiginea L.	751
<i>cathia</i> D.Don	383	woodrowii (Stapf ex Cooke) Santapau	751
<i>caudatum</i> Nees	382	Citharexylum L.	745
goaense Kosterm.	379	<i>cinereum</i> L.	745
macrocarpum Hook. f.	379	<i>fruticosum</i> L.	745
<i>malabathricum</i> Lukman.	379	spinosum L.	745
malabatrum (Burm.f.) Blume	379	<i>suberratum</i> Sw.	745
var. <i>rheedei</i> Lukman.	379	Citrullus Schrad.	259
<i>nitidum</i> Hook.	379	colocynthis (L.) Schrad.	259
<i>ovalifolium</i> Gardner ex Meisn.	380	var. <i>lanatus</i> (Thunb.) Matsum. & Nakai	259
<i>rheedii</i> Lukman.	379	<i>fistulosus</i> Stocks	258
riparium Gamble	379	lanatus (Thunb.) Matsum. & Nakai	259
sulphuratum Nees	380	var. <i>albidus</i> (Chakrav.) Maheshw.	259
travancoricum Gamble	380	var. <i>fistulosus</i> (Stocks) Chakrav.	258
verum Presl	380	var. <i>fistulosus</i> (J.L.Steward) Babu	259
wightii Meisn.	380	var. <i>minor</i> (Chakrav.) Maheshw.	259
<i>zeylanicum</i> Blume	380	var. <i>oblongus</i> (Chakrav.) Maheshw.	259
Cipadessa Blume	499	var. <i>pulcherrimus</i> (Chakrav.) Maheshw.	259
baccifera (Roth) Miq.	499	var. <i>pumilus</i> (Chakrav.) Maheshw.	259
<i>fruticosa</i> Blume	499	var. <i>rotundus</i> (Chakrav.) Maheshw.	259
<i>Cirrhopetalum acutiflorum</i> (A.Rich.) Hook.f.	530	var. <i>shami</i> (Chakrav.) Maheshw.	259
<i>albidum</i> Wight	530	var. <i>variegatus</i> (Chakrav.) Maheshw.	259
<i>elegantulum</i> Rolfe	530	var. <i>virgatus</i> (Chakrav.) Maheshw.	259
<i>fimbriatum</i> Lindl.	530	var. <i>viridis</i> (Chakrav.) Maheshw.	259
<i>gamblei</i> Hook.f.	531	<i>vulgaris</i> Schrad. ex Eckl. & Zey.	259
<i>mysorensense</i> Rolfe	531	var. <i>fistulosus</i> (Stocks) J.L.Stewart	258
<i>nilgherrense</i> Wight	531	<i>Citrulus fistulosus</i> Stocks	259
<i>proudlockii</i> King & Pantl.	531	Citrus L.	713
<i>thomsonii</i> Hook.f.	531	aurantiifolia (Christm.) Swingle	713
Cissampelopsis (DC.) Miq.	148	aurantium L.	714
corymbosa (Wall. ex DC.) C.Jeffrey & Y.L.Chen	148	<i>decumana</i> L.	714
Cissampelos L.	502	<i>grandis</i> (L.) Osbeck	714
<i>hernandifolia</i> Willd.	503	limon (L.) Burm. f.	714
<i>hirsuta</i> Buch.-Ham. ex DC.	502	maxima (Burm.) Merr.	714
<i>orbiculata</i> (L.) DC.	502	medica L.	714
<i>ovata</i> Poir.	503	reticulata Blanco	714
pareira L.	502	sinensis (L.) Osbeck	714
var. <i>hirsuta</i> (Buch.-Ham. ex DC.) Forman	502	Cladopus H.Moller	665
var. <i>orbiculata</i> (L.) Miq.	502	hookeriana (Tul.) C.Cusset	665
Cissus L.	750	<i>Claoxylon mercurialis</i> (L.) Thwaites	336
adnata Roxb.	750	<i>mercurialis</i> (L.) Thwaites	574
<i>araneosa</i> Dalzell	749	<i>muricatum</i> Wight	335
<i>auriculata</i> Roxb.	751	Clausena Burm. f.	714
<i>carnosa</i> Lam.	750	anisata (Willd.) Hook.f. ex Benth.	714

<i>dentata</i> (Willd.) M.Roem.	714	calamitosum L.	355
indica (Dalzell) Oliv.	714	chinense (Osbeck) Mabb.	355
<i>willdenowii</i> Wight & Arn.	714	<i>colebrookianum</i> Walp.	356
Cleidion Blume	321	var. <i>denticulatum</i> C.B.Clarke	356
javanicum Blume	321	var. <i>henryanum</i> Moldenke	356
var. <i>longipedicellatum</i> Chakrab. & M.Gangop.	321	<i>coromandelianum</i> Spreng.	377
var. <i>moniliflorum</i> (Airy Shaw) Chakrab. & M.Gangop.	321	<i>diversifolium</i> Vahl	356
<i>spiciflorum</i> auct. non Burm.f.	321	<i>fragrans</i> f. <i>pleniflorum</i> (Schauer) Standl. & Steyerl.	355
var. <i>longipedicellatum</i> (Chakrab. & M.Gangop.)		var. <i>pleniflorum</i> Schauer	355
Susila & N.P.Balakr.	321	glandulosum Lindl.	356
var. <i>moniliflorum</i> (Airy Shaw) Radcl.-Sm. & Govaerts	321	<i>herbaceum</i> Roxb. ex Schauer	373
Cleisostoma Blume	532	<i>heterophyllum</i> (Poir.) R.Br.	377
<i>acaule</i> Lindl.	540	<i>incisum</i> Klotzsch	373
<i>pauciflorum</i> (Wight) Senghas	533	var. <i>macrosiphon</i> (Hook.f.) Baker	373
<i>tenerum</i> (Lindl.) Hook.f.	556	indicum (L.) Kuntze	356
tenuifolium (L.) Garay	532	<i>inerme</i> (L.) Gaertn.	377
Cleistachne Benth.	607	var. <i>macrocarpum</i> (Wall. ex C.B.Clarke) Moldenke	377
sorghoides Benth.	607	infortunatum L.	356
<i>stocksii</i> Hook. f.	607	<i>japonicum</i> var. <i>pleniflorum</i> (Schauer) Maheshw.	355
Cleistanthus Hook.f. ex Planch.	570	laevifolium Blume	356
collinus (Roxb.) Benth. ex Hook.f.	570	<i>lasiocephalum</i> C.B.Clarke	355
malabaricus (Müll.Arg.) Müll.Arg.	570	<i>macrosiphon</i> Hook.f.	373
monoicus (Lour.) Müll.Arg.	570	<i>multiflorum</i> (Burm.f.) Kuntze	357
patulus (Roxb.) Muell.-Arg.	570	<i>neriifolium</i> (Roxb.) Wall. ex Steud.	377
Clematis L.	678	var. <i>macrocarpum</i> Wall. ex C.B.Clarke	377
gouriana Roxb. ex DC.	678	<i>nutans</i> Wall. ex D.Don	356
hedysarifolia DC.	678	paniculatum L.	356
heynei M.A.Rau	678	<i>philippinum</i> Schauer	355
hirsuta Guill. & Perr.	678	phlomidis L.f.	357
montana Buch.-Ham. ex DC.	678	var. <i>rubrum</i> Roxb. ex Voigt	357
munroiana Wight	678	<i>pyramidale</i> Andrews	356
smilacifolia Wall.	678	<i>serratum</i> (L.) Moon	373
<i>smilacifolia</i> sensu Hook.f. & Thomson	678	var. <i>herbaceum</i> (Roxb. ex Schauer) C.Y.Wu	373
<i>triloba</i> B.Heyne ex Roth	678	var. <i>wallichii</i> C.B.Clarke	373
<i>wightiana</i> Wall. ex Wight & Arn.	678	<i>siphonanthus</i> R.Br.	356
Cleomaceae	221	splendens G.Don	357
Cleome L.	221	thomsoniae Balf.f.	357
angustifolia Forssk.	221	var. <i>balfourii</i> B.D.Jacks. ex Dombrain	357
aspera J.Koenig ex DC.	221	<i>verticillatum</i> Roxb. ex D.Don	356
<i>chelidonii</i> L.f.	221	<i>viscosum</i> Vent.	356
var. <i>pallae</i> C.S.Reddy & V.S.Raju	221	<i>wallichii</i> Merr.	356
<i>felina</i> L.f.	222	<i>Cliffordia bicolor</i> (Gardner) Livera	559
<i>fruticosa</i> L.	212	<i>Clinogyne dichotoma</i> (Roxb.) Salisb.	494
gynandra L.	221	var. <i>virgata</i> (Roxb.) Benth.	494
monophylla L.	221	<i>Clinopodium martinicense</i> Jacq.	363
rutidosperma DC.	221	Clitoria L.	414
simplicifolia Hook.f. & Thomson	221	ternatea L.	414
<i>speciosa</i> Kunth	214	var. <i>pilosula</i> (Benth.) Baker	414
<i>tenella</i> L.f.	221	<i>virginiana</i> L.	413
<i>viscosa</i> L.	222	<i>Clompanus populifolia</i> (Roxb.) Kuntze	487
<i>Cleophora commersonii</i> (J.F.Gmel.) O.F.Cook	120	Clusia L.	222
<i>loddigesii</i> (Mart.) O.F.Cook	120	var. <i>rosea</i> Jacq.	222
<i>lontaroides</i> Gaertn.	120	Clusiaceae	222
Cleoserrata H.H.Iltis	214	<i>Clutia androgyna</i> L.	578
speciosa (Raf.) Iltis	214	<i>collina</i> Roxb.	570
Clerodendrum L.	355	<i>monoica</i> Lour.	570
<i>aculeatum</i> (L.) Schltdl.	377	<i>montana</i> Roxb.	569
<i>aurantium</i> G.Don	357	<i>patula</i> Roxb.	570
<i>balfourii</i> (B.D.Jacks. ex Dombrain) Dombrain	357	<i>scandens</i> Roxb.	569
		<i>stipularis</i> L.	569
		<i>Cluytia retusa</i> L.	569

<i>spinosa</i> Roxb.	569	<i>secundum</i> Lindl.	551
<i>squamosa</i> Lam.	569	Coelogyne Lindl.	533
<i>Clypea hernandifolia</i> Wight & Arn.	503	<i>angustifolia</i> Wight	533
<i>Clytostoma callistegioides</i> (Cham.) Bureau	186	breviscapa Lindl.	533
<i>noterophilum</i> (Mart. ex DC.) Bureau & K.Schum.	186	<i>corrugata</i> Wight	533
<i>Cnemidia angulosa</i> Lindl.	556	cristata Lindl.	533
<i>Cnemidostachys chamaelea</i> (L.) Spreng.	336	<i>imbricata</i> (Lindl.) Rchb.f.	552
<i>linearifolia</i> Miq.	336	nervosa A.Rich.	533
Coccinia Wight & Arn.	260	odoratissima Lindl.	533
<i>cordifolia</i> (L.) Cogn.	261	Coelorachis Brongn.	607
var. <i>wightiana</i> (M.Roem.) Cogn.	260	clarkei (Hack.) Blatt. & McCann	607
grandis (L.) Voight	260	Coffea L.	688
var. <i>wightiana</i> (M.Roem.) Greb.	260	arabica L.	688
<i>indica</i> Wight & Arn.	260	canephora Pierre ex A.Froehner	688
<i>palmata</i> M.Roem.	263	neobridsoniae A.P.Davis	688
<i>wightiana</i> M.Roem.	260	<i>robusta</i> L.Linden	688
Coccothrinax Sarg.	118	travancorensis Wight & Arn.	688
barbadensis (Lodd. ex Mart.) Becc.	118	wightiana Wall. ex Wight & Arn.	688
Cocculus DC.	502	Coix L.	608
<i>burmannii</i> DC.	503	<i>barbata</i> Roxb.	604
<i>cordifolius</i> (Willd.) DC.	504	<i>gigantea</i> J.Koenig	604
<i>glaucescens</i> Blume	503	<i>koenigii</i> Spreng.	604
hirsutus (L.) W.Theob.	502	lacryma-jobi L.	608
laurifolius DC.	502	var. <i>gigantea</i> (J.Koenig) Hook.f.	604
<i>leaebe</i> (Delile) DC.	502	Cola Schott & Endl.	479
<i>macrocarpus</i> Wight & Arn.	503	acuminata (P.Beauv.) Schott & Endl.	479
pendulus (J.R.Forst. & G.Forst.) Diels	502	Colchicaceae	223, 766
<i>villosus</i> DC.	502	Coldenia L.	193
Cochlospermum Kunth	193	procumbens L.	193
<i>gossypium</i> DC.	193	Colea Bojer ex Meiss.	187
religiosum (L.) Alston	193	colei (Bojer ex Hook.) M.L.Green	187
<i>Cochranea anchusifolia</i> (Poir.) Gurke	197	<i>mauritiana</i> Bojer ex DC.	187
Cocos L.	118	Colebrookea Sm.	357
<i>indica</i> Royle	118	oppositifolia Sm.	357
<i>nana</i> Griff.	118	<i>ternifolia</i> Roxb.	357
<i>normanbyi</i> W.Hill	121	<i>Coleogeton pectinatus</i> (L.) Les & R.R.Haynes	674
nucifera L.	118	<i>Coleus amboinicus</i> Lour.	368
<i>romanzoffiana</i> Cham.	124	<i>aromaticus</i> Benth.	368
<i>schizophylla</i> Mart.	124	<i>barbatus</i> (Andrews) Benth. ex G.Don	368
Codariocalyx Hassk.	414	<i>blumei</i> Benth.	370
motorius (Houtt.) H.Obashi	414	<i>caninus</i> (Roth) Vatke	368
Codiaeum A.Juss.	321	<i>crassifolius</i> Benth.	368
<i>umbellatus</i> (Willd.) Muell.-Arg.	320	<i>glabratus</i> Benth.	368
variegatum (L.) Rumph. ex A.Juss.	321	<i>heynei</i> Benth.	368
<i>Codivalia lappacea</i> (L.) Raf.	65	<i>leptostachys</i> Benth.	369
<i>Codonachne neesiana</i> Wight & Arn.	659	<i>macraei</i> Benth.	369
Coelachne R. Br.	607	<i>malabaricus</i> Benth.	369
<i>meeboldii</i> C.E.C.Fisch.	638	<i>mollis</i> Benth.	368
minuta Bor	607	<i>ovatus</i> Benth.	369
<i>pulchella</i> auct. non R. Br.	607	<i>paniculatus</i> Benth.	368
var. <i>gardneri</i> Hook.f.	607	<i>parviflorus</i> Benth.	369
var. <i>simpliciuscula</i> (Wight & Arn. ex Steud.) Hook. f.	607	<i>rugosus</i> Benth.	369
var. <i>spicata</i> Hook.f.	607	<i>scutellarioides</i> (L.) Benth.	370
simpliciuscula (Wight & Arn. ex Steud.) Munro ex Benth.	607	var. <i>blumei</i> (Benth.) Miq.	370
var. <i>spicata</i> (Hook.f.) Panigrahi	607	<i>spicatus</i> Benth.	368
<i>Coelachyropsis lagopoides</i> Bor	607	<i>tuberosus</i> (Blume) Benth.	369
Coelachyrum Hochst. & Nees	607	<i>urticifolius</i> Benth.	368
lagopoides (Burm.f.) Senaratna	607	<i>walkeri</i> Benth.	369
<i>Coeloglossum densum</i> Lindl.	550	<i>wightii</i> Benth.	368
<i>luteum</i> Dalzell	544	Colocasias Schott	106
		<i>aethiopica</i> (L.) Link	112

affinis Schott	106	indehiscens E.Barnes	228
<i>antiquorum</i> Schott	107	<i>japonica</i> Thunb.	233
<i>cucullata</i> (Lour.) Schott	103	<i>kurzii</i> C.B.Clarke	229
esculenta (L.) Schott	107	<i>lanuginosa</i> B.Heyne ex Hook.f.	234
<i>fornicata</i> (Roxb.) Kunth	103	longifolia Lam.	229
<i>indica</i> (Lour.) Kunth	103	<i>longifolia</i> Thwaites	229
<i>macrorrhizos</i> (L.) Schott	103	<i>lunata</i> B.Heyne ex C.B.Clarke	228
<i>montana</i> (Roxb.) Kunth	103	maculata Edgew.	229
<i>rapiformis</i> (Roxb.) Kunth	103	<i>montana</i> Steud.	232
<i>vivipara</i> (Roxb.) Thwaites	110	<i>nilagirica</i> Steud. ex C.B.Clarke	228
<i>Colocynthis citrullus</i> var. <i>fistulosus</i> (Stocks) Chakrav.	258	<i>nimmoniana</i> J.Graham ex C.B.Clarke	235
<i>vulgaris</i> Schrad.	259	<i>nudiflora</i> auct. non L. 1753; C.B.Clarke	228
Colubrina Rich. ex Brongn.	679	<i>nudiflora</i> L.	234
asiatica (L.) Brongn.	679	<i>obliqua</i> Buch.-Ham. ex D.Don	229
<i>Columnea chinensis</i> Osbeck	584	var. <i>mathewii</i> C.B.Clarke	229
<i>heterophylla</i> Roxb.	584	var. <i>viscida</i> C.B.Clarke	229
<i>longifolia</i> L.	459	paleata Hassk.	229
<i>minuta</i> Roxb.	463	paludosa Blume	229
Colvillea Bojer	389	var. <i>viscida</i> (C.B.Clarke) R.S.Rao & Kammathy	229
racemosa Bojer	389	<i>rajmahlensis</i> C.B.Clarke	227
Combretaceae	224, 766	<i>repens</i> Roxb. & H.Heyne ex C.B.Clarke	227
Combretum Loefl.	225, 766	<i>rugulosa</i> C.B.Clarke	229
<i>albidum</i> G.Don	225	<i>salicifolia</i> Roxb.	229
coccineum (Sonn.) Lam.	225	<i>scaberrima</i> Blume	236
<i>extensum</i> Roxb. ex G. Don	225	<i>scapiflora</i> Roxb.	233
indicum (L.) DeFilipps	225	<i>secundiflora</i> Blume	236
latifolium Blume	225	<i>simplex</i> Vahl	235
malabaricum (Bedd.) Sujana, Ratheesh & Anil Kumar	225	<i>simsonii</i> C.B.Clarke	229
ovalifolium Roxb.	225	<i>spirata</i> L.	235
<i>pilosum</i> subsp. <i>razianum</i> (K.G.Bhat) Chakrab. & P. G.		<i>striata</i> Edgew.	229
Diwakar	225	subulata Roth	229
razianum K. G. Bhat	225, 766	suffruticosa Blume	229
shivannae Gholave, Kambale, Lekhak & S.R.Yadav	225, 765	undulata R.Br.	229
Commelina L.	227, 765	var. <i>setosa</i> C.B.Clarke	228
attenuata K.D.Koenig ex Vahl	227	<i>vaginata</i> L.	235
<i>axillaris</i> L.	230	<i>violacea</i> C.B.Clarke	229
badamica Nandikar & Gurav	227, 765	<i>zebrina</i> C.B.Clarke	237
benghalensis L.	227	Commelinaceae	227, 765
caroliniana Walter	228	<i>Commicarpus boissieri</i> (Heimerl) Cufod.	518
clavata C.B.Clarke	228	<i>chinensis</i> (L.) Heimerl	518
var. <i>attenuata</i> (K.D.Koenig ex Vahl) Trimen	227	<i>repandus</i> (Willd.) Standl.	518
var. clavata	228	Commiphora Jacq.	204
var. clavatoides Nandikar & Gurav	228	berryi (Arn.) Engl.	204
var. <i>hohenackeri</i> C.B.Clarke	228	caudata (Wight & Arn.) Engl.	204
<i>clavatoides</i> Nampy & S. Joseph	228	<i>mukul</i> (Hook. ex Stocks) Engl.	204
coelestis Willd.	228	wightii (Arn.) Bhandari	204
<i>communis</i> auct. non L.	228	Conchidium Griff.	533
<i>cristata</i> L.	230	braccatum (Lindl.) Brieger	533
diffusa Burm.f.	228	filiforme (Wight) Rauschert	533
<i>diffusa</i> Zoll. ex C.B.Clarke	228	<i>jerdonianum</i> (Wight) Rauschert	536
<i>edulis</i> Stokes	233	microchilos (Dalzell) Rauschert	534
<i>elata</i> Vahl	233	nanum (A.Rich.) Brieger	534
ensifolia R.Br.	228	Congea Roxb.	357
var. <i>pubescens</i> C.B.Clarke	228	<i>involutum</i> (Roxb.) Wall.	375
erecta L.	228	tomentosa Roxb.	357
<i>esculenta</i> B.Heyne ex Hook.f.	233	<i>villosa</i> (Roxb.) Voigt	357
forsskalii Vahl	228	Connaraceae	237
<i>gigantea</i> Vahl	233	Connarus L.	237
<i>hasskarlii</i> C.B.Clarke	228	monocarpus L.	237
<i>herbacea</i> Roxb.	233	<i>paniculatus</i> sensu Kesh. Murthy & Yogan	237
hirsuta (Wight) C.B.Clarke	228	<i>ritchiei</i> Hook. f.	237

<i>roxburghii</i> Hook. & Arn.	237	<i>heptaphyllus</i> Rottler	245
<i>santaloides</i> Vahl	237	<i>hispidus</i> Vahl	246
sclerocarpus (Wight & Arn.) Schellenb.	237	<i>imperati</i> Vahl	246
wightii Hook. f.	237	<i>indicus</i> Burm.	247
<i>Conobea indica</i> Spreng.	584	<i>involucratus</i> Ker Gawl.	243
<i>Conocarpus latifolius</i> Roxb. ex DC.	224	<i>lasiospermus</i> Vis.	250
<i>Conocephalus niveus</i> Wight	740	<i>littoralis</i> L.	246
<i>Conoclinium ianthinum</i> C.Morren	141	<i>luteolus</i> (Jacq.) Spreng.	246
<i>Conophallus bulbifer</i> (Roxb.) Schott.	104	<i>macranthus</i> Kunth	251
<i>commutatus</i> Schott	104	<i>malabaricus</i> L.	243
Consolida Gray	678	<i>malcolmii</i> Roxb	241
ajacis (L.) Schur	678	<i>marginatus</i> Desr.	247
<i>ambigua</i> (L.) P.W.Ball & Heywood	678	<i>maritimus</i> Desr.	249
<i>Convallaria fruticosa</i> L.	131	<i>martinicensis</i> Jacq.	238
Convolvulaceae	238	<i>munitus</i> Wall.	242
Convolvulus L.	241	<i>muricatum</i> G.Don	243
<i>acetosellifolius</i> Desr.	252	<i>muricatus</i> L.	248
<i>acetosifolius</i> Vahl	246	<i>nervosus</i> Burm. f.	239
<i>aculeatus</i> var. <i>bona-nox</i> (L.) Kuntze	243	<i>nil</i> L.	248
<i>acuminatus</i> Vahl	247	<i>nummularius</i> L.	243
<i>adansonii</i> Desr.	244	<i>obscurus</i> L.	248
<i>alsinoides</i> L.	243	<i>paniculatus</i> L.	248
<i>anceps</i> L.	253	<i>parasiticus</i> Kunth	249
<i>angularis</i> Burm.f.	240	<i>parviflorus</i> Vahl	251
arvensis L.	241	<i>pedatus</i> Roxb.	250
<i>asarifolius</i> Desr.	244	<i>pentagonus</i> Roxb.	240
<i>batatas</i> L.	244	<i>pentanthus</i> Jacq.	251
<i>bellus</i> Spreng.	245	<i>pentaphyllus</i> L.	242
<i>bicolor</i> Vahl	243	<i>pes-caprae</i> L.	249
<i>biflorus</i> L.	245	<i>pes-tigridis</i> (L.) Spreng.	249
<i>bilobatus</i> Roxb.	249	<i>phoeniceus</i> (Roxb.) Spreng.	246
<i>blandus</i> Roxb.	240	<i>pileatus</i> (Roxb.) Spreng.	249
<i>bona-nox</i> (L.) Spreng.	243	<i>pinnatus</i> Desr.	249
<i>bracteatus</i> Vahl	243	<i>platypeltis</i> Zipp. ex Span.	254
<i>cairicus</i> L.	245	<i>purpureus</i> L.	249
<i>calycinus</i> Roxb.	245	<i>quamoclit</i> (L.) Spreng.	249
<i>campanulatus</i> (L.) Spreng.	254	<i>quinquefolius</i> (L.) L.	242
<i>candicans</i> Soland. ex Sims	244	<i>reniformis</i> Roxb.	252
<i>candicans</i> auct. non Roth	253	<i>repens</i> Vahl	244
<i>candicans</i> Roth	254	<i>rothii</i> Spreng.	240
<i>chinensis</i> Ker Gawler	241	rottlerianus Choisy	241
<i>chryseides</i> (KerGawler) Spreng.	252	<i>rubrocaeruleus</i> (Hook.) Dietrich	250
<i>coeruleus</i> Schum. & Thonn.	251	<i>rufescens</i> Choisy	252
<i>congestus</i> (R.Br.) Spreng.	247	<i>semidigynus</i> Roxb.	240
<i>copticus</i> L.	245	<i>sessiliflorus</i> (Roth) Spreng.	246
<i>corymbosus</i> L.	254	<i>setosus</i> Wall.	251
<i>cuneatus</i> Willd.	238	<i>sinensis</i> Desr.	245
<i>cymosus</i> Desr.	240	<i>speciosus</i> L. f.	239
<i>dasyspermus</i> Spreng.	250	<i>stipulaceus</i> Roxb.	247
<i>dentatus</i> Vahl	252	<i>stipulatus</i> Desr.	245
<i>denticulatus</i> Desr.	247	<i>stocksii</i> auct. non Boiss.	241
<i>dichrous</i> Roem. & Schult.	244	<i>sublobatus</i> L. f.	243
<i>digitatus</i> Roxb.	245	<i>tarita</i> Buch.-Ham. ex Wall.	254
<i>dissectus</i> Jacq.	242	<i>thoningii</i> Schumach. & Thonn.	245
<i>edulis</i> Thunb.	244	<i>tiliifolius</i> Desr.	254
<i>eriocarpus</i> (R.Br.) Spreng.	246	<i>tridentatus</i> L.	254
<i>flavus</i> Willd.	252	<i>trilobus</i> (L.) Desr.	250
<i>gangeticus</i> Roxb.	254	<i>triqueter</i> Vahl	253
<i>grandiflorus</i> Jacq.	251	<i>tuba</i> Schltdl.	251
<i>hardwickii</i> Spreng.	245	<i>tuberculatus</i> Desr.	245
<i>hederaceus</i> L.	248	<i>turpethum</i> L.	253

<i>umbellatus</i> L.	240	trilocularis L.	480
<i>uniflorus</i> Burm. f.	238	urticifolius Wight & Arn.	480
<i>verrucosus</i> (Blume) D. Dietr.	247	<i>Corculum leptopus</i> Stuntz	668
<i>vitifolius</i> Burm. f.	242	Cordia L.	194
<i>wightii</i> Wall.	251	alba (Jacq.) Roem. & Schult.	194
Conyza Less., nom. cons.	149	<i>angustifolia</i> Roxb.	195
<i>adenocarpa</i> Dalzell & A.Gibson	149	<i>coromandeliana</i> Retz. ex A.DC.	197
<i>alata</i> (D.Don) Roxb.	163	<i>cuneata</i> B.Heyne ex A.DC.	195
<i>angustifolia</i> Buch.-Ham. ex Roxb.	149	dichotoma G.Forst.	194
<i>anthelmintica</i> L.	168	domestica Roth	194
<i>aurita</i> L.f.	169	var. <i>evolutior</i> (C.B.Clarke) M.R.Almeida	194
<i>axillaris</i> Lam.	142	<i>evolutior</i> (C.B.Clarke) Gamble	194
<i>balsamifera</i> L.	142	<i>fulvosa</i> Wight	194
<i>bifoliata</i> L.	142	var. <i>evolutior</i> C.B.Clarke	194
bonariensis (L.) Cronquist	149	<i>furcans</i> I. M. Johnst.	193
<i>bovei</i> DC.	152	<i>gharaf</i> Ehrenb. ex Asch.	195
<i>canadensis</i> (L.) Cronquist	155	<i>griffithii</i> C.B.Clarke	194
<i>canadensis</i> (L.) Cronquist	155	<i>indica</i> Lam.	194
<i>cinerea</i> L.	151	<i>latifolia</i> Roxb.	194
<i>crispata</i> Vahl	163	<i>lowriana</i> Brandis	194
<i>diffusa</i> Roxb.	169	macleodii Hook.f. & Thomson	194
<i>fistulosa</i> Roxb.	143	monoica Roxb.	194
<i>floribunda</i> Kunth	155	myxa L.	195
<i>hieraciifolia</i> Spreng.	143	var. <i>domestica</i> (Roth) C.B.Clarke	194
<i>hirsuta</i> L.	143	nevillei Alston	195
japonica (Thunb.) Less. ex DC.	149	<i>obliqua</i> Willd.	194
<i>lacera</i> Burm. f.	144	var. <i>wallichii</i> (G.Don) C.B.Clarke	194
var. <i>wallichii</i> (DC.) DC. ex Miq.	144	<i>officinalis</i> Lam.	195
var. <i>wightiana</i> (DC.) DC. ex Miq.	144	<i>paniculata</i> Roth	195
<i>laciniata</i> Wall. ex Roxb.	145	perrottetii Wight	195
<i>laeta</i> C.B.Clarke	137	<i>reticulata</i> Roth	195
<i>lanceolaria</i> Roxb.	144	<i>retusa</i> Vahl	197
leucantha (D.Don) Ludlow & P.H.Raven	149	<i>rothii</i> Roem. & Schult.	195
<i>membranacea</i> Wall. ex DC.	169	sebestena L.	195
<i>natans</i> Buch.-Ham. ex Hook. f.	144	<i>sebestena</i> Forssk.	195
<i>necessaria</i> Buch.-Ham. ex DC.	144	sinensis Lam.	195
<i>paniculata</i> Willd.	169	<i>subopposita</i> A.DC.	195
stricta Willd.	149	<i>thyrsiflora</i> Siebold & Zucc.	196
sumatrensis (Retz.) E. Walker	149	<i>wallichii</i> G.Don	194
var. <i>floribunda</i> (Kunth) J.B.Marshall	155	<i>Cordyla discolor</i> Blume	547
<i>viscidula</i> Wall. ex DC.	149	Cordyline Comm. ex R. Br.	130
<i>viscosa</i> Mill.	169	australis (G.Forst.) Endl.	130
Copaifera L.	405	<i>cylindrica</i> (Bojer ex Hook.) Britton	135
officinalis L.	405	<i>hyacinthoides</i> (L.) W.Wight	135
<i>Copaiva officinalis</i> (L.) Jacq.	405	<i>marginata</i> (Lam.) Endl.	132
<i>Copernicia barbadensis</i> (Lodd. ex Mart.) H.Wendl.	118	<i>reflexa</i> (Lam.) Endl.	131
Corallocarpus Welw. ex Benth. & Hook. f.	260	<i>roxburghiana</i> (Schult. & Schult.f.) Merr.	135
conocarpus (Dalzell & A.Gibson) Hook.f.	260	stricta (Sims) Endl.	130
epigaeus (Rottler) Hook.f.	260	terminalis (L.) Kunth	131
<i>gracilipes</i> (Naudin) Cogn.	260	Coreopsis L.	149
<i>palmaris</i> Cogn.	260	<i>acmella</i> (L.) E.H.L.Krause	142
<i>Corallodendron suberosum</i> (Roxb.) Kuntze	427	aristosa Michx.	149
Corbichonia Scop.	465	<i>artemisiaefolia</i> Jacq.	150
decumbens (Forssk.) Exell	465	<i>atkinsoniana</i> Douglas ex Lindl.	149
Corchorus L.	479	<i>bitermata</i> Lour.	141
<i>acutangulus</i> Lam.	479	tinctoria Nutt.	149
aestuans L.	479	var. <i>atkinsoniana</i> (Douglas ex Lindl.) H.M.Parker ex	
capsularis L.	479	E.B.Sm.	149
fascicularis Lam.	479	var. atropurpurea Hook.	150
olitorius L.	479	var. tinctoria	150
tridens L.	479	Coriandrum L.	77

sativum L.	77	<i>lanceolata</i> Forssk.	257
<i>Coridochloa cimicina</i> (L.) Nees	589	<i>pinnata</i> Lam.	256
<i>semialata</i> (R.Br.) Nees	590	<i>rupestris</i> Salisb.	258
Cornaceae	255	<i>Couralia rosea</i> (Bertol.) Donn.Sm.	192
<i>Cornus gharaf</i> Forssk.	195	Couroupita Aubl.	384
<i>Cornutia corymbosa</i> Burm.f.	373	guianensis Aubl.	384
<i>Coronilla aculeata</i> Willd.	444	<i>Courtoisia cyperoides</i> (Roxb.) Nees	271
<i>coccinea</i> (L.f.) Willd.	444	Courtoisina J. Sojak	271
<i>grandiflora</i> (L.) Willd.	444	cyperoides (Roxb.) Soják	271
<i>Coronopus didymus</i> (L.) Sm.	201	<i>Covellia macrophylla</i> Miq.	507
Corymbia K. D. Hill & L. A. S. Johnson	513	<i>Cracca purpurea</i> L.	448
citriodora (Hook.) K.D.Hill & L.A.S.Johnson	513	<i>tintoria</i> L.	449
maculata (Hook.) K.D.Hill & L.A.S.Johnson	513	<i>villosa</i> L.	449
<i>Corymborkis acuminata</i> (D.Don) M.R.Almeida	534	<i>Crassandra axillaris</i> Nees	30
<i>versicolor</i> (Lindl.) M.R.Almeida	546	<i>infundibuliformis</i> var. <i>axillaris</i> (Nees) Trimen	30
Corynandra Schrad. ex Spreng.	221	<i>Crassina angustifolia</i> (Kunth) Kuntze	178
chelidonii (L.f.) Cochrane & Iltis	221	<i>linearis</i> (Benth.) Kuntze	178
felina (L.f.) Cochrane & Iltis	222	Crassocephalum Moench	151
viscosa (L.) Cochrane & Iltis	222	<i>aurantiacum</i> (Blume) Kuntze	160
<i>Corynophallus hohenackeri</i> (Schott) Kuntze	104	crepidioides (Benth.) S. Moore	151
Corypha L.	118	<i>cusimbua</i> (D.Don) Kuntze	160
<i>minor</i> Jacq.	124	<i>sonchifolium</i> (L.) Less.	154
<i>palmetto</i> Walter	124	Crassula L.	257
<i>rotundifolia</i> Lam.	121	schimperii Fisch. & C.A.Mey.	257
umbraculifera L.	118	Crassulaceae	256
utan Lam.	119	Crateva L.	214
<i>Coryza ambigua</i> DC.	149	<i>magna</i> (Lour.) DC.	214
Coscinium Colebr.	503	<i>marmelos</i> L.	713
fenestratum (Gaertn.) Colebr.	503	nurvala Buch.-Ham.	214
<i>Cosmea caudata</i> (Kunth) Spreng.	150	<i>religiosa</i> G.Forst. var. <i>nurvula</i> (Buch.-Ham.) Hook.f. & Thomson	214
<i>sulphurea</i> (Cav.) Willd.	150	var. <i>nurvula</i> (Buch.-Ham.) Hook.f. & Thomson	214
Cosmos Cav.	150	Crepidium Tausch	534
<i>artemisiifolius</i> (Jacq.) M.R.Almeida	150	acuminatum (D.Don) Szlach.	534
bipinnatus Cav.	150	<i>plantagineum</i> (Hook. & Am.) M.A.Clem. & D.L.Jone	534
<i>calvus</i> non Sherff	150	resupinatum (G.Forst.) Szlach.	534
caudatus Kunth	150	<i>Crepis acaulis</i> (Roxb.) Hook. f.	164
steenisiae Veldkamp	150	<i>japonica</i> (L.) Benth.	178
sulphureus Cav.	150	Crescentia L.	187
Cosmostigma Wight	88	cujete L.	187
<i>acuminatum</i> Wight	88	<i>pinnata</i> Jacq.	189
cordatum (Poir.) M.R.Almeida	88	Cressa L.	241
<i>racemosum</i> (Roxb.) Wight	88	cretica L.	241
Costaceae	256	Crinum L.	66
Costus L.	256	× amabile Donn ex Ker Gawl.	66
<i>cuspidatus</i> (Nees & Mart.) Maas	256	var. <i>augustum</i> (Roxb.) Ker Gawl.	66
<i>igneus</i> N.E.Br.	256	× <i>augustum</i> Roxb.	66
<i>malaccensis</i> J. König	755	× <i>superbum</i> Roxb.	66
pictus D.Don	256	amoenum Ker Gawl. ex Roxb.	66
<i>speciosus</i> (J.Koenig) Sm.	256	asiaticum L.	66
Cottonia Wight	534	<i>defixum</i> Ker Gawl.	66
<i>championii</i> Lindl.	538	var. <i>ensifolium</i> (Roxb. ex Ker Gawl.) Baker	66
<i>macrostachya</i> Wight	534	<i>elegans</i> Carey ex Herb.	66
peduncularis (Lindl.) Rchb.f.	534	<i>ensifolium</i> Roxb. ex Ker Gawl.	66
Cotula L.	150	<i>himalense</i> Royle	66
australis (Sieber ex Spreng.) Hook. f.	150	latifolium L.	66
<i>chrysanthemifolia</i> Blume	152	<i>longifolium</i> Roxb. ex Ker Gawl.	66
coronopifolia L.	150	lorifolium Roxb. ex Ker Gawl.	66
<i>maderaspatana</i> (L.) Willd.	159	<i>moluccanum</i> Roxb. ex Ker Gawl.	66
turbinata L.	150	moorei Hook.f.	66
<i>Cotyledon integra</i> Medik.	257	<i>pratense</i> Herb.	66
<i>laciniata</i> L.	257		

<i>roxburghii</i> Dalzell & Gibson	66	<i>nana</i> Burm.f.	418
viviparum (Lam.) R.Ansari & V.J.Nair	66	<i>neglecta</i> Wight & Arn.	417
var. <i>ensifolium</i> (Roxb. ex Ker Gawl.) R.Ansari & V.J.Nair	66	obecta Wight & Arn.	418
<i>Cristaria coccinea</i> Sonn.	225	var. glabrescens (Benth.) Baker	418
<i>Croixia elliptica</i> (Dalzell) Baehni	727	var. obecta	418
Crossandra Salisb.	30	orixensis Willd.	418
infundibuliformis (L.) Nees	30	<i>ovalifolia</i> Fyson	419
<i>undulifolia</i> Salisb.	30	pallida Aiton	418
Crotalaria L.	414, 768	paniculata Willd.	418
acicularis Benth.	414	peduncularis Wight & Arn.	418
alata D.Don	414	priestleyoides Baker	419
albida Roth	414	prostrata Willd.	419
var. albida	414	<i>pulcherrima</i> Roxb. ex Sims	419
var. kangrensis A.A.Ansari	414	<i>pulcherrima</i> Roxb.	419
<i>anagyroides</i> Kunth	418	pulchra Andrews	419
angulata Mill.	415	pusilla Heyne ex Roth	419
berteroana DC.	415	quinquefolia L.	419
bifaria L.f.	415	ramosissima Roxb.	419
<i>biflora</i> L.	415	<i>ramosissima</i> Baker	416
calycina Schrank	415	retusa L.	419
chinensis L.	415	<i>rubiginosa</i> Baker	419
digitata Kook	415	var. <i>scabrella</i> (Wight & Arn.) Baker	419
dubia Graham ex Benth.	415	salicifolia Wight & Arn.	419
<i>elegans</i> Bedd.	418	sandoorensis Gamble	419, 768
epunctata Dalzell	415	scabrella Wight & Arn.	419
evolvuloides Benth.	415	<i>semperflorens</i> Vent.	420
var. acutifolia Gamble	415	var. <i>walkerii</i> (Arn.) Baker	420
var. evolvuloides	415	<i>sericea</i> Retz.	420
ferruginea Benth.	415	speciosa Roth	419
filipes Benth.	416	spectabilis Roth	420
var. filipes	416	<i>striata</i> DC.	418
var. trichophora (Baker) T.Cooke	416	var. <i>acutifolia</i> Trimen	418
<i>fulva</i> Roxb.	415	<i>trichophora</i> Baker	416
<i>glabrescens</i> Benth.	418	triquetra Dalzell	420
goreensis Guill. & Perr.	416	umbellata Wight & Arn.	420
hebecarpa (DC.) Rudd	416	verrucosa L.	420
<i>herniarioides</i> Wight & Arn.	417	vestita Baker	420
heyneana Wight & Arn.	416	walkerii Arn.	420
hirsuta Willd.	416	<i>wallichianum</i> Wight & Arn.	420
huillensis Taub.	416	Croton L.	321
humifusa Benth.	416	aromaticus L.	321
incana L.	416	var. <i>lacciferus</i> (L.) Trimen	322
junceae L.	417	<i>asper</i> J.König ex Roxb.	320
laburnifolia L.	417	bonplandianus Baill.	321
laevigata Lam.	417	<i>boragatch</i> Roxb. ex Wall.	322
leptostachya Benth.	417	<i>cardiospermus</i> Gaertn.	567
<i>leschenaultii</i> DC.	420	caudatus Geiseler	322
linifolia L.f.	417	var. <i>denticulatus</i> Müll.Arg.	322
lutescens Dalzell	417	var. <i>klotzschianus</i> Müll.Arg.	322
<i>macrophylla</i> Willd.	428	var. <i>obovoideus</i> N.P.Balakr. & Chakrab.	322
<i>macrostipula</i> Steud. ex A. Rich.	416	<i>denticulatus</i> Blume	322
madurensis Wight & Arn.	417	<i>drupaceus</i> Roxb.	322
medicaginea Lam.	417	<i>elaecarpifolius</i> Wall.	322
var. herniarioides (Wight & Arn.) Baker	417	gibsonianus Nimmo	322
var. medicaginea	417	<i>gibsonii</i> J.Graham	323
var. neglecta (Wight & Arn.) Baker	417	<i>glandulosus</i> var. <i>hirtus</i> (L'Her.) Mull.Arg.	322
micans Link	418	<i>hastatus</i> Burm.f.	320
montana Roth	418	<i>hastatus</i> L.	338
<i>mucronata</i> Desv.	418	<i>himalaicus</i> D.G.Long	323
mysorensis Roth	418	hirtus L'Hér.	322
		<i>hypoleucus</i> Dalzell	323

<i>jamalgota</i> Buch.-Ham.	323	<i>dalzellii</i> Schott	107
klotzschianus (Wight) Thwaites	322	<i>elata</i> Griff.	107
laccifer L.	322	<i>huegelii</i> Schott	107
lawianus Nimmo ex Dalzell & A.Gibson	322	<i>meeboldii</i> Engl.	108
malabaricus Bedd.	322	<i>ovata</i> (L.) Schott	109
<i>malvifolius</i> Griff.	322	retrospiralis (Roxb.) Kunth	107
<i>moluccanus</i> L.	331	<i>roxburghiana</i> (Voigt) Schott	107
<i>nervosus</i> Rottler	335	sivadasanii Bogner	107
<i>oblongifolius</i> Roxb.	322	spiralis (Retz.) Fisch. ex Wydler	107
<i>officinalis</i> (Klotzsch) Alston	323	var. cognatoides (Blatt. & McCann) S.R.Yadav,	
<i>pavana</i> Buch.-Ham.	323	K.S.Patil & Bogner	108
<i>pendulus</i> Hassk.	337	var. spiralis	108
persimilis Mull.Arg.	322	<i>tortuosa</i> Blatt. & McCann	107
<i>philippensis</i> Lam.	334	<i>unilocularis</i> (Roxb.) Schott	107
<i>plicatus</i> Vahl	320	<i>wightii</i> Schott	107
<i>polyandrus</i> Roxb.	319	Cryptolepis R. Br.	88
<i>ramiflorus</i> J.Graham	323	<i>buchananii</i> Roem. & Schult.	88
<i>repandus</i> Rottler ex Willd.	335	dubia (Burm.f.) M.R.Almeida	88
<i>reticulatus</i> Willd.	335	<i>elegans</i> Wall. ex G. Don	89
<i>rhamnifolius</i> Rottler ex Willd.	335	grandiflora Wight	89
rheedei J.Graham	323	sinensis (Lour.) Merr.	89
<i>rhombifolius</i> Willd.	335	<i>Cryptophragmium canescens</i> Nees	34
<i>rotleri</i> Geiseler	321	<i>cordifolium</i> Nees	24
<i>roxburghii</i> Wall.	319	<i>elongatum</i> (Vahl) Nees	24
<i>roxburghii</i> N.P.Balakr.	322	<i>glabrum</i> Dalzell	35
<i>salicifolius</i> Geiseler	332	<i>latifolium</i> Dalzell	35
<i>solanifolius</i> Burm.	319	<i>serrulatum</i> Nees A.DC.	35
<i>solanifolius</i> Geiseler	319	Cryptostegia R. Br.	89
<i>sparsiflorus</i> Morong	321	grandiflora R. Br.	89
<i>spinousus</i> L.	337	madagascariensis Bojer ex Decne	89
tigilium L.	323	<i>Ctenium digitatum</i> (Roxb.) Spreng.	621
<i>tiliifolius</i> var. <i>aromaticus</i> (L.) Lam.	321	<i>indicum</i> Spreng.	659
<i>tinctorius</i> Burm.f.	320	Ctenolepis Hook.f.	260
<i>umbellatus</i> Dalzell & A.Gibson	320	garcini (L.) C.B.Clarke	260
<i>umbellatus</i> Willd.	320	<i>garcinii</i> (Burm.f.) Benth. & Hook.f.	258
<i>urens</i> L.	338	<i>Cucumella ritchiei</i> (Chakrav.) C.Jeffrey	261
<i>variegatus</i> L.	321	Cucumis L.	261
<i>virbala</i> M.R. Almeida	322	<i>acutangulus</i> L.	264
zeylanicus Mull.Arg.	323	<i>anguinus</i> (L.) L.	267
<i>Crozophyla variegata</i> (L.) Raf.	321	<i>aromaticus</i> Royle	262
<i>Crypsis setulosa</i> (Trin.) Mez	664	<i>callosus</i> (Rottler) Cogn.	262
<i>virginica</i> (L.) Nutt.	659	<i>colocynthis</i> L.	259
<i>Cryptanthus chinensis</i> Osbeck	355	<i>hardwickii</i> Royle	262
Cryptocarya R. Br.	380, 768	hystrix Chakrav.	261
beddomei Gamble	380	indicus Ghebret. & Thulin	261
<i>bourdillonii</i> Gamble	380	leiospermus (Wight & Arn.) Ghebret. & Thulin	261
<i>floribunda</i> Wight	380	var. leiospermus	261
lawsonii Gamble	380	var. triloba (C.B.Clarke) Sanjappa	261
<i>neilgherrensis</i> Meisn.	380	maderaspatanus L.	261
procera Talbot	380, 768	<i>maderaspatanus</i> L.	261
stocksii Meisn.	380	melo L.	262
wightiana Thwaites	380	var. <i>agrestis</i> Naudin	262
var. <i>lanceolata</i> Meisn.	380	var. <i>saharunporensis</i> Naudin	262
var. <i>parvifolia</i> Meisn.	380	<i>momordica</i> Roxb.	262
<i>Cryptochilus reticulatus</i> (Lindl.) Rchb.f.	553	<i>muriculatus</i> Chakrav.	261
<i>wightii</i> Rchb.f.	553	<i>operculatus</i> Roxb. ex Wight & Arn.	264
Cryptocoryne Fischer ex Wydler	107	<i>pentandrus</i> Roxb. ex Wight & Arn.	265
<i>alata</i> Griff.	107	prophetarum L.	262
ciliata (Roxb.) Fisch. ex Wydler	107	<i>pseudocolocynthis</i> Royle	262
<i>cognatoides</i> Blatt. & McCann	108	<i>pubescens</i> Willd.	262
consobrina Schott	107	<i>pyriformis</i> Roxb. ex Wight & Arn.	262

ritchiei (C.B.Clarke) Ghebret. & Thulin	262	var. <i>vanaharidra</i> Velay., Pandrav., J.K.George & Varapr.	757
sativus L.	262	<i>lutea</i> (R.Ansari, V.J.Nair & N.C.Nair) Amalraj, Velay. & Mural.	756
<i>setosus</i> Cogn.	262	montana Roxb.	757
<i>trigonus</i> Roxb.	262	mukhraniae R.K.Singh & A. Garg	757, 773
<i>tuberosus</i> Roxb. ex Wight & Arn.	265	neilgherrensis Wight	757
<i>turbinateus</i> Roxb.	262	oligantha Trimen	757
<i>utilissimus</i> Roxb.	262	var. <i>lutea</i> (R.Ansari, V.J.Nair & N.C.Nair) K.G.Bhat	756
Cucurbita L.	262	pseudomontana J.Graham	757
<i>acutangula</i> (L.) Blume	264	<i>purpurea</i> Blatt.	757
<i>alba</i> Roxb. ex Wight & Arn.	258	<i>ranadei</i> Prain	757
argyrosperma C.Huber	262	scaposa (Nimmo) Skornick. & M.Sabu	757
<i>citrullus</i> L.	259	<i>thalakaveriensis</i> Velay.	757
<i>dioica</i> Roxb. ex Wight & Arn.	260	zanthorrhiza Roxb.	757
<i>hispida</i> Thunb.	258	zedoaria (Christm.) Roscoe	758
<i>lagenaria</i> L.	264	<i>zedoaria</i> Roxb.	756
maxima Duchesne	262	<i>zerumbet</i> Roxb.	758
var. <i>badagarensis</i> Mudaliar	262	<i>Curio articulatus</i> (L.f.) P.V.Heath	162
moschata Duchesne	263	Cuscuta L.	241
<i>ovifera</i> L.	263	<i>arabica</i> Wight	241
pepo L.	263	<i>boissieri</i> Stocks	241
subsp. ovifera (L.) D.S.Decker	263	campestris Yunc.	241
subsp. pepo	263	<i>carinata</i> R. Br.	241
var. <i>moschata</i> (Duchesne) Duchesne	263	chinensis Lam.	241
var. <i>ovifera</i> (L.) Alef	263	var. <i>carinata</i> (R.Br.) Engelm.	241
<i>perpusilla</i> Blume	268	<i>elatio</i> Choisy	241
<i>pruriens</i> Parkinson	258	<i>hookeri</i> Sweet	241
<i>siceraria</i> Molina	264	hyalina Roth	241
<i>umbellata</i> Klein ex Willd.	264	<i>macrantha</i> G.Don	241
Cucurbitaceae	258	<i>oxypetala</i> Boiss.	241
Cullen Medik.	420	reflexa Roxb.	241
corylifolium (L.) Medik.	420	<i>sulcata</i> Roxb.	241
Cullenia Wight	480	<i>verrucosa</i> Sweet	241
exarillata A.Robyns	480	<i>Cuspidaria callistegioides</i> (Cham.) DC.	186
<i>excelsa</i> Wight	480	Cyamopsis DC.	420
Cuminum L.	77	<i>psoraloides</i> (Lam.) DC.	420
cyminum L.	77	tetragonoloba (L.) Taub.	420
Curculigo Gaertn.	351	<i>Cyananthus pusillus</i> (Miers) Wall.	203
<i>capitata</i> (Lour.) Kuntze	351	<i>Cyanospermum tomentosum</i> (Roxb.) Wight & Arn.	442
<i>finlaysoniana</i> (Baker) Wall. ex Hook.f.	351	Cyanotis D.Don	229
<i>graminifolia</i> Nimmo	351	adscendens Dalzell	229
<i>leptostachya</i> (Wight) Alston	351	arachnoidea C.B.Clarke	230
<i>malabarica</i> Wight	351	var. <i>obtusata</i> Trimen	230
orchioidea Gaertn.	351	var. <i>thwaitesii</i> (Hassk.) R.S.Rao & Kammathy	230
<i>trichocarpa</i> (Wight) Bennet & Raizada	351	arcotensis R.S.Rao	230
Curcuma L.	756, 773	axillaris (L.) D.Don ex Sweet	230
aeruginosa Roxb.	756	var. <i>cucullata</i> (Roth) Nandikar & Gurav	231
amada Roxb.	756	burmanniana Wight	230
var. <i>glabra</i> Velay., Unnikr., Asha & Maya	756	<i>cerifolia</i> R.S.Rao & Kammathy	231
<i>angustifolia</i> auct. non Roxb.	757	<i>concanensis</i> Hassk.	231
aromatica Salisb.	756	cristata (L.) D.Don	230
bhatii (R.M.Sm.) Skornick. & M.Sabu	756, 773	cucullata (Roth) Kunth	231
<i>caesia</i> auct. non Roxb.	756	<i>decumbens</i> Wight	231
cananorensis R. Ansari, V. J. Nair & N. C. Nair	756	fasciculata (B.Heyne ex Roth) Schult. & Schult.f.	231
var. <i>lutea</i> R.Ansari, V.J.Nair & N.C.Nair	756	var. <i>glabrescens</i> C.B.Clarke	231
decipiens Dalzell	756	var. <i>thwaitesii</i> (Hassk.) C.B.Clarke	230
<i>domestica</i> Valetton	757	<i>imbricata</i> (Roxb.) Kunth	230
<i>grahamiana</i> Voigt	757	<i>karliana</i> Hassk.	231
inodora Blatt.	757	<i>lanceolata</i> Wight	231
karnatakensis Amalraj	757, 773	<i>lawiana</i> Wight	231
kudagensis Velay., V.S.Pillai & Amalraj	757, 773		
longa L.	757		

<i>longifolia</i> Wight	231	<i>spathulatum</i> (L.) Moon	556
<i>obtusata</i> (Trimen) Trimen	230	<i>tenuifolium</i> (L.) Willd.	532
<i>papilionacea</i> auct. C.B.Clarke	230	<i>tessellatum</i> (Roxb.) Sw.	557
var. <i>burmanniana</i> (Wight) C.B.Clarke	230	<i>tesselloides</i> Roxb.	557
var. <i>vaginata</i> (Wight) C.E.C.Fisch.	230	Cymbopogon Spreng.	608
pilosa Schult. & Schult.f.	231	<i>caesius</i> (Nees ex Hook. & Arn.) Stapf	608
<i>pilosa</i> Wight	230	<i>citratus</i> (DC.) Stapf	608
<i>rosea</i> Wight	231	<i>coloratus</i> (Hook.f.) Stapf	608
<i>sahyadrica</i> Blatt.	231	<i>confertiflorus</i> (Steud.) Stapf	609
<i>sarmatica</i> Wight	229	flexuosus (Nees ex Steud.) W.Watson	608
<i>sarmentosa</i> Wight	229	var. <i>arunachalis</i> S.C.Nath & K.K.Sarma	608
<i>stocksii</i> Hassk.	231	var. <i>assamensis</i> S.C.Nath & K.K.Sarma	608
<i>thomsonii</i> Hassk.	231	var. <i>sikkimensis</i> Bor	608
<i>thwaitesii</i> Hassk.	230	gidarba (Buch.-Ham. ex Steud.) A.Camus	608
tuberosa (Roxb.) Schult. & Schult.f.	231	<i>glandulosus</i> Spreng.	636
var. <i>adscendens</i> (Dalzell) C.B.Clarke	229	jwarancusa (Jones) Schult.	609
<i>vaginata</i> Wight	230	martini (Roxb.) W.Watson	609
villosa (Spreng.) Schult. & Schult.f.	231	nardus (L.) Rendle	609
<i>vivipara</i> Dalzell	227	var. <i>confertiflorus</i> (Steud.) Stapf ex Bor	609
<i>wightii</i> C.B.Clarke	231	var. <i>flexuosus</i> (Nees ex Steud.) Haines	608
Cyanthillium Blume	151	var. <i>grandis</i> (Nees ex Steud.) Haines	609
cinereum (L.) H. Rob.	151	polyneuros (Steud.) Stapf	609
var. <i>parviflorum</i> (Reinw.) Karthik. & Moorthy	151	<i>prostratus</i> (L.) Sweet	636
Cyathocalyx Champ. ex Hook. f. & Thomson	72	schoenanthus (L.) Spreng.	609
zeylanicus Champ. ex Hook.f. & Thomson	72	<i>strictus</i> (Roxb.) Bojer	613
Cyathocline Cass.	151	<i>travancorensis</i> Bor	608
lutea Law ex Wight	151	<i>Cymburus mutabilis</i> (Jacq.) Salisb.	747
<i>lyrata</i> Cass.	151	<i>urticifolius</i> Salisb.	747
purpurea (D.Don) Kuntze	151	Cynanchum L.	89
Cyathula Blume	63	alatum Wight & Arn.	89
<i>orbiculata</i> Moq.	65	callialatum Buch.-Ham. ex Wight	89
prostrata (L.) Blume	63	<i>capense</i> L.f.	95
<i>Cybbanthera connata</i> Buch.-Ham. ex D.Don	584	<i>cuspidatum</i> Thunb.	90
Cyclea Arn. ex Wight	503	<i>extensum</i> Jacq.	96
<i>arnottii</i> Miers	503	<i>inconspicuum</i> Griff.	89
<i>burmannii</i> (DC.) Hook.f. & Thomson	503	<i>indicum</i> Burm. f.	100
peltata (Lam.) Hook. f. & Thomson	503	<i>inodorum</i> Lour.	91
<i>Cyclonema serratum</i> (L.) Hochst.	373	parviflorum (R.Br.) Alain	89
<i>Cyclostemon confertiflorus</i> Hook.f.	677	<i>pauciflorum</i> R. Br.	89
<i>cuspidatus</i> Blume	210	<i>pyrotechnicum</i> Forssk.	94
<i>macrophyllus</i> var. <i>peninsularis</i> Hook. f.	677	<i>reticulatum</i> Retz.	94
var. <i>sessiliflora</i> Bedd.	677	tunicatum (Retz.) Alston	89
<i>Cydista diversifolia</i> (Kunth) Miers	186	Cynara L.	151
<i>Cylicodaphne floribunda</i> Blume	381	cardunculus L.	151
<i>wightiana</i> Nees	382	scolymus L.	151
<i>Cylista albiflora</i> Sims	442	Cynarospermum Vollesen	30
<i>scariosa</i> Roxb.	439	asperrimum (Nees) Vollesen	30
<i>tomentosa</i> Roxb.	442	<i>Cynoctonum mitreola</i> (L.) Britton	464
<i>villosa</i> Aiton	442	<i>pauciflorum</i> (R.Br.) Decne.	89
Cymbidium Sw.	534	Cynodon Rich.	610
aloefolium Heynh. ex Wall.	534	<i>arcuatus</i> J. Presl	610
<i>aphyllum</i> (Roxb.) Sw.	535	barberi Rang. & Tadul.	610
bicolor Lindl.	535	dactylon (L.) Pers.	610
<i>ensifolium</i> subsp. <i>haematodes</i> (Lindl.) Du Puy & P.J.Cribb ex Govaerts	535	var. <i>intermedius</i> (Rang. & Tadul.) C.E.C. Fisch.	610
var. <i>haematodes</i> (Lindl.) Trimen	535	<i>filiformis</i> (Roxb.) Voigt	637
haematodes Lindl.	535	<i>indicus</i> (L.) Raspail	620
<i>imbricatum</i> (Lindl.) Roxb.	552	<i>intermedius</i> Rang. & Tadul.	610
<i>iridifolium</i> Roxb.	548	radiatus Roth	610
<i>nervosum</i> (Thunb.) Sw.	545	<i>ternatus</i> A.Rich.	616
<i>sinense</i> var. <i>haematodes</i> (Lindl.) Z.J.Liu & S.C.Chen	535	Cynoglossum L.	195, 766
		<i>coelestinum</i> Lindl.	193

<i>denticulatum</i> A.DC.	195	<i>circinatus</i> Ridl.	294
var. <i>zeylanicum</i> C.B.Clarke	195	clarkei T.Cooke	273
<i>edgeworthii</i> A.DC.	195	compactus Retz.	273
<i>furcatum</i> Wall. ex Roxb.	196	var. <i>macrostachys</i> (Boeckeler) Kük.	273
<i>glochidiatum</i> Wall. ex Benth.	195	<i>complanatus</i> (Retz.) Willd.	284
<i>heynei</i> G.Don	196	compressus L.	273
<i>malabaricum</i> (C.B.Clarke) Riedl	193	var. <i>capillaceus</i> C.B.Clarke	273
<i>marifolium</i> Roxb.	198	<i>coromandelinus</i> Spreng.	280
ritchiei C.B.Clarke	195, 766	<i>coromandelinus</i> Boeckeler	295
wallichii G.Don	195	corymbosus Rottb.	273
zeylanicum (Sw. ex Lehm.) Thunb. ex Brand	196	var. <i>pangorei</i> C.B.Clarke	273
Cynometra L.	405	cuspidatus Kunth	274
beddomei Prain	405	var. <i>burchellii</i> C.B.Clarke	274
bourdillonii Gamble	406	<i>cylindrostachyus</i> var. <i>subcompositus</i> (C.B.Clarke)	274
iripa Kostel.	406	Skottsb.	274
<i>ramiflora</i> var. <i>mimosoides</i> Baker	406	cyperinus (Retz.) Suringar	274
travancorica Bedd.	406	var. <i>bengalensis</i> (C.B.Clarke) Kük.	274
<i>Cynosurus aegyptius</i> L.	611	var. <i>laxatus</i> (C.B.Clarke) Kük.	274
<i>coracanus</i> L.	620	var. <i>maximus</i> (C.B.Clarke) Kük.	274
<i>coromandelianus</i> Rottler ex Hook.f.	618	cyperoides (L.) Kuntze	274
<i>dactylon</i> (L.) Pers.	610	subsp. <i>cyperinus</i> (Retz.) Kük.	274
<i>indicus</i> L.	620	var. <i>khasianus</i> (C.B.Clarke) Kük.	274
<i>lagopoides</i> Burm.f.	607	var. <i>subcompositus</i> (C.B.Clarke) Kük.	274
<i>monostachyos</i> Vahl	621	<i>decumbens</i> Govind.	294
<i>paniculatus</i> Roxb. ex Hook.f.	618	<i>diaphanus</i> Schrad. ex Roem. & Schult.	293
<i>retroflexus</i> Vahl	618	var. <i>gracilescens</i> (Kük.) H.O.Saxena	293
Cyperaceae	269, 765	difformis L.	275
Cyperus L.	272	diffusus Vahl	275
<i>albomarginatus</i> Mart. & Schrad. ex Nees	294	subsp. <i>macrostachyus</i> (Boeckeler) T.Koyama	275
<i>alboviridis</i> C.B.Clarke ex Scott-Elliot	283	var. <i>macrostachyus</i> Boeckeler	275
alopecuroides Rottb.	272	digitatus Roxb.	275
alternifolius L.	272	subsp. auricomus (Sieber ex Spreng.) Kük.	275
subsp. alternifolius	272	subsp. digitatus	275
subsp. flabelliformis Kük.	272	var. <i>hookeri</i> (Boeckeler) C.B.Clarke	275
var. <i>flabelliformis</i> (Rottb.) M.R.Almeida	272	var. <i>oatesi</i> (C.B.Clarke) Kük.	275
alulatus J.Kern	272	<i>dilutus</i> Vahl	273
amabilis Vahl	272	var. <i>macrostachys</i> Boeckeler	273
<i>angustifolius</i> Nees	274	distans L.f.	275
arenarius Retz.	272	var. <i>pseudonutans</i> Kük.	275
<i>arenarius</i> Hance ex C.B.Clarke	280	dives Delile	275
<i>aristatus</i> Rottb.	280	dubius Rottb.	275
var. <i>versicolor</i> (Nees) Boeckeler	280	<i>eleusinoides</i> Kunth	278
articulatus L.	272	<i>eragrostis</i> var. <i>micronux</i> C.B.Clarke	295
<i>atroglumosa</i> Govind.	294	esculentus L.	276
<i>auricomus</i> Sieber ex Spreng.	275	var. <i>helodes</i> (Schrad. ex Nees) C.B.Clarke	276
var. <i>khasiana</i> C.B.Clarke	275	var. <i>sprucei</i> C.B.Clarke	276
var. <i>minor</i> C.B.Clarke	275	exaltatus Retz.	276
<i>barbata</i> (Rottb.) Poir.	269	var. <i>dives</i> (Delile) C.B.Clarke	275
<i>bengalensis</i> Spreng.	273	<i>fimbriatus</i> Nees	279
<i>biglumis</i> C.B.Clarke	274	<i>flabelliformis</i> Rottb.	272
<i>brevifolius</i> (Rottb.) Hassk.	290	<i>flavescens</i> var. <i>castaneus</i> (Willd.) Pursh	273
var. <i>stellulatus</i> (J.V.Suringar) Kük.	290	<i>flavidus</i> Retz.	293
var. <i>stellulatus</i> (J.V.Suringar) Hooper	290	var. <i>erectus</i> (C.B.Clarke) Korlah.	293
bulbosus Vahl	272	var. <i>khasianus</i> (C.B.Clarke) Korlah.	293
<i>caespitosus</i> Poir.	294	<i>fluitans</i> Buch.-Ham. ex C.B.Clarke	279
<i>capillaris</i> J.König ex Roxb.	293	fuscus L.	276
<i>carnosus</i> B.Heyne ex Wall.	279	<i>glaucophyllus</i> var. <i>zambesiensis</i> (C.B.Clarke) Kük.	279
castaneus Willd.	273	<i>globosus</i> auct non Forsskal	293
var. <i>brevimucronatus</i> Kük.	273	var. <i>erectus</i> (C.B.Clarke) Kük.	293
cephalotes Vahl	273	var. <i>khasianus</i> C.B.Clarke	293
<i>ceylanicus</i> (Vahl) T. Koyama	292	var. <i>nilagiricus</i> (Hochst. ex Steud.) C.B.Clarke	293

var. <i>strictus</i> (Lam.) C.B.Clarke	293	mitis Steud.	278
var. <i>tortuosa</i> C.B.Clarke	293	mollipes (C.B.Clarke) K.Schum.	278
<i>glomeratus</i> Roxb. ex Arn.	275	<i>monocephaloides</i> Roxb. ex Nees	273
<i>gratus</i> C.B.Clarke	274	<i>monocephalus</i> Roxb.	273
<i>griffithianus</i> Boeckeler	279	<i>monostachyos</i> L.	287
<i>hahnianus</i> Boeckeler	294	<i>mysurensis</i> B.Heyne ex Wall.	278
haspan L.	276	<i>natans</i> Buch.-Ham. ex C.B.Clarke	273
subsp. <i>juncoides</i> (Lam.) Kük.	276	<i>nilagiricus</i> Hochst. ex Steud.	293
<i>heyneanus</i> Boeckeler	279	niveus Retz.	278
<i>heynei</i> Boeckeler	279	<i>nudus</i> Roxb.	273
<i>hochstetteri</i> var. <i>rusa</i> C.B.Clarke	294	nutans Vahl	278
<i>homoliria</i> Steud.	277	<i>nutans</i> Sieber ex C.Presl	275
<i>hookerianus</i> Arn. ex C.B.Clarke	294	subsp. <i>eleusinoides</i> (Kunth) T.Koyama	278
<i>hyalinus</i> Vahl	296	var. <i>eleusinoides</i> (Kunth) Haines	278
<i>hyemalis</i> Pursh ex C.B.Clarke	276	<i>oatesii</i> C.B.Clarke	275
<i>immensus</i> C.B.Clarke	275	<i>obliquus</i> Nees	279
var. <i>petherickii</i> (C.B.Clarke) Kük.	275	odoratus L.	278
var. <i>taylorii</i> C.B.Clarke	275	<i>odoratus</i> Burm.f.	276
<i>incurvatus</i> Roxb.	277	<i>oleraceus</i> Roxb. ex Nees	272
<i>indicus</i> Boeckeler	278	<i>pallidus</i> Nees	279
<i>indicus</i> Rich. ex Pers.	287	pangorei Rottb.	278
<i>inflexus</i> Muhl.	280	var. <i>ambiguus</i> C.B.Clarke	278
<i>involucratus</i> Rottb.	272	paniceus (Rottb.) Boeckeler	278
iria L.	276	var. <i>roxburghianus</i> (C.B.Clarke) Kük.	278
var. <i>paniciformis</i> C.B.Clarke	276	<i>paniciformis</i> Franch. & Sav.	276
<i>isocladus</i> Kunth	279	<i>paniculatus</i> Rottb.	294
javanicus Houtt.	276	<i>pectinatus</i> Roxb.	273
<i>juncoides</i> Lam.	276	<i>pedunculatus</i> (R.Br.) J.Kern	296
<i>koenigii</i> Vahl	273	<i>pennatus</i> Lam.	276
<i>konkanensis</i> T.Cooke	274	<i>petherickii</i> C.B.Clarke	275
<i>kyllingia</i> Endl.	296	pilosus Vahl	279
kyllingiella Larridon	276	var. <i>fimbriatus</i> (Nees) Kük.	279
laevigatus L.	277	var. <i>obliquus</i> (Nees) C.B.Clarke	279
<i>lamarckianus</i> Schult.	293	var. <i>polyanthus</i> C.B.Clarke	279
<i>latispicatus</i> Boeckeler ex C.B.Clarke	293	platystylis R.Br.	279
var. <i>acaulis</i> C.B.Clarke	293	<i>plurinodosa</i> Govind.	294
var. <i>diaphanus</i> (Schrader ex Roem. & Schult.) Kük.	293	<i>polyphyllus</i> Vahl	272
var. <i>gracilescens</i> Kük.	293	<i>polystachyos</i> Rottb.	294
var. <i>laxus</i> Kük.	293	var. <i>hahnianus</i> (Boeckeler) Kük.	294
laxus Lam.	277	var. <i>holosericeus</i> (Link) C.B.Clarke	295
subsp. <i>macrostachyus</i> (Boeckeler) V.P.Prasad & N.P.Singh	275	var. <i>hookerianus</i> C.B.Clarke	294
var. <i>macrostachyus</i> (Boeckeler) Karth.	275	var. <i>paniculatus</i> (Rottb.) C.B.Clarke	294
<i>leptostachys</i> Nees	280	var. <i>thouarsii</i> (Kunth) Kük.	294
<i>leucolepis</i> J.Carey ex C.B.Clarke	295	<i>polystachyus</i> var. <i>thouarsii</i> (Kunth) C.B. Clarke	294
<i>lurida</i> Govind.	294	procerus Rottb.	279
macer C.B.Clarke	277	var. <i>griffithianus</i> (Boeckeler) Kük.	279
<i>macrostachyos</i> Lam.	294	var. <i>lasiorrhachis</i> C.B.Clarke	279
maderaspatanus Willd.	277	prolifer Lam.	279
<i>malabaricus</i> (C.B.Clarke) T.Cooke	294	var. <i>isocladus</i> (Kunth) Kük.	279
malaccensis Lam.	277	<i>pubisquama</i> Steud.	275
<i>marginellus</i> Nees	279	pulchellus R.Br.	279
<i>maritimus</i> Bojer	279	<i>pumilus</i> L.	295
meeboldii Kük.	277	var. <i>leucolepis</i> (C.B.Clarke) Kük.	295
<i>melanosperma</i> (Nees) Suringar	291	var. <i>punctatus</i> C.B.Clarke	295
<i>melanospermus</i> (Nees) Suringar	291	<i>punctatus</i> Roxb.	295
subsp. <i>bifolius</i> (Miq.) J.Kern	291	<i>puncticulatus</i> Vahl	295
<i>metzii</i> (Hochst. ex Steud.) Matf. & Kük.	291	var. <i>quinquagintiflorus</i> C.B.Clarke	295
melhianus (L.) Delile	277	<i>pygmaeus</i> Rottb.	278
subsp. melhianus	277	var. <i>melhianus</i> (L.) Boeckeler	277
subsp. pygmaeus (Rottb.) Asch. & Graebn.	278	<i>retusus</i> A.Rich.	294
		rotundus L.	279

subsp. <i>tuberosus</i> (Rottb.) Kük.	280	<i>madraspatensis</i> Roxb. ex Hook.f.	618
rubicundus Vahl	280	<i>spicata</i> Willd.	620
<i>sanguinolentus</i> Vahl	295	Dactyloctenium Willd.	611
subsp. <i>sacer</i> Korlahalli	295	<i>aegyptium</i> (L.) Willd.	611
<i>semiteres</i> B.Heyne ex C.B.Clarke	293	subsp. <i>aristatum</i> (Link) M.Sharma	611
<i>sesquiflorus</i> var. <i>cylindrica</i> (Nees) Kük.	291	var. <i>aristatum</i> (Link) A.Chev.	611
var. <i>cylindricus</i> (Nees) Kük.	291	aristatum Link	611
<i>sieberianus</i> (Nees ex C.B.Clarke) K.Schum.	274	<i>verticillatum</i> (Roxb.) Munro	588
<i>sorostachyus</i> Boeckeler	279	Daedalacanthus T.Anderson	33
<i>spinulosus</i> Roxb.	273	<i>capensis</i> (L.) Druce	33
squarrosus L.	280	<i>fastigiatus</i> (Lam.) Alston	33
<i>stenostachyus</i> var. <i>indica</i> C.B.Clarke	278	<i>montanus</i> (Roxb.) T.Anderson	33
stoloniferus Retz.	280	var. <i>concanensis</i> T.Anderson ex C.B. Clarke	34
<i>stramineus</i> Nees	295	var. <i>wightianus</i> (Wall. ex Nees) C.B. Clarke	33
<i>stricticulmis</i> Govind.	294	<i>nervosus</i> (Vahl) T.Anderson	34
<i>strictus</i> Lam.	293	<i>purpurascens</i> (Nees) T.Anderson	34
<i>sublimis</i> (C.B.Clarke) Dandy	274	<i>roseus</i> (Vahl) T.Anderson	34
<i>subumbellatus</i> var. <i>sublimis</i> (C.B.Clarke) Kük.	274	Daemia <i>extensa</i> (Jacq.) R. Br. ex Schult.	96
surinamensis Rottb.	280	Daemonorops Blume	119
<i>tegetiformis</i> Roxb. ex Arn.	273	<i>kurziana</i> Hook.f. ex Becc.in Hook. f.	119
<i>tegetum</i> Roxb.	278	<i>melanolepis</i> Mart.	117
<i>teneriffae</i> Poir.	280	Dahlia Cav.	151
tenuiculmis Boeckeler	280	× <i>pinnata</i> Cav.	151
<i>tenuiflorus</i> Roxb.	278	<i>imperialis</i> Roezl ex Ortgies	152
<i>tenuifolius</i> (Steud.) Dandy	291	<i>rosea</i> Cav.	152
tenuispica Steud.	280	Dalbergia L. f.	421
<i>thouarsii</i> Kunth	294	<i>acaciifolia</i> Dalzell	422
<i>tokiensis</i> C.B.Clarke	276	canadenensis (Dennst.) Prain	421
<i>triceps</i> Endl.	275	<i>emarginata</i> Roxb.	421
tuberosus Rottb.	280	<i>emarginata</i> Prain	422
<i>umbellatus</i> Roxb.	276	<i>frondosa</i> Roxb.	421
var. <i>laxatus</i> C.B.Clarke	274	horrida (Dennst.) Mabb.	421
<i>uncinatus</i> C.B.Clarke	274	lanceolaria L.f.	421
var. <i>gratus</i> (C.B.Clarke) Kük.	274	subsp. <i>paniculata</i> (Roxb.) Thoth.	421
<i>versicolor</i> Nees	280	latifolia Roxb.	421
<i>wallichii</i> Nees	277	var. <i>sissoides</i> (Wight & Arn.) Baker	422
<i>wightii</i> Nees	280	malabarica Prain	421
<i>zambesiensis</i> C.B.Clarke	279	melanoxydon Guill. & Perr.	421
Cyphostemma (Planch.) Alston	751	<i>monosperma</i> Dalzell	421
auriculatum (Roxb.) P.Singh & B.V.Shetty	751	<i>multiflora</i> Heyne	421
setosum (Roxb.) Alston	752	<i>oojeinensis</i> Roxb.	439
Cyrtococcum Stapf	610	<i>paniculata</i> Roxb.	421
<i>accrescens</i> (Trin.) Stapf	611	pinnata (Lour.) Prain	422
deccanense Bor	610	var. <i>acaciifolia</i> (Dalzell) Thoth.	422
longipes (Wight & Arn. ex Hook. f.) A. Camus	610	rubiginosa Roxb.	422
oxyphyllum (Hochst. ex Steud.) Stapf	610	<i>scandens</i> Roxb.	423
patens (L.) A.Camus	610	sissoides Wight & Arn.	422
var. <i>latifolium</i> (Honda) Ohwi	611	sissoo DC.	422
<i>pilipes</i> (Nees & Arn. ex Buse) A. Camus	610	<i>stocksii</i> Benth.	421
trigonum (Retz.) A. Camus	611	<i>sympathetica</i> Nimmo	421
Cyrtopera mysorensis Lindl.	539	<i>tamarindifolia</i> var. <i>acaciaefolia</i> (Dalzell) Baker	422
<i>nuda</i> (Lindl.) Rchb.f.	539	var. <i>pubescens</i> Baker	421
Cyrtospadix bicolor (Aiton) Britton & P.Wilson	106	<i>torta</i> J. Graham	421
Cyrtostachys Blume	119	volubilis Roxb.	422
<i>lakka</i> Becc.	119	Dalechampia L.	323, 767
renda Blume	119	<i>scandens</i> var. <i>velutina</i> (Wight) Mull.Arg.	323
Cytisus cajan L.	411	stenoloba Raghavan & B.G.Kulk.	323, 767
<i>pinnatus</i> L.	440	velutina Wight	323
<i>sericeus</i> Willd.	438	Dalzellia Wight	665
Dactylis brevifolia J.Koenig ex Willd.	588	ceylanica (Gardner) Wight	665
<i>lagopoides</i> L.	588	var. <i>konkanica</i> (Willis) K.P.Janardh.	665

var. <i>malabarica</i> (Willis) K.P.Janardh.	665	<i>microcephalum</i> Dalzell	164
<i>foliosa</i> Wight	665	<i>molle</i> DC.	168
<i>lawii</i> Wight	665	<i>phyllolaenum</i> DC.	168
<i>pedunculosa</i> Wight	665	<i>scabridum</i> DC.	168
<i>ramosissima</i> Wight	665	Decaschistia Wight & Arn.	480
<i>vivipara</i> (Dalzell) Hassk.	227	<i>crotonifolia</i> Wight & Arn.	480
<i>Damapana picnantha</i> (Benth. ex Baker f.) Kuntze	446	<i>trilobata</i> Wight	480
<i>purpurea</i> (Hook.) Kuntze	445	Deccania Tirveng.	688
<i>Damasonium alismoides</i> (L.) R.Br.	350	<i>pubescens</i> (Roth) Tirveng.	688
<i>indicum</i> Willd.	350	var. <i>candolleana</i> (Wight & Arn.) Tirveng.	688
<i>Danthomia griffithiana</i> Mull.Hal.	636	<i>Deguelia canarensis</i> Taub.	439
<i>Danthonia gammiei</i> Bhide	611	<i>Delima piripu</i> DC.	670
<i>griffithiana</i> C.Muell.	636	Delonix Raf.	390
Danthonidium C.E.Hubb.	611	<i>elata</i> (L.) Gamble	390
<i>gammiei</i> (Bhide) C.E. Hubb.	611	<i>regia</i> (Hook.) Raf.	390
<i>Danthoniopsis griffithiana</i> (C.Muell.) Bor	636	<i>Dendranthema coronaria</i> (L.) M.R. Almeida	158
<i>Daphnidium gemmiflorum</i> (Blume) Blume	378	<i>indicum</i> (L.) Des Moul.	148
Daphniphyllaceae	300	<i>sinensis</i> (Sabine) Des Moul.	148
Daphniphyllum Blume	300	Dendrobium Sw.	535
<i>glaucescens</i> subsp. <i>neilgherrense</i> (Wight) T.C.Huang	300	<i>actinomorphum</i> Blatt. & Hallb.	535
var. <i>concolor</i> Müll.Arg.	300	<i>album</i> Wight	535
<i>neilgherrense</i> (Wight) K.Rosenthal	300	<i>aphyllum</i> (Roxb.) C.E.C.Fisch.	535
<i>Dasyaulis malabaricus</i> (Bedd.) Pierre ex Dubard	726	var. <i>cucullatum</i> (R.Br.) P.K.Sarkar	535
<i>Dasyaulus neriifolius</i> (Moon) Thwaites	726	var. <i>katakianum</i> I.Barua	535
<i>Dasyilirion recurvatum</i> (Lem.) J.F.Macbr.	128	<i>aqueum</i> Lindl.	535
Datura L.	730	<i>barbatulum</i> Lindl.	535
<i>alba</i> Rumph. ex Nees	730	<i>braccatum</i> Lindl.	533
<i>arborea</i> Mart.	729	<i>cathcartii</i> Hook.f.	537
<i>discolor</i> Bernh.	730	<i>crepidatum</i> Lindl. & Paxton	535
<i>fastuosa</i> L.	730	<i>crispum</i> Dalzell	536
<i>ferox</i> L.	730	<i>cucullatum</i> R.Br.	535
<i>ferox</i> Nees	730	<i>dalzellii</i> Hook. ex Dalzell	533
<i>gardneri</i> Hook.	729	<i>eriiflorum</i> Griff.	535
<i>innoxia</i> Mill.	730	<i>filiforme</i> Wight	533
<i>laevis</i> Bertol.	730	<i>fimbriatum</i> Dalzell	533
<i>metel</i> L.	730	<i>flavescens</i> (Blume) Lindl.	552
var. <i>fastuosa</i> (L.) Saff.	730	<i>gamblei</i> King & Pantl.	536
<i>meteloides</i> DC. ex Dunal	730	<i>graminifolium</i> Wight	537
<i>nanakii</i> Pandeya & A.B.Bhatt	730	<i>haemoglossum</i> Thwaites	537
<i>stramonium</i> L.	730	<i>herbaceum</i> Lindl.	536
var. <i>canescens</i> Roxb.	730	<i>heterocarpum</i> Wall. ex Lindl.	536
<i>suaveolens</i> Humb. & Bonpl. ex Willd.	729	<i>heyneanum</i> Lindl.	536
<i>wallichii</i> Dunal	730	<i>humile</i> Wight	536
Daucus L.	77	<i>jerdonianum</i> Wight	536
<i>carota</i> L.	77	<i>lawianum</i> Lindl.	535
Debregeasia Gaudich.	740	<i>mabelae</i> Gammie	536
<i>ceylanica</i> Hook.f.	740	<i>macraei</i> Lindl.	536
<i>longifolia</i> (Burm.f.) Wedd.	740	<i>macrostachyum</i> Lindl.	536
<i>velutina</i> Gaudich.	740	<i>microbulbon</i> A.Rich.	536
<i>wallichiana</i> (Wedd.) Wedd.	740	<i>microchilos</i> Dalzell	534
subsp. <i>ceylanica</i> (Hook.f.) Wilmot-Dear	740	<i>nanum</i> Hook.f.	536
<i>Decaisnea angulosa</i> Lindl. ex Wall.	556	<i>nodosum</i> Dalzell	537
Decalepis Wight & Arn.	89	<i>nutans</i> Lindl.	536
<i>hamiltonii</i> Wight & Arn.	89	<i>ovatum</i> (Willd.) Kranzl.	537
Decaloba M. Roem.	564	<i>peguanum</i> Lindl.	537
<i>leschenaultii</i> (DC.) M.Roem.	564	<i>ramosissimum</i> Wight	536
<i>Decaneurum angustifolium</i> Hook.f. & Thomson ex		<i>salaccense</i> (Blume) Lindl.	537
C.B.Clarke	168	<i>wightii</i> A.D.Hawkes & A. H. Heller	537
<i>dendigulense</i> DC.	136	Dendrocalamus Nees	611
<i>divergens</i> (Roxb.) DC.	136	<i>balcooa</i> Voigt	597
<i>lilacinum</i> Dalzell & A. Gibson	168	<i>brandisii</i> (Munro) Kurz	611

giganteus Munro	612	<i>triquetrus</i> Willd.	393
<i>monadelphus</i> Thwaites	651	<i>virgatus</i> (L.) Willd.	390
<i>prainiana</i> Varmah & Bahadur	612	<i>Desmesia venosum</i> (Dryand. ex Aiton) Raf.	110
<i>stocksii</i> (Munro) M.Kumar	651	<i>Desmidorchis diffusa</i> (Wight) Kuntze	82
strictus (Roxb.) Nees	612	<i>indica</i> (Wight & Arn.) Kuntze	83
var. <i>prainianus</i> Gamble	612	<i>umbellata</i> (Haw.) Decne.	83
<i>tulda</i> Voigt	597	<i>umbellata</i> (Haw.) M.R.Almeida	83
<i>Dendrochilum roseum</i> Dalzell	535	<i>Desmochaeta lappacea</i> (L.) Griff.	65
Dendrocnode Miq.	741	<i>prostrata</i> (L.) DC.	63
sinuata (Blume) Chew	741	Desmodiastrum (Prain) A. Pramanik & Thoth.	424
Dendrolobium (Wight & Arn.) Benth.	422	belgaumense (Wight) A.Pramanik & Thoth.	424
triangulare (Retz.) Schindl.	422	parviflorum (Dalzell) Baker	424
umbellatum (L.) Benth.	423	racemosum (Benth.) A.Pramanik & Thoth.	424
Dendrophthoe Mart.	465	var. <i>parviflorum</i> (Dalzell) A. Pramanik & Thoth.	424
<i>bicolor</i> (Roxb.) Mart.	465	var. <i>rotundifolium</i> (Baker) A.Pramanik & Thoth.	424
<i>cordifolia</i> (Wall.) Mart.	465	rotundifolium (Baker) Sanjappa, comb. nov.	424
falcata (L.f.) Ettingsh.	465	Desmodium Desv.	424
var. <i>amplexifolia</i> (DC.) Rajasek.	465	<i>adscendens</i> (Sw.) DC.	430
var. <i>pubescens</i> (Hook.f.) V.Chandras.	465	<i>alysicarpoides</i> Meeuwen	424
gibbosa (Talbot) Razi	466	<i>bakeri</i> N.P.Balacr.	426
<i>indica</i> (Desr.) Miq.	465	bentharii N.P.Balacr.	430
memecylifolia (Wight & Arn.) Danser	466	<i>brachystachyum</i> Benth.	430
neelgherrensis (Wight & Arn.) Tiegh.	466	<i>caespitosum</i> (Poir.) DC.	430
recurva (Wall. ex DC.) G.Don	466	<i>capitatum</i> (Burm.f.) DC	431
trigona (Wight & Arn.) Danser ex Santapau	466	<i>cephalotes</i> var. <i>congestum</i> Prain	422
<i>Dendroorkis purpurea</i> (Wight) Kuntze	552	concinnum DC.	424
<i>wightii</i> (Rchb. f.) Kuntze	552	<i>congestum</i> Wall. ex Wight & Arn.	422
Dentella J.R.Forst. & G.Forst.	688	dichotomum (Willd.) DC.	425
<i>erecta</i> Roth ex Roem. & Schult.	210	<i>diffusum</i> (Willd.) DC.	425
repens (L.) J.R.Forst. & G.Forst.	688	<i>ferrugineum</i> Thwaites	430
var. repens	688	gangeticum (L.) DC.	425
var. <i>serpyllifolia</i> (Wall. ex Craib) Verdc.	688	var. <i>maculatum</i> (L.) Baker	425
<i>Dentillaria corymbosa</i> (Willd.) Kuntze	693	var. <i>ramnagari</i> Haines	425
<i>mollis</i> (R.Br. ex Wight & Arn.) Kuntze	693	<i>gyrans</i> (L.f.) DC.	414
<i>wightiana</i> (Wall. ex G.Don) Kuntze	693	<i>heterocarpon</i> (L.) DC.	431
Derris Lour.	423	var. <i>strigosum</i> Meeuwen	431
<i>bakeri</i> Thoth.	423	<i>heterophyllum</i> (Willd.) DC.	431
bentharii (Thwaites) Thwaites	423	<i>lasiocarpum</i> (Beav.) DC.	425
brevipes (Benth.) Baker	423	<i>latifolium</i> (Roxb. ex Ker.) DC.	425
var. brevipes	423	laxiflorum DC.	425
var. <i>coriacea</i> Baker	423	<i>lutescens</i> (Poir.) Desv. ex DC.	441
<i>canarensis</i> (Dalzell) Baker	439	<i>motorium</i> (Houtt.) Merr.	414
elliptica (Wall.) Benth.	423	<i>oojeinense</i> (Roxb.) H.Ohashi	439
<i>eualata</i> Bedd.	408	<i>ormocarpoides</i> auct. non DC.	426
heyneana (Wight & Arn.) Benth.	423	<i>parviflorum</i> Baker	424
var. <i>brevipes</i> Benth.	423	var. <i>parviflorum</i> (Dalzell) A.Pramanik & Thoth.	424
var. <i>paniculata</i> Baker	423	<i>polycarpum</i> (Poir.) DC.	431
<i>indica</i> (Lam.) Bennet	440	pryonii DC.	425
<i>oblonga</i> Benth.	439	<i>pulchellum</i> (L.) Benth.	440
<i>paniculata</i> Benth.	423	<i>quinquangulatum</i> (Roxb.) Wight	425
<i>platyptera</i> Baker	408	<i>recurvatum</i> (Roxb.) J.Graham ex Wight & Arn.	425
scandens (Roxb.) Benth.	423	<i>repandum</i> (Vahl) DC.	432
thothathrii Bennet	424	<i>retroflexum</i> (L.) DC.	431
<i>thyrsiflora</i> (Benth.) Benth.	408	<i>ritchiei</i> Sanjappa	424
var. <i>eualata</i> (Bedd.) Thoth.	408	<i>rottleri</i> (Wight & Arn.) Baker	426
<i>timoriensis</i> (DC.) Pittier	423	<i>rotundifolium</i> Baker	424
trifoliata Lour.	424	<i>rufescens</i> sensu Wight & Arn.	430
<i>uliginosa</i> (Willd.) Benth.	424	<i>rufescens</i> DC.	450
Desmanthus Willd.	390	scorpiurus (Sw.) Desv.	425
<i>natans</i> Willd.	393	<i>strangulatum</i> Wight & Arn.	432
pernambucanus (L.) Thell.	390	<i>styracifolium</i> (Osbeck) Merr.	431

<i>triangulare</i> (Retz.) Merr.	422	<i>rheedei</i> (Wight) Kuntze	577
var. <i>congestum</i> (Prain) Santapau	422	<i>rotundifolius</i> (Klein ex Willd.) Kuntze	577
<i>triflorum</i> (L.) DC.	431	<i>scabrifolius</i> (Hook.f.) Kuntze	577
var. <i>majus</i> Wight & Arn.	431	<i>stellatus</i> (Retz.) Kuntze	573
var. <i>minus</i> Wight & Arn.	431	<i>tenellus</i> (Roxb.) Kuntze	577
<i>triquetrum</i> (L.) DC.	447	<i>tomentosus</i> (Dalzell) Kuntze	574
<i>umbellatum</i> (L.) DC.	423	<i>urinaria</i> (L.) Kuntze	577
velutinum (Willd.) DC.	425	<i>velutinus</i> (Wight) Kuntze	572
<i>wightii</i> Wight & Arn.	425	<i>virgatus</i> (G.Forst.) Kuntze	577
zonatum Miq.	426	<i>wightianus</i> Kuntze	571
Desmos Lour.	72	<i>zeylanicus</i> (Gaertn.) Kuntze	573
<i>chinensis</i> auct.non Lour.	72	<i>Diatoma brachiata</i> Lour.	682
var. <i>lawii</i> (Hook.f. & Thomson) Barn	72	<i>Dicerna pulchellum</i> (L.) DC.	440
lawii (Hook.f. & Thomson) Saff.	72	<i>Dichaespermum aurantiacum</i> Hassk. ex C.B.Clarke	234
Desmostachya Stapf	612	<i>juncoides</i> Wight	235
bipinnata (L.) Stapf	612	<i>lanceolatum</i> Wight	234
<i>cynosuroides</i> Stapf ex R.E.Massey	612	<i>ochraceum</i> (Dalzell) Hassk.	232
<i>Desmostemon zeylanica</i> Thwaites	337	<i>paniculatum</i> Hassk. ex C.B.Clarke	235
<i>Desmotrichum nodosum</i> (Dalzell) Tang & F.T.Wang	537	<i>repens</i> Wight	232
<i>Deyeuxia royleana</i> (Trin.) Trimen	589	<i>semiteres</i> (Dalzell) Hassk.	235
<i>Dialium coromandelicum</i> Houtt.	69	Dichanthium Willemet.	612
<i>Diallobus tora</i> (L.) Raf.	399	annulatum (Forssk.) Stapf	612
<i>Diandrochloa diarrhena</i> (Schult.) A.N.Henry	623	aristatum (Poir.) C.E. Hubb.	613
<i>Dianthera</i> L.	37	<i>assimile</i> (Steud.) Deshp.	602
<i>bicalyculata</i> Retz.	43	caricosum (L.) A. Camus	613
<i>malabarica</i> L.f.	31	var. <i>mollicomum</i> (Hack.) Haines	613
<i>paniculata</i> Forssk.	31	<i>causicum</i> (Trin.) S.K.Jain & Deshp.	598
<i>parviflora</i> Roxb. ex Nees	45	concanense (Hook.f.) S.K.Jain & Deshp.	613
<i>verticillata</i> Forssk.	31	<i>filiculme</i> (Hook.f.) S.K. Jain & Deshp.	602
<i>Diapedium apiculatum</i> (Bedd.) Kuntze	37	foulkesii (Hook.f.) S.K.Jain & Deshp.	613
<i>pectinatum</i> (L.) Kuntze	45	foveolatum (Delile) Roberty	613
<i>Diaphora cochinchinensis</i> Lour.	300	<i>glabrum</i> (Roxb.) S.K. Jain & Deshp.	598
<i>Diasperus arboreus</i> (Wight) Kuntze	571	<i>huegellii</i> (Hack.) S.K. Jain & Deshp.	602
<i>arnottianus</i> (Müll.Arg.) Kuntze	574	<i>insculptum</i> (A.Rich.) Clayton	599
<i>asperus</i> (Müll.Arg.) Kuntze	572	<i>ischaemum</i> (L.) Roberty	599
<i>baillonianus</i> (Müll.Arg.) Kuntze	575	<i>kuntzeana</i> (Hack.) S.K. Jain & Deshp.	599
<i>benthamianus</i> Kuntze	573	<i>magdalenii</i> (M.R.Almeida) S.K. Jain & Deshp.	602
<i>brunneus</i> (Hook.f.) Kuntze	573	<i>odoratum</i> (Lisboa) S.K.Jain & Deshp.	598
<i>emblica</i> (L.) Kuntze	575	oliganthum (Hochst. ex Steud.) Cope	614
<i>fagifolius</i> (Müll.Arg.) Kuntze	572	<i>pallidum</i> (Hook.f.) Stapf ex C.E.C.Fisch.	613
<i>heyneanus</i> (Wight & Arn.) Kuntze	572	paranjpyeanum (Bhide) Clayton	614
<i>hirsutus</i> (Roxb.) Kuntze	574	<i>parviflorum</i> (R.Br.) de Wet & Harlan	602
<i>indicus</i> (Dalzell) Kuntze	574	<i>pertusum</i> (L.) Clayton	599
<i>jussieuianus</i> (Wight) Kuntze	573	<i>pseudischaemum</i> (Nees ex Steud.) S.K. Jain & Deshp.	599
<i>lanceolarius</i> (Roxb.) Kuntze	573	Dichapetalaceae	300
<i>lawii</i> (J.Graham) Kuntze	575	Dichapetalum Thouars	300
<i>leschenaultii</i> (Müll.Arg.) Kuntze	576	gelonioides (Roxb.) Engl.	300
<i>macrocalyx</i> (Müll.Arg.) Kuntze	576	<i>Dichelactina nodicaulis</i> Hance	575
<i>maderaspatensis</i> (L.) Kuntze	576	<i>Dichopsis elliptica</i> (Dalzell) Benth.	727
<i>malabaricus</i> (Müll.Arg.) Kuntze	571	<i>Dichostylis aristata</i> (Rottb.) Palla	280
<i>miquelianus</i> (Müll.Arg.) Kuntze	578	<i>cuspidata</i> (Kunth) Palla	274
<i>mishmiensis</i> (Hook.f.) Kuntze	574	<i>mic heliana</i> (L.) Nees	277
<i>missionis</i> (Hook.f.) Kuntze	576	<i>pygmaea</i> (Rottb.) Nees	278
<i>myrtifolius</i> (Wight) Kuntze	576	<i>squarrosa</i> (L.) Palla	280
<i>nanus</i> (Hook.f.) Kuntze	574	<i>Dichotophyllum demersum</i> (L.) Moench	221
<i>neilgerrhensis</i> (Wight) Kuntze	571	Dichrocephala L'Hér. ex DC.	152
<i>nemorum</i> (Russell ex Müll.Arg.) Kuntze	575	<i>bicolor</i> (Roth) Schltdl.	152
<i>nepalensis</i> (Müll.Arg.) Kuntze	572	chrysanthemifolia (Blume) DC.	152
<i>nitidus</i> (Roxb.) Kuntze	573	integrifolia (L.f.) Kuntze	152
<i>ralphii</i> (Hook.f.) Kuntze	572	<i>latifolia</i> (Poir.) DC.	152
<i>reticulatus</i> (Poir.) Kuntze	576	<i>minutifolia</i> Vaniot	151

<i>schmidtii</i> Wight	147	<i>arvensis</i> Forssk.	63
<i>Dichromena colorata</i> (L.) C.L.Hitchc.	296	<i>muricata</i> (L.) Mart.	63
<i>corymbosa</i> (L.) J.F.Macbr.	296	<i>Digitalis roxburghii</i> Roth	559
Dichrostachys (DC.) Wight & Arn.	390	Digitaria Haller	614
cinerea (L.) Wight & Arn.	390	abludens (Roem. & Schult.) Veldkamp	614
<i>Diclidium odoratum</i> (L.) Schrad. ex Nees	278	<i>adscendens</i> (Kunth) Henrard	615
Dicliptera Juss., nom. cons.	31	subsp. <i>chrysoblephara</i> (Fig. & De Not.) Henrard	615
babui Karthik. & Moorthy	31	var. <i>criniformis</i> Henrard	615
<i>bicalyculata</i> (Retz.) Kostel.	43	bicornis (Lam.) Roem. & Schult.	614
<i>bivalvis</i> Nees	31	subsp. <i>gamblei</i> Henrard	614
bupleuroides Nees	31	<i>biformis</i> Willd.	615
cuneata Nees	31	<i>chinensis</i> auct. non Hornem.	617
foetida (Forssk.) Blatt.	31	<i>chrysoblephara</i> Fig. & De Not.	615
var. foetida	31	ciliaris (Retz.) Koeler	615
var. kanarana M. R. Almeida	31	subsp. <i>chrysoblephara</i> (Fig. & De Not.)	
<i>micranthes</i> Nees	31	R.B.Majumdar	615
nasikensis Lakshmin. & B.D.Sharma	31	subsp. <i>marginata</i> (Link) S.K.Jain & Doli Das	615
paniculata (Forssk.) I.Darbysh.	31	subsp. <i>nubica</i> (Stapf) S.T. Blake	615
var. <i>rivinioides</i> (C.B.Clarke) Karthik. & Moorthy	31	subsp. <i>nubica</i> (Stapf) S.K.Jain & Doli Das	615
var. <i>subaequibracteata</i> (Bennet) Karthik. & Moorthy	31	var. <i>chrysoblephara</i> (Fig. & De Not.) R.R.Stewart	615
<i>pectinata</i> (L.) Juss.	45	var. <i>criniformis</i> (Henrard) R.B.Majumdar	615
<i>roxburghiana</i> var. <i>bupleuroides</i> (Nees) C.B. Clarke	31	var. <i>fimbriata</i> (Link) S.K.Jain & Doli Das	615
verticillata (Forssk.) C. Chr.	31	var. <i>nubica</i> (Stapf) S.T.Blake	615
<i>zeylanica</i> Nees	31	var. <i>sericea</i> (Honda) S.K.Jain & Doli Das	615
<i>Dicoelospermum ritchiei</i> C.B.Clarke	262	<i>commutata</i> Schult.	614
Dicoma Cass.	152	<i>conjugata</i> (P.J.Bergius) Schult.	645
<i>lanuginosa</i> DC.	152	<i>cuspidata</i> (Roxb.) Schult.	619
tomentosa Cass.	152	<i>dactylon</i> (L.) Scop.	610
<i>Dicraeia algiformis</i> Bedd.	666	<i>distachya</i> (L.) Pers.	600
<i>stylosa</i> Wight	666	<i>disticha</i> (L.) Fiori & Paol.	645
<i>wallichii</i> (R.Br. ex Griff.) Tul.	666	<i>glabrescens</i> (Bor) L.Liou	616
Dictyosperma H.Wendl. & Drude	119	<i>granularis</i> (Trin. ex Spreng.) Henrard	614
album (Bory) Scheff.	119	griffithii (Hook.f.) Henrard	615
Dictyospermum Wight	232	<i>ischaemum</i> var. <i>violascens</i> (Link) Radford	617
montanum Wight	232	longiflora (Retz.) Pers.	615
ovalifolium Wight	232	<i>malabarica</i> (L.) Roem. & Schult.	637
<i>ovatum</i> Hassk.	232	<i>marginata</i> var. <i>fimbriata</i> (Link) Stapf	615
<i>protensum</i> Wight	236	var. <i>nubica</i> Stapf	615
<i>scaberrimum</i> (Blume) C.V.Morton ex Panigrahi	236	<i>mauritiana</i> Wall. ex Hook.f.	601
<i>vaginatum</i> (L.) D.Y.Hong	235	<i>microbachne</i> (J.Presl) Henrard	616
<i>wightii</i> Hassk.	232	subsp. <i>calliblepharata</i> Henrard	616
Didymocarpus Wall. ex Buch.-Ham.	344	<i>paspalodes</i> Michx.	645
<i>cristatus</i> Dalzell	345	<i>pedicellaris</i> (Trin. ex Hook. f.) Prain	614
<i>innominatus</i> B.L.Burt	345	perrottetii (Kunth) Stapf Oliv.	616
<i>rottlerianus</i> Wall. ex R.Br.	345	<i>pes-avis</i> Buse	615
subalternans Wall. ex R.Br.	344	<i>preslii</i> (Kunth) Henrard	615
<i>tomentosus</i> Wight	345	<i>radiata</i> (Roth) Spreng.	610
Didymoplexis Griff.	537	radicosa (J.Presl) Miq.	616
pallens Griff.	537	<i>royleana</i> (Nees ex Hook. f.) Prain	616
<i>Didymosperma caudatum</i> (Lour.) H.Wendl. & Drude ex B.D.Jacks.	115	<i>sanguinalis</i> f. <i>ciliaris</i> (Retz.) Haines	615
<i>engleri</i> (Becc.) Warb.	115	subsp. <i>ciliaris</i> (Retz.) Parl.	615
<i>Didyplosandra</i> Wight ex Bremek.	46	var. <i>ciliaris</i> (Retz.) Parl	615
<i>lurida</i> (Wight) Bremek.	50	var. <i>griffithii</i> (Hook.f.) Rang. & Tadul.	615
Dieffenbachia Schott	108	setigera Roth	616
<i>picta</i> Schott	108	var. <i>calliblepharata</i> (Henrard) Veldkamp	616
seguine (Jacq.) Schott	108	stricta Roth	616
<i>Diffloglossa</i> Bremek.	46	var. <i>denudata</i> (Link) Henrard	616
Digera Forssk.	63	var. <i>glabrescens</i> Bor	616
<i>alternifolia</i> (L.) Asch.	63	ternata (A.Rich.) Stapf	616
		tomentosa (J.Koenig ex Rottler) Henrard	616
		<i>vaginata</i> (Sw.) Philippe	646

violascens Link	617	alata L.	301
wallichiana (Wight & Arn. ex Steud.) Stapf	617	var. <i>globosa</i> (Roxb.) Prain	301
<i>Digraphis arundinacea</i> (L.) Trin.	648	<i>anguina</i> Roxb.	303
<i>Dilasia vaginata</i> (L.) Raf.	235	belophylla (Prain) Voigt ex Haines	301
<i>Dilivaria ilicifolia</i> (L.) Juss.	23	bulbifera L.	301
Dillenia L.	300	var. <i>crispata</i> (Roxb.) Prain	301
bracteata Wight	300	var. <i>pulchella</i> (Roxb.) Prain	301
indica L.	300	var. <i>sativa</i> Prain	301
pentagyna Roxb.	301	<i>crispata</i> Roxb.	301
<i>pilosa</i> Roxb.	301	<i>daemona</i> Roxb.	302
retusa Thunb.	301	var. <i>reticulata</i> Hook.f.	302
<i>speciosa</i> Thunb.	300	esculenta (Lour.) Burkill	302
Dilleniaceae	300	var. <i>fasciculata</i> (Roxb.) Prain & Burkill	302
<i>Dillwynia trifoliata</i> Roth	443	<i>fasciculata</i> Roxb.	302
Dimeria R. Br.	617	var. <i>spinosa</i> Prain	302
avenacea (Retz.) C.E.C.Fisch.	617	glabra Roxb.	302
balakrishnaniana K. Ravik.	617	var. <i>longifolia</i> Prain & Burkill	302
bialata C.E.C.Fisch.	617	var. <i>vera</i> Prain & Burkill	302
blatteri Bor	617	<i>globosa</i> Roxb.	301
<i>ceylanica</i> Bor	618	hamiltonii Hook.f.	302
deccanensis Bor	617	<i>heterophylla</i> Roxb.	301
<i>diandra</i> Griff.	618	hispidia Dennst.	302
<i>diandra</i> (Stapf) Stapf ex Bhide	618	var. <i>daemona</i> (Roxb.) Prain & Burkill	302
gracilis Nees ex Steud.	617	var. <i>reticulata</i> (Hook.f.) Sanjappa	302
hohenackeri Hochst. ex Miq.	617	intermedia Thwaites	302
<i>kurumthotticalana</i> Jacob	618	<i>mollissima</i> Blume	302
lawsonii (Hook.f.) C.E.C. Fisch.	617	<i>nummularia</i> Roxb.	302
mooneyi Raizada ex Mooney	617	var. <i>belophylla</i> Prain	301
ornithopoda Trin.	618	var. <i>glauca</i> Prain & Burkill	303
var. <i>gracillima</i> Bor	618	oppositifolia L.	302
var. <i>khasiana</i> Bor	618	<i>oryztorum</i> var. <i>latifolia</i> Prain & Burkill	302
var. <i>megalantha</i> Bor	618	var. <i>mediifolia</i> Prain & Burkill	302
pubescens Hack.	618	pentaphylla L.	303
<i>pusilla</i> Thwaites	617	var. <i>communis</i> Prain & Burkill	303
var. <i>lawsonii</i> Hook. f.	617	var. <i>linnaei</i> Prain & Burkill	303
var. <i>pallida</i> Thwaites ex Hook.f.	618	var. <i>rheedei</i> Prain & Burkill	303
raizadae V.J.Nair	618	<i>persimilis</i> Prain & Burkill	302
<i>santapau</i> M.R. Almeida	640	pubera Blume	303
stapfiana C.E.Hubb. ex Pilg.	618	<i>pulchella</i> Roxb.	301
thwaitesii Hack.	618	<i>purpurea</i> Roxb.	301
<i>trimenii</i> Hook.f.	618	<i>rubella</i> Roxb.	301
veldkampii Kiran Raj & Sivad.	618	<i>sagittata</i> Royle	301
woodrowii Stapf	618	<i>sativa</i> L.	303
Dimocarpus Lour.	723	spicata Roth	303
longan Lour.	723	var. <i>anamallayana</i> Prain & Burkill	303
<i>Dimorphantes floribunda</i> (Kunth) Cass.	155	var. <i>parvifolia</i> Prain & Burkill	303
Dimorphocalyx Thwaites	323	<i>spinosa</i> Roxb. ex Hook.f.	302
glabellus Thwaites	323	tomentosa J.König ex Spreng.	303
var. glabellus	323	<i>triphylla</i> L.	303
var. lawianus (Hook.f.) Chakrab. & N.P.Balacr.	323	var. <i>daemona</i> (Roxb.) Prain & Burkill	302
<i>lawianus</i> Hook.f.	323	var. <i>mollissima</i> (Blume) Prain & Burkill	302
<i>ramiflorus</i> (J.Graham) M.R.Almeida	323	var. <i>reticulata</i> (Hook.f.) Prain & Burkill	302
Dinebra Jacq.	618	villosa L.	303
<i>arabica</i> Jacq. Fragm. Bot. 77	618	wallichii Hook.f.	303
<i>calycina</i> Wight ex Nees	662	var. <i>christiei</i> Prain & Burkill	303
retroflexa (Vahl) Panz.	618	var. <i>vera</i> Prain & Burkill	303
<i>Dinetus paniculatus</i> (Roxb.) Sweet	253	Dioscoreaceae	301
<i>Diodia orientalis</i> J.Koenig ex Roxb.	691	Diospyros L.	305
Dioscorea L.	301	affinis Thwaites	305
<i>aculeata</i> Roxb.	302	<i>amoena</i> Wall. ex G.Don	307
var. <i>spinosa</i> (Prain) Roxb. ex Prain & Burkill	302	<i>angustifolia</i> (Miq.) Kosterm.	309

<i>assimilis</i> Bedd.	306	<i>peregrina</i> (Gaertn.) Gurke	307
<i>auriculata</i> Wight ex Hiern	308	pruriens Dalzell	308
bourdillonii Brandis	305	<i>pyrrhocarpa</i> var. <i>andamanica</i> Kurz	308
<i>bracteata</i> Roxb.	308	<i>pyrrhocarpoides</i> B.R.Ramesh & D.De Franceschi	308
buxifolia (Blume) Hiern	305	ridleyi Bakh.	308
<i>canarica</i> Bedd.	306	<i>roylei</i> Wall. ex A.DC.	307
candolleana Wight	306	<i>rubiginosa</i> Roth	307
<i>capitulata</i> Wight	306	sahayadryensis P.Daniel & Vajr.	309
chloroxylon Roxb.	306	saldanhae Kosterm.	309
var. <i>cupulosa</i> V.Singh	306	sylvatica Roxb.	309
<i>citrifolia</i> Wall. ex A.DC.	307	<i>tomentosa</i> Roxb.	306
<i>clavigera</i> var. <i>pachyphylla</i> (C.B.Clarke) Ridl.	307	trichophylla Alston	309
<i>cordifolia</i> Roxb.	308	<i>tupru</i> Buch.-Ham.	307
crumenata Thwaites	306	vera (Lour.) A.Chev.	309
<i>dubia</i> Wall. ex A.DC.	307	<i>wightiana</i> Wall. ex Bedd	307
<i>ebenaster</i> Retz.	306	Dipcadi Medik.	131
ebenum J.Koenig ex Retz.	306	montanum (Dalzell) Baker	131
var. <i>glaberrima</i> (L.f.) Bakh.f.	306	<i>Diplachne fusca</i> (L.) P. Beauv. ex Roem. & Schult.	637
<i>elliptica</i> var. <i>foliosa</i> (Rich ex A.Gray) A.C.Sm.	306	<i>indica</i> (Retz.) Spreng.	637
<i>embryopteris</i> Pers.	307	<i>malabarica</i> (L.) Merr.	637
exsculpta Buch.-Ham.	306	<i>reptatrix</i> (L.) Druce	637
<i>exsculpta</i> Bedd.	307	Diplacrum R. Br.	280
<i>exsculpta</i> Dalzell & A.Gibson	307	africanum (Benth.) C.B.Clarke	280
<i>ferrea</i> (Willd.) Bakh.	309	caricinum R.Br.	281
var. <i>neilgerrensis</i> (Wight) Bakh.	308	Diplocentrum Lindl.	537
foliosa (Rich ex A.Gray) Bakh.	306	congestum Wight	537
ghatensis B.R.Ramesh & D.De Franceschi	306	<i>longifolium</i> Wight	537
<i>glaberrima</i> (L.) Rottler	306	recurvum Lindl.	537
<i>glauca</i> Rottler	308	<i>Diploclinium arnottianum</i> Wight	185
<i>glutinifera</i> (Roxb.) Wall.	307	<i>cordifolium</i> Wight	185
<i>glutinosa</i> J.Koenig ex Roxb.	307	<i>lindleyanum</i> Wight	185
<i>goindu</i> Dalzell	308	Diploclisia Miers	503
<i>grata</i> Wall. ex A.DC.	307	glaucescens (Blume) Diels	503
<i>hirsuta</i> Hiern	307	Diplocyclos (Endl.) Post & Kuntze	263
f. <i>nilagirica</i> (Bedd.) Hiern	308	palmaris (L.) C.Jeffrey	263
<i>humilis</i> Bourd.	308	var. <i>walkeri</i> (Chakrav.) Babu	263
insignis Thwaites	306	<i>Diplomorpha</i> Griff.	578
var. <i>parvifolia</i> Kosterm.	306	<i>bacciformis</i> (L.) Kuntze	579
<i>kanjilalii</i> Duthie	308	<i>herbacea</i> Griff.	579
lanceifolia Roxb.	307	Diploprora Hook.f.	538
<i>lonchophylla</i> Hiern	307	<i>championi</i> (Lindl. ex Benth.) Hook. f. ex Schltr.	538
<i>lucida</i> Wall. ex A.DC.	307	championii (Lindl.) Hook.f.	538
malabarica (Desr.) Kostel.	307	<i>Diplosastera tinctoria</i> (Nutt.) Tausch	149
melanoxylon Roxb.	307	<i>Diplospora apiocarpa</i> (Dalzell ex Hook.f.) Hook.f.	689
<i>melanoxylon</i> Willd.	306	<i>dalzellii</i> (Thwaites) Hook.f.	689
var. melanoxylon	307	<i>sphaerocarpa</i> (Dalzell ex Hook.f.) Hook.f.	689
var. tupru (Buch.-Ham.) V.Singh	307	Dipteracanthus Nees	32
<i>membranacea</i> A.DC.	306	<i>cernuus</i> (Roxb.) Santapau	36
<i>microphylla</i> Bedd.	305	dejectus Nees	32
montana Roxb.	308	<i>nagchana</i> Nees	32
<i>montana</i> B.Heyne ex A.DC.	307	<i>patulus</i> (Jacq.) Nees	45
var. <i>cordifolia</i> (Roxb.) Clarke	308	prostratus (Poir.) Nees	32
<i>multiflora</i> Wall. ex A.DC.	307	Dipterocarpaceae	303, 765
neilgerrensis (Wight) Kosterm.	308	Dipterocarpus C.F.Gaertn .	303
<i>nigrescens</i> (Dalzell) Saldanha	309	bourdillonii Brandis	303
nilagirica Bedd.	308	indicus Bedd.	303
oocarpa Thwaites	308	<i>Dipterosperma personatum</i> Hassk.	191
<i>orixensis</i> Klein ex Willd.	308	<i>Dirtea japonica</i> (Thunb.) Raf.	233
ovalifolia Wight	308	Discospermum Dalzell	689
<i>pachyphylla</i> C.B.Clarke	307	apiocarpum Dalzell ex Hook.f.	689
paniculata Dalzell	308	<i>dalzellii</i> Thwaites	689

sphaerocarpum Dalzell ex Hook.f.	689	<i>roseus</i> Sw.	413
Disperis Sw.	538	<i>scarabaeoides</i> L.	412
neilgherrensis Wight	538	<i>subcarnosus</i> Wight & Arn.	451
<i>zeylanica</i> Trimen	538	<i>tomentosus</i> Roth	443
Disporum Salisb. ex D.Don	223	<i>tometosus</i> Roth	443
leschenaultianum D.Don	223	<i>trilobatus</i> L.	452
var. <i>angustifolium</i> C.E.C.Fisch.	223	trilobus L.	426
<i>Dissolena verticillata</i> Lour.	97	<i>umbellatus</i> Thunb.	452
Distimake Raf.	242	<i>unguiculata</i> L.	452
aegyptius (L.) A.R.Simoes & Staples	242	<i>uniflorus</i> Lam.	437
dissectus (Jacq.) A.R.Simoes & Staples	242	<i>virosus</i> Roxb.	412
kentrocaulos (C.B.Clarke) A.R.Simoes & Staples	242	Dombeya Cav.	480
quinquefolius (L.) A.R.Simoes & Staples	242	burgessiae Gerrard ex Harv.	480
rhyncorhiza (Dalzell) A.R.Simoes & Staples	242	<i>calantha</i> K.Schum.	480
<i>Distomischus myuros</i> (L.) Dulac	664	<i>Dondisia leschenaultii</i> DC.	686
<i>Distomomischus myuros</i> (L.) Dulac	664	<i>Donella roxburghii</i> (G.Don) Pierre ex Lecomte	725
<i>Diteilis wightiana</i> (Thwaites) M.A.Clem. & D.L.Jones	546	<i>Doodia alopecuroides</i> Roxb.	450
<i>Ditelesia nudiflora</i> (L.) Raf.	234	<i>lagopodioides</i> Roxb.	450
<i>Dithyrocarpus petiolatus</i> Wight	232	<i>picta</i> Roxb.	450
<i>rothii</i> Wight	232	<i>simplicifolia</i> Roxb.	450
<i>undulatus</i> Wight	232	Dopatrium Buch.-Ham. ex Benth.	583
<i>Ditremexa hirsuta</i> (L.) Britton & Wilson	398	junceum (Roxb.) Buch.-Ham. ex Benth.	583
<i>occidentalis</i> (L.) Britton & Wilson	399	lobelioides (Retz.) Benth.	583
<i>sophora</i> (L.) Britton & Wilson	399	nudicaule (Willd.) Benth.	583
<i>Ditrichospermum</i> Bremek.	46	<i>Doritis deliciosa</i> (Rchb.f.) T.Yukawa & K.Kita	551
Dodonaea Mill.	723	<i>mysorensis</i> (C.J.Saldanha) T.Yukawa & K.Kita	552
viscosa (L.) Jacq.	723	<i>parishii</i> (Rchb.f.) T.Yukawa & K.Kita	552
Doellia Sch.Bip. ex Walp.	152	<i>wightii</i> (Rchb.f.) Benth. & Hook.f.	551
bovei (DC.) Anderb.	152	<i>Doronicum reticulatum</i> Wight	170
<i>Dolicandrone lawii</i> Seem.	187	<i>tenuifolium</i> (Burm.f.) Wight	171
Dolichandra Cham.	187	<i>tomentosum</i> Wight	171
<i>unguis-cati</i> (L.) L.G.Lohmann	187	<i>walkerii</i> Arn.	171
<i>Dolichandron crispa</i> Seem.	187	<i>wightii</i> DC.	172
Dolichandrone Seem. Nom. cons.	187	Dorstenia L.	506
arcuata (Wight) C.B.Clarke	187	indica Wall. ex Wight	506
atrovirens (Roth) K.Schum.	187	<i>Dortmannia alsinodes</i> (Lam.) Kuntze	208
falcata (Wall ex DC.) Seem.	187	<i>leschenaultiana</i> (C.Presl) Kuntze	209
var. <i>lawii</i> Sprague	187	<i>nicotianifolia</i> (Roth ex Schult.) Kuntze	209
<i>hildebrandtii</i> Baker	189	<i>trialata</i> (Buch.-Ham. ex D.Don) Kuntze	209
<i>lutea</i> (Benth.) Benth. ex B.D.Jacks.	189	<i>trigona</i> (Roxb.) Kuntze	208
<i>platycalyx</i> Baker	189	var. <i>affinis</i> (C.Presl) Kuntze	209
<i>rheedei</i> (Spreng.) Seem.	188	<i>zeylanica</i> (L.) Kuntze	209
serrulata (Wall. ex DC.) Seem.	187	<i>Dossifluga</i> Bremek.	46
spathacea (L.f.) Seem.	188	<i>Doxantha unguis-cati</i> (L.) Miers	187
<i>stipulata</i> (Wall.) Benth. & Hook.f.	189	Dracaena Vand. ex L.	131
<i>Dolicholus minimus</i> (L.) Medik.	442	aletriformis (Haw.) Bos	131
Dolichos L.	426	<i>australis</i> G.Forst.	130
<i>angularis</i> Willd.	451	braunii Engl.	131
<i>catjang</i> L.	452	<i>deremensis</i> Engl.	131
<i>ensifolmis</i> L.	413	draco (L.) L.	131
<i>falcatus</i> Klein ex Willd.	426	fragrans (L.) Ker Gawl.	131
<i>gladiatus</i> Jacq.	413	<i>hookeriana</i> K.Koch	131
<i>glutinosus</i> Roxb.	443	reflexa Lam.	131
<i>grahamianus</i> (Wight & Arn.) Niyomdham	451	var. <i>angustifolia</i> Baker	132
<i>hirtus</i> Andrews	442	var. reflexa	131
<i>lineatus</i> Thunb.	413	<i>smithii</i> Baker ex Hook.f.	131
<i>lobatus</i> Willd.	441	spicata Roxb.	132
<i>minimus</i> L.	442	<i>stricta</i> Sims	130
<i>pilosus</i> Willd.	426	<i>terminalis</i> L.	131
<i>pruriens</i> L.	438	terniflora Roxb.	132
<i>purpureus</i> L.	436	var. <i>heyneana</i> Hook.f.	132

<i>wallichii</i> Kunth	132	Dypsis Noronha ex Mart.	119
<i>Draco fragrans</i> (L.) Kuntze	131	decaryi (Jum.) Beentje & J.Dransf.	119
<i>marginata</i> (Lam.) Kuntze	132	leptocheilos (Hodel) Beentje & J.Dransf.	119
<i>reflexa</i> (Lam.) Kuntze	131	lutescens (H.Wendl.) Beentje & J.Dransf.	119
<i>spicata</i> (Roxb.) Kuntze	132	Dyschoriste Nees	32
<i>Dracontium paeoniifolium</i> Dennst.	104	<i>cernua</i> Nees	32
<i>Dracopis amplexicaulis</i> (Vahl) Cass. ex Less.	170	dalzellii (T.Anderson ex Bedd.) Kuntze	32
<i>Drakaina draco</i> (L.) Raf.	131	<i>depressa</i> (L.) Nees	32
Dregea E.Mey.	90	erecta (Burm.f.) Kuntze	32
<i>angustifolia</i> (Hook.f.) Santapau & Irani	90	<i>mysorensis</i> (Klein ex Schult.) M.R.Almeida	32
<i>lanceolata</i> (T.Cooke) Santapau & Wagh	90	nagchana (Nees) Bennet	32
volubilis (L.f.) Benth. ex Hook. f.	90	vagans (Wight) Kuntze	32
var. angustifolia Hook. f.	90	<i>Dysodidendron ceylanicum</i> Gardner	709
var. lacuna (Buch.-Ham) ex Wight) Hook. f.	90	<i>glomeratum</i> Gardner	709
var. volubilis	90	Dysolobium (Benth.) Prain	426
<i>Drepanocarpus monospermus</i> (Dalzell) Kurz	421	pilosum (Willd.) Marechal	426
Drimia Jacq. ex Willd.	132	<i>Dysophylla auricularia</i> (L.) Blume	370
congesta Bullock	132	<i>cruciata</i> Benth.	370
<i>congesta</i> (Wight) Stearn	133	<i>erecta</i> Dalzell	371
indica (Roxb.) Jessop	132	<i>gracilis</i> Dalzell	371
<i>nagarjunae</i> (Hemadri & Swahari) Anand Kumar	132	<i>myosuroides</i> (Roth) Benth. ex Wall.	371
polyantha (Blatt. & McCann) Stearn	133	<i>quadrifolia</i> Benth.	372
wightii Lakshmin.	133	<i>rupestris</i> Dalzell	372
Drosera L.	305	<i>tetraphylla</i> Wight	370
burmanni Vahl	305	<i>tomentosa</i> Dalzell	372
indica L.	305	Dysoxylum Blume	499
peltata Thunb.	305	<i>binectariferum</i> (Roxb.) Hook.f. ex Bedd.	499
Droseraceae	305	gotadhora (Buch.-Ham.) Mabb.	499
<i>Dryandra cordata</i> Thunb.	339	<i>macrocarpum</i> Bedd.	499
<i>verrucosa</i> Royle	339	malabaricum Bedd. ex C.DC.	500
Drymaria Willd.	215	Dysphania R. Br.	63
cordata (L.) Willd. ex Schult.	215	ambrosioides (L.) Mosyakin & Clemants	63
subsp. cordata	215	<i>Dyssodia tenuifolia</i> (Cass.) Loes.	175
subsp. diandra (Blume) J.A.Duke	215	Ebenaceae	305
<i>diandra</i> Blume	215	<i>Ebenoxylum verum</i> Lour.	309
<i>Drymophloeus normanbyi</i> (W.Hill) Benth. & Hook.f. ex		<i>Ebenus foliosa</i> (Rich ex A.Gray) Kuntze	306
Becc.	121	<i>micrantha</i> (Dalzell) Kuntze	309
Drypetes Vahl	677	<i>nigrescens</i> (Dalzell) Kuntze	309
confertiflora (Hook.f.) Pax & K.Hoffm.	677	<i>Ebermaiera</i> Nees .	46
oblongifolia (Bedd.) Airy Shaw	677	<i>glauca</i> Nees	46
<i>roxburghii</i> (Wall.) Hurus.	677	var. <i>spatulata</i> (Blume) C. B. Clarke	46
sepiaria (Wight & Arn.) Pax & K.Hoffm.	677	<i>glutinosa</i> Wall. ex C.B. Clarke	46
venusta (Wight) Pax & K.Hoffm.	677	<i>zeylanica</i> Nees	46
Duabanga Buch.-Ham.	469	Ecbolium Kurz	32
grandiflora (DC.) Walp.	469	ligustrinum (Vahl) Vollesen	32
<i>Duhamelia patens</i> (Jacq.) Pers.	690	<i>linneanum</i> Kurz	32
Dumasia DC.	426	var. <i>dentatum</i> (Klein ex Link) C.B. Clarke	33
<i>congesta</i> J.Graham ex Wight & Arn.	426	var. <i>laetevirens</i> (Vahl) C.B. Clarke	33
villosa DC.	426	var. <i>rotundifolia</i> (Nees) C.B. Clarke	33
Dunbaria Wight & Arn.	426	viride (Forssk.) Alston	33
ferruginea Wight & Arn.	426	subsp. <i>ligustrina</i> (Vahl) M.R.Almeida	33
<i>heynei</i> Wight & Arn.	411	subsp. <i>ligustrina</i> var. <i>dentata</i> (Klein ex Link) M. R.	
Duranta L.	745	Almeida	33
erecta L.	745	var. <i>dentatum</i> (Klein ex Link) Santapau	33
<i>inermis</i> L.	745	var. <i>laetevirens</i> (Vahl) Santapau	33
<i>repens</i> L.	745	var. <i>rotundifolia</i> (Nees) Raizada	33
<i>spinosa</i> Mill.	745	<i>wynadense</i> (B.Heyne) Kuntze	41
<i>Duval-jouvea maritima</i> (Aubl.) Palla	296	<i>Echinalysium articulatum</i> (P.Beauv.) Kunth	620
<i>pilosa</i> (Vahl) Palla	279	Echinochloa P. Beauv.	619
<i>procera</i> (Rottb.) H.Pfeiff.	279	colona (L.) Link	619
<i>Dymczewiczia capitata</i> (Roxb.) Horan.	759	var. <i>frumentacea</i> (Link) Ridl.	619

<i>compressa</i> (P.Beauv.) Roberty	597	<i>laevis</i> Roxb.	196
crus-galli (L.) P. Beauv.	619	var. <i>aspera</i> (Willd.) C.B.Clarke	196
var. <i>frumentacea</i> (Link) W.F.Wright	619	var. <i>canarensis</i> Miq. ex C.B.Clarke	196
<i>eruciformis</i> (Sm.) Rchb.	600	var. <i>floribunda</i> (Benth.) Brandis	196
frumentacea Link	619	var. <i>pubescens</i> (Benth.) C.B.Clarke	196
<i>geminata</i> (Forssk.) Roberty	645	<i>lanceolata</i> B.Heyne ex C.B.Clarke	197
oryzoides (Ard.) Fritsch.	619	<i>lycioides</i> (G.Don) Wall. ex B.D.Jacks.	199
picta (J.Koenig P.W. Michael	619	microphylla Lam.	197
<i>polystachya</i> (Kunth) Roberty	650	<i>ovalifolia</i> Hassk.	196
pyramidalis (Lam.) Hitchc. & Chase	620	<i>ovalifolia</i> Wight	196
<i>ramosa</i> (L.) Roberty	601	<i>pubescens</i> Benth.	196
<i>reptans</i> (L.) Roberty	601	<i>punctata</i> Roth ex Roem. & Schult.	196
stagnina (Retz.) P. Beauv.	620	<i>pyrifolia</i> D.Don	196
<i>Echinodorus parnassifolius</i> (L.) Engelm.	56	<i>serrata</i> Roxb.	196
<i>Echinolaena polystachya</i> Kunth	650	var. <i>pyrifolia</i> (D.Don) DC.	196
<i>Echinolytrum dipsaceum</i> (Rottb.) Desf.	285	<i>thyrsiflora</i> (Siebold & Zucc.) Nakai	196
Echinops L.	153	<i>viminea</i> Wall.	199
echinatus Roxb.	153	wightiana Wall. ex G.Don	197
<i>Echinosperrum coelestinum</i> (Lindl.) Wight	193	<i>Eichhornia crassipes</i> (Mart.) Solms	672
<i>zeylanicum</i> (Sw. ex Lehm.) Lehm.	196	<i>Elachocroton asperococcum</i> F.Muell.	336
<i>Echites antidysenterica</i> Roth	92	Elaeagnaceae	309
<i>caryophyllata</i> Roxb.	94	Elaeagnus L.	309
<i>conferta</i> Wall.	80	<i>arborea</i> Roxb.	309
<i>cymosus</i> Roxb.	80	var. <i>maculata</i> Servett.	309
<i>dichotoma</i> Roth	81	conferta Roxb.	309
<i>dichotomus</i> Roxb.	101	subsp. <i>nigricans</i> var. <i>maculata</i> Servettaz	309
<i>fragrans</i> Moon	88	subsp. <i>nigricans</i> var. <i>maculata</i> (Servettaz) D.Basu	309
<i>frutescens</i> (L.) Roxb.	93	var. <i>calcuttensis</i> Servett.	309
<i>heynei</i> Spreng.	81	var. <i>maculata</i> (Servett.) D. Basu	309
<i>laevigatus</i> Moon	95	<i>ferruginea</i> Rich.	310
<i>macrophylla</i> auct. non Kunth	88	indica Servett.	310
<i>malabarica</i> Lam.	93	<i>kologa</i> Schltdl.	309
<i>paniculata</i> auct. non Poir.	82	subsp. <i>wightii</i> Servett.	310
<i>pubescens</i> Buch.-Ham.	92	latifolia L.	310
<i>scholaris</i> L.	81	var. <i>triflora</i> (Roxb.) Schltdl.	310
<i>tomentosus</i> Roth	101	<i>thwaitesii</i> Schltdl.	310
Eclipta L.	153	triflora Roxb.	310
<i>alba</i> (L.) Hassk.	153	<i>wallichiana</i> Schltdl.	309
<i>erecta</i> L.	153	Elaeis Jacq.	119
<i>latifolia</i> L.f.	142	guineensis Jacq.	119
prostrata (L.) L.	153	<i>melanococca</i> Gaertn.	119
var. <i>dixitii</i> AnandKumar & K.K. Khanna	153	Elaeocarpaceae	310
Ehretia P. Brown	196	Elaeocarpus L.	310
acuminata R. Br.	196	<i>bilocularis</i> Roxb. ex Wight & Arn.	311
var. <i>pyrifolia</i> (D.Don) I.M.Johnst.	196	<i>cuniatus</i> Wight	310
var. <i>serrata</i> (Roxb.) I.M.Johnst.	196	<i>ganitrus</i> Roxb. ex G.Don	310
<i>aquatica</i> (Lour.) Gottschling & Hilger	199	<i>glandulosus</i> Wall. ex Merr.	311
<i>aspera</i> Willd.	196	hygrophilus Kurz	310
var. <i>obtusifolia</i> (Hochst. ex DC.) Parmar	196	lanceifolius Roxb.	310
<i>buxifolia</i> Roxb.	197	<i>madopetalus</i> Pierre	310
var. <i>microphylla</i> (Lam.) DC.	197	<i>malabaricus</i> Oken	310
<i>canarensis</i> Miq. ex C.B.Clarke	196	munroii Mast.	310
<i>championii</i> Wight & Gardner ex C.B.Clarke	196	<i>oblongus</i> Wight & Arn.	311
<i>coromandeliana</i> Retz. ex A.DC.	197	<i>perim-kara</i> DC.	310
<i>cuneata</i> Wight	199	<i>perincara</i> Buch.-Ham.	310
<i>cutranga</i> C.B.Clarke	196	serratus L.	310
<i>floribunda</i> Royle	196	var. serratus	310
<i>glabra</i> Roth ex Roem. & Schult.	195	var. weibelii Zmartyz	310
<i>heynei</i> Roem. & Schult.	196	<i>serrulatus</i> Benth.	310
<i>indica</i> (Dennst. ex Kostel.) M.R.Almeida &		<i>sphaericus</i> (Gaertn.) K.Schum.	310
S.M.Almeida	196	<i>tectorius</i> auct. non (Lour.) Poir.	311

tuberculatus Roxb.	311	<i>calycina</i> Roxb.	618
variabilis Zmarzty	311	coracana (L.) Gaertn.	620
<i>Elaeococca cordata</i> (Thunb.) A.Juss	339	var. <i>stricta</i> (Roxb.) Nees	620
<i>montana</i> (Lour.) Oken	339	indica (L.) Gaertn.	620
<i>Elaeodendron glaucum</i> (Rottb.) Pers.	216	<i>lagopoides</i> (Burm.f.) Merr.	607
<i>paniculatum</i> Wight & Arn.	217	<i>monostachys</i> (Vahl) Spreng.	621
<i>roxburghii</i> Wight & Arn.	216	<i>racemosa</i> B.Heyne ex Roth	588
<i>Elate sylvestris</i> L.	122	<i>stricta</i> Roxb.	620
Elatinaceae	311	<i>verticillata</i> Roxb.	588
Elatine L.	311	Eleutheranthera Poit.	153
ambigua Wight	311	ruderalis (Sw.) Sch.Bip.	153
<i>Elatinoides ramosissima</i> (Walter) Kuntze	586	<i>Elionurus pertusus</i> (L.) Nees ex Steud.	599
Elatostema J. R. Forst. & G. Forst.	741	<i>Ellertonia rheedei</i> Wight	94
acuminatum (Poir.) Brongn.	741	<i>Elsholtzia oppositifolia</i> (Sm.) Poir.	357
cuneatum Wight	741	<i>paniculata</i> Willd.	371
lineolatum Wight	741	Elytranthe (Blume) Blume	466
monandrum (Buch.-Ham. ex D.Don) H.Hara	741	<i>capitellata</i> (Wight & Arn.) Engl.	467
<i>pedunculatum</i> J.R.Forst. & G.Forst.	744	<i>lonicerioides</i> (L.) G.Don	466
sessile J.R. Forst. & J.G.A. Forst.	741	parasitica (L.) Danser	466
<i>surculosum</i> Wight	741	<i>trigona</i> (Wight & Arn.) Engl.	466
Eleiotis DC.	426	Elytraria Michx., nom. cons.	33
monophyllos (Burm.f.) DC.	426	acaulis (L.f.) Lindau	33
rottleri Wight & Arn.	426	var. acaulis	33
<i>sororia</i> (L.) DC.	426	var. lyrata (Vahl) Bremek.	33
<i>trifoliolata</i> T.Cooke	426	<i>crenata</i> Vahl	33
Eleocharis R. Br.	281	<i>crenata sensu</i> C.B.Clarke	33
acutangula (Roxb.) Schult.	281	var. <i>lyrata</i> (Vahl) Nees	33
atropurpurea (Retz.) J.Presl & C.Presl	281	<i>lyrata</i> Vahl	33
<i>capitata</i> (L.) R.Br.	282	Elytrophorus P. Beauv.	620
<i>chaetaria</i> Roem. & Schult.	282	<i>articulatus</i> P. Beauv.	620
congesta D.Don	281	spicatus (Willd.) A. Camus	620
subsp. <i>subvivipara</i> (Boeckeler) T.Koyama	281	<i>Elytropus pubescens</i> (Wall.) Miers	92
dulcis Trin. ex Hensch.	281	Embelia Burm. f.	675
<i>equisetina</i> J.Presl & C.Presl	281	<i>aurantiaca</i> (Wall.) Wadhwa	675
<i>fistulosa</i> Schult.	281	<i>basaal</i> auct. non (Roem. & Schult.) A.DC.	676
geniculata (L.) Roem. & Schult.	282	drupacea (Dennst.) M.R.Almeida & S.M.Almeida	675
<i>incurvata</i> (Roxb.) Schult.	297	<i>ferruginea</i> Wall. ex A.DC.	676
<i>indica</i> (Lour.) Druce	281	<i>glandulifera</i> Wight	675
lankana T.Koyama	282	<i>grossularia</i> Retz.	720
subsp. mohamadii Wad.Khan	282	<i>indica</i> J.F.Gmel.	675
<i>plantaginea</i> (Retz.) Roem. & Schult.	281	ribes Burm.f.	675
<i>plantaginoides</i> (Rottb.) Domin	281	<i>robusta</i> Roxb.	676
<i>purpurascens</i> Boeckeler	281	var. <i>ferruginea</i> (Wall. ex A.DC.) C.B.Clarke	676
retroflexa (Poir.) Urb.	282	<i>tetrandra</i> J.Graham	675
subsp. chaetaria (Roem. & Schult.) T.Koyama	282	tsjeriam-cottam (Roem. & Schult.) A.DC.	676
spiralis (Rottb.) Roem. & Schult.	282	var. <i>ferruginea</i> (Wall. ex A.DC.) Harid. & R.R.Rao	676
<i>subvivipara</i> Boeckeler	281	<i>villosa</i> A.DC.	676
<i>tumida</i> (Roxb.) Schult.	281	viridiflora (A.DC.) Scheff.	676
<i>Eleogenus atropurpureus</i> (Retz.) Nees	281	<i>viridiflora</i> C.B.Clarke	675
<i>capitatus</i> (L.) Nees	282	<i>Emblica fischeri</i> Gamble	575
<i>Eleogiton atropurpurea</i> (Retz.) A.Dietr.	281	<i>officinalis</i> Gaertn.	575
<i>scabra</i> (Roxb.) A.Dietr.	283	<i>palasis</i> Buch.-Ham.	570
Elephantopus L.	153	<i>racemosa</i> (L.f.) Spreng.	579
scaber L.	153	<i>Embryopteris glutinifera</i> Roxb.	307
Elettaria Maton	758	<i>peregrina</i> Gaertn.	307
<i>cannicarpa</i> Wight	755	<i>Emelista tora</i> (L.) Britton & Rose ex Britton & P. Wilson	400
cardamomum (L.) Maton	758	<i>Emerus grandiflorus</i> (L.) Kuntze	444
var. <i>minus</i> Watt	758	<i>sesban</i> (L.) Kuntze	444
Eleusine Gaertn.	620	Emex Necker ex Campdera	668
<i>aegyptia</i> (L.) Desf.	611	spinosa (L.) Campd.	668
<i>brevifolia</i> (Willd.) R.Br. ex Hook.f.	588	Emilia Cass.	153

alstonii Fosberg	153	<i>praemorsum</i> Roxb.	529
<i>coccinea</i> (Sims) G. Don	154	<i>resupinatum</i> G.Forst.	534
exserta Fosberg	153	<i>retusum</i> L.	553
<i>flammea</i> Cass.	154	<i>spathulatum</i> L.	556
<i>javanica</i> (Burm.f.) C.B.Rob.	154	<i>sterile</i> Lam.	531
ramulosa Gamble	153	<i>tenuifolium</i> L.	532
<i>rigidula</i> DC.	154	<i>tessellatum</i> Roxb.	557
<i>sagittata</i> (Vahl) DC.	154	<i>Epigynium neilgherense</i> (Wight) Klotzsch	312
scabra DC.	153	<i>Epimeredi indicus</i> (L.) Rothm.	354
sonchifolia (L.) DC.	154	<i>malabaricus</i> (L.) Rothm.	354
var. <i>scabra</i> (DC.) Hook.f.	153	<i>Epipactis carinata</i> Roxb.	546
zeylanica C.B.Clarke	154	<i>juliana</i> Roxb.	547
var. <i>paludosa</i> Gamble	154	<i>plicata</i> Roxb.	547
<i>Endocodon zebrina</i> (Sims) Raf.	493	<i>procera</i> (KerGawler) A.A.Eaton	540
<i>Endopogon capitatus</i> Wight	49	<i>Epiphanes pallens</i> (Griff.) Rchb.f.	537
<i>consanguineus</i> Nees	48	Epipogium S. G. Gmel. ex Borkh.	538
<i>cuspidatus</i> Benth.	48	<i>indicum</i> H.J.Chowdhery, G.D.Pal & G.S.Giri	538
<i>foliosus</i> Wight	49	roseum (D.Don) Lindl.	538
<i>integrifolius</i> Dalzell	49	<i>sessanum</i> S.N.Hegde & A.N.Rao	538
<i>versicolor</i> Wight	48	<i>tuberosum</i> Duthie	538
Endosamara R. Geesink	427	Epipremnum Schott	108
racemosa (Roxb.) R.Geesink	427	aureum (Linden & André) G.S.Bunting	108
Endostemon N. E. Br.	358	pinnatum (L.) Engl.	108
viscosus (Roth) M.R.Ashby	358	Epiprinus Griff.	324
<i>Eneodon urticifolia</i> (Vahl) Raf.	364	mallotiformis (Müll.Arg.) Croizat	324
Enicostema Blume	341	<i>Epistylum cordifolium</i> Baill.	575
axillare (Poir. ex Lam.) A.Raynal	341	<i>latifolium</i> (Wight) Thwaites	575
<i>hyssopifolium</i> (Willd.) Verd.	341	Epithema Blume	344
<i>verticillare</i> (Retz.) Baill.	341	carnosum Benth.	344
Enneapogon Desv. ex P. Beauv.	621	var. <i>ceylanicum</i> (Gardner) C.B.Clarke	344
<i>elegans</i> (Nees ex Steud.) Stapf	621	var. <i>dentatum</i> C.B.Clarke in A.DC. & C.DC.	344
persicus Boiss.	621	var. <i>hispidum</i> C.B.Clarke	344
<i>schimperianus</i> (Hochst. ex A.Rich.) Renvoize	621	var. <i>pusillum</i> C.B.Clarke	345
Ensete Horan.	511	ceylanicum Gardner	344
superbum (Roxb.) Cheesman	511	<i>dentatum</i> (C.B.Clarke) Hilliard & B.L.Burt	344
Entada Adans.	390	subsp. <i>hispidum</i> (C.B.Clarke) Hilliard & B.L.Burt	344
<i>monostachya</i> DC.	390	var. <i>pusillum</i> (C.B.Clarke) Hilliard & B.L.Burt	345
<i>pursaetha</i> DC.	390	pusillum (C.B.Clarke) Bransgrove	345
rheedii Spreng.	390	Eragrostiella Bor	621
<i>scandens</i> auct. non Benth.	390	bifaria (Vahl) Bor	621
<i>Enterolobium saman</i> (Jacq.) Prain	386	brachyphylla (Stapf) Bor	621
Enteropogon Nees	621	<i>coromandeliana</i> (J.Koenig ex Rottler) Keng f. & L.Liou	621
<i>badamicus</i> Bhide	621	Eragrostis Wolf	622, 770
dolichostachyus (Lag.) Keng	621	amabilis (L.) Wight & Arn.	622
<i>melicoides</i> Nees	621	var. <i>insularis</i> (C.E.Hubb.) P.Umam. & P.Daniel	622
monostachyus (Vahl) K. Schum.	621	var. <i>peramangalamensis</i> P.Umam. & P.Daniel	622
Enydra Lour.	154	var. <i>riparia</i> (Willd.) E.G. Camus & A. Camus	625
fluctuans Lour.	154	aspera (Jacq.) Nees	622
Epaltes Cass.	154	<i>atropurpurea</i> Hochst. ex Steud.	624
australis Less.	154	atrovirens (Desf.) Trin. ex Steud.	622
divaricata (L.) Cass.	154	<i>bifaria</i> (Vahl) Wight	621
pygmaea DC.	154	<i>bipinnata</i> (L.) K.Schum.	612
<i>Ephemerantha macraei</i> (Lindl.) P.F.Hunt & Summerh.	536	<i>brachyphylla</i> Stapf	621
<i>Ephemerum cristatum</i> (L.) Moench	230	<i>brevifolia</i> (Willd.) Benth.	588
<i>Epibaterium pendulum</i> J.R.Forst. & G.Forst.	502	cilianensis (All.) Vignolo ex Janch.	622
<i>Epichysianthus macrophyllus</i> (G.Don) Voigt	88	ciliaris (L.) R. Br.	623
<i>Epidendrum aphyllum</i> (Roxb.) Poir.	535	var. <i>brachystachya</i> Boiss.	623
<i>concretum</i> Jacq.	552	coarctata Stapf	623
<i>domesticum</i> L.	352	<i>coromandelina</i> (J.Koenig ex Rottler) Trin.	621
<i>flos-aeris</i> L.	530	curvula (Schrad.) Nees	623
<i>nervosum</i> (Thunb.) Thunb.	545		

<i>cynosuroides</i> (Retz.) P. Beauv.	612	var. capense	33
dayanandanii Ravich.	623	var. concanensis (T.Anderson ex C.B.Clarke)	
deccanensis Bor	623	Santapau	34
<i>diandra</i> Roxb. ex Boiss.	624	var. <i>wightianum</i> (Wall. ex Nees) Karthik. &	
<i>diarrhena</i> (Schult.) Steud.	623	Moorthy	33
<i>diplachnoides</i> Steud.	623	<i>fastigiatum</i> (Lam.) R.Br. ex Roem. & Schult.	33
<i>elegantula</i> auct. non Nees	624	<i>lapathifolium</i> (Vahl) Nees	44
<i>eragrostis</i> (L.) Blatt. & McCann	622	<i>malabaricum</i> C.B.Clarke	44
gangetica (Roxb.) Steud.	623	<i>montanum</i> (Roxb.) Roxb.	33
<i>interrupta</i> auct. non (R. Br.) P. Beauv.	623	var. <i>concanensis</i> (T.Anderson ex C.B.Clarke)	
var. <i>diarrhena</i> (Schult.) Stapf	623	Gamble	34
var. <i>diplachnoides</i> (Steud.) Stapf	623	var. <i>wightianum</i> (Wall ex Nees) Gamble	33
var. <i>koenigii</i> (Kunth) Stapf	623	<i>nervosum</i> (Vahl) R. Br.	34
var. <i>tenuissima</i> (Schrud. ex Nees) Stapf	623	<i>palatiferum</i> (Wall.) Nees	44
japonica (Thunb.) Trin.	623	pulchellum Andrews	34
<i>lamarckii</i> Steud.	625	var. <i>purpurascens</i> (Nees) Kuntze	34
maderaspatana Bor	624	var. <i>roseum</i> (Vahl) Kuntze	34
<i>major</i> Host	622	purpurascens Nees	34
<i>mangalorica</i> Hochst. ex Steud.	625	roseum (Vahl) R. Br.	34
<i>megastachya</i> var. <i>cilianensis</i> (All.) Asch. & Graebn.	622	<i>wightianum</i> Wall. ex Nees	33
minor Host	624	Erechtites Raf.	154
multicaulis Steud.	624	hieracifolia (L.) Raf. ex DC.	154
<i>multiflora</i> Trin.	625	<i>valerianaefolia</i> auct. non (Wolf) DC.	151
var. <i>cilianensis</i> (All.) Maire	622	valerianifolius (Wolf ex Rchb.) DC.	155
var. <i>pappiana</i> Chiov.	624	Eremochloa Buese.	626
<i>namaquensis</i> var. <i>diplachnoides</i> (Steud.) Clayton	623	zeylanica (Trimen) Hack.	626
nigra Nees ex Steud.	624	<i>Eremopogon foveolatus</i> (Delile) Stapf	613
nutans (Retz.) Nees ex Steud.	624	<i>paranjpyeanus</i> (Bhide) Blatt. & McCann	614
<i>pappiana</i> (Chiov.) Chiov.	624	<i>strictus</i> A.Camus	613
patula (Kunth) Steud.	624	<i>Eri ocaulon</i> trilobum Korn. apud Sprague	316
<i>phleoides</i> auct. non Hillebr.	623	Eria L.	538
pilosa (L.) P. Beauv.	625	albiflora Rolfe	538
subsp. <i>multicaulis</i> (Steud.) Tzvelev	624	<i>bicornis</i> (Lindl.) Rchb.f.	556
<i>plumosa</i> (Retz.) Link	622	<i>braccata</i> (Lindl.) Lindl.	533
<i>poaeoides</i> P. Beauv. ex Roem. & Schult.	624	<i>bracteata</i> Schltr.	556
<i>rhachitricha</i> Hochst. ex Miq.	625	<i>chandrasekharanii</i> (Bhargavan & C.N.Mohanana)	
riparia (Willd.) Nees	625	Sath.Kumar & Manilal	538
<i>rubens</i> var. <i>riparia</i> (Willd.) A.Camus	625	<i>conrardii</i> M.R.Almeida	533
santapau K.G. Bhat & Nagendran	625, 770	<i>dalzellii</i> (Hook. ex Dalzell) Lindl.	533
<i>serpula</i> Chiov.	625	var. <i>fimbriata</i> Hook.f.	533
<i>spicata</i> auct. non Vasey	623	exilis Hook.f.	538
<i>stenophylla</i> Hochst ex Miq.	623	<i>filiformis</i> (Wight) Rchb.f.	533
superba Peyr.	625	<i>jerdoniana</i> (Wight) Rchb.f.	553
<i>tenella</i> (L.) P. Beauv. ex Roem. & Schult.	622	<i>microchilos</i> (Dalzell) Lindl.	534
var. <i>insularis</i> C.E.Hubb.	622	<i>minima</i> Blatt. & McCann	538
var. <i>plumosa</i> (Retz.) Stapf	622	<i>musciola</i> var. <i>brevilinguis</i> J.Joseph & V.Chandras.	534
var. <i>riparia</i> (Willd.) Stapf	625	var. <i>ponmudiana</i> M.Mohanana & A.N.Henry	534
var. <i>viscosa</i> (Retz.) Stapf	625	<i>mysorensis</i> Lindl.	552
<i>tenuifolia</i> (A.Rich.) Hochst. ex Steud.	624	<i>nana</i> A.Rich.	534
tremula Hochst. ex Steud.	625	var. <i>brevilinguis</i> (J.Joseph & V.Chandras.)	
unioloides (Retz.) Nees ex Steud.	625	Agrawala & H.J.Chowdhery	534
<i>verticillata</i> var. <i>indica</i> (Rottler) Wight & Arn. ex Nees	625	pauciflora Wight	538
viscosa (Retz.) Trin.	625	<i>pubescens</i> Wight	552
<i>vulgaris</i> subsp. <i>minor</i> (Host) Rouy	624	<i>reticosa</i> Wight	533
var. <i>minor</i> (Host) Rouy	624	<i>reticulata</i> (Lindl.) Benth.	553
<i>willdenowiana</i> auct. non Nees ex Hook. & Arn.	624	<i>rupestris</i> Blatt. & McCann	533
Eranthemum L.	33	<i>tiagii</i> Manilal, C.S.Kumar & J.J.Wood	534
<i>Eranthemum</i> sensu C.B.Clarke	44	<i>uniflora</i> (Lindl.) Dalzell	533
<i>atropurpureum</i> W.Bull	44	<i>velifera</i> Wight ex Lindl.	533
<i>bicolor</i> Schrank	44	<i>wightii</i> (Blume) Rchb.f.	556
capense L.	33	<i>Erianthera echioides</i> (L.) M. R. Almeida	24

<i>longipedunculata</i> (Sreem.) M.R. Almeida	24	brownianum Mart.	312
<i>Erianthus arundinaceus</i> (Retz.) Jeswiet	651	var. <i>nilagirens</i> (Steud.) Fyson	312
<i>bengalensis</i> (Retz.) Hubbard. & Vaughn ex Stewart	652	<i>christopheri</i> Fyson	314
<i>contortus</i> (Brongn.) Kuntze	626	cinereum R.Br.	312
<i>fastigiatus</i> Nees ex Steud.	626	<i>collinum</i> Hook.f.	314
<i>munja</i> (Roxb.) Jeswiet	652	var. <i>nanum</i> Moldenke	314
<i>procerus</i> var. <i>elegans</i> (Jeswiet ex Backer) Mukherjee	652	conicum (Fyson) C.E.C.Fisch.	313
<i>repens</i> (Willd.) P.Beauv.	639	cuspidatum Dalzell	313
<i>sara</i> (Roxb.) Rümke	652	dalzellii Körn.	313
<i>tristachyus</i> Nees ex Hook. & Arn.	627	var. <i>glabratum</i> Moldenke	313
Ericaceae	311	<i>dianae</i> Fyson	313
<i>Erigerodes australe</i> (Less.) Kuntze	154	var. <i>conicum</i> Fyson	313
<i>divaricatum</i> (L.) Kuntze	154	var. <i>longibracteatum</i> Fyson	313
<i>pygmaeum</i> (DC.) Kuntze	154	var. <i>parviflorum</i> Fyson	314
Erigeron L.	155	var. <i>richardianum</i> Fyson	315
<i>alatum</i> D.Don	163	duthiei Hook.f.	313
<i>alpinus</i> var. <i>wightii</i> (DC.) Hook.f.	156	elenorae Fyson	313
<i>ambiguus</i> auct. non Nutt.	149	eurypeplon Körn.	313
annuus (L.) Pers.	155	<i>fluitans</i> Griff. ex Moldenke	315
<i>asteroides</i> Roxb.	155	fluvatile Trimen	313
<i>benghalensis</i> (B.Heyne ex DC.) M.R.Almeida	155	<i>gamblei</i> C.E.C.Fisch.	316
<i>bonariensis</i> L.	149	hamiltonianum Mart.	313
var. <i>floribundus</i> (Kunth) Cuatrec.	155	var. <i>minimum</i> Fyson	314
<i>bovei</i> (DC.) Boiss.	152	var. <i>minor</i> Fyson	313
canadensis L.	155	<i>helpferi</i> Hook.f.	316
<i>canadensis</i> L.	155	heterolepis Steud.	313
<i>crispus</i> Pourr.	149	hookerianum Stapf	314
floribundus (Kunth) Sch.Bip.	155	<i>horsley-kundae</i> Fyson	315
<i>hieracifolium</i> D.Don	143	<i>humile</i> Moldenke	314
<i>hispidus</i> DC.	155	<i>indicum</i> Moldenke	313
<i>japonicum</i> Thunb.	149	infirmum Steud.	314
karvinskianus DC.	155	<i>intermedium</i> Körn.	315
<i>leucanthum</i> D.Don	149	kanarense Puneekar, Watve & Lakshmin.	314
<i>linifolius</i> Willd.	149	<i>kasaragodense</i> R.Ansari, V.J.Nair & N.C.Nair	314
<i>molle</i> D.Don	142	<i>keralense</i> R.Ansari, V.J.Nair & N.C.Nair	313
<i>mucronatus</i> DC.	155	lanceolatum Miq. ex Körn.	314
<i>obliquum</i> L.	145	var. <i>pilosum</i> Moldenke	314
<i>perennis</i> (L.) Sessé & Moc.	141	longicuspe Hook.f.	314
speciosus (Lindl.) DC.	155	var. <i>polycephalum</i> (Hook.f.) Fyson	314
sublyratus DC.	155	margaretae Fyson	314
<i>sumatrensis</i> Retz.	149	<i>mariae</i> Fyson	316
<i>virens</i> Russ. ex DC.	146	<i>martianum</i> Wall. ex Körn.	315
wightii DC.	156	meeboldii R.Ansari & N.P.Balakr.	314, 767
<i>Erimatalia rheedeii</i> Roem. & Schult.	242	<i>melaleucum</i> Bong.	315
Erinocarpus Nimmo ex J. Graham	480	minutum Hook.f.	314
<i>nimmoanus</i> Mast.	480	<i>mysorens</i> Fyson	315
nimmonii J.Graham	480	<i>neesianum</i> Korn.	316
<i>Erinus procumbens</i> Mill.	585	<i>nilagirens</i> Steud.	312
<i>verticillatus</i> Mill.	587	odoratum Dalzell	314
Eriobotrya Lindl.	683	<i>oinereum</i> Buch.-Ham. ex Mart.	313
<i>japonica</i> (Thunb.) Lindl.	683	<i>oliveri</i> Fyson	314
Eriocaulaceae	312, 767	palghatense R. Ansari & N. P. Balakr.	314
Eriocaulon L.	312, 767	parviflorum (Fyson) R.Ansari & N.P.Balakr.	314
achiton Körn.	312	peninsulare Puneekar & Lakshmin.	315, 767
albotetrandra P.Biju, Josekutty & Augustine	312, 767	<i>polycephalum</i> Hook.f.	314
anshiense Puneekar	312, 767	<i>pygmaeum</i> Dalzell	316
balakrishnanii Puneekar	312, 767	<i>quadrangulare</i> var. <i>argenteum</i> Thwaites	316
barba-caprae Fyson	312, 767	<i>quinguangular</i> Mart. ex Korn	316
belgaumensis Shimpale & S. R. Yadav	312, 767	quinguangular L.	315
<i>bombayanum</i> Ruhland	313	var. <i>martianum</i> Fyson	315
breviscapum Körn.	312, 767	var. <i>walkeri</i> Fyson	316

<i>rhodae</i> Fyson	315	<i>divaricata</i> (L.) Burkill	99
richardianum (Fyson) R.Ansari & N.P.Balakr.	315	var. <i>plena</i> (Roxb. ex Voigt) M.R.Almeida	99
ritchianum Ruhland	315	<i>heyneana</i> (Wall.) T. Cooke	98
<i>rivulare</i> Dalzell	313	<i>recurva</i> (Roxb. ex Lindl.) Lace	99
robustobrownianum Ruhland	315	Erycibe Roxb.	242
sedgwickii Fyson	315	paniculata Roxb.	242
<i>sericans</i> Mart.	316	var. paniculata	243
setaceum L.	315	var. wightiana C.B.Clarke	243
<i>setaceum</i> B.Heyne ex Wall.	315	<i>wightiana</i> Graham	243
sexangulare L.	315	Eryngium L.	78
var. <i>micronesicum</i> Moldenke	315	foetidum L.	78
sharmae R.Ansari & N.P.Balakr.	316	Erythoxylaceae	317
<i>sieboldianum</i> Siebold & Zucc. ex Steud.	312	<i>Erythraea centaurioides</i> (Roxb.) Voigt	340
sollyanum Royle	316	<i>roxburghii</i> G.Don	340
stellulatum Korn.	316	Erythrina L.	427
var. <i>laosense</i> Moldenke	316	<i>alba</i> Wight & Arn.	427
<i>subalatum</i> Bojer ex Körn.	316	<i>glabrescens</i> (Prain) R.Parker	427
<i>thomasii</i> Fyson	313	<i>indica</i> Lam.	427
thwaitesii Korn.	316	var. <i>alba</i> W.S.Millard & Blatt.	427
<i>trilobum</i> Buch.-Ham. ex Körn.	316	<i>lithosperma</i> Miq.	427
truncatum Buch.-Ham. ex Mart.	316	<i>maxima</i> Wight & Arn.	427
tuberiferum A.R.Kulk. & Desai	316	<i>monosperma</i> Lam.	410
<i>vanheurckii</i> Müll.Arg.	313	<i>mysorensis</i> Gamble	427
walkerii Hook.f.	316	<i>picta</i> L.	427
<i>wallichianum</i> Mart.	315	stricta Roxb.	427
<i>wallichianum</i> Wight ex Kunth	315	suberosa Roxb.	427
<i>wallichianum</i> Thwaites	315	var. <i>glabrescens</i> Prain	427
var. <i>tenellum</i> Wight ex Moldenke	315	var. <i>glabrescens</i> Haines	427
wightianum Mart.	316	var. <i>sublobata</i> Roxb. ex Haines	427
var. <i>helferi</i> (Hook.f.) Fyson	316	<i>sublobata</i> Roxb.	427
xeranthemum Mart.	316	subumbrans (Hassk.) Merr.	427
<i>Eriocereus bonplandii</i> (Parm. ex Pfeiff.) Riccob.	205	variegata L.	427
Eriochloa Kunth	626	f. <i>alba</i> Maheshw.	427
<i>globosa</i> (Thunb.) Kunth	632	f. <i>marmorata</i> Maheshw.	427
<i>polystachya</i> auct. non Kunth	626	f. <i>mysorensis</i> Maheshw.	427
procera (Retz.) C.E. Hubb.	626	f. <i>orientalis</i> Maheshw.	427
<i>ramosa</i> (Retz.) Kuntze	626	f. <i>parcellii</i> Maheshw.	427
<i>Eriocoma elegans</i> (C.Koch) Kuntze	166	f. <i>picta</i> (L.) Maheshw.	428
<i>hibiscifolia</i> (Benth.) Kuntze	166	var. <i>orientalis</i> (L.) Merr.	427
<i>pyramidata</i> (Sch.Bip. ex C.Koch) Kuntze	166	<i>Erythronium hyacinthoides</i> Royle	132
<i>Eriodendron anfractuosum</i> DC.	479	<i>indicum</i> Rottler ex Spreng.	132
<i>pentandrum</i> (L.) Kurz	479	Erythralium Blume	521
Eriolaena DC.	480	<i>populifolium</i> Mast.	521
candollei Wall.	480	scandens Blume	521
hookeriana Wght & Arn.	481	Erythroxyllum P. Browne	317
quinquelocularis (Wight & Arn.) Cleghorn	481	coca Lam.	317
stocksii Hook.f. & Thomson ex Mast.	481	<i>indicum</i> (DC.) Bedd.	317
Eriophorum L.	282	monogynum Roxb.	317
<i>arundinaceum</i> Nees	282	obtusifolium Hook.f.	317
<i>cannabina</i> Royle	282	<i>Eschenbachia japonica</i> (Thunb.) J. Kost.	149
comosum (Wall.) Nees	282	<i>stricta</i> (Willd.) Raizada	149
<i>Erioscirpus comosus</i> (Wall.) Palla	282	<i>viscidula</i> (Wall. ex DC.) J. Kost.	149
<i>Erochloe amabilis</i> (L.) Raf. ex B.D.Jacks	622	<i>Espera cordifolia</i> Willd.	478
<i>Erosion cilianensis</i> (All.) Lunell	622	Ethulia L.f.	156
Eruca Mill.	201	<i>divaricata</i> L.	154
<i>sativa</i> Garsault	201	gracilis Del.	156
vesicaria (L.) Cav.	201	<i>sparganophora</i> L.	173
<i>Ervatamia alternifolia</i> (L.) S.M. Almeida	98	Etlingera Giseke	758
<i>caudata</i> Gamble	99	elatio (Jack) R. M. Sm.	758
<i>coronaria</i> (Jacq.) Stapf	99	Eucalyptus L'Her.	513
<i>dichotoma</i> (Roxb. ex Wall.) Burkill	99	camaldulensis Dehnh.	513

<i>citriodora</i> Hook.	513	trispicata (Schult.) Henrard	627
deglupta Blume	513	<i>tristachya</i> Kuntze	627
globulus Labill.	513	Eulaliopsis Honda	627
grandis Hill ex Maiden	513	<i>angustifolia</i> (Trin.) Honda	627
<i>maculata</i> Hook.	513	binata (Retz.) C.E. Hubb.	627
robusta Sm.	513	<i>duthiei</i> Sur	627
tereticornis Sm.	513	Eulophia R. Br.	539
<i>Euchlaena mexicana</i> Schrad.	664	<i>bicolor</i> Dalzell	539
<i>Eucyperus alternifolius</i> (L.) Rikli	272	dabia (D.Don) Hochr.	539
<i>diffusus</i> (Vahl) Rikli	275	<i>elata</i> Hook.f.	539
Eugenia L.	513, 769	emilianae C.J.Saldanha	539
<i>acutangula</i> L.	384	herbacea Lindl.	539
alloysii C.J.Saldanha	513, 769	<i>hirsuta</i> J.Joseph & Vajr.	550
<i>alternifolia</i> Wight	514	<i>hormusjii</i> Duthie	539
<i>bracteata</i> (Willd.) Raeusch. ex DC.	514	<i>nuda</i> Lindl.	539
<i>caryophyllaea</i> Wight	515	<i>ochracea</i> Schltr.	539
codyensis Munro ex Wight	514	ochreata Lindl.	539
<i>corymbosa</i> Lam.	515	odontoglossa Rchb.f.	539
<i>cotinifolia</i> subsp. <i>codyensis</i> (Munro ex Wight)		<i>ramentacea</i> (Roxb.) Lindl.	539
P.S.Ashton	514	spectabilis (Dennst.) Suresh	539
<i>gardneri</i> (Thwaites) Bedd.	515	<i>Euodia lunu-ankenda</i> (Gaertn.) Merr.	715
<i>hemispherica</i> Wight	515	<i>roxburghiana</i> (Cham.) Benth.	715
<i>heyneana</i> Duthie	517	Euonymus L.	217
<i>jambolana</i> Lam.	515	<i>acutangulus</i> Wight	217
<i>jambos</i> L.	515	angulatus Wight	217
<i>kanarensis</i> Talbot	515	dichotomus B. Heyne ex Wall.	217
<i>laeta</i> Buch.-Ham.	516	<i>goughii</i> Wight	217
var. <i>pauciflora</i> Duthie	516	indicus Heyne ex Wall.	217
<i>lanceolata</i> Lam.	516	Eupatorium L.	156
<i>macrosepala</i> Duthie	514	<i>adenophorum</i> Spreng.	138
<i>malabarica</i> Bedd.	516	<i>ayapana</i> Vent.	156
<i>malaccensis</i> L.	516	capillifolium (Lam.) Small ex Porter & Britton	156
memecylifolia Talbot	514, 769	<i>cordatum</i> Burm. f.	166
mooniana Wight	514	<i>divergens</i> Roxb.	136
<i>mundagam</i> Bourd.	516	<i>foeniculaceum</i> Willd.	156
<i>munronii</i> Wight	516	<i>glandulosum</i> auct. non Michx.	138
<i>myhendrae</i> Bedd. ex Brandis	516	<i>ianthinum</i> (Morren) Hemsl.	141
<i>occidentalis</i> Bourd.	517	<i>odoratum</i> L.	147
<i>pauciflora</i> Wight	516	<i>pyramidale</i> D.Don	136
phillyraeoides Trimen	514	repandum Willd.	156
<i>racemosa</i> L.	384	<i>riparium</i> Regel	139
roxburghii DC.	514	<i>sordidum</i> Less.	141
<i>rubicunda</i> (Wight & Arn.) Wight	517	triplinerve Vahl	156
<i>salicifolia</i> Wight	517	<i>volubile</i> Norona	166
<i>spicata</i> Lam.	517	<i>volubile</i> (Poepp.) Vahl	166
<i>stocksii</i> Duthie	517	Euphorbia L.	324, 767
<i>utilis</i> Talbot	517	<i>acaulis</i> Roxb.	326
<i>wightiana</i> (Wall. ex Wight & Arn.) Wight	516	<i>angustifolia</i> Buch.-Ham. ex D.Don	325
<i>wynaadensis</i> Bedd.	514	antiquorum L.	324
<i>Eugenioides kurgense</i> (C.B.Clarke) Kuntze	737	var. <i>polygona</i> Wight	324
<i>macrophyllum</i> (Wall. ex DC.) Kuntze	737	<i>arborescens</i> Roxb.	324
<i>pulchrum</i> (Wight) Kuntze	737	<i>articulata</i> Dennst.	328
<i>roseum</i> (Wight) Kuntze	738	atoto G.Forst.	324
Eulalia Kunth	626	<i>auricularia</i> Boiss.	329
<i>argentea</i> Brongn.	627	<i>barnhartii</i> Croizat	327
<i>ciliata</i> (Trin.) Kuntze	639	<i>bojeri</i> Hook.	328
<i>clarkei</i> Haines	599	<i>bombayensis</i> Santapau	326
contorta (Brongn.) Kuntze	626	bonplandii Sweet	324
fastigiata (Nees ex Steud.) Haines	626	<i>bracteolaris</i> Boiss.	327
fimbriata (Hack.) Kuntze	626	caducifolia Haines	324
phaeothrix (Hack.) Kuntze	626	<i>chamaesyce</i> auct. non L.	329

clarkeana Hook.f.	324	var. <i>jawaharii</i> Rajagopal & Panigrahi	330
var. <i>erecta</i> Hook. f.	324	<i>oreophila</i> Miq.	330
coccinea B.Heyne ex Roth	325	var. <i>pubescens</i> Boiss.	330
concanensis Janarth. & S.R.Yadav	325	var. <i>wightiana</i> Boiss.	330
corrigioloides Boiss.	325	pallens Dillwyn	328
cotinifolia L.	325	parviflora L.	329
cristata Heyne ex Roth	325	perbracteata Gage	329
var. <i>major</i> Roth.	327	<i>pilulifera</i> L.	327
<i>cyathophora</i> Murray	326	<i>platylepis</i> Decne. in Jaquem.	326
deccanensis V.S.Raju	325	prostrata Aiton	329
<i>dichotoma</i> Roxb.	326	<i>prunifolia</i> Jacq.	326
<i>disticha</i> Engelm. ex Boiss.	325	pulcherrima Willd. ex Klotzsch.	329
<i>divergens</i> Klotzsch	330	pycnostegia Boiss.	329
dracunculoides Lam.	325	var. <i>laxa</i> Boiss.	329
elegans Spreng.	326	var. <i>zorniioides</i> (Boiss.) Santapau	329
erythroclada Boiss.	326	ridleyi Croizat	329
<i>fimbriata</i> B.Heyne ex Roth	327	rosea Retz.	329
var. <i>laxa</i> Boiss.	327	rothiana Spreng.	330
<i>foliata</i> Buch.-Ham. ex Dillwyn	330	var. <i>pubescens</i> (Boiss.) Gamble	330
fusififormis Buch.-Ham. ex D.Don	326	<i>rubicunda</i> Blume	330
<i>geniculata</i> Ortega	326	<i>satureioides</i> Lam.	329
<i>glauca</i> Roxb.	330	senguptae N.P.Balakr. & Subr.	330
gokakensis Malpure, Chandore & S.R.Yadav	326, 767	serpens Kunth	330
<i>halophila</i> Miq.	328	<i>splendens</i> Bojer ex Hook.	328
<i>hamiltonii</i> Oudejans	325	<i>strobilifera</i> Dalz.	326
heterophylla L.	326	<i>synadenium</i> Ridl.	329
var. cyathophora (J.Murr.) Griseb.	326	thymifolia L.	330
var. heterophylla	326	tirucalli L.	330
heyneana Spreng.	326	tithymaloides L.	330
<i>heyneana</i> auct. non Spreng.	324	tortilis Rottler ex Ainslie	330
hirta L.	327	<i>trigona</i> Roxb.	327
hypericifolia L.	327	umbellata (Pax) Bruyns	331
var. <i>coimbatorensis</i> Chandrab.	327	<i>variegata</i> auct. non Sims	326
var. <i>parviflora</i> auct. non Prain	329	<i>viminalis</i> L.	97
hyssopifolia L.	327	<i>wallichiana</i> Boiss.	326
indica Lam.	327	<i>wightiana</i> Boiss.	330
var. <i>angustifolia</i> Boiss.	327	<i>zorniioides</i> Boiss.	329
<i>katrajensis</i> var. <i>kasargodensis</i> V.J.Nair, Binojk. & R.Ansari	325	Euphorbiaceae	317, 767
lacei Craib	327	<i>Euphoria longan</i> (Lour.) Steud.	723
laciniata Panigrahi	327	<i>longana</i> Lam.	723
lactea Haw.	327	<i>Euphrasia coromandelina</i> Rottler ex Spreng.	560
<i>laeta</i> B.Heyne ex Roth	330	Eurya Thunb.	566
<i>lanceolata</i> Spreng.	325	<i>japonica</i> auct. non Thunb.	566
lawsonii Binojk. & Dwarakan	327	nitida Korth.	566
leucocephala Lotsy	328	<i>Eurystylus flaccida</i> (Salisb.) Bouché	211
<i>ligularia</i> Roxb. ex Buch.-Ham.	328	<i>Eustachys gayana</i> (Kunth) Mundy	604
<i>linearifolia</i> Roth	325	<i>Eusteralis auricularia</i> (L.) M.R.Almeida	370
longistyla Boiss.	328	<i>cruciata</i> (Benth.) Panigrahi	370
<i>marginata</i> Kunth	324	<i>deccanensis</i> Panigrahi	370
<i>mayuranathanii</i> Croizat	324	<i>erecta</i> (Dalzell) Panigrahi	371
meenae S.Carter	328	<i>gracilis</i> (Dalzell) Panigrahi	371
<i>microphylla</i> B. Heyne ex Roth	326	<i>malabarica</i> Majumdar	372
<i>microphylla</i> auct. non B.Heyne ex Roth	330	<i>myosuroides</i> (Roth) M.R.Almeida	371
mili Des Moul.	328	<i>quadrifolia</i> (Benth.) Panigrahi	372
neriifolia L.	328	<i>stellata</i> var. <i>roxburghiana</i> (H.Keng) Bennet & Raizada	372
<i>neriifolia</i> Roxb.	328	<i>tomentosa</i> (Dalzell) Panigrahi	372
nivulia Buch.-Ham.	328	var. <i>gracilis</i> (Dalzell) Bennet & Raizada	371
notoptera Boiss.	328	<i>Euxolus caudatus</i> (Jacq.) Moq.	62
orbiculata Kunth	328	<i>lividus</i> Moq.	59
<i>orbiculata</i> Miq.	326	<i>oleraceus</i> Moq.	59
		<i>viridis</i> (L.) Moq.	59

Evolvulus L.	243	<i> khasiana</i> Benth.	342
alsinoides (L.) L.	243	<i>malabarica</i> Blume	342
<i>emarginatus</i> Burm. f.	252	<i>prainii</i> Gand.	342
<i>hederaceus</i> Burm.	252	<i>Fahrenheitia integrifolia</i> (Airy Shaw) Airy Shaw	337
<i>hirsutulus</i> Choisy	243	<i>zeylanica</i> (Thw.) Airy Shaw	337
nummularius (L.) L.	243	Falconeria Royle	331
<i>tridentatus</i> (L.) L.	254	insignis Royle	331
Exacum L.	341	<i>malabarica</i> Wight	331
<i>alatum</i> Roth	339	<i>wallichiana</i> Royle	331
atropurpureum Bedd.	341	<i>Fallopia nervosa</i> Lour.	483
var. <i>palghatense</i> Gamble	341	Farfugium Lindl.	156
<i>bicolor</i> Roxb.	342	japonicum (L.) Kitam.	156
<i>carinatum</i> Roxb.	341	<i>tussilagineum</i> (Burm.f.) Kitam.	156
<i>concinnum</i> Miq. ex C.B.Clarke	343	Felicia Cass., nom. cons.	156
<i>diffusum</i> (Vahl) Willd.	340	<i>erigeroides</i> DC.	155
<i>fastigiatum</i> Arn. ex Griseb.	343	heterophylla (Cass.) Grau	156
<i>foliosum</i> Griseb.	342	Fergusonia Hook.f.	689
<i>grandiflorum</i> Wall. ex G.Don	342	<i>tetracocca</i> (Thwaites) Baill.	689
<i>heteroclitum</i> (L.) Willd.	340	<i>thwaitesii</i> Hook.f.	689
<i>hyssopifolium</i> Willd.	341	zeylanica Hook.f.	689
lawii C.B.Clarke	341	<i>Fernandia</i> Baill.	188
<i>metzianum</i> Hohen. ex C.B.Clarke	342	Fernandoa Welw. ex Seem.	188
pedunculatum L.	341	adenophylla (Wall. ex G.Don) Steenis	188
<i>perrottetii</i> Griseb.	342	<i>Feronia elephantum</i> Correa	715
pumilum Griseb.	341	<i>limonia</i> (L.) Swingle	715
<i>rivulare</i> Edgew.	341	<i>Ferreola buxifolia</i> (Rottb.) Roxb.	309
sessile C.B.Clarke	341	<i>Festuca bromoides</i> L.	664
<i>stylosum</i> Wall. ex G.Don	342	<i>fusca</i> L.	637
<i>sulcatum</i> Roxb.	341	<i>indica</i> Retz.	637
tetragonum Roxb.	342	<i>mysorensis</i> B.Heyne ex Roth	662
var. <i>bicolor</i> (Roxb.) Hook.	342	<i>mysurensis</i> B.Heyne ex Hook.f.	662
var. <i>khasianum</i> C.B.Clarke	342	<i>myuros</i> L.	664
var. <i>roseum</i> Royle ex D.Don	342	<i>reptatrix</i> L.	637
var. <i>stylosum</i> (Wall. ex G.Don) C.B.Clarke	342	<i>Feuillea dulcis</i> (Roxb.) Kuntze	394
wightianum Arn.	342	<i>lebbeck</i> (L.) Kuntze	386
<i>Exallage auricularia</i> (L.) Bremek.	701	<i>odoratissima</i> (L.f.) Kuntze	386
Excoecaria L.	331	<i>procera</i> (Roxb.) Kuntze	386
agallocha L.	331	<i>saman</i> (Jacq.) Kuntze	386
var. <i>camettia</i> (Willd.) Müll.Arg.	331	Fibraurea Lour.	503, 769
<i>camettia</i> Willd.	331	darshanii Udayan & K.Ravik.	503, 769
<i>chamelaea</i> (L.) Baill.	336	Ficus L.	507
<i>crenulata</i> Wight	331	amplissima Sm.	507
<i>insignis</i> (Royle) Mull.Arg.	331	<i>amplocarpa</i> Govind. & Masil.	508
oppositifolia Griff.	331	<i>angustifolia</i> Roxb.	508
var. crenulata (Wight) Chakrsab. & M.Gangop.	331	arnottiana (Miq.) Miq.	507
<i>robusta</i> Hook. f.	331	<i>asperrima</i> Roxb.	508
<i>Fabricia belgaumensis</i> (Wight) Kuntze	424	auriculata Lour.	507
<i>Fagara budrunga</i> Roxb.	717	beddomei King	507
<i>lunu-ankenda</i> Gaertn.	715	benghalensis L.	507
<i>ovalifolia</i> (Wight) Engl.	717	benjamina L.	507
<i>rhetsa</i> Roxb.	717	callosa Willd.	507
<i>tetrasperma</i> (Wight & Arn.) Engl.	717	carica L.	507
<i>Fagelia mexicana</i> (Benth.) Kuntze	206	caulocarpa (Miq.) Miq.	507
Fagonia L.	760	<i>daemonum</i> K.D.Koenig ex Vahl	508
cretica L.	760	dalhousiae Miq.	507
indica Burm.f.	761	drupacea Thunb.	508
var. <i>schweinfurthii</i> Hadidi	761	var. <i>pubescens</i> (Roth) Corner	508
paulayana J.Wagner & Vierh.	761	elastica Roxb. ex Hornem.	508
Fagraea Thunb.	342	exasperata Vahl	508
ceilanica Thunb.	342	<i>gibbosa</i> Blume	509
<i>coromandelina</i> Wight	342	var. <i>cuspidifera</i> (Miq.) King	509

var. <i>parasitica</i> (J.Koenig ex Willd.) King	509	<i>cymosa</i> R.Br.	284
var. <i>tuberculata</i> (Miq.) King	509	subsp. <i>spathacea</i> (Roth) T.Koyama	284
glaberrima Blume	508	var. <i>spathacea</i> (Roth) T.Koyama	284
<i>glomerata</i> Roxb.	509	<i>densa</i> (Wall.) T.Koyama & T.I.Chuang	270
<i>guttata</i> (Wight) Kurz ex Hook.f.	508	dichotoma (L.) Vahl	285
heterophylla L.f.	508	subsp. <i>bisumbellata</i> (Forssk.) Luceño	283
hispida L. f.	508	subsp. dichotoma	285
<i>infectoria</i> Roxb.	509	subsp. podocarpa (Nees) T.Koyama	285
var. <i>lambertiana</i> (Miq.) King	509	var. <i>nilagirica</i> (C.B.Clarke) Karthik.	285
var. <i>wightiana</i> (Wall. ex Miq.) King	509	var. <i>paucispiculata</i> (Blatt. & McCann) Panigrahi	285
laevis Blume	508	var. <i>poladpurensis</i> D.P.Chavan	285
var. macrocarpa (Miq.) Corner	508	dimorphonucifera Govind.	285, 765
<i>macrophylla</i> Roxb.	507	<i>diphylla</i> (Retz.) Vahl	285
microcarpa L.f.	508	var. <i>annua</i> (All.) C.B. Clarke	285
mollis Vahl	508	var. <i>nilagirica</i> C.B.Clarke	285
<i>mysorensis</i> B.Heyne ex Roth	508	var. <i>podocarpa</i> (Nees) Kük.	285
nervosa B.Heyne ex Roth	509	dipsacea (Rottb.) C.B.Clarke	285
<i>oppositifolia</i> Roxb.	508	<i>emarginata</i> Wight ex Wall.	286
<i>parasitica</i> J.Koenig ex Willd.	509	eragrostis (Nees) Hance	285
racemosa L.	509	var. <i>nigrobrunnea</i> (Thwaites) S.S.Hooper	285
religiosa L.	509	falcata (Vahl) Kunth	286
<i>stipulosa</i> (Miq.) Miq.	507	var. <i>latifolia</i> (Nees) H.B.Naithani & M.B.Raizada	286
talbotii King	509	ferruginea (L.) Vahl	286
tinctoria G.Forst.	509	subsp. <i>sieberiana</i> (Kunth) Lye	286
subsp. gibbosa (Blume) Corner	509	var. <i>sieberiana</i> (Kunth) Boeckeler	286
subsp. <i>parasitica</i> (J.Koenig ex Willd.) Corner	509	<i>glabra</i> Hochst. ex Steud.	289
<i>tomentosa</i> Roxb. ex Willd.	508	<i>horsfieldii</i> C.B.Clarke	284
<i>tsiela</i> Roxb.	507	insignis Thwaites	286
tsjahela Burm. f.	509	<i>junciformis</i> (Nees) Kunth	286
<i>tuberculata</i> Roxb.	509	var. <i>conostachya</i> C.B.Clarke	286
virens Aiton	509	karthikeyanii Kottaim. & Gnanasek.	286, 765
<i>Filaginella luteoalba</i> (L.) Opiz	164	kingii Gamble ex Boeckeler	286, 765
<i>Filago prostrata</i> DC.	159	<i>kraussiana</i> Hochst. ex Hook.f.	284
Filicium Thwaites ex Benth. & Hook. f.	723	lawiana (Boeckeler) J.Kern	286
decipiens (Wight & Arn.) Thwaites	723	littoralis Gaudich.	286
Fimbristylis Vahl	283, 765	merrillii J.Kern	286
acuminata Vahl	283	<i>melchiana</i> (L.) Rchb.	277
aestivalis Vahl	283	microcarya F.Muell.	287
alboviridis C.B.Clarke	283	<i>miliacea</i> (L.) Vahl	288
<i>andamandica</i> Kurz	286	<i>monandra</i> (Rottb.) F.Muell.	283
<i>annua</i> var. <i>diphylla</i> (Retz.) Kük.	285	monospicula Govind.	287, 765
var. <i>paucispiculata</i> Blatt. & McCann	285	<i>monostachya</i> (L.) Hassk.	287
aphylla Steud.	283	monticola Hochst. ex Steud.	287
argentea (Rottb.) Vahl	283	narayanii C.E.C.Fisch.	287
var. <i>complanata</i> (Retz.) Kük.	284	<i>nigrobrunnea</i> Thwaites	285
<i>autumnalis</i> var. <i>complanata</i> (Retz.) Barros	284	ovata (Burm.f.) J.Kern	287
var. <i>microcarya</i> (F.Muell.) Kük.	287	<i>oxylepis</i> Steud.	289
<i>barbata</i> (Rottb.) Benth.	269	<i>podocarpa</i> Nees	285
<i>benghalensis</i> (Pers.) Roem. & Schult.	288	polytrichoides (Retz.) R.Br.	287
bispicula Govind.	283	pseudomicrocarya Govind.	287
bisumbellata (Forssk.) Bubani	283	pubisquama J.Kern	287
<i>breviculma</i> Govind.	286	<i>pulchella</i> (Thwaites) Trimen	270
<i>brevifolia</i> (Roxb.) Wall. ex Schult.	285	pustulosa Govind.	288
<i>cincta</i> Nees	285	<i>quadrangularis</i> var. <i>crassa</i> C.B.Clarke	283
cinnamometorum (Vahl) Kunth	284	quinquangularis (Vahl) Kunth	288
complanata (Retz.) Link	284	<i>roxburghii</i> A.Dietr.	286
var. <i>kraussiana</i> C.B.Clarke	284	<i>royeniana</i> Nees	285
var. <i>microcarya</i> (F.Muell.) C.B.Clarke	287	<i>scabra</i> (Roxb.) Schult.	283
<i>compressa</i> Boeckeler	287	schoenoides (Retz.) Vahl	288
consanguinea Kunth	284	semidisticha Govind.	288
contorta C.E.C.Fisch.	284	sericea (Poir.) R.Br.	288

<i>sieberiana</i> Kunth	286	tuberosa Dalzell	429
<i>spathacea</i> Roth	284	<i>vestita</i> var. <i>nilgheriensis</i> Baker	429
squarrosa Vahl	288	<i>wallichii</i> Wight & Arn.	428
subsp. <i>esquarrosa</i> (Makino) T.Koyama	288	wightiana Wight & Arn.	429
var. esquarrosa Makino	288	<i>Fleurya interrupta</i> (L.) Wight	742
var. <i>velata</i> (R.Br.) C.B.Clarke ex Cheeseman	288	<i>Flickingeria macraei</i> (Lindl.) Seidenf.	536
tenera Schult.	289	<i>nodosa</i> (Dalzell) Seidenf.	537
var. <i>oxylepis</i> (Steud.) C.B. Clarke	289	Floscopa Lour.	232
<i>tenuifolia</i> Thwaites	287	<i>paniculata</i> (Roxb.) Hassk.	232
tetragona R.Br.	289	<i>petiolata</i> (Wight) Hassk.	232
<i>thwaitesii</i> Boeckeler	286	scandens Lour.	232
<i>tomentosa</i> Vahl	285	<i>undulata</i> (Wight) Hassk.	232
tuckeri Viji , Pandur. & Deepu	289	Flueggea Willd.	570
<i>velata</i> R.Br.	288	<i>griffithii</i> Baker	134
virella Govind.	289	<i>intermedia</i> (D.Don) Kunth	134
woodrowii C.B.Clarke	289	<i>japonica</i> var. <i>intermedia</i> (D.Don) Schult.f.	134
<i>Fioria vitifolia</i> (L.) Mattei	487	leucopyrus Willd.	570
Firmiana Marsili	481	<i>retusa</i> (Dennst.) Voigt	568
colorata (Roxb.) R. Br.	481	virosa (Roxb. ex Willd.) Royle	571
<i>populifolia</i> (Roxb.) A.Terracc.	487	<i>wallichiana</i> Kunth	134
<i>Fissendocarpa linifolia</i> (Vahl) Bennet	527	<i>wallichiana</i> Baill.	570
Flacourtia Comm. ex L'Her.	719	<i>xerocarpa</i> A.Juss.	570
indica (Burm.f.) Merr.	719	<i>Fluvialis minor</i> (All.) Pers.	349
<i>latifolia</i> (Hook.f. & Thomson) T.Cooke	719	Foeniculum Mill.	78
montana J.Graham	719	vulgare Mill.	78
<i>ramontchi</i> L'Hér.	719	<i>Forsythia mala-elengi</i> Dennst.	521
<i>sapida</i> Roxb.	719	<i>Fourcroya gigantea</i> (Vent.) Hook.	133
<i>sepiaria</i> Roxb.	719	Fragaria L.	683
Flagellaria L.	339	nilgerrensis Schltdl. ex J.Gay	683
indica L.	339	vesca L.	683
var. <i>minor</i> Hook.f.	339	<i>Franciscea latifolia</i> Pohl	729
Flagellariaceae	339	Friesodielsia Steenis	73, 762
Flaveria Juss.	157	sahyadrica N.V.Page & Survesw.	73, 762
australasica Hook.	157	Fuirena Rottb.	289
<i>contrayerba</i> Pers.	157	<i>capitata</i> T.Koyama	290
<i>repanda</i> Lag.	157	ciliaris (L.) Roxb.	289
<i>trinervata</i> (Willd.) Baill.	157	cuspidata (Roth) Kunth	289
trinervia (Spreng.) C. Mohr	157	<i>glomerata</i> Lam.	289
Flemingia Roxb. ex W. T. Aiton	428	<i>pentagona</i> Wight & Arn. ex Nees	290
<i>angustifolia</i> Roxb.	428	<i>pubescens</i> auct. non (Poir.) Kunth	286
<i>bracteata</i> (Roxb.) Wight	429	<i>rottboellii</i> Nees	289
<i>congesta</i> W.T.Aiton	428	<i>seriata</i> C.B.Clarke	290
var. <i>nana</i> (Roxb.) Baker	428	trilobites C.B.Clarke	290
var. <i>viridis</i> (Kurz) Prain	428	<i>tuwensis</i> auct. non M.B.Deshp. & Shah	289
var. <i>wightiana</i> (Wight & Arn.) Baker	429	umbellata Rottb.	290
<i>fruticulosa</i> Benth.	429	uncinata (Willd.) Kunth	290
gracilis (Mukerjee) Ali	428	<i>wallichiana</i> Kunth	289
grahamiana Wight & Arn.	428	var. <i>evoluta</i> C.B.Clarke	289
<i>grandiflora</i> Roxb. ex Rottl.	54	Furcraea Vent.	133
involucrata Benth.	428	foetida (L.) Haw.	133
<i>latifolia</i> Benth.	428	<i>gigantea</i> Vent.	133
lineata (L.) Aiton	428	selloa K.Koch.	133
macrophylla (Willd.) Merr.	428	<i>Gaertnera pongatii</i> Retz.	736
var. <i>viridis</i> (Prain) H.B.Naithani	428	Gaillardia Foug. ('Gaillarda').	157
<i>nana</i> Roxb.	428	amblyodon J. Gay	157
nilgheriensis (Baker) T.Cooke	429	aristata Pursh	157
<i>rothiana</i> DC.	443	<i>bicolor</i> Lam.	157
<i>semialata</i> Roxb.	428	pulchella Foug.	157
var. <i>viridis</i> Kurz	428	Galactia P. Browne	429
strobilifera (L.) W.T.Aiton	429	striata (Jacq.) Urb.	429
var. <i>bracteata</i> (Roxb.) Baker	429	var. villosa (Wight & Arn.) Verdc.	429

tenuiflora (Willd.) Wight & Arn.	429	<i>tinctoria</i> (DC.) Dunn	223
var. <i>villosa</i> Wight & Arn.	429	xanthochymus Hook.f. ex T.Anderson	223
<i>villosa</i> Wight & Arn.	429	Gardenia Ellis	689
<i>Galedupa indica</i> Lam.	440	<i>arborea</i> Roxb.	689
<i>pinnata</i> (L.) Taub.	440	<i>calyculata</i> Roxb.	689
<i>pungum</i> J.G.Gmel.	440	<i>donia</i> Buch.-Ham. ex Wall.	687
<i>Galega colutea</i> Burm. f.	433	<i>dumetorum</i> Retz.	687
<i>diffusa</i> Roxb.	448	<i>enneandra</i> J.Koenig ex Roxb.	689
<i>heyneana</i> Roxb.	449	<i>floribunda</i> Roxb.	687
<i>hirta</i> Buch.-Ham.	449	<i>florida</i> var. <i>plena</i> Voigt	689
<i>incana</i> Roxb.	449	<i>fragrans</i> Roxb.	686
<i>pentaphylla</i> Roxb.	448	<i>frondosa</i> (L.) Lam.	697
<i>procumbens</i> Buch.-Ham.	448	gummifera L.f.	689
<i>pumila</i> Lam.	448	<i>heteroclyta</i> J.Koenig ex Blume	342
<i>spinosa</i> L.f.	448	jasmínoides J.Ellis	689
<i>tinctoria</i> (L.) L.	449	var. <i>plena</i> (Voigt) M.R.Almeida	689
<i>villosa</i> (L.) L.	449	latifolia Aiton	689
<i>Galenia asiatica</i> Burm.f.	720	<i>latifolia</i> Schltld. ex Hook.f.	687
<i>Galera rosea</i> (D.Don) Blume	538	<i>lucida</i> Roxb.	690
Galinsoga Ruiz & Pav.	157	<i>montana</i> Roxb.	687
<i>ciliata</i> (Raf.) S.F. Blake	157	<i>naumpapata</i> Roxb. ex Wight & Arn.	708
<i>hirsuta</i> Baker	157	<i>pandacakai</i> J.F.Gmel.	686
<i>laciniata</i> Retz.	157	<i>pavetta</i> Roxb. ex Wight & Arn.	711
parviflora Cav.	157	resinifera Roth	690
subsp. <i>quadriradiata</i> (Ruiz & Pav.) Pers.	157	<i>spinosa</i> Thunb.	687
var. <i>quadriradiata</i> (Ruiz & Pav.) Poir.	157	<i>spinosa</i> L.f.	687
quadriradiata Ruiz & Pav.	157	<i>turgida</i> Roxb.	687
Galium L.	689	var. <i>montana</i> (Roxb.) Hook.f.	687
asperifolium Wall.	689	<i>uliginosa</i> Retz.	711
<i>cordifolium</i> (L.) Kuntze	709	Gardneria Wall.	463
<i>lividum</i> Jacquem. ex Hook.f.	689	ovata Wall.	463
<i>mollugo</i> subsp. <i>asperifolium</i> (Wall.) Kitam.	689	<i>wallichii</i> Wight ex Wall.	463
<i>parviflorum</i> D.Don	689	Garnotia Brongn.	627
<i>Galliardia graecizans</i> (L.) Nieuwl.	60	arborum Stapf ex Woodrow	627
<i>hybrida</i> (L.) Nieuwl.	61	arundinacea Hook. f.	627
Galphimia Cav.	474	<i>australindica</i> var. <i>travancorensis</i> Santos	628
glauca Cav.	474	courtallensis (Arn. & Nees) Thwaites	627
gracilis Bartl.	474	elata (Arn. ex Miq.) Janowski	628
Gamochaeta Wedd.	158	fergusonii Trimen	628
pensylvanica (Willd.) Cabrera	158	<i>muricola</i> var. <i>biswasii</i> Santos	628
<i>Gamolepis annua</i> Less.	173	<i>schmidii</i> Hook.f.	628
<i>Gandasulium coronarium</i> (J.Koenig) Kuntze	759	scoparia Thwaites	628
<i>Ganitrus roxburghii</i> Wight	310	<i>scoparia</i> Stapf ex Hook.f.	628
Garcinia L.	222	<i>stricta</i> auct. non Brongn.	628
<i>ambogia</i> (Gaertn.) Desr.	222	tenella (Arn. ex Miq.) Jan.	628
var. <i>conicarpa</i> (Wight) Anderson	222	<i>tenuiglumis</i> Stapf ex Hook.f.	628
<i>conicarpa</i> Wight	222	<i>thwaitesii</i> Stapf ex Hook. f.	628
<i>darwiniana</i> Kesh.Murthy, Yogan. & K.Vasudev	222	Garuga Roxb.	204
gummi-gutta (L.) N.Robson	222	pinnata Roxb.	204
var. <i>conicarpa</i> (Wight) N.P.Singh	222	Gastrochilus D.Don	540
var. gummi-gutta	222	acaulis (Lindl.) Kuntze	540
indica (Thouars) Choisy	222	calceolaris (Buch.-Ham. ex Sm.) D.Don	540
livingstonei T.Anderson	222	<i>dalzellianus</i> (Santapau) Santapau & Kopadia	555
madruno (Kunth) Hammel.	223	flabelliformis (Blatt. & McCann) C.J.Saldanha	540
<i>malabarica</i> Talbot	223	<i>garwalicus</i> (Lindl.) Kuntze	553
morella (Gaertn.) Desr.	223	<i>indicus</i> Garay	540
<i>ovalifolia</i> (Roxb.) Hook.f. ex T.Anderson	223	<i>jerdonianus</i> (Wight) Kuntze	554
<i>ovalifolius</i> var. <i>macrantha</i> Hook.f. ex T.Anderson	223	<i>maculatus</i> (Dalzell) Kuntze	555
<i>pictoria</i> Roxb.	223	<i>nilagiricus</i> Kuntze	540
spicata Hook.f.	223	<i>ochraceus</i> (Lindl.) Kuntze	529
talbotii Raizada ex Santapau	223	<i>paniculatus</i> (Wight) Kuntze	530

<i>praemorsus</i> (Roxb.) Kuntze	553	<i>repens</i> (L.) I.M.Johnst.	690
<i>pulchellus</i> (Wight) Schltr.	540	subsp. <i>reniformis</i> (D.Don) M.R.Almeida	690
<i>pulcherrimus</i> Wall.	756	var. <i>asiatica</i> (Cham. & Schltld.) Fosberg	690
<i>retusus</i> (L.) Kuntze	553	<i>Gerardia delphinifolia</i> L.	560
<i>rheedei</i> (Wight) Kuntze	553	<i>heyneana</i> Benth.	560
<i>ringens</i> (Lindl.) Kuntz	530	<i>Gerascanthus albus</i> (Jacq.) Borhidi	194
<i>roseus</i> (Lindl.) Kuntze	554	<i>dichotomus</i> (G.Forst.) Borhidi	194
<i>speciosus</i> (Wight) Kuntze	529	<i>fulvosus</i> (Wight) Borhidi	194
<i>viridiflorus</i> (Dalzell) Kuntze	555	<i>griffithii</i> (C.B.Clarke) Borhidi	194
<i>wightianus</i> (Lindl.) Kuntze	530	<i>macleodii</i> (Hook.f. & Thomson) Borhidi	194
<i>Gastrodia pallens</i> (Griff.) F.Muell.	537	<i>monoicus</i> (Roxb.) Borhidi	194
Gaultheria Kalm ex L.	311	<i>myxus</i> (L.) Borhidi	195
<i>fragrantissima</i> Wall.	311	<i>sinensis</i> (Lam.) Borhidi	195
<i>hirsuta</i> Gardner ex C.B.Clarke	311	Gerbera L., nom. cons.	158
Geissaspis Wight & Arn.	430	<i>aurantiaca</i> Sch.Bip.	158
<i>cristata</i> Wight & Arn.	430	<i>jamesonii</i> Bolus	158
<i>tenella</i> Benth.	430	<i>Germanea rotundifolia</i> Poir.	369
<i>Gelonium angustifolium</i> Müll.Arg.	337	<i>Gerontogea corymbosa</i> (L.) Cham. & Schltld.	702
<i>lanceolatum</i> Willd.	337	<i>umbellata</i> (L.) Cham. & Schltld.	704
<i>Gelsemium avellanadae</i> (Lorentz ex Griseb.) Kuntze	188	Gesneriaceae	344, 768
<i>capense</i> (Lindl.) Kuntze	192	Getonia Roxb.	226
<i>gaudichaudii</i> (DC.) Kuntze	192	<i>floribunda</i> Roxb.	226
<i>grandiflorum</i> (Thunb.) Kuntze	186	Gigantochloa Kurz ex Munro	628
<i>jasminoides</i> (Lindl.) Kuntze	190	<i>andamanica</i> (Kurz) Kurz	628
<i>stans</i> (L.) Kuntze	192	<i>latifolia</i> Ridl.	628
<i>Gemmingia chinensis</i> (L.) Kuntze	352	<i>nigrociliata</i> var. <i>hohenackeri</i> (C.E.C.Fisch.)	
<i>Gendarussa tranquebariensis</i> Wight	38	H.B.Naithani	628
<i>tranquebariensis</i> (L.f.) Nees	41	<i>stocksii</i> (Munro) T.Q.Nguyen	651
<i>vulgaris</i> Nees	38	Girardinia Gaudich.	741
<i>wynaadensis</i> Nees	41	<i>diversifolia</i> (Link) Friis	741
Genianthus Hook.f.	90	<i>leschenaultiana</i> Decne.	741
<i>laurifolius</i> (Roxb.) Hook.f.	90	<i>zeylanica</i> Decne.	741
<i>Geniosporum tenuiflorum</i> (L.) Merr.	366	<i>Gironniera cuspidata</i> (Blume) Kurz	210
<i>Genipa arborea</i> (Roxb.) Baill.	689	<i>reticulata</i> Thwaites	210
<i>dumetorum</i> (Retz.) Baill.	687	Gisekia L.	346
<i>gummifera</i> (L.f.) Baill.	689	<i>pharnaceoides</i> L.	346
<i>pavetta</i> (Roxb. ex Wight & Arn.) Baill.	711	Gisekiaceae	346
<i>resinifera</i> (Roth) Baill.	690	Givotia Griff.	331
Gentiana L.	342	<i>moluccana</i> (L.) Sreem.	331
<i>axillaris</i> Poir. ex Lam.	341	<i>rottleriformis</i> Griff. ex Wight	331
<i>diffusa</i> Vahl	340	<i>Glabraria tersa</i> L.	478
<i>heteroclita</i> L.	340	Glebionis Cass.	158
<i>orbiculata</i> B.Heyne ex Wall.	342	<i>coronaria</i> (L.) Cass. ex Spach	158
<i>pedicellata</i> (D.Don) Wall.	342	<i>roxburghii</i> (Desf. ex Cass.) Tzvelev	158
var. <i>wallichii</i> Kusn.	342	Glinus L.	505
var. <i>wightii</i> Kusn.	342	<i>lotoides</i> L.	505
<i>pumila</i> Griff.	342	<i>oppositifolius</i> (L.) Aug.DC.	505
<i>quadrifaria</i> Blume	342	Gliricidia Kunth	430
var. <i>pilosula</i> C.B.Clarke	342	<i>maculata</i> (Kunth) Walp.	430
var. <i>wightii</i> (Kusn.) T.N.Ho	342	<i>sepium</i> (Jacq.) Walp.	430
var. <i>zeylanica</i> (Griseb.) Kusn.	342	Globba L.	758
<i>verticillaris</i> Retz.	341	<i>bulbifera</i> Roxb.	758
Gentianaceae	339, 767	<i>canarensis</i> Baker	758
<i>Gentianodes pedicellata</i> (D.Don) Omer	342	<i>careyana</i> Roxb.	758
<i>Geocardia repens</i> (L.) Bakh.f.	690	<i>cuspidata</i> Nees & Mart.	256
Geodorum Jacks.	540	<i>marantina</i> L.	758
<i>bicolor</i> (Roxb.) Voigt	539	<i>marantinoides</i> Wight	758
<i>candidum</i> (Roxb.) Lindl.	540	<i>ophioglossa</i> Wight	758
<i>densiflorum</i> (Lam.) Schltr.	540	<i>schomburgkii</i> Hook.f.	758
<i>ramentaceum</i> (Roxb.) Voigt	539	<i>sessiliflora</i> Sims	758
Geophila D.Don	690	Glochidion J. R. Forst. & G. Forst.	571, 770

<i>arborescens</i> Wight	571	<i>bosvallia</i> (L.f.) DC.	159
<i>arnottianum</i> Müll.Arg.	574	<i>linearifolia</i> Cass.	159
<i>asperum</i> (Müll.Arg.) Bedd.	572	<i>setosa</i> Blatt. & Hallb.	159
<i>assamicum</i> (Müll.Arg.) Hook.f.	571	<i>Glossogyne bidens</i> (Retz.) Alston	158
<i>balakrishnanii</i> Jothi, Manickam, Sundaresan & Josephine	571	<i>pinnatifida</i> DC.	158
<i>bancanum</i> Miq.	573	Glossostigma Wight & Arn.	566
bourdillonii Gamble	571	diandrum (L.) Kuntze	566
<i>brunneum</i> Hook.f.	573	<i>spathulatum</i> (Hook.) Wight & Arn.	566
subsp. <i>andamanicum</i> N.P.Balacr. & Chakrab.	573	Gloxinia L.Herit.	345
<i>canaranum</i> (Müll.Arg.) Bedd.	573	<i>maculata</i> L'Hér.	345
candolleianum (Wight & Arn.) Chakrab. & M.Gangop.	571	perennis (L.) Druce	345
<i>diversifolium</i> Bedd.	571	<i>Glycicarpus edulis</i> Dalzell	70
var. <i>wightianum</i> (Müll.Arg.) Bedd.	571	<i>racemosa</i> Dalzell	70
ellipticum Wight	571	Glycine Willd.	430
var. <i>ralphii</i> (Hook.f.) Gamble	571	<i>aurea</i> Willd.	442
var. <i>wightianum</i> (Müll.Arg.) Hook.f.	571	<i>cana</i> Willd.	442
<i>fagifolium</i> (Müll.Arg.) Miq. ex Bedd.	572	<i>capitata</i> Roth	442
heyneanum (Wight & Arn.) Wight	572	<i>elongata</i> Roth	442
<i>hirsutum</i> (Roxb.) Voigt	574	<i>involucrata</i> Wall.	445
hohenackeri (Müll.Arg.) Bedd.	572	<i>javanica</i> sensu Baker	438
var. hohenackeri	572	<i>labialis</i> L.f.	449
var. johnstonei (Hook.f.) Chakrab. & M.Gangop.	572	max (L.) Mer.	430
var. <i>kothayarensis</i> G.J.Jothi & V.S.Manickam	572	<i>mollis</i> Wight & Arn.	449
<i>johnstonei</i> Hook. f.	572	<i>monophyllos</i> Burm.f.	426
<i>jussieuianum</i> (Wight) Thwaites	573	<i>pentaphylla</i> Dalzell	439
karnaticum Chakrab. & M.Gangop.	572, 770	<i>pondicheriensis</i> Spreng.	443
lanceolarium (Roxb.) Voigt	573	<i>rufescens</i> Willd.	443
<i>malabaricum</i> (Müll.Arg.) Bedd.	571	<i>suaveolens</i> L. f.	443
<i>mandakamdevi</i> Borthakur & Kalita	571	<i>tenuiflora</i> Willd.	429
<i>mishmiense</i> Hook.f.	574	<i>viscida</i> (L.) Willd.	440
<i>montanum</i> auct. non Thwaites	574	<i>viscosa</i> Roth	443
<i>neilgherrense</i> Wight	571	<i>wightii</i> (Wight & Arn.) Verdc.	438
<i>nepalense</i> (Müll.Arg.) Kurz	572	subsp. <i>wightii</i> var. <i>coimbatorensis</i> A.Sen	438
<i>nitidum</i> (Roxb.) Voigt	573	Glycosmis Correa	715
<i>pauciflorum</i> Gamble	571	<i>arborea</i> (Roxb.) DC.	715
<i>perrottetianum</i> (Müll.Arg.) Bedd.	571	<i>cochinchinensis</i> sensu Gamble	715
<i>pyncocarpum</i> (Müll.Arg.) Bedd.	571	mauritiana (Lam.) Tanaka	715
<i>ralphii</i> Hook.f.	572	pentaphylla (Retz.) DC.	715
<i>rigidum</i> (A.Juss.) Müll.Arg.	573	<i>triphylla</i> Wight	715
<i>sinicum</i> S.M.Almeida	572	Glyphochloa Clayton	628
<i>sisparaense</i> Gamble	571	acuminata (Hack.) Clayton	628
stellatum (Retz.) Bedd.	573	var. acuminata	628
<i>subsessile</i> subsp. <i>Birmanicum</i> Chakrab. & M.Gangop.	573	var. stocksii (Hook.f.) Clayton	629
<i>tomentosum</i> Dalzell	574	var. woodrowii (Bor) Clayton	629
var. <i>talbotii</i> Hook.f.	574	divergens (Hack.) Clayton	629
<i>velutinum</i> Wight	572	var. divergens	629
zeylanicum (Gaertn.) A.Juss.	573	var. hirsuta (C.E.C.Fisch.) Clayton	629
var. <i>nitidum</i> (Roxb.) Haines	573	forficulata (C.E.C.Fisch.) Clayton	629
var. <i>talbotii</i> (Hook.f.) Haines	574	henryi Janarth., V.C.Joshi, S.Rajkumar	629
var. tomentosum Trimen	574	mysorensis (S.K. Jain & Hemadri) Clayton	629
var. zeylanicum	573	ratnagirica (B.G.Kulk. & Hemadri) Clayton	629
<i>Glochisandra acuminata</i> Wight	573	<i>veldkampii</i> M.A.Fonseca & Janarth.	629
<i>Glomeraria graecizans</i> (L.) Cav.	60	Glyptopetalum Thwaites	217
<i>livida</i> (L.) Cav.	59	grandiflorum Bedd.	217
<i>oleracea</i> (L.) Cav.	59	Gmelina L.	358
<i>viridis</i> (L.) Cav.	62	arborea Roxb.	358
Gloriosa L.	223	var. <i>canescens</i> Haines	358
<i>superba</i> L.	223	var. <i>glaucescens</i> C.B.Clarke	358
Glossocardia Cass.	158	asiatica L.	358
<i>bidens</i> (Retz.) Veldkamp	158	<i>coromandelina</i> Burm.f.	686
		<i>indica</i> Burm. f.	719

<i>lobata</i> Gaertn.	358	<i>serrata</i> L.	64
<i>parvifolia</i> Roxb.	358	<i>sessilis</i> L.	59
philippensis Cham.	358	<i>Gonianthes pusilla</i> Miers	203
<i>rheedei</i> Hook.	358	Goniocaulon Cass.	159
Gnaphalium L.	159	<i>glabrum</i> Cass.	159
<i>buddleioides</i> Sch.Bip.	162	<i>indicum</i> (Klein ex Willd.) C.B. Clarke	159
<i>crispatum</i> C.B. Clarke	159	<i>Goniogyna hirta</i> (Willd.) Ali	416
<i>cynoglossoides</i> Sch.Bip. ex Hook.f.	162	Goniothalamus (Blume) Hook. f. & Thomson	73
<i>depressum</i> Roxb.	159	<i>cardiopetalus</i> (Dalzell) Hook.f. & Thomson	73
<i>floccosum</i> DC.	159	<i>wynaadensis</i> (Bedd.) Bedd.	73
<i>gracillimum</i> Perr. ex DC.	159	<i>Gonostegia pentandra</i> (Roxb.) Miq.	744
<i>hamiltonii</i> Wall.	143	<i>Gonothea biflora</i> (L.) Masam.	701
<i>indicum</i> auct. non L.	159	<i>ovatifolia</i> (Cav.) Santapau & Wagh	702
<i>luteoalbum</i> L.	164	Goodeniaceae	346
subsp. <i>pallidum</i> (Lam.) Maheshw.	164	Goodyera R. Br.	540
var. <i>multiceps</i> (Wall. ex DC.) Hook.f.	164	<i>procera</i> (Ker Gawler) Hook.	540
var. <i>pallidum</i> Hook.f.	164	Gordonia J. Ellis	739
<i>marcescens</i> Wight	139	<i>obtusata</i> Wall. ex Wight	739
<i>multicaule</i> Willd.	159	Gossypium L.	481
<i>niliacum</i> Raddi ex Spreng.	159	<i>arborescens</i> L.	481
<i>pallidum</i> Lam.	164	<i>barbadense</i> L.	481
<i>pensylvanicum</i> Willd.	158	<i>herbaceum</i> L.	481
<i>peregrinum</i> Fernald	158	<i>hirsutum</i> L.	481
polycaulon Pers.	159	Gouania Jacq.	679
<i>pulvinatum</i> Delile	159	<i>microcarpa</i> DC.	679
<i>purpureum</i> sensu Hook. f.	158	<i>Goughia neilgherrensis</i> Wight	300
<i>schomburgkii</i> Sch.Bip.	159	<i>Govindooia nervosa</i> Wight	556
<i>sinuatum</i> Lour.	145	<i>Gracilea nutans</i> J. Koen. ex Hook. f.	638
<i>solidaginoides</i> Poir.	142	<i>royleana</i> Hook. f.	638
<i>subdecurrens</i> DC.	139	<i>Grafia parishii</i> (Rchb.f.) A.D. Hawkes	552
<i>wightianum</i> Wall. ex DC.	139	<i>Grammica aphylla</i> Lour.	241
Gnidia L.	739	<i>Granadilla hondala</i> Gaertn.	564
<i>eriocephala</i> Wall. ex J. Graham	739	Grangea Adans.	159
glauca (Fresen.) Gilg	739	<i>latifolia</i> Poir.	152
Gnomophalium Greuter	159	<i>maderaspatana</i> (L.) Poir.	159
pulvinatum (Delile) Greuter	159	<i>Grantia globosa</i> (Roxb.) Griff.	455
<i>Goeppertia zebrina</i> (Sims) Nees	493	<i>Graphorchis herbacea</i> (Lindl.) Lyons	539
<i>Goldfussia</i> Nees	46	<i>nuda</i> (Lindl.) Kuntze	539
<i>decurrens</i> (Nees) Wight	49	<i>odontoglossa</i> (Rchb.f.) Kuntze	539
<i>tristis</i> Wight	53	<i>Graphorkis bicolor</i> (Roxb.) Kuntze	539
<i>zenkeriana</i> Wight	48	<i>herbacea</i> (Lindl.) Lyons	539
Gomphandra Wall. ex Lindl.	736	<i>ochreatea</i> (Lindl.) Kuntze	539
<i>axillaris</i> Wall. ex Bedd.	736	Graptophyllum Nees	34
coriacea Wight	736	<i>hortense</i> Nees	34
<i>polymorpha</i> Wight	736	pictum (L.) Griff.	34
tetrandra (Wall.) Sleumer	736	<i>Grastidium cathartii</i> (Hook.f.) M.A. Clem. & D.L. Jones	537
Gomphia Schreb.	520	<i>haemoglossum</i> (Thwaites) M.A. Clem. & D.L. Jones	537
<i>angustifolia</i> Vahl	520	<i>salaccense</i> Blume	537
serrata (Gaertn.) Kanis	520	<i>Gratiola aphylla</i> Roth	583
<i>Gomphima vaginalis</i> (Burm.f.) Raf.	672	<i>aromatica</i> (Lam.) Pers.	584
<i>Gomphocarpus fruticosus</i> (L.) Aiton	82	<i>aspera</i> Roth	460
<i>physocarpus</i> E. Mey.	82	<i>ciliata</i> Colson	460
Gomphostemma Wall. ex Benth.	359	<i>ciliata</i> J. Koenig ex Vahl	462
heyneanum Wall. ex Benth.	359	<i>cordifolia</i> Colson	459
strobilinum Wall. ex Benth.	359	<i>cuneifolia</i> Roxb.	583
Gomphrena L.	64	<i>hyssopioides</i> L.	460
celosioides Mart.	64	<i>hyssopioides</i> Roxb.	583
<i>ficoidea</i> L.	58	<i>juncea</i> Roxb.	583
globosa L.	64	<i>lobelioides</i> Retz.	583
<i>hispida</i> L.	367	<i>lucida</i> B. Heyne ex Wall.	584
<i>polygonoides</i> L.	59	<i>monnieri</i> (L.) L.	583

<i>montana</i> Rottler ex DC.	345	<i>umbellata</i> Roxb. ex DC.	482
<i>nudicaulis</i> Willd.	583	umbellifera Bedd.	484
<i>oppositifolia</i> L. ex Willd.	461	villosa Willd.	484
<i>parviflora</i> Roxb.	461	<i>wightiana</i> J.R.Drumm.	482
<i>pusilla</i> Willd.	461	<i>Griffithella hookeriana</i> (Tul.) Warm.	665
<i>racemosa</i> Roxb.	460	<i>Griffithia fragrans</i> (Roxb.) Wight & Arn.	686
<i>rotundifolia</i> L.	462	<i>gardneri</i> Thwaites	685
<i>ruelloides</i> Colsm.	462	<i>rugulosa</i> Thwaites	704
<i>serrata</i> Roxb.	460	<i>Grimaldia absus</i> (L.) Britton & Rose	389
<i>tenuifolia</i> Colsm.	462	<i>Grislea coccinea</i> (Sonn.) Britton.	225
<i>verbenifolia</i> Colsm.	462	Grona Lour.	430
<i>veronicifolia</i> Retz.	460	adscendens (Sw.) H.Ohashi & K.Ohashi	430
Grevillea R.Br. ex Knight	677	brachystachya (Graham ex Benth.) H.Ohashi & K.Ohashi	430
robusta A.Cunn. ex R.Br.	677	ferruginea (Wall. ex Thwaites) H.Ohashi & K.Ohashi	430
Grewia L.	481	heterocarpa (L.) H.Ohashi & K.Ohashi	431
abutifolia Vent. ex Juss.	481	subsp. heterocarpa	431
asiatica L.	481	subsp. heterocarpa var. heterocarpa	431
<i>aspera</i> Roxb.	481	subsp. heterocarpa var. strigosa (Meeuwen)	431
<i>barberi</i> J.R.Drumm.	484	H.Ohashi & K.Ohashi	431
<i>betulifolia</i> Juss.	484	heterophylla (Willd.) H.Ohashi & K.Ohashi	431
<i>bicolor</i> Roth	483	styracifolia (Osbeck) H. Ohashi & K. Ohashi	431
bracteata Roth	482	triflora (L.) H.Ohashi & K.Ohashi	431
carpinifolia Juss.	482	<i>Grumilea elongata</i> Wight	708
<i>columnaris</i> J.E. Smith	483	<i>longifolia</i> Bedd.	707
damine Gaertn.	482	<i>nigra</i> Gaertn.	707
<i>disperma</i> senu Dunn	483	<i>subintegra</i> Wight & Arn.	708
<i>disperma</i> Rottl. ex Spreng.	484	<i>vaginans</i> (Hook.f.) Dalzell	708
<i>emarginata</i> Wight & Arn.	483	<i>Guarea binectarifera</i> Roxb.	499
eriocarpa Juss.	482	<i>gotadhora</i> Buch.-Ham.	499
flavescens Juss.	482	<i>Guatteria cerasoides</i> (Roxb.) Dunal	73
<i>glabra</i> Blume	483	<i>coffeoides</i> Thwaites ex Hook.f. & Thomson	75
heterotricha Mast.	482	<i>fragrans</i> Dalzell	75
hirsuta Vahl	482	<i>laurifolia</i> J.Graham	76
laevigata Vahl	482	<i>longifolia</i> (Sonn.) Wall.	75
<i>lawsoniana</i> J.R.Drumm. ex Dunn	482	<i>velutina</i> A.DC.	74
<i>leptopetala</i> Brandis	484	<i>villosa</i> G.Don	74
<i>microcos</i> L.	483	Guazuma Mill.	484
multiflora Juss.	483	<i>tomentosa</i> Kunth	484
nervosa (Lour.) Panigrahi	483	ulmifolia Lam.	484
<i>obtusata</i> Wall. ex Dunn	482	<i>Guilandina nuga</i> L.	387
oppositifolia Roxb. ex DC.	483	<i>Guillainia purpurata</i> Vieill.	755
<i>oppositifolia</i> Buch.-Ham. ex Roxb.	483	Guilandina L.	391
optiva J.R.Drumm. ex Burret	483	bonduc L.	391
orbiculata Rottler	483	Guizotia Cass., nom. cons.	160
orientalis L.	483	abyssinica (L.f.) Cass.	160
<i>pilosa</i> Lam.	482	<i>Gumira mollissima</i> (Roth) Kuntze	373
polygama Roxb.	483	<i>villosa</i> (C.B.Clarke) Kuntze	372
<i>populifolia</i> Vahl.	484	<i>Guttenbergia umbellata</i> (L.) Zoll. & Moritzi	696
<i>ramnifolia</i> Roth	482	Gymnacranthera Warb.	511
ritchiei Mast.	483	canarica (King) Warb.	511
rothii DC.	483	<i>Gymnadenia affinis</i> (D.Don) Rchb.f.	550
<i>rotundifolia</i> Juss.	483	<i>plantaginea</i> (Roxb.) Lindl. ex Wall.	543
<i>salvifolia</i> B.Heyne ex Roth	482	<i>secunda</i> Lindl. ex Wall.	551
<i>salviifolia</i> L. f.	255	<i>tenuis</i> Lindl. ex Wall.	550
sapida Roxb. ex DC.	484	<i>Gymnandropogon annulatum</i> (Forssk.) Duthie	612
serrulata DC.	484	<i>Gymnanthemum arboreum</i> (Buch.-Ham.) H.Rob.	176
<i>subinaequalis</i> DC.	481	<i>dendigulense</i> (DC.) Walp.	136
tenax (Forsk.) Fiori	484	<i>divergens</i> (Roxb.) Sch.Bip.	136
tiliifolia Vahl	484	<i>molle</i> (DC.) Sch.Bip. ex Walp.	168
var. <i>leptopetala</i> T.Cooke	482	<i>pectiniforme</i> (DC.) H.Rob.	177
<i>ulmifolia</i> Roxb.	483		

<i>phyllolaenum</i> (DC.) Sch.Bip. ex Walp.	168	cusimbua (D.Don) S.Moore	160
Gymnema R. Br.	90	var. <i>petiolata</i> (Hook.f.) R.Mathur	160
cuspidatum (Thunb.) Kuntze	90	divaricata (L.) DC.	160
decaisneanum Wight	91	lycopersicifolia DC.	160
<i>hirsutum</i> auct. non Wall.	91	subsp. lycopersicifolia	160
inodorum (Lour.) Decne.	91	subsp. taprobanensis Grierson	161
<i>mohanramii</i> Karthik. & Moorthy	91	nitida DC.	161
montanum (Roxb.) Hook.f.	91	travancorica W.W.Sm.	161
<i>pergularioides</i> Wight & Gardner	90	Gyrocarpus Jacq.	348
sylvestre (Retz.) R. Br. ex Schult.	91	americanus Jacq.	348
var. <i>decaisneana</i> (Wight) Thwaites	91	<i>jacquinii</i> Gaertn.	348
<i>tingens</i> (Roxb.) Spreng.	91	<i>Haasia wightii</i> Nees	378
var. <i>cordifolia</i> Wight	91	Habenaria Willd.	540
<i>Gymnbothrys lucida</i> Wall. ex Baill.	331	<i>affinis</i> Wight	542
Gymnopetalum Arn.	263	<i>affinis</i> D.Don	550
chinense (Lour.) Merr.	263	<i>aristata</i> (Lindl.) Hook.f.	550
<i>cochinchinense</i> (Lour.) Kurz	263	barbata Wight ex Hook.f.	540
tubiflorum (Wight & Arn.) Cogn.	263	<i>bicornuta</i> Hook.f.	551
<i>wightii</i> Arn.	263	brachyphylla (Lindl.) Aitch.	541
Gymnosporia (Wight & Arn.) Benth. & Hook. f.	217	<i>candida</i> Dalzell	542
buchananii Loes.	217	commelinifolia (Roxb.) Wall. ex Lindl.	541
emarginata (Willd.) Thwaites	218	<i>crassifolia</i> A.Rich.	541
heyneana Wight & Arn.	218	crinifera Lindl.	541
<i>montana</i> (Roth) Benth.	218	<i>decipiens</i> Wight	543
<i>ovata</i> (Wall. ex Wight & Arn.) M.A.Lawson	217	digitata Lindl.	541
<i>puberula</i> M. A. Lawson	219	var. <i>foliosa</i> (A.Rich.) Santapau & Kapadia	542
<i>rothiana</i> (Walp.) M. A. Lawson	218	var. <i>gibsonii</i> (Hook.f.) C.E.C.Fisch.	542
senegalensis (Lam.) Loes.	218	var. <i>travancorica</i> (Hook.f.) Pradhan	541
wallichiana M.A.Lawson	218	diphylla (Nimmo) Dalzell	541
wightiana (Babu) R.S. Rao	218	<i>elata</i> (Dalzell) Alston	551
Gymnostachyum Nees	34, 761	elliptica Wight	541
canescens (Nees) T.Anderson	34	elwesii Hook.f.	541
var. canescens	34	<i>flavescens</i> Hook.f.	543
var. longifolium C.B.Clarke	34, 761	foliosa A.Rich.	542
febrifugum Benth.	34	var. <i>foetida</i> (Blatt. & McCann) Bennet	542
glabrum (Dalzell) T.Anderson	35	furcifera Lindl.	542
latifolium (Dalzell) T.Anderson	35	<i>fusifera</i> Hook.f.	543
<i>longifolium</i> T.Anderson ex C.B.Clarke	35	<i>gardneri</i> Hook.f.	551
<i>ovatum</i> T.Anderson ex Bedd.	25	<i>gibsonii</i> Hook.f.	542
polyanthum Wight	35	var. <i>foetida</i> Blatt. & McCann	542
pubescens (Lam.) M.R.Almeida	35	var. <i>gibsonii</i>	542
<i>serrulatum</i> T.Anderson	35	<i>gigantea</i> (Sm.) D.Don	550
<i>Gymnotrix hordeoides</i> (Lam.) Kunth	647	<i>goodyeroides</i> D.Don	551
<i>polystachya</i> (L.) Sw. ex Trin.	647	<i>goodyeroides</i> Hook.	551
<i>Gynandropsis pentaphylla</i> (L.) DC.	221	<i>gracilis</i> Rchb.f.	542
<i>Gynochthodes umbellata</i> (L.) Razafim. & B. Bremer	696	<i>grandiflora</i> Lindl. ex Dalzell & A. Gibson	542
<i>Gynoon heyneanum</i> Wight & Arn.	572	grandifloriformis Blatt. & McCann	542
<i>jussieuianum</i> Wight	573	<i>graveolens</i> Duthie	541
<i>rigidum</i> A.Juss.	573	<i>hamigera</i> Griff.	542
<i>triandrum</i> Wight & Arn.	573	heyneana Lindl.	542
Gynostemma Blume	263	var. <i>subpubens</i> (A.Rich.) Pradhan	542
pentaphyllum (Thunb.) Makino	263	hollandiana Santapau	542
<i>Gynotroches membranifolia</i> Miq.	682	<i>indica</i> Sath.Kumar & Manilal	542
Gynura Cass., nom. cons.	160	<i>jardoniana</i> Wight	541
<i>angulosa</i> DC.	160	<i>laciniata</i> Dalzell	541
<i>angulosa</i> Hance	160	<i>lawii</i> (Wight) Hook.f.	551
var. <i>petiolata</i> Hook. f.	160	<i>longicalcarata</i> A.Rich.	542
aurantiaca (Blume) Sch.Bip. ex DC.	160	var. <i>viridis</i> Blatt. & McCann	542
<i>auriculata</i> Cass.	160	longicorniculata J.Graham	542
bicolor (Roxb. ex Willd.) DC.	160	longicornu Lindl.	543
<i>crepidioides</i> Benth.	151	<i>lutea</i> (Wight) Benth.	543

<i>malleifera</i> var. <i>hollandiana</i> (Santapau) Pradhan	542	<i>Hamiltonia Mysurunsis</i> Wight & Arn.	711
marginata Colebr.	543	<i>suaveolens</i> (Roxb.) Roxb.	711
var. <i>flavescens</i> (Hook.f.) T.Cooke	543	Handroanthus Mattos	188
<i>modesta</i> Dalzell	542	<i>avellanadae</i> (Lorentz ex Griseb.) Mattos	188
<i>montana</i> Wight	543	impetiginosus (Mart. ex DC.) Mattos	188
multicaudata Sedgw.	543	Haplanthus Kuntze	35
<i>neglecta</i> King & Pantl.	550	<i>neilgherryensis</i> (Wight) R.B. Majumdar	35
<i>ovalifolia</i> Wight	542	<i>plumosa</i> (T.Anderson) Panigrahi & G.C.Das	35
panchganiensis Santapau & Kapadia	543	tentaculatus (L.) R.B.Majumdar	35
<i>peristylodes</i> Wight	550	var. neilgherrensis (Wight) J.R.I.Wood	35
perrottetiana A.Rich.	543	var. tentaculatus	35
plantaginea Lindl.	543	verticillatus (Roxb.) R.B. Majumdar	36
<i>platyphylla</i> Spreng.	543	<i>Haplanthus</i> sensu C.B.Clarke	35
<i>platyphylloides</i> M.R.Almeida	543	<i>neilgherrensis</i> Wight	35
rariflora A.Rich.	543	<i>plumosus</i> T. Anderson	35
<i>rhynchocarpa</i> (Thwaites) Trimen	544	<i>tentaculatus</i> (L.) Nees	35
roxburghii Nicolson	543	var. <i>neesianus</i> Santapau	35
sahyadrica K.M.P.Kumar, Nirmesh, V.B.Sreek. & Kumar	544	var. <i>neilgherrensis</i> (Wight) C.B. Clarke	35
<i>schizochilus</i> J.Graham	541	var. <i>plumosus</i> (T.Anderson) C. B. Clarke	35
stenopetala Lindl.	544	<i>verticillatus</i> (Roxb.) Nees	36
<i>stenostachya</i> (Lindl. ex Benth.) Benth.	550	<i>Haplochilus longilabris</i> (Lindl.) D.Dietr.	557
stocksii Hook.f.	544	<i>Haplophragma</i> Dop	188
suaveolens Dalzell	544	<i>Haplostylis wightianus</i> Nees	297
<i>subpubens</i> A.Rich.	542	Hardwickia Roxb.	406
<i>susannae</i> Blume	550	binata Roxb.	406
<i>tenuicornis</i> Wall. ex Hook.f.	542	<i>pinnata</i> DC.	406
<i>tenuis</i> Griff.	544	<i>Harpalium rigidum</i> Cass.	162
<i>torta</i> Hook.f.	551	Harpullia Roxb.	723
<i>travancorica</i> Hook.f.	541	arborea (Blanco) Radlk.	723
<i>trinervia</i> Wight	541	<i>imbricata</i> Thwaites	723
<i>virens</i> (Lindl.) Abeyw.	540	Harrisia Britton	205
viridiflora (Rottler ex Sw.) Lindl.	544	bonplandii (Parm.) Britton & Rose	205
<i>viridiflora</i> (Rottler ex Sw.) R.Br.	544	<i>Hartwegia comosa</i> (Thunb.) Nees	129
<i>wightii</i> Trimen	551	<i>nimmonii</i> Dalzell ex Baker	129
Hackelochloa Kuntze	629	<i>Hastingia scandens</i> Roxb.	359
granularis (L.) Kuntze	629	<i>Hebeclinium sordidum</i> (Less.) Sch.Bip. ex J.Kost.	141
<i>porifera</i> (Hack.) Rhind	629	<i>Heckeria umbellata</i> (L.) Kunth	581
Haemanthus L.	67	<i>Hedera obovata</i> Wight	113
coccineus L.	67	<i>rostrata</i> Wight	113
<i>multiflorus</i> Martyn	67	Hedychium J.Koenig	759
<i>Haematospermum neriifolium</i> (B.Heyne ex Roth) Wall.		coronarium J.König	759
ex Voigt	332	var. <i>chrysoleucum</i> (Hook.) Baker	759
<i>salicinum</i> (Hassk.) Baill.	332	var. <i>flavescens</i> (Carey ex Roscoe) Baker	759
Haematoxylum Gronov.	391	flavescens Carey ex Roscoe	759
campechianum L.	391	<i>scaposum</i> Nimmo	757
Haldina Ridsdale	690	Hedyotis L.	690
cordifolia (Roxb.) Ridsdale	690	<i>affinis</i> Wight & Arn.	698
<i>Hallia hirta</i> Willd.	416	<i>approximata</i> R.Br. ex Wight & Arn	703
<i>sororia</i> (L.) Willd.	426	articularis R.Br. ex G.Don	690
<i>trifoliata</i> Roth	443	<i>aspera</i> B.Heyne ex Roth	694
<i>Halopegia cadelliana</i> (King ex Baker) K.Schum.	494	<i>aspera</i> Bedd.	694
Halophila Thours	349	<i>attenuata</i> Willd.	701
beccarii Asch.	349	<i>auricularia</i> L.	701
Haloragaceae	347	<i>biflora</i> (L.) Lam.	701
Haloragis J. R. Forst. & G. Forst.	347	var. <i>corymbosa</i> (L.) Kurz	702
oligantha Wight & Arn.	347	var. <i>uniflora</i> Kurz	701
Halosarcia Paul G. Wilson	64	<i>brachiata</i> Wight	701
indica (Willd.) Paul G.Wilson	64	<i>brachypoda</i> (DC.) Sivar. & Biju	701
Hamelia Jacq.	690	<i>brevicalyx</i> Sivar.	704
patens Jacq.	690	<i>burmanniana</i> Wight & Arn.	702
		<i>caerulea</i> Wight & Arn.	691

<i>capillipes</i> Schltdl. ex Hook.f.	699	<i>umbellata</i> (L.) Lam.	704
<i>carnosa</i> Dalzell	698	<i>villosa</i> Wight & Arn.	698
<i>corymbosa</i> var. <i>linearis</i> (DC.) Deb & R.M.Dutta	702	<i>wightiana</i> Wall. ex Wight & Arn.	700
<i>cyanantha</i> Kurz	691	<i>wightii</i> (Hook.f.) K.K.N.Nair	704
<i>deltoidea</i> Wight & Arn.	698	<i>wightii</i> (Hook.f.) Sivar., Biju & P.Mathew	704
<i>dichotoma</i> K.D.Koenig ex Roth	701	<i>Hedysarum adscendens</i> Sw.	430
<i>dichotoma</i> (Roxb. ex Wight & Arn.) A.Rich.	702	<i>aureum</i> Rottler	442
<i>diffusa</i> Willd.	702	<i>bracteatum</i> Roxb.	429
var. <i>extensa</i> (Hook.f.) R.Dutta	702	<i>bupleurifolium</i> L.	409
<i>erecta</i> Manilal & Sivar.	702	<i>caespitosum</i> Poir.	430
<i>foetida</i> Dalzell	699	<i>capitatum</i> Burm.f.	431
<i>geniculata</i> Roxb.	701	<i>collinum</i> Roxb.	425
<i>glabella</i> R.Br. ex Bedd.	691	<i>conjugatum</i> Willd.	453
<i>gracilis</i> Wall.	694	<i>cuneifolium</i> Roth	447
<i>graminifolia</i> L.f.	703	<i>dichotomum</i> Willd.	425
subsp. <i>arenaria</i> (Haines) Deb & R.M.Dutta	703	<i>diphyllum</i> L.	453
var. <i>shuteri</i> (Hook.f.) Deb & R.M.Dutta	703	<i>gangeticum</i> L.	425
<i>herbacea</i> L.	702	<i>glumaceum</i> Vahl	408
<i>indica</i> Roem. & Schult.	704	<i>gyrans</i> L. f.	414
<i>lancifolia</i> Dalzell	698	<i>hamatum</i> Burm.f.	447
<i>latifolia</i> Dalzell	698	<i>hamatum</i> L.	447
<i>leschenaultiana</i> Wight & Arn.	698	<i>heterocarpon</i> L.	431
<i>linarifolia</i> R.Br. ex Wall.	704	<i>heterophyllum</i> Willd.	431
<i>linifolia</i> Willd. ex Roem. & Schult.	703	<i>lagopodioides</i> L.	450
<i>maheshwarii</i> (Santapau & Merchant) R.S.Rao &		<i>lagopoides</i> Burm.f.	450
Hemadri	703	<i>lasiocarpum</i> P.Beauv.	425
<i>monosperma</i> Wight & Arn.	699	<i>latifolium</i> Roxb. ex Ker.	425
<i>multicaulis</i> Schltdl. ex Hook.f.	701	<i>lineatum</i> L.	428
<i>nagpurensis</i> (Brace ex Haines) K.K.Sharma &		<i>longifolium</i> Spreng.	409
S.K.Sharma	694	<i>lutescens</i> Poir.	441
<i>neesiana</i> Arn.	691	<i>maculatum</i> L.	425
<i>nitida</i> Wight & Arn.	691	<i>monilifer</i> L.	409
<i>nudicaulis</i> (Roth) Wight & Arn.	702	<i>motorium</i> Houtt.	414
<i>orbiculata</i> Wall.	703	<i>nummularifolium</i> L.	434
<i>ovatifolia</i> Cav.	702	<i>pictum</i> Jacq.	450
<i>paniculata</i> (L.) Lam.	701	<i>polycarpon</i> Poir.	431
<i>prainiana</i> (Talbot) R.S.Rao & Hemadri	699	<i>procumbens</i> Roxb.	409
<i>prainiana</i> King	703	<i>prostratum</i> Burm. f.	434
<i>pseudocorymbosa</i> Bakh.f.	702	<i>pryonii</i> (DC.) Spreng.	425
<i>puberula</i> (G.Don) Arn.	704	<i>pulchellum</i> L.	440
<i>pumila</i> L.f.	703	<i>quinquangulatum</i> Roxb.	425
<i>quadrilocularis</i> Thwaites	699	<i>recurvatum</i> Roxb.	425
<i>racemosa</i> Dennst.	699	<i>repandum</i> Vahl	432
<i>racemosa</i> Lam.	701	<i>reptans</i> Roxb.	431
<i>ramosa</i> (Roxb.) Blume	702	<i>retroflexum</i> L.	431
<i>repens</i> (L.) Lam.	688	<i>rugosum</i> Willd.	410
<i>repens</i> G.Don	703	<i>scalpe</i> DC.	432
<i>rheedei</i> Wight & Arn.	699	<i>scariosum</i> Spreng.	410
<i>rotundifolia</i> Spreng.	703	<i>scorpiurus</i> Sw.	425
<i>scapigera</i> R.Br. ex Wall.	702	<i>sororium</i> L.	426
<i>senegalensis</i> Dalzell & A. Gibson	694	<i>strobiliferum</i> L.	429
<i>shuteri</i> (Hook.f.) R.S.Rao & Hemadri	703	<i>styracifolium</i> Osbeck	431
<i>stocksii</i> (Hook.f.) R.S.Rao & Hemadri	703	<i>triangulare</i> Retz.	422
<i>stricta</i> Wall.	694	<i>triflorum</i> L.	431
<i>stricta</i> Sm.	702	<i>triquetrum</i> L.	447
<i>stricta</i> (L.) R.S.Rao & Hemadri	703	<i>tuberosum</i> Willd.	441
<i>subtilis</i> Miq.	699	<i>umbellatum</i> L.	423
<i>talbotii</i> N.P.Balacr.	699	<i>vaginale</i> L.	410
<i>tenelliflora</i> Blume	703	<i>velutinum</i> Willd.	425
<i>trinervia</i> (Retz.) Roem. & Schult.	703	<i>venosum</i> Rottler	443
<i>tubularis</i> R.Br. ex Arn.	699	<i>violaceum</i> Forssk.	408

<i>viscidum</i> L.	440	ovalifolium Forssk.	198
<i>Heleocharis atropurpurea</i> (Retz.) C. Presl	281	<i>peruvianum</i> L.	197
<i>spiralis</i> (Rottb.) R. Br.	282	<i>polystachyum</i> Poir.	198
<i>Heleocharis setulosa</i> (Trin.) Blatt. & McCann	664	pyncophyllum Phil.	198
Helianthus L.	161	ramosissimum (Lehm.) Sieber ex DC.	198
annuus L.	161	rariflorum Stocks	198
argophyllus Torr. & A. Gray	161	scabrum Retz.	198
<i>cucumerifolius</i> Torr. & A. Gray	161	<i>scabrum</i> Lehm.	198
debilis Nutt.	161	strigosum Willd.	198
subsp. cucumerifolius (Torr. & A.Gray) Heiser	161	subulatum (Hochst. ex A.DC.) Vatke	199
subsp. debilis	161	supinum L.	199
grosseserratus M. Martens	161	var. <i>malabaricum</i> C.B.Clarke	199
lateiflorus Pers.	161	<i>tomentosum</i> Poir.	198
mollis Lam.	161	zeylanicum (Burm.f.) Lam.	199
pauciflorus Nutt.	162	Helipterum DC.	162
<i>rigidus</i> (Cass.) Desf.	162	manglesii (Lindl.) F. Muell. ex Benth.	162
scaberrimus Elliott	162	roseum Benth.	162
tuberosus L.	162	Helixanthera Lour.	467
Helicanthes Danser	466	hookeriana Danser	467
elastica (Desr.) Danser	466	intermedia (Wight) Danser	467
Helichrysum Mill. ('Elichrysum')	162	obtusatus (Wall.) Danser	467
buddleioides DC.	162	wallichiana Danser	467
var. buddleioides	162	<i>Hellenia allughas</i> (Retz.) Willd.	755
var. hookeriana (Wight & Arn.) Hook. f.	162	<i>Helmia bulbifera</i> (L.) Kunth	301
<i>hookerianum</i> Wight & Arn.	162	<i>daemona</i> (Roxb.) Kunth	302
Helicia Pers.	677	<i>hirsuta</i> (Blume) Kunth	302
<i>erratica</i> Hook. f.	677	<i>tomentosa</i> (J.Koenig) ex Spreng.) Kunth	303
nilagirica Bedd.	677	<i>Helopus globosus</i> (Thunb.) Steud.	632
Heliconia L.	347	<i>Helosciadium heyneanum</i> Wall. ex DC.	79
angusta Vell.	347	<i>wallichianum</i> Miq. ex Hohen.	79
<i>angustifolia</i> Hook.	347	Hemarthria R. Br.	630
<i>bicolor</i> Benth.	347	compressa (L.f.) R. Br.	630
bihai (L.) L.	347	<i>perforata</i> (Roxb.) Kunth	640
psittacorum L.f.	347	<i>Hemidelphis polyspermus</i> (Roxb.) Nees	36
<i>ravenala</i> Willemet	736	<i>polyspermus</i> var. <i>joshianus</i> Prak.Rao & S.N. Biswas	36
rostrata Ruiz & Pavon	347	<i>Hemicarpha isolepis</i> Nees	292
Heliconiaceae	347	<i>Hemichoriste montana</i> Nees	40
Helicteres L.	484	<i>Hemicyclia sepiaria</i> Wight & Arn.	677
isora L.	484	<i>venusta</i> (Wight) Thw.	677
<i>Heligme rheedei</i> Wight	95	Hemidesmus R. Br.	91
<i>Heliophytum indicum</i> (L.) DC.	197	indicus (L.) W. T. Aiton	91
Heliotropium L.	197	var. indicus	91
amplexicaule Vahl	197	var. pubescens (Wight & Arn.) Hook.f.	91
<i>anchusifolium</i> Poir.	197	<i>pubescens</i> Wight & Arn.	91
arborescens L.	197	<i>Hemigraphis</i> Nees	46
bracteatum R.Br.	197	<i>alternata</i> (Burm.f.) T.Anderson	47
var. <i>leptostachyum</i> Benth.	197	<i>colorata</i> (Blume) Hallier f.	47
<i>brevifolium</i> Wall.	198	<i>crenata</i> (Benth. ex Hohen.) Bremek.	48
<i>compactum</i> D.Don	198	<i>crossandra</i> (Steud.) Bremek.	48
cornutum I.M.Johnst.	197	<i>dura</i> (Nees) T.Anderson	53
var. <i>pusilla</i> C.B.Clarke	197	<i>ebracteata</i> (Dalzell) C.B.Clarke	51
<i>coromandelianum</i> J.König ex Retz.	198	<i>elegans</i> var. <i>crenata</i> (Benth. ex Hohen.) C.B. Clarke	48
var. <i>ovalifolium</i> Lehm.	198	<i>latebrosa</i> (B.Heyne ex Roth) Nees	51
<i>crispum</i> Desf.	198	var. <i>beddomei</i> C.B.Clarke	51
<i>gracile</i> R.Br.	198	var. <i>ebracteata</i> (Dalzell) Cooke	51
indicum L.	197	var. <i>heyneana</i> Bremek.	52
keralense Sivarajan & Manilal	197	var. <i>incana</i> Gamble	51
<i>laxiflorum</i> Roth	197	var. <i>rupestris</i> (B.Heyne ex T.Anderson) C.B. Clarke	51
<i>malabaricum</i> Retz.	199	<i>pavala</i> (Roxb.) Kurz	51
marifolium J.König ex Retz.	198	<i>repanda</i> (L.) Hallier f.	53
var. <i>wallichii</i> C.B.Clarke	198	<i>rupestris</i> B. Heyne ex T.Anderson	51

<i>urens</i> (Roth) J.R.I. Wood	53	<i>roylei</i> Nees ex Steud.	630
<i>Hemigymnia macleodii</i> Griff.	194	<i>tenellus</i> (Roxb.) Schult.	613
<i>malabarica</i> (L.) Henrard	637	<i>triticeus</i> (R.Br.) Stapf ex Craib	630
<i>Hemigyrosa canescens</i> (Roxb.) Blume	723	Heterospathe Scheff.	120
<i>deficiens</i> (Wight & Arn.) Radlk.	723	<i>elata</i> Scheff.	120
Hemisorghum C.E.Hubb. ex Bor	630	<i>Heterostalis flagelliformis</i> (Lodd.) Schott	111
<i>venustum</i> (Thwaites) Clayton	630	Heterostemma Wight & Arn.	92
Henckelia Spreng.	345	<i>beddomei</i> (Hook.f.) Swarupan. & Mangaly	92
<i>incana</i> (Vahl) Spreng.	345	<i>dalzellii</i> Hook.f.	92
<i>innominata</i> (B.L.Burt) A.Weber & B.L.Burt	345	<i>disciflorum</i> (Hook.f.) Swarupan. & Mangaly	92
<i>roxburghiana</i> A.Dietr.	462	<i>urceolatum</i> Dalzell	92
<i>Heptapleurum rostratum</i> var. <i>micranthum</i> C.B.Clarke	113	<i>Hetrepta lavandulifolia</i> (Sm.) Raf.	363
<i>stellatum</i> Gaertn	113	<i>Heuchera dichotoma</i> Murray	744
<i>venulosum</i> (Wight & Arn.) Seem.	113	Hevea Aubl.	332
<i>wallichianum</i> (Wight & Arn.) Seem.	113	<i>brasiliensis</i> (Willd. ex A.Juss.) Müll.Arg.	332
Heracleum L.	78	Hewittia Wight & Arn.	243
<i>candolleianum</i> Gamble	78	<i>bicolor</i> (Vahl) Wight & Arn.	243
<i>concanense</i> Dalzell	79	<i>malabarica</i> (L.) Suresh	243
<i>grande</i> (Dalzell & A.Gibson) Mukhop.	78	<i>sublobata</i> (L.f.) Kuntze	243
<i>hookerianum</i> Wight & Arn.	78	<i>Hexacentris mysorensis</i> Wight	54
<i>pedatum</i> Wight	80	<i>Heylandia hebecarpa</i> DC.	416
<i>pinda</i> Dalzell & A.Gibson	79	<i>latebrosa</i> DC.	416
<i>rigens</i> Wall. ex DC.	78	<i>Heymia rigida</i> Dennst.	688
var. <i>candolleana</i> (Wight & Arn.) C.B.Clarke	78	Heynea Roxb. ex Sims	500
<i>sprengelianum</i> Wight & Arn.	78	<i>affinis</i> A.Juss.	500
Herissantia Medik.	485	<i>trifolia</i> A.Juss.	500
<i>crispa</i> (L.) Brizicky	485	<i>trijuga</i> Roxb. ex Sims	500
Heritiera Aiton	485	Hibiscus L.	485
<i>allughas</i> Retz.	755	<i>abelmoschus</i> L.	476
<i>littoralis</i> Aiton	485	<i>aculeatus</i> Roxb.	485
<i>papilio</i> Bedd.	485	<i>angulosus</i> Steud.	475
Herminium L.	544	<i>cancellatus</i> Roxb.	475
<i>goodyeroides</i> (D.Don) Lindl. ex Wall.	551	<i>canescens</i> B.Heyne ex Wall.	485
<i>lanceum</i> (Thunb. ex Sw.) Vuikj	544	<i>cannabinus</i> L.	485
<i>plantagineum</i> Lindl.	551	<i>esculentus</i> L.	475
Hernandiaceae	348	<i>ficulneus</i> L.	475
<i>Herpestis floribunda</i> R.Br.	582	<i>furcatus</i> Roxb. ex DC.	485
<i>hamiltoniana</i> Benth.	583	<i>hirtus</i> L.	485
<i>lanceolata</i> Wight	582	var. <i>ralbotii</i> Rakshit	486
<i>monnieri</i> (L.) Kunth	583	<i>hispidissimus</i> Griff.	485
<i>procumbens</i> (Mill.) Urb.	585	<i>lampas</i> Cav.	492
<i>rugosa</i> Roth	585	<i>lobatus</i> (Murray) Kuntze	485
<i>Herpetica alata</i> (L.) Raf.	397	<i>longifolius</i> Willd.	475
<i>Hesperethusa acidissima</i> (L.) Roemer	715	var. <i>tuberosus</i> Span.	476
<i>crenulata</i> (Roxb.) Roem.	716	<i>lunariifolius</i> Willd.	485
Hetaeria Blume	544	<i>manihot</i> L.	475
<i>oblongifolia</i> Blume	544	<i>micranthus</i> L.f.	486
<i>Heterocarpus hirsutus</i> Wight	228	<i>mutabilis</i> L.	486
Heterophragma DC.	188	<i>ovalifolius</i> (Forsk.) Vahl.	486
<i>adenophyllum</i> (Wall. ex G.Don) Seem. ex Benth. & Hook.f.	188	<i>panduriformis</i> Burm.f.	486
<i>chelonoides</i> (L.f.) Dalzell & A.Gibson	191	<i>populneus</i> L.	492
<i>quadriloculare</i> (Roxb.) K.Schum.	188	<i>radiatus</i> Cav.	486
<i>roxburghii</i> DC.	188	<i>rosa-sinensis</i> L.	486
<i>suaveolens</i> (Roxb.) Dalzell & A. Gibson	191	<i>rugosus</i> (Wight & Arn.) Mast.	476
Heteropogon Pers.	630	<i>sabdariffa</i> L.	486
<i>contortus</i> (L.) P Beauv. ex Roem. & Schult.	630	<i>schizopetalus</i> (Mast.) Hook.f.	486
<i>insignis</i> Thwaites	630	<i>setinervis</i> Dunn	476
<i>oliganthus</i> (Hochst. ex Steud.) Blatt. & McCann	614	<i>solandra</i> L'Hér.	485
<i>ritchiei</i> (Hook.f.) Blatt. & McCann	630	<i>surattensis</i> L.	486
<i>roxburghii</i> Arn. ex Nees	630	<i>talbotii</i> (Rakshit) T.K.Paul & M.P.Nayer	486
		<i>tetraphyllum</i> Roxb. ex Hornem	476

tiliaceus L.	486	sanguinea Retz.	359
trionum L.	487	<i>Holochilus micranthus</i> Dalzell	309
vitifolius L.	487	<i>Hologamium nervosum</i> (Rottler) Nees	653
<i>zeylanicus</i> L.	489	Holoptelea Planch.	739
<i>Hieracium javanicum</i> Burm. f.	154	integrifolia (Roxb.) Planch.	739
Hildegardia Schott & Endl.	487	<i>Holoschoenus incurvatus</i> (Roxb.) A.Dietr.	297
populifolia Schott & Endl.	487	<i>subarticulatus</i> (Roxb.) A.Dietr.	297
<i>Hippagrostis burmannii</i> (Retz.) Kuntze	641	<i>Holosepalum humifusum</i> (L.) Fourr.	350
<i>composita</i> (L.) Kuntze	641	Holostemma R. Br.	92
<i>undulatifolia</i> (Ard.) Kuntze	641	ada-kodien Schult.	92
Hippeastrum Herb.	67	<i>annulare</i> (Roth) K. Schum.	92
puniceum (Lam.) Voss	67	<i>brunonianum</i> Royle	92
reginae (L.) Her.	67	<i>rheedei</i> Wall.	92
vittatum (L'Hér.) Herb.	67	<i>rheedianum</i> Spreng.	92
<i>Hippia integrifolia</i> L.f.	152	<i>Holosteum cordatum</i> L.	215
<i>Hippion hyssopifolium</i> (Willd.) Spreng.	341	Homalium Jacq.	719
<i>orientale</i> (Griseb.) Dalzell & A.Gibson	341	<i>tetrandra</i> Wight	719
<i>verticillatum</i> var. <i>hyssopifolium</i> (Willd.) Kuntze	341	zeylanicum (Gard.) Benth.	719
var. <i>maritimum</i> (Dalzell) Kuntze	341	<i>Homalocenchrus hexandrus</i> (Sw.) Kuntze	636
Hippobroma G.Don	208	<i>Homalocladium platycladum</i> (F.Muell.) L.H.Bailey	669
longiflora (L.) G.Don	208	<i>Homoeatherum chinense</i> Nees	590
<i>Hippocratea africana</i> (Willd.) Loes. ex Engl.	218	<i>Homognaphalium pulvinatum</i> (Delile) Fayed & Zareh	159
<i>arnottiana</i> Wight	218	Homonoia Lour.	332
<i>bourdillenii</i> Gamble	218	intermedia Haines	332
<i>grahamii</i> Wight	219	retusa (J.Graham ex Wight) Müll.Arg.	332
<i>indica</i> Willd.	220	riparia Lour.	332
<i>Hippoxylon indica</i> (L.) Raf.	189	<i>Homoplitis crinita</i> (Thunb.) Trin.	649
<i>Hippuris indica</i> Lour.	281	<i>Hondesseion foetidum</i> (L.) Kuntze	705
Hiptage Gaertn.	474	Hopea Roxb.	304, 765
benghalensis (L.) Kurz	474	canarensis Hole	304, 765
<i>madablota</i> Gaertn.	474	<i>decandra</i> Buch.-Ham. ex Wight	304
nayarii R.C.Srivast.	475	erosa (Bedd.) Slooten	304
<i>parviflora</i> Wight & Arn.	474	glabra Wight & Arn.	304
<i>Hiraea cordata</i> B.Heyne ex Wall.	474	jacobi C.E.C.Fisch.	304
<i>indica</i> Roxb.	474	<i>malabarica</i> Bedd.	304
Holarrhena R. Br.	92	odorata Roxb.	304
<i>antidysenterica</i> Wall. ex A.DC.	92	parviflora Bedd.	304
<i>codaga</i> G.Don	92	ponga (Dennst.) Mabb.	304
<i>malaccensis</i> Wight	92	var. cauveriana Kesh. Murthy & Yogan.	304, 767
pubescens (Buch.-Ham.) Wall. ex G. Don	92	var. ponga	304
<i>Holcus bicolor</i> L.	656	<i>racemosa</i> Dalzell & A.Gibson	737
<i>ciliatus</i> Roxb.	594	racophloea Dyer	304
<i>contortus</i> (L.) Stuck.	630	<i>wightiana</i> Wall. ex Wight & Arn.	304
<i>durra</i> Forssk.	656	Hoppea Willd.	343
<i>fulvus</i> var. <i>nitidus</i> (Vahl) Honda	657	dichotoma Willd.	343
<i>halepensis</i> L.	656	fastigiata (Griseb.) C.B.Clarke	343
<i>nervosus</i> Roxb.	595	<i>Horkelia arrhiza</i> (L.) Druce	454
<i>nitidus</i> Vahl	657	<i>Horminum coccineum</i> (Buc'hoz ex Etl.) Moench	374
<i>paniciformis</i> Roxb. ex Hook.f.	646	<i>Hornemannia viscosa</i> Willd.	462
<i>parviflorus</i> R. Br.	602	<i>Hottonia indica</i> L.	584
<i>pertusus</i> L.	599	<i>sessiliflora</i> Vahl	585
Holigarna Buch.-Ham. ex Roxb.	68	<i>Howardia brasiliensis</i> (Mart. & Zucc.) Klotzsch	126
arnottiana Hook. f.	68	Hoya R. Br.	93
beddomei Hook.f.	68	carnosa (L.f.) R.Br.	93
ferruginea Marchand	69	<i>lacuna</i> Buch.-Ham. ex Wight	90
grahamii (Wight) Kurz	69	ovalifolia Wight & Arn.	93
<i>longifolia</i> Wight & Arn.	68	<i>pallida</i> Dalzell & A.Gibson	93
nigra Bourd.	69	parviflora Wight	93
<i>wightii</i> Balakr.	69	<i>pauciflora</i> Wight	93
<i>Hollia comosa</i> (Thunb.) Heynh.	129	pendula Wight & Arn.	93
Holmskioldia Retz.	359	retusa Dalzell	93

<i>viridiflora</i> R. Br.	90	<i>bengalensis</i> S.K. Mandal, A. Bhattach. & Nayek	36
<i>wightiana</i> Thwaites	93	erecta (Burm.f.) Hochr.	36
<i>wightii</i> Hook.f.	93	incana Nees	36
Hubbardia Bor	630	<i>longifolia</i> (L.) Kurz	37
diantra Chandore, Gosavi & S.R. Yadav	630	<i>obovata</i> (Roxb.) Nees ex Wight	37
heptaneuron Bor	631	pinnatifida (Dalzell) Sreem.	36
Hubera Chaowasku	73	polysperma (Roxb.) T.Anderson	36
cerasoides (Roxb.) Chaowasku	73	<i>quadrivalvis</i> (Buch.-Ham.) Nees	37
Hugonia L.	458	ringens (L.) R. Br. ex Steud.	37
belli Sedgw.	458	<i>salicifolia</i> (Vahl) Nees	37
ferruginea Wight & Arn.	458	schulli (Buch.-Ham.) M.R.Almeida & S.M. Almeida	37
mystax L.	459	serpyllum (Nees) T.Anderson	37
Hultholia E.Gagnon & G.P.Lewis	391	<i>spinosa</i> T.Anderson	37
mimosoides (Lam.) E.Gagnon & G.P.Lewis	391	Hygroryza Nees	631
Humboldtia Vahl	406	aristata (Retz.) Nees ex Wight & Arn.	631
brunonis Wall.	406	Hylodesmum H.Ohashi & R. R. Mill	432
<i>Hunteria atrovirens</i> G.Don	88	repandum (Vahl) H.Ohashi & R.R.Mill	432
Hura L.	332	Hymenachne P. Beauv.	631
crepitans L.	332	<i>acutigluma</i> (Steud.) Gilliland	631
<i>Hutchinia indica</i> Wight & Arn.	83	amplexicaulis (Rudge) Nees	631
Hybanthus Jacq.	748	<i>aurita</i> (Nees) Balansa	643
<i>enneaspermus</i> (L.) F.Muell.	748	<i>indica</i> (L.) Buse	652
subsp. <i>stellarioides</i> (Domin) E.M.Benn.	748	<i>interrupta</i> (Willd.) Buse	652
var. <i>stellarioides</i> Domin	748	<i>myosuroides</i> (R.Br.) Balansa	653
puberulus M.G.Gilbert	748	<i>pseudointerrupta</i> C.Muell.	631
<i>stellarioides</i> (Domin) P.I.Forst.	748	Hymenaea L.	406
<i>suffruticosus</i> (L.) Baillon	748	courbaril L.	406
Hydatellaceae	348	<i>Hymenatherum tenuifolium</i> Cass.	175
Hydnocarpus Gaertn.	54	Hymenocallis Salisb.	67
alpina Wight	54	littoralis (Jacq.) Salisb.	67
<i>laurifolius</i> Sleumer	54	<i>tenuiflora</i> Herb.	67
pentandrus (Buch.-Ham.) Oken	54	<i>Hymenochaeta juncoide</i> s (Roxb.) Nakai	297
wightianus Blume	54	<i>Hymenochlaena</i> Bremek.	46
Hydrilla Rich.	349	Hymenodictyon Wall.	691
verticillata (L.f.) Royle	349	<i>excelsum</i> (Roxb.) Wall.	691
<i>Hydrobryopsis sessilis</i> (Willis) Engl.	667	obovatum Wall.	691
<i>Hydrobryum johnsonii</i> Willis	666	orixense (Roxb.) Mabb.	691
<i>lichenoides</i> Kurz	666	<i>rheedei</i> (Roem. & Schult.) M.R.Almeida &	691
var. <i>Khandalense</i> Willis	666	S.M.Almeida	691
<i>sessile</i> Willis	667	<i>thyrsoflorum</i> Wall.	691
Hydrocharitaceae	348	<i>utile</i> Wight	691
Hydrocotyle L.	112	Hyophorbe Gaertn.	120
<i>asiatica</i> L.	77	lagenicaulis (L.H.Bailey) H.E.Moore	120
javanica Thunb.	112	verschaffeltii H.Wendl.	120
<i>nepalensis</i> Hook.	112	<i>Hypaelyptum gracile</i> (Rich. ex Pers.) Steud.	292
<i>polycephala</i> Wight & Arn.	112	<i>nemorum</i> (Vahl) P.Beauv.	290
<i>rotundifolia</i> Roxb. ex DC.	112	<i>sphacelatum</i> Vahl	292
sibthorpioides Lam.	112	<i>Hypaphorus subumbrans</i> Hassk.	427
Hydrolea L.	350	Hypericaceae	350
zeylanica (L.) Vahl	350	Hypericum L.	350
Hydroleaceae	350	<i>calycatum</i> Jacquem. ex Dyer	350
<i>Hydrophace perpusilla</i> (Torr.) Lunell	454	humifusum L.	350
<i>trisulca</i> (L.) Bubani	454	japonicum Thunb.	350
Hydrophylax L.f.	691	var. <i>major</i> Fyson	350
maritima L.f.	691	mysureense Wall. ex Wight & Arn.	350
<i>Hydrosme hohenackeri</i> (Schott) Engl.	104	<i>pusillum</i> Choisy	350
<i>Hydrotrophus echinospermus</i> C.B.Clarke	348	<i>rubrum</i> Wight ex Dyer	350
Hygrophila R. Br.	36	wightianum Wall. ex Wight & Arn.	351
<i>angustifolia</i> R. Br.	37	<i>Hypogynium foveolatum</i> (Delile) Haines	613
<i>auriculata</i> (Schumach.) Heine	37	<i>heteroclitum</i> (Roxb.) Roberty	650
balsamica (L.f.) Raf.	36	Hypolytrum L. C. Rich.	290

<i>argenteum</i> Kunth	292	<i>tenuifolia</i> (Colsm.) Urb.	462
<i>ceylanicum</i> B.Heyne ex Nees	292	<i>verbenifolia</i> (Colsm.) Kerr ex Barnett	462
<i>diandrum</i> (Roxb.) A.Dietr.	290	Impatiens L.	179, 763
<i>giganteum</i> Wall. ex Nees	290	aadishankarii Bhaskar & Sringsesh	179, 763
<i>gracile</i> Rich. ex Pers.	292	acaulis Arn.	179
<i>laevigatum</i> (Roxb.) Spreng.	292	var. acaulis	179
<i>latifolium</i> Rich. ex Pers.	290	var. granulata Bhaskar	179, 764
nemorum (Vahl) Spreng.	290	agumbeana Bhaskar & Razi	179, 764
<i>penangense</i> C.B.Clarke	290	<i>albida</i> Wight	181
<i>triceps</i> (Roxb.) A.Dietr.	292	aliciae C.E.C.Fisch.	179
<i>wightianum</i> Boeckeler	290	<i>anamallayensis</i> Bedd.	181
<i>Hypoporum annulare</i> Nees	298	bababudenensis Hook.f.	179, 764
<i>lithospermum</i> (L.) Nees	299	balsamina L.	180
<i>pergracile</i> Nees	299	var. balsamina	180
<i>purpurascens</i> Nees	299	var. macrantha Hook.f.	180
Hypoxidaceae	351	var. micrantha Hook.f.	180, 764
Hypoxis L.	351	var. parusnathica Hook.f.	180
aurea Lour.	351	var. rosea (Lindley) Hook.f.	180
<i>brachystachya</i> Wight	351	barberi Hook.f.	180, 764
<i>latifolia</i> Wight	351	bhaskarii Desai et al.	180, 764
<i>leptostachya</i> Wight	351	bhimgadensis Bhaskar & Sringsewara	180, 764
<i>orchioides</i> (Gaertn.) Kurz	351	brevicornis (E.Barnes) Bhaskar	180
<i>pauciflora</i> Wight	351	chinensis L.	180
<i>trichocarpa</i> Wight	351	var. <i>brevicornis</i> Branes	180
Hyptis Jacq.	359	var. <i>rupicola</i> (Hook.f.) Bhaskar	183
capitata Jacq.	359	clavata Bhaskar	180, 764
suaveolens (L.) Poit.	359	crenata Bedd.	180
<i>Hyssopus lophanthoides</i> Buch.-Ham. ex D.Don	360	cuspidata Wight & Arn.	180
Iberis L.	201	dasysperma Wight	181
amara L.	201	dendricola C.E.C.Fisch.	181
Icacinaeae	352	denisonii Bedd.	181
<i>Icacorea solanacea</i> (Roxb.) Britton	674	diversifolia B.Heyne ex Wight & Arn.	181
Ichnocarpus R. Br.	93	fasciculata Lam.	181
frutescens (L.) R. Br.	93	<i>filiformis</i> Wight & Arn.	181
<i>Iebine nervosa</i> (Thunb.) Raf.	545	flaccida Arn.	181
Ilex L.	102, 763	fruticosa Lesch. ex DC.	181
denticulata Wall. ex Wight	102	gardneriana Wight	181
malabarica Bedd.	103	goughii Wight	181
tadiandamolensis Kesh.Murthy	103, 763	henslowiana Arn.	181
<i>Illecebrum achyrantha</i> L.	59	herbicola Hook. f.	181
<i>brachiatum</i> (L.) L.	64	inconspicua B.Heyne ex Wight & Arn.	181
<i>ficoideum</i> (L.) L.	58	var. inconspicua	182
<i>javanicum</i> (Burm.f.) L.	57	var. jogensis Bhaskar	182, 764
<i>lanatum</i> (L.) L.	57	var. nematostachys (Hook.f.) Bhaskar	182
<i>monsoniae</i> L. f.	65	var. pushpagiriensis L.Joseph & Bhaskar	182, 764
<i>pungens</i> (Kunth) Spreng.	59	jerdoniae	182
<i>sanguinolentum</i> (L.) L.	57	kleiniformis Sedgw.	182
<i>sessile</i> (L.) L.	59	<i>kleinii</i> Wight & Arn.	182
<i>Illipe insignis</i> (Radlk.) Engl.	725	kodachadriensis Bhaskar & Sringsesh	182, 764
<i>latifolia</i> (Roxb.) F.Muell.	726	kotebettii Bhaskar & Sringsewara	182, 764
<i>malabarica</i> (Bedd.) Engl.	726	latifolia L.	182
<i>malabaricus</i> (Bedd.) Pierre ex Dubard	726	lawii Hook.f. & Thomson	182
<i>malabrourum</i> subsp. <i>latifolia</i> (Roxb.) Dubard	726	lawsonii Hook.f.	182
<i>neriifolia</i> (Moon) Engl.	726	<i>lucida</i> B.Heyne ex Hook.f.	181
<i>Ilysanthes antipoda</i> (L.) Merr.	460	madapurae Bhaskar & Sringsewara	182, 764
<i>ciliata</i> (Colsm.) Kuntze	460	minor (DC.) Bennet	182
<i>hyssopioides</i> (L.) Benth.	460	var. hirsuta Bhaskar	182
<i>reptans</i> Urb.	462	var. minor	182
<i>rotundifolia</i> (L.) Benth.	462	mullaingiriensis Bhaskar	183, 764
<i>ruellioides</i> (Colsm.) Kuntze	462	mysorensis Roth	183, 764
<i>serrata</i> (Roxb.) Urb.	460	<i>nataliae</i> Hook.f.	183

oppositifolia L.	183	<i>inamoena</i> Thwaites	436
pendula B.Heyne ex Wight & Arn.	183, 766	<i>indica</i> Mill.	434
pulcherrima Dalzell	183	<i>indica</i> Lam.	435
<i>pusilla</i> B.Heyne	181	<i>karnatakana</i> Sanjappa	432
razia B.Haskar & Razi	183, 766	<i>kleinii</i> Wight & Arn.	433
<i>rivalis</i> Wight	183	<i>leptostachya</i> DC.	432
<i>rosea</i> Lindl.	180	linifolia (L.f.) Retz.	434
<i>rosmarinifolia</i> Retz.	183	var. <i>campbelli</i> Wight ex Baker	434
rupicola Hook.f.	183	linnaei Ali	434
var. nataliae (Hook.f.) Bhaskar	183, 766	<i>multicaulis</i> DC.	435
var. rupicola	183	mysorensis DC.	434
scabriuscula B.Heyne ex Wall.	183	<i>nummularifolia</i> (L.) Livera ex Alston	434
var. alba Bhaskar	183, 766	nummulariifolia (L.) Alston	434
var. rosea Bhaskar	183, 766	oblongifolia Forssk.	434
var. scabriuscula	183	<i>ornithipodioides</i> Jaub. & Spach	434
scapiflora B.Heyne ex Roxb.	183	parviflora B. Heyne ex Hook. & Arn.	435
<i>setosa</i> Hook.f. & Thomson	181	<i>paucifolia</i> Delile	434
stocksii Hook.f. & Thomson	184	<i>pentaphylla</i> Murray	433
talbotii Hook.f.	184, 766	prostrata (L.) Domin	435
tenella B.Heyne ex Wight & Arn.	184	<i>pulchella</i> Roxb.	432
trichocarpa Hook.f.	184	var. <i>purpurascens</i> (Roxb.) Haines	432
<i>vivekananthanii</i> J. Dessai & Janarth.	181	<i>purpurascens</i> Roxb.	432
wolfgangii Lali J. & V. Bhaskar	184, 766	<i>scabra</i> Roth.	435
Imperata Cirillo	631	<i>spicata</i> auct. non Forssk	433
<i>arundinacea</i> Cirillo	631	<i>subulata</i> auct. non (Vahl) Poir	435
cylindrica (L.) Raeusch.	631	suffruticosa Mill.	435
subsp. <i>koenigii</i> (Retz.) Tzvelev	631	<i>sumatrana</i> Gaertn.	435
var. <i>major</i> (Nees) C.E. Hubb. ex C.E. Hubb. & R.E.		<i>tenuifolia</i> Rottler ex Wight & Arn.	432
Vaughan	631	<i>teysmannii</i> Miq.	436
<i>koenigii</i> (Retz.) P.Beauv.	631	tinctoria L.	435
var. <i>major</i> Nees	631	var. <i>brachycarpa</i> DC.	435
<i>sara</i> (Roxb.) Schult.	652	trifoliata L.	435
<i>Indianthus virgatus</i> (Roxb.) Suksathan & Borchs.	494	var. <i>multicaulis</i> (DC.) Miq.	435
Indigofera L.	432	<i>triquetra</i> Dalzell	433
<i>anabaptista</i> Baker	434	trita L. f.	435
<i>anil</i> L.	435	subsp. <i>scabra</i> (Roth) De Kort & G.Thijsse	435
<i>arborea</i> Roxb.	432	var. scabra (Roth) Ali	435
<i>argentea</i> var. <i>coerulea</i> (Roxb.) Baker	433	var. trita	435
arnottii (Kuntze) P.G.Wilson	432	uniflora Roxb.	435
arrecta A.Rich.	432	<i>violacea</i> Roxb.	432
<i>aspalathifolia</i> Roxb.	432	<i>viscosa</i> Lam.	433
aspalathoides DC.	432	wightii Wight & Arn.	436
astragalina DC.	432	zollingeriana Miq.	436
<i>benthamiana</i> Hance	436	Indobanalia A.N.Henry & B. Roy	64
cassioides DC.	432	thyrsiflora (Moq.) Henry & Roy	64
coerulea Roxb.	433	<i>Indochloa oligantha</i> (Hochst. ex Steud.) Bor	614
colutea (Burm.f.) Merr.	433	<i>Indocourtoisia cyperoides</i> (Roxb.) Bennet & Raizada	271
constricta (Thwaites) Trimen	433	<i>Indoneesiella</i> Sreem.	23
cordifolia Heyne ex Roth	433	<i>echioides</i> (L.) Sreem.	24
dalzellii T.Cooke	433	<i>longipedunculata</i> (Sreem.) Sreem.	24
<i>echinata</i> Willd.	434	Indopoa Bor	631
<i>elliptica</i> Roxb.	432	paupercula (Stapf) Bor	631
<i>endecaphylla</i> Jacq.	433	<i>Indoryza coarctata</i> (Roxb.) A.N.Henry & B.Roy	649
<i>enneaphylla</i> L.	434	Indotristicha P.Royen	665
<i>flaccida</i> var. <i>constricta</i> Thwaites	433	ramosissima (Wight) P. Royen	665
<i>fragrans</i> Retz.	433	<i>Indurgia congesta</i> (Wight) Speta	133
glabra L.	433	<i>coromandeliana</i> (Roxb.) Speta	132
glandulosa Wendl.	433	<i>govindappae</i> (A.Boraiah & Fathima) Speta	132
hendecaphylla Jacq.	433	<i>indica</i> (Roxb.) Speta	132
hirsuta L.	434	<i>nagarjunae</i> (Hemadri & Swahari) Speta	132
hochstetteri Baker	434	<i>polyantha</i> (Blatt. & McCann) Speta	133

<i>wightiana</i> (Hook.f.) Speta	132	<i>coerulascens</i> Roxb.	248
<i>Inga dulcis</i> (Roxb.) Willd.	394	<i>congesta</i> R. Br.	247
<i>pterocarpa</i> DC.	394	coptica (L.) Roth ex Roem. & Schult.	245
<i>saman</i> (Jacq.) Willd.	386	<i>crassicaulis</i> (Benth.) B. L. Rob.	246
<i>timoriana</i> DC.	393	<i>cymosa</i> (Desr.) Roem. & Schult.	240
<i>xylocarpa</i> (Roxb.) DC.	402	<i>cynanchifolia</i> C.B.Clarke	245
<i>Inodes mexicana</i> (Mart.) Standl.	123	<i>dasyperma</i> Jacq.	250
<i>palmetto</i> (Walter) O.F.Cook	124	<i>dentata</i> (Vahl) Roem. & Schult.	252
<i>Inula indica</i> L.	167	<i>denticulata</i> (Desr.) Choisy	247
<i>Involucraria lepiniana</i> Naudin	267	<i>dichroa</i> Choisy	244
<i>wallichiana</i> Ser.	268	<i>digitata</i> L.	245
<i>Ionidium heterophyllum</i> Vent.	748	<i>dissecta</i> (Jacq.) Pursh	242
<i>suffruticosum</i> Ging.	748	<i>dissecta</i> Willd.	245
Iphigenia Kunth	224, 766	<i>elliptica</i> Roth	251
indica (L.) A.Gray ex Kunth	224	eriocarpa R. Br.	246
magnifica Ansari & R.S.Rao	224	fistulosa Mart. ex Choisy	246
mysorensis Arekal & S.N.Ramaswamy	224, 766	<i>gangetica</i> Sweet	254
pallida Baker	224	<i>glaberrima</i> Bojer ex Hook.	251
sahyadrica Ansari & R.S.Rao	224	<i>grandiflora</i> C.B.Clarke	251
stellata Blatt.	224	<i>grandiflora</i> (Jacq.) Hallier f.	251
<i>Iphia multiflora</i> Wight & Arn.	101	<i>grandiflora</i> (L.f.) Lam.	254
<i>Ipomaea bracteata</i> auct. non Cav.	240	grandifolia (Dammer) O'Donell	246
Ipomoea L.	243	<i>hardwickii</i> (Spreng.) Hemsl.	245
<i>acetosellifolia</i> (Desr.) Choisy	252	<i>hederacea</i> (L.) Jacq.	248
<i>acetosifolia</i> (Vahl) Roem. & Schult.	246	var. <i>himalaica</i> C.B.Clarke	248
<i>aculeata</i> Blume	244	var. <i>integrifolia</i> Hallier f.	248
<i>acuminata</i> (Vahl) Roem. & Schult.	247	hederifolia L.	246
<i>aegyptia</i> L.	242	<i>hepaticifolia</i> L.	249
alba L.	243	<i>heynei</i> Roem. & Schult.	240
var. alba	244	<i>horsefieldiana</i> Miq.	246
var. grandiflora C.B.Clarke	244	horsfalliae Hook.	246
<i>amoena</i> Blume	247	illustris Prain	246
<i>anceps</i> (L.) Roem. & Schult.	253	<i>imbricata</i> Roth	239
aquatica Forssk.	244	imperati (Vahl) Griseb.	246
arachnosperma Welw.	244	indica (Burm.) Merr.	247
asarifolia (Desr.) Roem. & Schult.	244	var. <i>acuminata</i> (Vahl) Fosberg	247
<i>atrosanguinea</i> Hook.	238	<i>insuavis</i> Blume	248
barleioides (Choisy) Benth. ex C.B.Clarke	244	<i>insularis</i> (Choisy) Steud.	247
batatas (L.) Lam.	244	<i>involucrata</i> P. Beauv.	249
var. <i>edulis</i> (Thunb.) Makino	244	<i>kentrocaulos</i> C.B.Clarke	242
<i>benghalensis</i> Roem. & Schult.	254	<i>kleiniana</i> Roem. & Schult.	238
<i>beraviensis</i> Vatke	254	laciniata C.B.Clarke	247
<i>bifida</i> Roem. & Schult.	240	<i>laurifolia</i> Sweet	251
biflora (L.) Pers.	245	<i>learii</i> Knight ex Paxton	247
<i>biloba</i> Forssk.	249	littoralis (L.) Boiss.	247
<i>bona-nox</i> L.	243	<i>longiflora</i> R. Br.	253
var. <i>purpurascens</i> Ker Gawl.	248	<i>luteola</i> Jacq.	246
cairica (L.) Sweet	245	<i>macrantha</i> Roem. & Schult.	251
<i>caliginosa</i> Choisy	240	marginata (Desr.) Verdc.	247
<i>calycina</i> auct. non Messin.	245	<i>martinicensis</i> (Jacq.) G. Mey.	238
<i>campanulata</i> L.	254	mauritiana Jacq.	248
<i>capitellata</i> Choisy	249	maxima Don ex Sweet	248
carnea Jacq.	245	muricata (L.) Jacq.	248
subsp. <i>fistulosa</i> (Martius ex Choisy) D. F. Austin	246	<i>mutabilis</i> Lindl.	247
<i>carnosa</i> R. Br.	246	nil (L.) Roth	248
<i>cataractae</i> Endl.	247	var. <i>setosa</i> (Blume) Boerl.	248
<i>cathartica</i> Poir.	247	<i>noctiflora</i> Griff.	244
cheirophylla O'Donell	245	<i>noctiluca</i> Herb.	244
<i>choisiana</i> Wight ex Safford	247	obscura (L.) Ker Gawl.	248
cholulensis Kunth	245	<i>ochroleuca</i> Span.	248
<i>chryseides</i> Ker Gawler	252	<i>ocularis</i> Bartl.	248

<i>osyrensis</i> Roth	239	<i>verrucosa</i> Blume	247
<i>ovalifolia</i> Choisy	251	violacea L.	251
<i>palmata</i> Forssk.	245	<i>vitifolia</i> (Burm.f.) Blume	240
parasitica (Kunth) G. Don	249	var. <i>angularis</i> (Burm.f.) Choisy	240
<i>pendula</i> R.Br.	245	wightii (Wall.) Choisy	251
<i>pentaphylla</i> (L.) Jacq.	242	Iresine P. Br.	64
<i>perlonga</i> Robinson	249	herbstii Hook.	64
pes-caprae (L.) R. Br.	249	<i>javanica</i> Burm.f.	57
pes-tigridis L.	249	<i>persica</i> Burm.f.	57
var. <i>hepaticifolia</i> (L.) C.B.Clarke	249	<i>verschaffeltii</i> Lem.	64
<i>phoenicea</i> Roxb.	246	<i>Iria acuminata</i> (Vahl) Kuntze	283
pileata Roxb.	249	<i>aestivalis</i> (Vahl) Kuntze	283
<i>pilosa</i> Sweet	244	<i>barbata</i> (Rottb.) Kuntze	269
<i>pulchella</i> Roth	245	<i>bispicata</i> (J.Koenig) ex Roxb.) Kuntze	288
purpurea (L.) Roth	249	<i>bisumbellata</i> (Forssk.) Kuntze	283
<i>purpurea</i> (L.) Lam.	249	<i>cinnamometorum</i> (Vahl) Kuntze	284
quamoclit L.	249	<i>consanguinea</i> (Kunth) Kuntze	284
<i>quinquefolia</i> L.	242	<i>cymosa</i> (R.Br.) Kuntze	284
<i>racemosa</i> Roth	250	<i>eragrostis</i> (Nees) Kuntze	285
<i>reniformis</i> (Roxb.) Choisy	252	<i>falcata</i> (Vahl) Kuntze	286
<i>repens</i> Roth	244	<i>ferruginea</i> (L.) Kuntze	286
<i>reptans</i> Poir.	244	<i>indica</i> (Rich. ex Pers.) Schult.	287
<i>rhyncorhiza</i> Dalzell	242	<i>insignis</i> (Thwaites) Kuntze	286
<i>rothii</i> Roem. & Schult.	240	<i>microcarya</i> (F.Muell.) Kuntze	287
<i>rubrocaerulea</i> Hook.	250	<i>monandra</i> (Rottb.) Kuntze	283
rumicifolia Choisy	250	<i>monostachya</i> (L.) Kuntze	287
<i>scabra</i> Forssk.	248	<i>polytrichoides</i> (Retz.) Kuntze	287
<i>sepiarea</i> var. <i>stipulacea</i> (Koenig ex Roxb.) C. B.	245	<i>sericea</i> (Poir.) Kuntze	288
Clarke	245	<i>tenera</i> (Schult.) Kuntze	289
<i>sepiaria</i> Koenig ex Roxb.	247	<i>tetragona</i> (R.Br.) Kuntze	289
<i>sessiliflora</i> Roth	246	<i>velata</i> (R.Br.) Kuntze	288
<i>setosa</i> Blume	248	Iridaceae	352
<i>sindica</i> Stapf	246	<i>Iridorchis lindleyana</i> (Wight) Kuntze	549
<i>sinensis</i> (Desv.) Choisy	245	<i>zeylanica</i> (Hook.f.) Kuntze	549
<i>sinuata</i> Ortega	242	<i>Iridorkis bicornis</i> (Lindl.) Kuntze	547
soluta Kerr	250	<i>brunoniana</i> (Wight) Kuntze	548
<i>speciosa</i> (L.f.) Pers.	239	<i>falconeri</i> (Hook.f.) Kuntze	548
staphylina Roem. & Schult.	250	<i>gardneriana</i> (Thwaites) Kuntze	549
<i>stipulacea</i> Jacq.	245	<i>lindleyana</i> (Rchb.f.) Kuntze	549
<i>stolonifera</i> (Cirillo) J.F.Gmelin	246	<i>recurva</i> (Lindl.) Kuntze	549
<i>strigosa</i> Roth	251	<i>tenuis</i> (Lindl.) Kuntze	549
<i>subdentata</i> Miq.	244	<i>verticillata</i> (Wight) Kuntze	549
<i>subtriflora</i> Zoll. & Moritzi	252	<i>wightiana</i> (Lindl.) Kuntze	549
<i>subtrilobans</i> Miq.	247	<i>Iriha schoenoides</i> (Retz.) Kuntze	288
<i>tiliifolia</i> (Desr.) Roem. & Schult.	254	Iris L.	352
<i>timorensis</i> Blume	245	domestica (L.) Goldblatt & Mabb.	352
<i>trichocalyx</i> Steud.	248	<i>Irulia travancorica</i> Bedd.	640
tricolor Cav.	250	Isachne R.Br.	632, 771
<i>tridentata</i> (L.) Roth	254	angladei C.E.C.Fisch.	632
triloba L.	250	borii Hemadri	632
var. <i>quinquefolia</i> Kuntze	250	bourneorum C.E.C.Fisch.	632
<i>triquetra</i> Roem. & Schult.	253	<i>brachyglumis</i> Hochst. ex Hook.f.	607
tropica Santapau & V. Patel	250	<i>dispar</i> Trin.	632
<i>tuba</i> (Schltdl.) G. Don	251	var. <i>villosa</i> C.E.C.Fisch.	632
tuberculata Ker Gawl.	250	<i>elator</i> Hook.f.	632
<i>tuberculata</i> (Desr.) Roem. & Schult.	245	elegans Dalzell	632
<i>tuberosa</i> A.Rich.	242	<i>gardneri</i> (Thwaites) Benth. & Hook. f.	643
turbinata Lag.	250	<i>geniculata</i> Griff.	632
<i>turpethum</i> (L.) R. Br.	253	globosa (Thunb.) Kuntze	632
var. <i>humilior</i> Haines	253	var. <i>effusa</i> Trimen ex Hook. f.	632
<i>uniflora</i> (Burm.f.) Roem. & Schult.	238	gracilis C.E.Hubb.	632

kunthiana (Wight & Arn. ex Steud.) Miq.	632	timorensis Kunth	635
var. <i>elator</i> (Hook.f.) Alston	632	var. <i>zeylanicum</i> Hack.	635
var. <i>latifolia</i> Hook.f.	632	travancorensis Stapf ex C.E.C.Fisch.	635
lisboae Hook. f.	632	tumidum Stapf ex Bor	635
meeboldii C.E.C.Fisch.	633	<i>wayanadense</i> Ravi, N.Mohanan, Shaju	633
<i>miliacea</i> Roth ex Roem. & Schult.	632	<i>zeylanicola</i> Bor	635
mysorensis Sundararagh.	633, 771	<i>zeylanicum</i> Hack. ex Trimen	626
pulchella Roth	633	<i>Ischurochloa spinosa</i> (Buch.-Ham.) Buse	597
setosa C.E.C.Fisch.	633	Iseilema Andersson.	636
<i>simpliciuscula</i> (Steud.) Wight & Arn. ex Thwaites	607	anthephoroides Hack.	636
swaminathanii V.Prakash & S.K.Jain	633	<i>hackelii</i> U.B.Shreshta & Gandhi	636
veldkampii K.G. Bhat & Nagendran	633	jainiana P.Umam. & P.Daniel	636
<i>Isanthera permollis</i> Nees	346	<i>laxum</i> Hack.	636
Ischaemum L.	633, 771	prostratum (L.) Andersson	636
<i>abrahamii</i> Ravi, N.Mohanan, R.Rajesh	633	<i>wightii</i> (Nees ex Steud.) Andersson	636
afrum (J.F.Gmel.) Dandy	633	<i>wightii</i> (Steud.) Andersson	636
<i>angustifolium</i> (Trin.) Hack.	627	Isodon (Benth.) Spach.	359
<i>aristatum</i> auct. non L.	649	coetsa (Buch.-Ham. ex D.Don) Kudô	359
subsp. <i>rottleri</i> Hook.f.	635	<i>glaucoalyx</i> var. <i>japonicus</i> (Burm.f.) Kudô	360
var. <i>barberi</i> C.E.C.Fisch.	634	japonicus (Burm.f.) H.Hara	360
var. <i>imbricatum</i> Hack.	633	lophanthoides (Buch.-Ham. ex D.Don) H.Hara	360
var. <i>mangaluricum</i> Hack.	634	nigrescens (Benth.) H.Hara	360
barbatum Retz.	633	nilgherricus (Benth.) H.Hara	360
<i>binatum</i> (Retz.) Buse	627	<i>Isolepis atropurpurea</i> (Retz.) Roem. & Schult.	281
borii M.R. Almeida	633	<i>bispicata</i> (J.Koenig) ex Roxb.) Schult.	288
ciliare Retz.	633	<i>cinnamometorum</i> (Vahl) Roem. & Schult.	284
commutatum Hack.	634	<i>complanata</i> (Retz.) Roem. & Schult.	284
<i>conjugatum</i> Roxb.	635	<i>corymbosa</i> Roth ex Roem. & Schult.	298
<i>crinitum</i> (Thunb.) Trin.	649	<i>cuspidata</i> (Roth) A.Dietr.	289
dalzellii Stapf ex Bor	634	<i>densa</i> (Wall.) Schult.	270
flumineum Bor	634	<i>dipsacea</i> (Rottb.) Roem. & Schult.	285
<i>geniculatum</i> Roxb.	633	<i>falcata</i> (Vahl) Roem. & Schult.	286
<i>glabrescens</i> Ham. ex Hook.f.	619	<i>ferruginea</i> (L.) Schltdl.	286
<i>goebelii</i> Hack.	633	<i>hemisphaerica</i> (Roth) A.Dietr.	292
<i>hirtum</i> Hack.	634	<i>incurvata</i> (Roxb.) Nees	297
impressum Hack.	634	<i>kernii</i> (Raymond) Lye	292
<i>indicum</i> (Houtt.) Merr.	649	<i>kyllingioides</i> A.Rich.	276
kingii Hook.f.	634	<i>micheliana</i> (L.) Roem. & Schult.	277
var. <i>raizadae</i> (Hemadri & Billore) R.Kr.Singh & P.S.N.Rao	634	<i>microcephala</i> (Steud.) Lye	276
<i>laxum</i> R. Br.	653	<i>monostachya</i> (J.Koenig) ex Roxb.) Spreng.	288
lisboae Hook. f.	634	<i>mucronata</i> (L.) Fourr.	298
mangaluricum (Hack.) Stapf ex C.E.C.Fisch.	634	<i>pentagona</i> (Roxb.) Schult.	288
<i>melicoides</i> J. König ex Rottler	621	<i>puberula</i> (Poir.) Kunth	270
molle Hook. f.	634	<i>pulchella</i> Thwaites	270
<i>murinum</i> auct. non Forst.	635	<i>senegalensis</i> Steud.	297
muticum L.	634	<i>squarrosa</i> (L.) Roem. & Schult.	292
<i>myurus</i> (L.) Munro	638	<i>stricta</i> (Roxb.) A.Dietr.	284
<i>nervosum</i> (Rottler) Thwaites	653	<i>uncinata</i> (Willd.) Roem. & Schult.	290
<i>nilagiricum</i> Hack.	634	<i>wallichiana</i> Schult.	269
<i>pilosum</i> (Klein ex Willd.) Wight	633	Isonandra Wight	725
polystachyum J.Presl	634	<i>acuminata</i> Drury	727
<i>raizadae</i> Hemadri & Billore	634	<i>candolleana</i> Wight	725
ritchiei Stapf ex Bor	635	lanceolata Wight	725
rugosum Salisb.	635	perrottetiana A.DC.	725
santapaui Bor	635	var. <i>anaimalaiana</i> R.Kumari & Thothathri	725
semisagittatum Roxb.	635	stocksii C.B.Clarke	725
var. <i>glabrescens</i> Hook.f.	635	<i>wightiana</i> A.DC.	725
<i>sulcatum</i> Hack.	653	var. <i>acuminata</i> C.B.Clarke	725
<i>tenellum</i> Roxb.	633	var. <i>major</i> C.B.Clarke	725
thomsonianum Stapf ex C.E.C. Fisch.	635, 771	<i>Isotoma longiflora</i> var. <i>runcinata</i> (Hassk.) Panigrahi, P.Daniel & M.V.Viswan.	208

<i>runcinata</i> Hassk.	208	<i>tomentosa</i> (Roxb. ex Sm.) Thwaites	706
<i>Ittnera minor</i> (All.) C.C.Gmel.	349	var. <i>glabrescens</i> Kurz	706
<i>Ixophorus italicus</i> (L.) Nash	654	var. <i>roxburghii</i> Kurz	706
<i>verticillatus</i> (L.) Nash	655	<i>velutina</i> Wall.	705
<i>viridis</i> (L.) Nash	655	<i>wallichii</i> Wight & Arn.	692
Ixora L.	692, 772	<i>wallichii</i> Wight ex Hook.f.	692
alba L.	692	<i>wightiana</i> Wall.	693
<i>arborea</i> Roxb. ex Sm.	693	Jacaranda Juss.	188
<i>arguta</i> (Hook.f.) King & Gamble	692	acutifolia Bonpl.	188
<i>arnottiana</i> Miq. ex Hook.f.	692	mimosifolia D.Don	188
<i>bandhuca</i> Roxb.	692	<i>Jacobaea cernua</i> (Dalzell) Kuntze	167
beddomei T.Husain & S.R.Paul	692	Jacquemontia Choisy	251
brachiata Roxb.	692	<i>coerulea</i> (Schum. & Thonn.) Choisy ex G. Don	251
<i>canarica</i> (Bedd.) Kuntze	712	<i>grandifolia</i> Dammer	246
<i>candolleana</i> Kuntze	705	ovalifolia (Choisy) Hallier f.	251
casei Hance	692	paniculata (Burm.) Hallier.f.	251
chinensis Lam.	692	<i>parviflora</i> (Vahl) Roberty	251
coccinea L.	692	pentantha (Jacq.) G. Don	251
var. <i>bandhuca</i> (Roxb.) Kurz	692	<i>violacea</i> (Vahl) Choisy	251
<i>colebrookii</i> Voigt	692	<i>Jaegera montana</i> (J.Koenig) Giseke	759
cuneifolia Roxb.	692	<i>Jambolifera pedunculata</i> L.	712
var. <i>puberula</i> Kurz	692	<i>Jambosa hemispherica</i> Walp.	515
var. <i>pumila</i> Kurz	692	<i>laeta</i> (Buch.-Ham) Blume	516
var. <i>roxburghii</i> Kurz	692	<i>mundagam</i> (Bourd.) Gamble	516
<i>decipiens</i> DC.	693	<i>munronii</i> (Wight) Walp.	516
<i>densa</i> R.Br. ex Wall.	692	<i>occidentalis</i> (Bourd.) Gamble	517
elongata B.Heyne ex G.Don	692	<i>pauciflora</i> (Wight) Wight	516
finlaysoniana Wall. ex G.Don	692	<i>vulgaris</i> DC.	515
gamblei V.S.Ramach. & V.J.Nair	692	<i>Janipha manihot</i> (L.) Kunth	336
<i>grandiflora</i> Ker Gawl.	692	Jansnella Bor	636
<i>grandiflora</i> Schltdl. ex Hook.f.	693	griffithiana (Mull.Hal.) Bor	636
<i>grandis</i> Miq. ex Hook.f.	693	<i>Jasminonerium grandiflorum</i> (E.Mey.) Kuntze	85
<i>hispidula</i> (Wight & Arn.) Kuntze	705	<i>macrocarpum</i> (Eckl.) Kuntze	85
<i>incarnata</i> Roxb. ex Sm.	692	Jasminum L.	523
<i>indica</i> (L.) Baill.	705	<i>affine</i> Wight	523
lanceolaria Colebr.	692	angustifolium (L.) Willd.	523
lawsonii Gamble	692	arborescens Roxb.	523
<i>leucantha</i> B.Heyne ex G.Don	692	var. <i>latifolium</i> Roxb.	523
var. <i>malabarica</i> Gamble	692	var. <i>montana</i> (Roth) C. B. Clarke	523
<i>loureiroi</i> G.Don	692	var. <i>roxburghianum</i> (Wall. ex C.B.Clarke) Haines	523
macrothyrsa (Teijsm. & Binn.) T.Moore	692	<i>aureum</i> D.Don	524
malabarica (Dennst.) Mabb.	692	auriculatum Vahl	523
<i>manantoddii</i> T.Husain & S.R.Paul	692	azoricum L.	523
<i>memecylifolia</i> Kurz	692	var. <i>travancorensis</i> (Gamble) Mohanan	524
mercaraica T.Husain & S.R.Paul	692, 772	<i>bracteatum</i> Roxb.	525
nigricans R.Br. ex Wight & Arn.	692	brevilobum A.DC.	523
var. <i>arguta</i> Hook.f.	692	calophyllum Wall. ex G. Don	523
var. <i>erubrescens</i> (Wall. ex G.Don) Kurz	692	<i>chrysanthemum</i> Roxb.	525
var. <i>ovalis</i> Pierre ex Pit.	692	coarctatum Roxb.	524
notoniana Wall. ex G.Don	693	<i>congestum</i> Buch.-Ham.	525
<i>nunypapata</i> Roxb. ex Wight & Arn.	705	cordifolium Wall. ex G.Don	524
<i>obovata</i> B.Heyne ex Roth	692	<i>courtallensis</i> Wight	523
<i>obtusata</i> Miq. ex Hook.f.	692	cuspidatum Rottl. & Willd.	524
<i>parviflora</i> var. <i>zeylanica</i> Hook.f.	693	<i>erectiflorum</i> DC.	524
pavetta Andr.	693	flexile Vahl	524
<i>pavetta</i> Roxb.	705	var. <i>hookeriana</i> C.B.Clarke	524
<i>pedunculata</i> Dalzell	692	var. <i>ovatum</i> Wall. ex C. B. Clarke	524
polyantha Wight	693	var. <i>travancorensis</i> Gamble	524
<i>propinqua</i> R.Br. ex G.Don	692	<i>fragrans</i> Salisb.	525
<i>roxburghii</i> Kuntze	705	<i>gracillimum</i> Hook.f.	525
<i>stricta</i> Roxb.	692	grandiflorum L.	524

<i>heyneanum</i> Wall. ex G.Don	525	<i>Jatus grandis</i> (L.f.) Kuntze	375
humile L.	525	<i>grandis</i> (L.f.) Kuntze	375
var. <i>pubigerum</i> (D.Don) Kitam.	525	Jerdonia Wight	345
var. <i>revolutum</i> (Sims) Stokes	525	indica Wight	345
<i>inodorum</i> Jacquem. ex Dcne.	525	<i>Johnia wightii</i> (Wight & Arn.) Wight & Arn.	438
<i>latifolium</i> Roxb.	523	<i>Jonesia asoca</i> Roxb.	407
<i>ligustrifolium</i> Wall. ex Bojer	524	<i>pinnata</i> Willd.	407
<i>malabaricum</i> Wight	524	<i>Josephia lanceolata</i> Wight	554
var. <i>lawii</i> C.B.Clarke	524	<i>latifolia</i> Wight	554
<i>montanum</i> Roth	523	<i>Jozoste hookeri</i> Kuntze	378
multiflorum (Burm.f.) Andrews	525	<i>wightiana</i> Kuntze	378
<i>myrtophyllum</i> Zenker	524	Juncaceae	353
<i>nilagiricum</i> Hoen. ex C.B. Clarke	523	<i>Juncellus alopecuroides</i> (Rottb.) C.B.Clarke	272
officinale L.	525	<i>laevigatus</i> (L.) C.B.Clarke	277
var. <i>grandiflorum</i> (L.) Stokes	524	var. <i>junciformis</i> C.B.Clarke	277
var. <i>grandiflorum</i> (L.) Kobuski	524	<i>michelianus</i> (L.) Blatt. & McCann	277
<i>ovalifolium</i> Wight	523	<i>pygmaeus</i> (Rottb.) C.B.Clarke	278
<i>perrotettianum</i> A.DC.	524	Juncus L.	353
<i>pubescens</i> (Retz.) Willd.	525	maritimus Lam.	353
<i>pubigerum</i> D.Don	525	prismatocarpus R.Br.	353
<i>punctatum</i> Buch.-Ham. ex Wall. & G.Don	523	<i>Jussiaea adscendens</i> L.	527
<i>quinqueflorum</i> B.Heyne ex G.Don	525	<i>hyssopifolia</i> G.Don	527
var. <i>pubescens</i> G.Don	525	<i>linifolia</i> Vahl	527
<i>reticulatum</i> Wall. ex G. Don	524	<i>octonervia</i> f. <i>sessiliflora</i> Micheli	528
<i>revolutum</i> Sims.	525	<i>peplodes</i> Kunth	528
<i>rigidum</i> Thwaites	524	<i>peruviana</i> L.	528
<i>rigidum</i> Zenker	524	<i>repens</i> L.	527
var. <i>tetrphis</i> (Wight & Gardner) C. B. Clarke	524	var. <i>peplodes</i> (Kunth) Griseb.	528
ritchie C.B.Clarke	525	<i>speciosa</i> Ridl.	528
var. <i>purpurea</i> Heyne ex C. B. Clarke	525	<i>suffruticosa</i> L.	528
<i>rottlerianum</i> Wall. ex A. DC.	524	<i>villosa</i> Lam.	528
var. <i>glabrior</i> C.B.Clarke	524	Justicia L.	37, 761
var. <i>thwaitesii</i> C.B.Clarke	524	<i>acaulis</i> L. f.	33
<i>roxburghianum</i> Wall. ex C.B.Clarke	523	adhatoda L.	37
sambac (L.) Sol. ex Ait .	525	<i>alata</i> Vahl	23
var. <i>heyneanum</i> Wall. ex C. B. Clarke	525	<i>andersonii</i> Ramamoorthy	40
<i>tetrphis</i> Wight & Gardner	524	apiculata (Bedd.) J.R.I. Wood	37
<i>trichotomum</i> var. <i>latifolium</i> B.Heyne ex Roth	523	<i>atropurpurea</i> Dennst.	23
<i>triflorum</i> (Burm.f.) Pers.	523	<i>baphica</i> Spreng.	31
<i>undulatum</i> (L.) Willd.	525	betonica L.	38
<i>vimineum</i> (Retz.) Willd.	523	var. betonica	38
<i>wallichianum</i> Lindl.	525	var. ramosissima (Roxb.) C.B. Clarke	38
<i>wallichiodendron</i> Lindl.	525	<i>bicalyculata</i> (Retz.) Vahl	43
<i>zambac</i> Roxb.	525	<i>canescens</i> Lam.	43
Jatropha L.	332	concinna J.R.I. Wood	38
curcas L.	332	crenatifolia J.R.I. Wood	38
glandulifera Roxb.	333	<i>dentata</i> Klein ex Link	32
gossypifolia L.	333	diffusa Willd.	38
<i>heterophylla</i> B.Heyne ex Hook.f.	333	var. <i>orbiculata</i> (Wall. ex T.Anderson) C.B. Clarke	40
heynei N.P.Balacr.	333	var. <i>prostrata</i> Roxb. ex C.B. Clarke	40
integerrima Jacq.	333	var. <i>vahllei</i> (Roth) C.B. Clarke	41
var. <i>coccinea</i> (Link) N.P.Balacr.	333	<i>ecbolium</i> L.	32
var. <i>latifolia</i> (Pax) N.P.Balacr.	333	var. <i>laetevirens</i> (Vahl) Kuntze	33
<i>manihot</i> L.	336	var. <i>mollis</i> Nees	32
<i>montana</i> Willd.	319	<i>echioides</i> L.	24
multifida L.	333	<i>elongata</i> Vahl	24
<i>peltata</i> Wight	333	<i>emarginata</i> Nees	32
podagrica Hook.	333	<i>fastigiata</i> Lam.	33
villosa Wight	333	<i>foetida</i> Forssk.	31
var. <i>ramnadensis</i> Ramam.	333	<i>gangetica</i> L.	26
<i>wightiana</i> Muell.Arg.	333	gendarussa Burm. f.	38

glabra J. König ex Roxb.	38	elegans (Wall.) Baker	759
glandulosa Wall.	24	galanga L.	759
glauca Rottler	38	rotunda L.	759
gracilis (Wight) T. Anderson	38	scaposa (Nimmo) Benth.	757
hanseni Sivar. & P. Mathew	39	speciosa (J. Koenig) Thunb.	256
heyneana J.R.I. Wood	38	Kalanchoe Adans.	257
var. heyneana	39	bhidei T. Cooke.	257
var. saldanhae (Mascar. & Janarth.) J.R.I. Wood	39, 761	blossfeldiana Poelln.	257
infundibuliformis L.	30	floribunda Wight & Arn.	257
japonica Thunb.	39	glandulosa Hochst. ex A. Rich.	257
laetevirens Vahl	32	integra (Medik.) Kuntze	257
lapathifolia Vahl	44	laciniata (L.) DC.	257
latifolia Vahl	44	lanceolata (Forssk.) Pers.	257
latispica (C.B. Clarke) Gamble	39	olivacea Dalzell	257
ligustrina Vahl	32	pinnata (Lam.) Pers.	256
livida Nees	32	spatulata DC.	257
malabarica Aiton	43	tubiflora (Harv.) Raym.-Hamet	257
micrantha Wall. ex C.B. Clarke	39	Kaluhaburungos monoicus (Lour.) Kuntze	570
montana Roxb.	33	patulus (Roxb.) Kuntze	570
Mysorensis Klein ex Schult.	32	Kametia Kostel.	94
nagpurensis V.A.W. Graham	39	caryophyllata (Roxb.) Nicolson & Suresh	94
nasuta L.	44	malabarica Kostel.	94
neesii Ramamoorthy	39	Kandelia (DC.) Wight & Arn.	683
nepalensis V.A.W. Graham	39	candel (L.) Druce	683
nervosa Vahl	34	rheedei Wight & Arn.	683
nilgherrensis (Nees) C.B. Clarke	39	Kanjarum Ramam.	46
orbiculata Wall. ex T. Anderson	40	Karkandela × malabarica Raf.	511
palatifera Wall.	44	Karnataka P. K. Mukh. & Constance	78, 762
paniculata Burm.f.	25	benthani (C.B. Clarke) P.K. Mukh. & Constance	78, 762
parviflora Retz.	45	Kaukenia elengi (L.) Kuntze	727
pectinata L.	45	hexandra (Roxb.) Kuntze	726
peploides (Nees) T. Anderson	40	Kavalama urens (Roxb.) Rafin.	491
picta L.	34	Kedrostis Medik.	264
polysperma Roxb.	36	bennettii (Miq.) W.J. de Wilde & Duyfjes	264
procumbens L.	40	courtallensis (Arn.) C. Jeffrey	264
var. latispica C.B. Clarke	39	foetidissima (Jacq.) Cogn.	264
prostrata (Roxb. ex C.B. Clarke) Gamble	40	rostrata (Rottler) Cogn.	264
pubescens Lam.	35	Kentia acuminata H. Wendl. & Drude	117
quinqueangularis K.D. König ex Roxb.	40	macarthurii H. Wendl. ex H.J. Veitch	123
quinqueangularis J. König ex Roxb.	40	Kentrophyllum lanatum (L.) DC.	146
ramosissima Roxb.	38	Kerneria bipinnata (L.) Gren. & Godr.	141
repens L.	46	Kerstingiella uniflora (Lam.) Lackey	437
rosea Vahl	34	Keura odorifera Forssk.	563
rotundifolia Nees	33	Khaya A. Juss.	500
salsoloides T. Anderson	40	grandifoliola C. DC.	500
santapau Bennet	40	Kickxia incana (Wall.) Pennell	586
serpyllifolia Rottler ex Vahl	25	ramosissima (Wall.) Janch.	586
simplex sensu C. B. Clarke	40	Kigelia DC.	189
simplex D. Don	39	africana (Lam.) Benth.	189
var. serpyllifolia (Benth.) C.B. Clarke	39	pinnata (Jacq.) DC.	189
sisparensis Lindau	41	Kingidium decumbens (Griff.) P.F. Hunt	552
tranquebariensis L.f.	41	mysorensis (C.J. Saldanha) C.S. Kumar	552
trinervia Vahl	41	niveum C.S. Kumar	552
vahlia Roth	41	wightii (Rchb.f.) O. Gruss & Roellke	551
vallis-silentosae J.R.I. Wood	41	Kingiella decumbens (Griff.) Rolfe	552
verticillata Roxb.	36	Kinginda grandiflora (Bedd.) Kuntze	75
viridis Forssk.	33	Kingiodendron Harms	406
wynaadensis (Nees) T. Anderson	41	pinnatum (DC.) Harms	406
Kaempferia L.	759	Kirganelia reticulata (Poir.) Baill.	576
atrovirens N.E. Br.	759	Kleinhovia L.	487
crawfurdia Wall. ex Horan.	759	hospita L.	487

Kleinia Mill.	162	<i>monocephala</i> Stokes	291
articulata (L.f.) Haw.	162	<i>monocephala</i> Rottb.	296
balsamica (Dalzell & A.Gibson) P. Halliday	163	memoralis (J.R.Forst. & G.Forst.) Dandy ex Hutch. & Dalziel	291
grandiflora (DC.) N.Rani	163	odorata Vahl	291
<i>Klugia notoniana</i> A.DC.	346	<i>odorata</i> auct. Non Vahl	291
Knema Lour.	511	subsp. cylindrica (Nees) T.Koyama	291
attenuata Warb.	511	var. <i>cylindrica</i> (Nees) Kük.	291
Knoxia L.	693	<i>panicea</i> Rottb.	278
<i>corymbosa</i> Willd.	693	squamulata Vahl	291
hookeriana (R.Bhattach. & Deb) Subba Rao & Kumari	693	<i>squamulosa</i> Kunth	291
<i>linearis</i> Gamble	693	<i>sumatrensis</i> Retz.	274
<i>mollis</i> R.Br. ex Wight & Arn.	693	tenuifolia Steud.	291
var. <i>hookeriana</i> (R.Bhattach. & Deb) V.P.Prasad & Lakshmin.	693	<i>umbellata</i> var. <i>sumatrensis</i> (Retz.) Willd.	274
<i>stricta</i> Gaertn.	693	<i>Kyllingiella microcephala</i> (Steud.) R.W.Haines & Lye	276
sumatrensis (Retz.) DC.	693	Lablab Adans.	436
var. <i>glaberrima</i> R.Bhattach. & Deb	693	purpureus (L.) Sweet	436
var. <i>hookeriana</i> R.Bhattach. & Deb	693	<i>Lachnagrostis ciliata</i> Nees ex Trin.	589
var. <i>linearis</i> (Gamble) R.Bhattach. & Deb	693	<i>hookeri</i> Nees ex Steud.	589
<i>teres</i> (Roxb.) DC.	693	Lactuca L.	163
<i>umbellata</i> Banks ex Roxb.	693	<i>glabra</i> DC.	164
<i>umbellifera</i> Roxb. ex Wight & Arn.	693	<i>hastata</i> DC.	147
wightiana Wall. ex G.Don	693	<i>heyneana</i> DC.	164
<i>Koeleria brevifolia</i> (Willd.) Spreng.	588	<i>intybacea</i> Jacq.	164
<i>lagopoides</i> (L.) Panz. ex Spreng.	588	<i>remotiflora</i> DC.	164
Kohautia Cham. & Schld.	694	<i>runcinata</i> DC.	164
aspera (B.Heyne ex Roth) Bremek.	694	sativa L.	163
gracilis (Wall.) DC.	694	<i>scariola</i> var. <i>sativa</i> (L.) Hook. f.	163
nagpurensis (Brace ex Haines) Santapau & Merchant	694	<i>Lagarosiphon alternifolia</i> (Roxb. ex Wight) Druce	349
<i>stricta</i> (Sm.) DC.	702	<i>roxburghii</i> (Planch.) Benth.	349
Kopsia Blume	94	Lagascea Cav. ('Lagasca') nom. cons.	163
fruticosa (Roxb.) A. DC.	94	mollis Cav.	163
<i>roxburghii</i> (G.Don) Pharm. ex Wehmer	94	Lagenandra Dalzell	108
<i>vinciflora</i> Blume	94	<i>dalzellii</i> (Schott) Rataj	107
Kunstleria King	436	<i>insignis</i> Trimen	109
keralensis C.N.Mohanan & N.C.Nair	436	meeboldii (Engl.) C.E.C.Fisch.	108
<i>Kurkas tigilium</i> (L.) Raf.	323	ovata (L.) Thwaites	109
Kydia Roxb.	487	toxicaria Dalzell	109
calycina Roxb.	487	Lagenaria Ser.	264
<i>roxburghiana</i> Wight	487	<i>hispida</i> Ser.	264
Kyllinga Rottb.	290, 765	<i>idolatraca</i> (Willd.) Ser. ex Cogn.	264
<i>bifolia</i> Miq.	291	<i>leucantha</i> (Duchesne) Rusby	264
brevifolia Rottb.	290	siceraria (Molina) Standl.	264
<i>brevifolia</i> Nees	291	<i>vittata</i> Ser.	264
var. brevifolia	290	<i>vulgaris</i> Ser.	264
var. stellulata (J.V.Suringar) Ohwi	290	Lagerstroemia L.	469
<i>bulbosa</i> J.Koenig ex Vahl	274	<i>flos-reginae</i> Retz.	470
<i>colorata</i> (L.) Druce	296	indica L.	469
<i>cylindrica</i> Nees	291	<i>lanceolata</i> Wall. ex C.B.Clarke	470
<i>cyperina</i> Retz.	274	microcarpa Wight	470
<i>cyperoides</i> Roxb.	271	parviflora Roxb.	470
eglandulosa Govind. & Ramani	291, 765	<i>reginae</i> Roxb.	470
<i>hyalina</i> (Vahl) T.Koyama	296	speciosa (L.) Pers.	470
<i>intermegia</i> var. <i>oligostachya</i> C.B.Clarke	290	<i>thomsonii</i> Koehne	470
melanosperma Nees	291	Laggera Sch.Bip. ex K. Koch	163
subsp. bifolia (Miq.) Karthik.	291	alata (D.Don) Sch.Bip. ex Oliv.	163
subsp. melanosperma	291	aurita (DC.) Sch.Bip. ex Schweinf.	163
var. stellulata (J.V.Suringar) Tang & F.T.Wang	290	<i>aurita</i> (L.f.) Benth. ex C.B.Clarke	169
<i>metzii</i> Hochst. ex Steud.	291	crispata (Vahl) Hepper & J.R.I. Wood	163
<i>microcephala</i> Steud.	276	<i>flava</i> (DC.) Benth.	146
		pterodonta (DC.) Sch.Bip. ex Oliv. & Hiern	163

<i>pterodonta</i> (DC.) Benth.	163	Launaea Cass.	164
<i>Lagurus cylindricus</i> L.	631	<i>acaulis</i> (Roxb.) Bab. ex Kerr	164
<i>schoenanthus</i> (L.) Steud.	609	<i>aspleniifolia</i> (Willd.) Hook. f.	164
Lamiaceae	353, 768	<i>fallax</i> (Jaub. & Spach) Kuntze	165
<i>Lamium sibiricum</i> (L.) Cordem.	361	<i>intybacea</i> (Jacq.) Beauverd	164
Lamprachaenium Benth.	164	<i>nudicaulis</i> Hook. f.	165
<i>microcephalum</i> (Dalzell) Benth.	164	<i>obtusum</i> (DC.) Mundhe & Almeida	165
<i>Lamprodithyros paniculatus</i> (Roxb.) Hassk.	232	<i>pinnatifida</i> Cass.	165
<i>protensus</i> (Wight) Hassk.	236	<i>procumbens</i> (Roxb.) Ramayya & Rajagopal	165
<i>Laneasagum oblongifolium</i> Bedd.	677	<i>procumbens</i> (Roxb.) Amin	165
<i>Langsdorffia indica</i> Arn.	179	<i>remotiflora</i> (DC.) Stebbins	165
<i>Languas allughas</i> (Retz.) Burkill	755	<i>runcinata</i> DC.	164
<i>aquatica</i> J. König	755	<i>sarmentosa</i> (Willd.) Sch.Bip. ex Kuntze	165
<i>calcarata</i> (Haw.) Merr.	754	<i>secunda</i> (C.B. Clarke) Hook.f.	165
<i>malaccensis</i> (Burm.f.) Merr.	755	Lauraceae	377, 768
<i>mutica</i> (Roxb.) Merr.	755	<i>Laurentia longiflora</i> (L.) Peterm.	208
<i>purpurata</i> (Vieill.) Kaneh.	755	<i>Laurus camphora</i> L.	379
<i>vulgare</i> J.König	754	<i>cassia</i> L.	379
Lannea A.Rich.	69	<i>gemmiflora</i> Blume	378
<i>coromandelica</i> (Houtt.) Merr.	69	<i>gullavara</i> Buch.-Ham. ex Nees	377
<i>Lansium anamalaiense</i> Bedd.	501	<i>involucrata</i> J.Koenig ex Retz.	381
Lantana L.	745	<i>lanceolaria</i> Roxb.	383
× <i>aculeata</i> L.	745	<i>malabatrums</i> Burm. f.	379
<i>annua</i> C.B. Clarke	745	<i>persea</i> L.	383
<i>camara</i> L.	745	Lavandula L.	360
subsp. <i>aculeata</i> (L.) R.W. Sanders	745	<i>bipinnata</i> (Roth) Kuntze	360
var. <i>aculeata</i> (L.) Moldenke	745	var. <i>burmanniana</i> Kuntze	360
<i>dubia</i> Royle	746	var. <i>intermedia</i> Kuntze	360
<i>horrida</i> Kunth	746	var. <i>rothiana</i> Kuntze	360
subsp. <i>tilifolia</i> (Cham.) R.W. Sanders	746	<i>canariensis</i> (L.) Mill.	360
<i>indica</i> Roxb.	746	<i>carnosa</i> L.f.	353
var. <i>albiflora</i> Wight ex C.B. Clarke	746	<i>multifida</i> subsp. <i>canariensis</i> (Mill.) Pit. & Proust	360
<i>montevidensis</i> (Spreng.) Briq.	746	<i>Lawia acuminata</i> Wight	697
<i>tiliifolia</i> Cham.	746	<i>zeylanica</i> Tul.	665
<i>trifolia</i> L.	746	Lawsonia L.	470
<i>veronicifolia</i> Hayek	746	<i>alba</i> Lam.	470
<i>wightiana</i> Wall. ex Gamble	746	<i>inermis</i> L.	470
Laphangium (Hillard & B.L.Burt) Tzvelev	164	<i>Lebidiera malabarica</i> Mull.Arg.	570
<i>luteoalbum</i> (L.) Tzvelev	164	<i>patula</i> (Roxb.) Mull.Arg.	570
Laportea Gaudich.	742	<i>Lebidieropsis collina</i> (Roxb.) Mull.Arg.	570
<i>crenulata</i> Gaudich.	741	<i>orbiculata</i> (Roth) Mull.Arg.	570
<i>interrupta</i> (L.) Chew	742	var. <i>collina</i> (Roxb.) Mull.Arg.	570
<i>Lasianthera tetrandra</i> Wall.	736	<i>Lebretonia glechomifolia</i> A.Rich.	489
Lasianthus Jack.	694	<i>procumbens</i> Wight & Arn.	489
<i>acuminatus</i> Wight	694	Lecanthus Wedd.	742
<i>capitulatus</i> Wight	694	<i>peduncularis</i> (Wall. ex Royle) Wedd.	742
<i>coffeoides</i> Fyson	694	<i>wallichii</i> Wedd.	742
<i>jackianus</i> Wight	694	<i>wightii</i> Wedd.	742
<i>parvifolius</i> Wight	695	<i>Lechea verticillata</i> Willd.	311
<i>sessilis</i> Talbot	695	Lecythidaceae	384
<i>venulosus</i> (Wight & Arn.) Wight	695	Ledebouria Roth	133, 763
<i>Lasiobema retusum</i> (Roxb.) de Wit	404	<i>hyacinthina</i> Roth	133
<i>Lasiosiphon eriocephalus</i> (Wall. ex J. Graham) Decne.	739	<i>karnatakensis</i> Puneekar & Lakshmin.	133, 763
<i>glaucus</i> Fresen.	739	<i>revoluta</i> (L.f.) Jessop	133
<i>Lasiostyles salicifolia</i> C.Presl	321	Leea D.Royen	752
Latania Comm. ex Juss.	120	<i>aequata</i> L.	752
<i>chinensis</i> Jacq.	121	<i>asiatica</i> (L.) Ridsdale	752
<i>commersonii</i> J.F.Gmel.	120	<i>aspera</i> Edgew.	752
<i>loddigesii</i> Mart.	120	<i>crispa</i> L.	752
<i>lontaroides</i> (Gaertn.) H.E. Moore	120	<i>edgeworthii</i> Santapau	752
<i>rubra</i> Jacq.	120	<i>guineensis</i> G. Don	752

<i>herbacea</i> Buch.-Ham.	752	<i>diffusa</i> C.B.Clarke	41
<i>hirta</i> Roxb. ex Hornem.	752	<i>fasciculata</i> (Retz.) Nees	41
indica (Burm.f.) Merr.	752	<i>goensis</i> Dalzell	41
<i>latifolia</i> Wall. ex KurzJ. Asiat. Soc. Bengal Part 2	752	<i>grandiflora</i> Dalzell	30
macrophylla Roxb. ex Hornem.	752	hamiltoniana Wall. ex Nees	42
<i>robusta</i> Roxb.	752	<i>hyalina</i> Nees	42
<i>sambucina</i> Willd.	752	var. <i>lophostachyoides</i> Nees	42
<i>talbotii</i> King ex Talbot	752	var. <i>mucronata</i> (Nees) C.B. Clarke	42
<i>wightii</i> C.B.Clarke	752	incurva Buch.-Ham. ex D. Don	42
Leersia Soland. ex Sw.	636	var. <i>lophostachyoides</i> (Nees) Abeyw.	42
<i>aristata</i> (Retz.) Roxb.	631	var. <i>mucronata</i> (Nees) C.B. Clarke ex T. Cooke	42
<i>ciliaris</i> Griff.	636	mitis Dalzell	42
<i>ciliata</i> (Retz.) Roxb.	636	var. <i>subarmata</i> C.B.Clarke	42
<i>griffithiana</i> C.Muell.	636	<i>mucronata</i> Nees	42
hexandra Sw.	636	prostrata Dalzell	42
<i>Legendrea mollissima</i> Webb & Berthel.	254	scariosa Nees	42
Leguminosae-Caesalpinioideae	384	<i>sphaerostachya</i> Nees	43
Leguminosae-Cercidoideae	402	spinosa Wight ex Nees	42
Leguminosae-Detarioideae	405	subarmata (C.B.Clarke) Gamble	42
Leguminosae-Papilionoideae	407, 768	trinervis Nees	42
<i>Leleba tuldoidea</i> (Munro) Nakai	597	Lepidium L.	201
<i>ventricosa</i> (McClure) W.C.Lin	597	didymum L.	201
<i>vulgaris</i> var. <i>striata</i> (Lindl.) Nakai	598	sativum L.	201
Lemna L.	454	Lepisanthes Blume	723
aequinotialis Welw.	454	<i>deficiens</i> Radlk.	723
<i>arrhiza</i> L.	454	tetraphylla Radlk.	723
<i>blatteri</i> McCann	454	<i>Lepistemon muricatum</i> Span.	252
<i>cruciata</i> Roxb.	454	<i>Leptacanthus</i> Nees	46
<i>globosa</i> Roxb.	455	<i>alatus</i> Wight	49
<i>major</i> Griff.	454	<i>rubicundus</i> Nees	52
<i>maxima</i> Blatt. & Hallb.	454	Leptadenia R. Br.	94
<i>microscopica</i> Schur	454	pyrotechnica (Forssk.) Decne.	94
<i>minima</i> Blatt. & Hallb.	454	reticulata (Retz.) Wight & Arn.	94
perpusilla Torr.	454	<i>spartium</i> Wight	94
<i>polyrrhiza</i> L.	454	<i>Leptilon canadense</i> (L.) Britton & Brown	155
var. <i>concolor</i> Kurz	454	Leptochloa P. Beauv.	637
trisulca L.	454	<i>bipinnata</i> (L.) Hochst.	612
var. <i>sagittata</i> Makino	454	<i>calycina</i> (Roxb.) Kunth	618
Lemnaceae	454	chinensis (L.) Nees	637
Lentibulariaceae	455	<i>contracta</i> (Retz.) Blatt. & McCann	637
<i>Lenticula arrhiza</i> (L.) Lam.	454	<i>coromandelina</i> Steud.	618
<i>polyrrhiza</i> (L.) Lam.	454	<i>filiformis</i> (Pers.) P. Beauv.	637
<i>trisulca</i> (L.) Scop.	454	fusca (L.) Kunth	637
Leonotis (Pers.) R. Br.	360	<i>malabarica</i> (L.) Veldkamp	637
nepetifolia (L.) R.Br.	360	<i>monostachya</i> (Vahl) Roem. & Schult.	621
<i>Leontice leontopetaloides</i> L.	303	panicea (Retz.) Ohwi	637
Leonurus L.	361	<i>racemosa</i> (B.Heyne ex Roth) Kunth	588
<i>indicus</i> L.	363	<i>verticillata</i> (Roxb.) Kunth	588
<i>malebaricus</i> J.Koenig ex Rottb.	363	<i>Leptoloma miliacea</i> (L.) Smyth	644
<i>marrubiastrum</i> Burm.f.	365	<i>tomentosa</i> (J.Koenig ex Rottler) Gould	616
<i>nepetifolius</i> (L.) Mill.	360	<i>Leptorchis viridiflora</i> (Blume) Kuntze	545
sibiricus L.	361	<i>Leptorkis biloba</i> (Wight) Kuntze	545
<i>Lepeocercis annulata</i> (Forssk.) Nees	612	<i>deflexa</i> (Hook.f.) Kuntze	545
<i>mollicoma</i> (Kunth) Nees	613	<i>elliptica</i> (Wight) Kuntze	545
<i>mollissima</i> Nees ex Baker	613	<i>lindleyana</i> Kuntze	545
<i>Lepiactis stellaris</i> (L.f.) Raf.	457	<i>longipes</i> (Lindl.) Kuntze	545
<i>Lepianthes umbellata</i> (L.) Raf.	581	<i>nervosa</i> (Thunb.) Kuntze	545
<i>Lepidadenia wightiana</i> Nees	381	<i>platyphylla</i> (Ridl.) Kuntze	545
Lepidagathis Willd.	41	<i>viridiflora</i> (Blume) Kuntze	545
cristata Willd.	41	<i>wightiana</i> (Thwaites) Kuntze	546
cuspidata Nees	41	Lepturus R. Br.	637

radicans (Steud.) A. Camus	637	var. nagpurensis C.B.Clarke ex Haines	363
repens (J.R.Forst. R. Br.	638	lavandulifolia Sm.	363
roxburghianus (Schult.) Steud.	641	var. decipiens (Hook.f.) Chandrab. & S.R.Sriniv.	363
<i>Lepurandra saccidora</i> Nimmo	506	<i>lavanulifolia</i> var. <i>nagalapuramiana</i> Chandrab. & S.R.Sriniv.	363
Lespedeza Michx.	436	<i>leptostoma</i> Wight ex Hook.f.	362
gerardiana Maxim.	436	<i>linifolia</i> (Roth) Spreng.	363
indica Spreng.	443	var. decipiens Hook.f.	363
Lettsomia Roxb.	251	longifolia Benth.	363
aggregata Roxb.	239	<i>malabarica</i> W.Theob.	363
var. osyrensis (Roth) C. B. Clarke	239	marrubioides Desf.	363
<i>bona-nox</i> Roxb.	253	martinicensis (Jacq.) R.Br.	363
<i>cuneata</i> (Willd.) Roxb.	238	<i>mollissima</i> Wall. ex Benth.	362
<i>cymosa</i> Roxb.	238	subsp. scaberula (Hook.f.) Murti & Panigrahi	362
elliptica (Roth) Wight ex C.B.Clarke	251	var. scaberula Hook.f.	362
<i>nervosa</i> (Burm.f.) Roxb.	239	montana (Roth) Spreng.	364
<i>ornata</i> Roxb.	254	var. parviflora Haines	364
<i>pomacea</i> Roxb.	239	var. pilosa Haines	362
setosa Roxb.	251	var. strigosa (Benth.) S.R.Paul	362
var. minor C.B.Clarke	251	var. wightii Hook.f.	364
<i>uniflora</i> Roxb.	253	nepetifolia Benth.	364
Leucaena Benth.	391	nutans (Roth) Spreng.	364
<i>glauca</i> Benth.	391	<i>obliqua</i> Buch.-Ham. ex Dillwyn	361
<i>latisiliqua</i> (L.) Gillis & Stearn	392	<i>plukenetii</i> (Roth) Spreng.	361
leucocephala (Lam.) de Wit	391	<i>procumbens</i> Desf.	361
Leucanthemum Mill.	165	prostrata (Hook.f.) Gamble	364
vulgare Lam.	165	pubescens Benth.	364
Leucas R. Br.	361	rosmarinifolia Benth.	364
angustissima Sedgw.	361	sivadasaniana Sunojk.	364, 768
aspera (Willd.) Link	361	stelligera Wall. ex Benth.	364
var. wightiana (Wall. ex Benth.) Benth.	365	stricta Benth.	364
beddomei (Hook.f.) Sunojk. & P.Mathew	361	var. clarkei (Hook.f.) S.R.Paul	362
biflora (Vahl) Sm.	361	suffruticosa Benth.	364
var. procumbens (Desf.) Gamble	361	urticifolia (Vahl) Sm.	364
<i>capitata</i> Desf.	362	vestita Benth.	364
cephalotes (Roth) Spreng.	362	wightiana Wall. ex Benth.	365
chinensis (Retz.) Sm.	362	zeylanica (L.) W.T.Aiton	365
ciliata Benth.	362	<i>Leucasia zeylanica</i> (L.) Raf.	365
var. hirsuta Benth.	362	<i>Leucocasia esculenta</i> (L.) Nakai	107
var. vestita (Benth.) Sunojk.	364	<i>Leucocephala graminifolia</i> Roxb.	315
clarkei Hook.f.	362	<i>spathacea</i> Roxb.	312
<i>collina</i> Dalzell	363	<i>Leucojum capitulatum</i> Lour.	351
decemdentata (Willd.) Sm.	362	<i>Leucostachys procera</i> (KerGawler) Hoffmanns.	540
<i>decurva</i> Benth.	364	<i>Leucothoe katagherensis</i> DC.	311
diffusa Benth.	362	<i>Leucoxylum buxifolium</i> Blume	305
<i>dimidiata</i> (Roth) Spreng.	361	Libidibia (DC.) Schltdl	391
eriosoma Hook.f.	362	coriaria (Jacq.) Schltdl.	391
var. eriosoma	362	ferrea (Mart. ex Tul.) L.P.Queiroz	391
var. lanata Hook.f.	362	<i>Lichenora jerdoniana</i> Wight	553
var. longifolia Hook.f.	364	Licuala Thunb.	120
var. stocksii Hook.f.	362	grandis H.Wendl.	120
<i>flaccida</i> var. <i>scaberula</i> (Hook.f.) S.R.Sriniv.	362	paludosa Griff.	120
<i>hamiltoniana</i> Benth.	364	var. winkleriana Becc.	120
hirta (B.Heyne ex Roth) Spreng.	363	spinosa Wurmmb	120
var. beddomei Hook.f.	361	<i>Lightfootia gracilis</i> (G.Forst.) Miq.	210
var. prostrata Hook.f.	364	<i>Ligularia tussilaginea</i> (Burm.f.) Makino	156
<i>indica</i> (L.) Vatke	363	Ligustrum L.	526
<i>indica</i> (L.) Sm.	365	<i>candolleianum</i> Decne	526
var. decipiens (Hook.f.) Bennet	363	<i>ceylanicum</i> Decne	526
laenceaefolia Desf.	363	<i>compactum</i> Decne	526
lamiifolia Desf.	363	<i>decaisnei</i> C.B.Clarke	526
lanata Benth.	363		

var. <i>beddomei</i> Gamble	526	<i>Limodorum aphyllum</i> Roxb.	535
var. <i>microphylla</i> (Bedd.) C.B.Clarke	526	<i>bicolor</i> Roxb.	539
gamblei Ramam.	526	<i>bracteatum</i> Roxb.	556
<i>microphyllum</i> (J.Graham) S.M.Almeida	521	<i>candidum</i> Roxb.	540
<i>microphyllum</i> Bedd.	526	<i>dabia</i> (D.Don) Buch.-Ham. ex D.Don	539
<i>minii</i> Raizada	526	<i>densiflorum</i> Lam.	540
<i>neilgherrense</i> Wight	526	<i>flos-aeris</i> (L.) Sw.	530
<i>neilgherrense</i> Decne.	526	<i>ramentaceum</i> Roxb.	539
var. <i>obovata</i> (Decne) Decne	526	<i>retusum</i> (L.) Sw.	553
<i>obovatum</i> Decne	526	<i>roseum</i> D.Don	538
perrottetii A.DC.	526	<i>spathulatum</i> (L.) Willd.	556
var. <i>neilgherrense</i> (Wight) Mansf.	526	<i>subulatum</i> Willd.	550
robustum (Roxb.) Blume	526	Limonia L.	715
subsp. walkeri (Decne.) P.S.Green	526	× <i>aurantiifolia</i> Christm.	713
var. <i>walkeri</i> (Decne.) Mansf.	526	acidissima Groff	715
<i>roxburghii</i> C.B.Clarke	526	<i>alata</i> Wight & Arn.	716
<i>travancoricum</i> Gamble	526	<i>arborea</i> Roxb.	715
<i>walkeri</i> Decne	526	<i>crenulata</i> Roxb.	716
var. <i>tubiflorum</i> C.B.Clarke	526	<i>mauritiana</i> Lam.	715
Liliaceae	458	<i>missionis</i> Wight	716
<i>Liliago indica</i> (Willd. ex Schult. & Schult.f.) C.Presl	129	<i>monophylla</i> L.	713
<i>tuberosa</i> (Roxb.) C.Presl	130	<i>pentaphylla</i> Roxb.	715
Lilium L.	458	<i>Limosella diandra</i> L.	566
<i>longiflorum</i> var. <i>neilgherrense</i> (Wight) Baker	458	Linaceae	458
<i>neilgherrense</i> Wight	458	<i>Linaria incana</i> Wall.	586
<i>tubiflorum</i> Wight	458	<i>ramosissima</i> Wall.	586
wallichianum Schult. & Schult.f.	458	Lindenbergia Lehm.	585
var. neilgherrense (Wight) H.Hara	458	indica Vatke	585
<i>Limnanthemum cristatum</i> (Roxb.) Griseb.	504	<i>Lindera gemmiflora</i> (Blume) Boerl.	378
<i>hydrophyllum</i> (Lour.) Griseb.	504	Lindernia All.	459
<i>indicum</i> (L.) Griseb.	504	anagallis (Burm.f.) Pennell	459
<i>parvifolium</i> Griseb.	505	<i>angustifolia</i> (Benth.) Wettst.	461
<i>Limnochloa acutangula</i> (Roxb.) Nees	281	antipoda (L.) Alston	460
<i>fistulosa</i> (Schult.) Nees	281	subsp. <i>verbenifolia</i> (Colsm.) Bennet	460
<i>geniculata</i> (L.) Nees	282	ciliata (Colsm.) Pennell	460
<i>media</i> (Roxb.) Nees	281	<i>cordifolia</i> (Colsm.) Merr.	459
<i>spiralis</i> (Rottb.) Nees	282	crustacea (L.) F.Muell.	460
<i>tumida</i> (Roxb.) Nees	281	<i>dianthera</i> Sw.	585
Limnophila R. Br. nom. cons	583	estaminodiosa (Blatt. & Hallb.) Mukerjee	460
aquatica Alston	583	<i>hirsuta</i> (Benth.) Wettst.	462
aromatica (Lam.) Merr.	584	<i>hirta</i> (Cham. & Schltdl.) Pennell	461
chinensis (Osbeck) Merr.	584	hyssopoides (L.) Haines	460
conferta Benth.	584	manilaliana Sivar.	461
connata (Buch.-Ham. ex D.Don) Hand.-Mazz.	584	micrantha D.Don	461
<i>dubia</i> (L.) M.R.Almeida	584	nummulariifolia (D.Don) Wettst.	461
<i>gratioloides</i> R. Br.	584	oppositifolia (L. ex Willd.) Mukerjee	461
heterophylla (Roxb.) Benth.	584	parviflora (Roxb.) Haines	461
<i>hirsuta</i> (Heyne ex Benth.) Benth.	584	procumbens (Krock.) Philcox	461
<i>hypericifolia</i> (Benth.) Benth.	584	pusilla (Willd.) Bold.	461
hyssopifolia Roth	584	<i>pyxidaria</i> All. ex L.	461
indica (L.) Druce	584	reptans (Spreng.) F.Muell.	462
polystachya Benth.	584	rotundifolia (L.) Alston	462
repens (Benth.) Benth.	585	ruellioides (Colsm.) Pennell	462
roxburghii G.Don	585	<i>sessiliflora</i> (Benth.) Wettst.	461
rugosa (Roth) Merr.	585	tenuifolia (Colsm.) Alston	462
<i>sessiliflora</i> (Vahl) Blume	585	<i>thouarsii</i> (Cham. & Schltdl.) Edwin	463
<i>sessilis</i> (Benth.) C.E.C.Fisch.	584	verbenifolia (Colsm.) Pennell	462
Limnophyton Miq.	56	<i>veronicifolia</i> (Retz.) F. Muell.	460
obtusifolium (L.) Miq.	56	viscosa (Hornem.) Merr.	462
Limnopoia C.E.Hubb.	638	Linderniaceae	459
meeboldii (C.E.C.Fisch.) C.E.Hubb.	638	<i>Lingoum indicum</i> (Willd.) Kuntze	441

<i>santalinum</i> (L.f.) Kuntze	441	<i>heliotropoides</i> Forssk.	199
<i>Linociera intermedia</i> Wight	522	<i>Litosanthes capitulata</i> (Wight) Deb & M.G.Gangop.	694
var. <i>roxburghii</i> (Spreng.) Roxb.	522	<i>venulosa</i> (Wight & Arn.) Deb & M.G.Gangop.	695
<i>macrophylla</i> Wall. & G.Don	522	Litsea Lam.	381, 768
var. <i>attenuata</i> (Wall. & G.Don) C.B.Clarke	522	<i>angustifolia</i> Blume	377
<i>malabarica</i> Wall. ex G. Don	521	<i>apetala</i> (Roxb.) Pers.	381
<i>oblonga</i> Wall. & G.Don	522	bourdillonii Gamble	381
<i>pauciflora</i> (Wall. ex G.Don) C.B.Clarke	522	<i>chinensis</i> Lam.	381
var. <i>evolutior</i> C.B.Clarke	522	coriacea Hook. f.	381
var. <i>palembanica</i> (Miq.) C.B.Clarke	522	deccanensis Gamble	381
<i>ramiflora</i> (Roxb.) Wall.ex G. Don	522	floribunda (Blume) Gamble	381
<i>wightii</i> C.B.Clarke	522	<i>foliosa</i> (Nees) Nees	382
<i>Linoma alba</i> (Bory) O.F.Cook	119	var. <i>impunctata</i> Meisn.	382
Linum L.	459	ghatica C.J.Saldanha	381
mysorense B.Heyne ex Wall.	459	glabrata Hook.f.	381
<i>trigynum</i> Roxb.	459	glutinosa (Lour.) C.B.Rob.	381
usitatissimum L.	459	<i>josephii</i> S.M. Almeida	382
Liparis Rich.	545	laevigata (Nees) Gamble	381
atropurpurea Lindl.	545	lakshmanmaniana Kesh.Murthy & Yogan.	381, 768
<i>atropurpurea</i> Wight	546	mysorensis Gamble	381
biloba Wight	545	oblonga Hook.f.	382
deflexa Hook.f.	545	oleoides Hook.f.	382
<i>densiflora</i> A.Rich.	546	<i>scrobiculata</i> Meisn.	382
<i>diphyllous</i> Nimmo	541	stocksii (Meisn.) Hook. f.	382
elliptica Wight	545	var. <i>glabrescens</i> (Meisn.) Hook.f.	382
<i>flavoviridis</i> Blatt. & McCann	545	<i>tersa</i> (L.) Merr.	478
<i>longipes</i> Lindl.	545	travancorica Gamble	382
nervosa (Thunb.) Lindl.	545	<i>umbrosa</i> var. <i>impunctata</i> (Meisn.) Hook.f.	382
<i>olivacea</i> Wight	545	var. <i>khasiana</i> Meisn.	382
platyphylla Ridl.	545	<i>vartakii</i> M.R.Almeida	382
<i>prazeri</i> King & Pantl.	545	wightiana (Nees) Hook. f.	382
viridiflora (Blume) Lindl.	545	<i>zeylanica</i> Nees & T.Nees	383
<i>walkeriae</i> Wight	545	Livistona R.Br.	121
wightiana Thwaites	546	chinensis (Jacq.) R.Br. ex Mart.	121
Lipocarpa R.Br.	292	rotundifolia (Lam.) Mart.	121
<i>argentea</i> (Kunth) R.Br.	292	Lobelia L.	208
chinensis (Osbeck) J.Kern	292	<i>affinis</i> Wall. & G.Don	209
gracilis (Rich. ex Pers.) Nees	292	var. <i>lobbiana</i> (Hook.f. & Thomson) C.B.Clarke	209
hemisphaerica (Roth) Goetgh.	292	<i>aligera</i> Haines	209
<i>humboldtiana</i> Nees	292	alsinoides Lam.	208
kernii (Raymond) Goetgh.	292	<i>arenarioides</i> (C.Presl.) A.DC.	208
<i>laevigata</i> (Roxb.) Nees	292	<i>aromatica</i> Moon ex Wight	209
<i>sphacelata</i> (Vahl) Kunth	292	<i>courtallensis</i> K.K.N.Nair	209
var. <i>gracilis</i> (Rich. ex Pers.) Boeckeler	292	<i>decurrens</i> Roth	208
squarrosa (L.) Goetgh.	292	<i>dichotoma</i> Miq.	209
<i>triceps</i> (Roxb.) Nees	292	var. <i>aligera</i> (Haines) E.Wimm.	209
<i>Lippia montevidensis</i> Spreng.	746	<i>excelsa</i> Lesch. ex Roxb.	209
<i>nodiflora</i> (L.) Michx.	746	<i>gratioloides</i> Roxb. ex C. Presl	208
<i>Lisianthus zeylanicus</i> Spreng.	342	<i>gulparae</i> Ham. ex Wall.	209
<i>Listrobanthes</i> Bremek.	46	heyneana Schult.	208
Litchi Sonn.	724	var. <i>lamiifolia</i> (C.B.Clarke) E.Wimm.	209
sinensis Sonner	724	<i>hirta</i> Wall.	209
<i>Lithocardium fulvosum</i> Kuntze	194	leschenaultiana (C.Presl) Skottsb.	209
<i>griffithii</i> Kuntze	194	<i>lobbiana</i> Hook.f. & Thomson	209
<i>macleodii</i> Kuntze	194	<i>longiflora</i> L.	208
<i>monoicum</i> Kuntze	194	nicotianifolia Roth ex Schult.	209
<i>myxa</i> Kuntze	195	var. <i>trichandra</i> (Wight) C.B.Clarke	209
<i>obliquum</i> Kuntze	194	<i>plumieri</i> L.	346
<i>reticulatum</i> Kuntze	195	<i>pumila</i> Burm.f.	566
<i>rothii</i> Kuntze	195	<i>subcuneata</i> Miq.	209
<i>Lithospermum chinense</i> Hook. & Arn.	198	<i>subincisa</i> Wall. ex A.DC.	209

<i>subracemosa</i> Miq.	209	<i>loniceroides</i> L.	466
<i>succulenta</i> var. <i>lobbiana</i> (Hook.f. & Thomson)		<i>memecylifolius</i> Wight & Arn.	466
E. Wimm.	209	<i>neelgherrensis</i> Wight & Arn.	466
<i>trialata</i> Buch.-Ham. ex D. Don	208	<i>obtusatus</i> Wall.	467
var. <i>lamiifolia</i> C.B. Clarke	209	<i>philippensis</i> Cham. & Schltld.	467
var. <i>umbrosa</i> (Hochst. ex Hemsl.) Chiov.	209	<i>recurvus</i> Wall. ex DC.	466
<i>triangulata</i> Roxb.	208	<i>scurrula</i> L.	468
<i>trichandra</i> Wight	209	<i>tomentosus</i> B. Heyne ex Roth	468
<i>trigona</i> Roxb.	208	<i>trigonus</i> Wight & Arn.	466
<i>umbrosa</i> Hochst. ex Hemsl.	209	<i>wallichianus</i> Schult. & Schult.f.	467
zeylanica L.	209	<i>Lourya campanulata</i> Baill.	134
var. <i>aligera</i> (Haines) Haines	209	<i>Loxoma maculatum</i> (Dalzell) Garay	555
var. <i>lobbiana</i> (Hook.f. & Thomson) Y.S. Lian	209	<i>straminea</i> (C.J. Saldanha) Pradhan	555
var. <i>walkeri</i> C.B. Clarke	209	<i>Loxomorchis maculata</i> (Dalzell) Rauschert	555
<i>Lobocarpus candolleanus</i> Wight & Arn.	571	<i>Loxotis obliqua</i> (Blume) R.Br.	346
<i>Lobophyllum</i> F. Muell	193	<i>Lucaea typica</i> Buse	594
<i>Lochnera pusilla</i> (Murray) K. Schum.	85	<i>Lucuma zapota</i> (L.) Urb.	726
<i>rosea</i> (L.) Rchb.	85	Ludwigia L.	527
<i>Lodhra gardneriana</i> Miers	737	<i>adscendens</i> (L.) H. Hara	527
<i>macrophylla</i> Miers	737	<i>hyssopifolia</i> (G. Don) Exell	527
<i>pulchra</i> Miers	737	<i>octovalvis</i> (Jacq.) P.H. Raven	528
Loeseneriella A.C. Sm.	218	subsp. <i>sessiliflora</i> (Micheli) P.H. Raven	528
<i>africana</i> (Willd.) R. Wilczek	218	var. <i>octovalvis</i>	528
<i>arnottiana</i> (Wight) A.C. Sm.	218	<i>parviflora</i> Roxb.	528
<i>bourdillonii</i> (Gamble) Ramamoorthy	218	<i>peplodes</i> (Kunth) P.H. Raven	528
Loganiaceae	463	<i>perennis</i> L.	528
<i>Lolium bromoides</i> (L.) Huds.	664	<i>peruviana</i> (L.) H. Hara	528
<i>Lomatophyllum reflexum</i> (Lam.) Bojer	131	<i>prostrata</i> Roxb.	528
Lonicera L.	214	Luffa Mill.	264
<i>japonica</i> Thunb.	214	<i>acutangula</i> (L.) Roxb.	264
<i>leschenaultii</i> Wall.	214	var. <i>amara</i> (Roxb.) C.B. Clarke	264
<i>parasitica</i> L.	466	<i>aegyptica</i> Mill.	265
<i>Lophanthera delphinifolia</i> Raf.	560	<i>amara</i> Roxb.	264
Lophiocarpaceae	465	<i>cylindrica</i> (L.) M. Roem.	265
Lophopetalum Wight ex Arn.	219	<i>hermaphrodita</i> Singh & Bhandari	264
<i>fimbriatum</i> Wight	219	<i>kleinii</i> Wight & Arn.	264
<i>wightianum</i> Arn.	219	<i>pentandra</i> Roxb.	265
Lophopogon Hack.	638	<i>tuberosa</i> Roxb.	265
<i>tridentatus</i> (Roxb.) Hack.	638	<i>umbellata</i> (Klein ex Willd.) M. Roem.	264
<i>Lophoxera polygonoides</i> (Retz.) Raf.	62	Luisia Gaudich.	546
Loranthaceae	465	<i>evangelinae</i> Blatt. & McCann	546
<i>Loranthus amplexifolius</i> DC.	465	<i>indica</i> Khuraijam & R.K. Roy	546
<i>atropurpureus</i> Blume	467	<i>laurifolia</i> M.R. Almeida	546
<i>bracteatus</i> B. Heyne ex Wall.	468	var. <i>evangelinae</i> (Blatt. & McCann) M.R. Almeida	546
var. <i>angustifolia</i> Hook.f.	468	<i>macrantha</i> Blatt. & McCann	546
<i>candolleanus</i> Wight & Arn.	466	<i>pseudotenuifolia</i> Blatt. & McCann	546
<i>capitellatus</i> Wight & Arn.	467	<i>tenuifolia</i> Blume	546
<i>cordifolius</i> Wall.	467	var. <i>evangelinae</i> (Blatt. & McCann) Santapau &	
<i>courtellensis</i> Gamble	468	Kapadia	546
<i>cuneatus</i> Heyne ex Roth	468	zeylanica Lindl.	546
<i>elasticus</i> Desr.	466	Lumnitzera Willd.	226
<i>falcatus</i> L. f.	465	<i>racemosa</i> Willd.	226
<i>gibbosus</i> Talbot	466	<i>rubicunda</i> (D. Don) Spreng.	367
<i>heyneanus</i> Schult.	468	<i>tenuiflora</i> (L.) Spreng.	366
<i>hookerianus</i> Wight & Arn.	467	Luvunga Buch.-Ham. ex Wight & Arn.	715
<i>intermedius</i> Wight	467	<i>eleutherandra</i> Dalzell	715
<i>lageniferus</i> Wight	468	<i>sarmentosa</i> Kurz J.	715
<i>longiflorus</i> Desr.	465	Luzula DC.	353
var. <i>amplexifolia</i> (DC.) Thw.	465	<i>campestris</i> (L.) DC.	353
var. <i>coccinea</i> Talbot	465	Lycianthes (Dunal) Hassler	730
var. <i>falcata</i> (L.f.) Kurz	465	<i>bigeminata</i> (Nees) Bitter	730

denticulata (Blume) Bitter	730	var. latifolia (Roxb.) A.Chev.	726
<i>laevis</i> auct. non (Dunal) Bitter	730	var. longifolia	725
Lycopersicon Mill.	731	<i>malabarica</i> (Bedd.) R.Parker	726
esculentum Mill.	731	neriifolia (Moon) H. J. Lam.	726
<i>humboldtii</i> (Willd.) Dunal	731	Maerua Forssk.	214
<i>lycopersicum</i> (L.) H.Karst.	731	<i>arenaria</i> Hook. f. & Thomson	214
<i>pimpinellifolium</i> (L.) Mill.	734	oblongifolia (Forssk.) A.Rich.	214
Lysiloma Benth.	392	<i>ovalifolia</i> Combess.	214
latisiliquum (L.) Benth.	392	Maesa Forssk.	676
<i>Lysimachia arvensis</i> (L.) U.Manns & Anderb.	674	<i>dubia</i> Wall.	676
<i>monnieri</i> L.	583	indica (Roxb.) A. DC.	676
<i>Lysistemma dendigulense</i> (DC.) Steetz	136	<i>perrottetiana</i> A.DC.	676
Lythraceae	469, 768	Magnolia L.	473
<i>Lythrum fruticosum</i> L.	473	champaca (L.) Baill. ex Pierre	473
<i>Maba angustifolia</i> Miq.	309	grandiflora L.	473
<i>buxifolia</i> (Rottb.) Pers.	309	nilagirica (Zenker) Figlar	474
<i>foliosa</i> Rich ex A.Gray	306	Magnoliaceae	473
<i>micrantha</i> (Dalzell) Hiern	309	<i>Majana amboinica</i> (Lour.) Kuntze	368
<i>neilgerrensis</i> Wight	308	<i>canina</i> (Roth) Kuntze	368
<i>nigrescens</i> Dalzell	309	<i>paniculata</i> (Benth.) Kuntze	368
Macaranga Thouars	333	<i>scutellarioides</i> var. <i>blumei</i> (Benth.) Kuntze	370
<i>flexuosa</i> Wight	334	<i>spicata</i> (Benth.) Kuntze	368
indica Wight	333	<i>tuberosa</i> (Blume) Kuntze	369
peltata (Roxb.) Muell.Arg.	334	<i>Makenziea</i> Nees	46
<i>roxburghii</i> Wight	334	<i>Malacochaete corymbosa</i> (Roth ex Roem. & Schult.) Am.	298
<i>tomentosa</i> Wight	334	<i>pectinata</i> (Roxb.) Nees	298
<i>wightiana</i> Baill.	334	<i>Malapoenna glabrata</i> Kuntze	381
Macfadyena A.DC.	189	Malaxis Sol. ex Sw.	546
unguis-cati (L.) A.H.Gentry	189	<i>acuminata</i> D.Don	534
<i>Machilus glaucescens</i> Wight	383	<i>bicornis</i> (Lindl.) Rchb.f.	547
<i>macrantha</i> Nees	383	<i>brunoniana</i> (Wight) Rchb.f.	548
<i>Mackaya populifolia</i> Arn.	521	densiflora (A.Rich.) Kuntze	546
<i>Mackenzia caudata</i> Ramamoorthy	47	var. <i>luteola</i> (Wight) P.K.Sarkar	546
<i>integrifolia</i> (Dalzell) Bremek.	49	<i>denticulata</i> (Wight) Rchb.f.	548
<i>newii</i> (Bedd. ex C.B.Clarke) Bremek.	51	<i>ensiformis</i> Sm.	548
Maclura Nutt.	510	<i>lindleyana</i> Rchb.f.	549
cochinchinensis (Lour.) Corner	510	<i>nervosa</i> (Thunb.) Sw.	545
<i>Macraea gardneriana</i> Wight	578	<i>recurva</i> (Lindl.) Rchb.f.	549
<i>myrtifolia</i> Wight	576	<i>resupinata</i> (G.Forst.) Kuntze	534
<i>oblongifolia</i> Wight	578	<i>rheedei</i> Sw.	534
<i>ovalifolia</i> Wight	578	<i>tenuis</i> (Lindl.) Rchb.f.	549
<i>Macronyx strigosus</i> Dalzell	448	versicolor (Lindl.) Abeyw.	546
Macroptilium (Benth.) Urb.	436	<i>verticillata</i> (Wight) Rchb.f.	549
atropurpureum (DC.) Urb.	436	<i>viridiflora</i> Blume	545
lathyroides (L.) Urb.	436	<i>wallichii</i> (Lindl.) Deb	534
<i>Macrosiphon elongatus</i> Hochst.	559	<i>wightiana</i> (Lindl.) Rchb.f.	549
<i>fistulosus</i> Hochst.	559	<i>Malleola rosea</i> (Lindl.) Schltr.	554
Macrosolen (Blume) Rchb.	467	Mallotus Lour.	334
capitellatus (Wight & Arn.) Danser	467	<i>albus</i> var. <i>occidentalis</i> Hook. f.	335
<i>parasiticus</i> (L.) Danser	466	<i>andamanicus</i> Hook.f.	335
<i>trigonus</i> (Wight & Arn.) Tiegh.	466	aureopunctatus (Dalzell) Müll.Arg.	334
Macrotyloma (Wight & Arn.) Verdc.	437	beddomei Hook. f.	334
uniflorum (Lam.) Verdc.	437	<i>ferrugineus</i> (Roxb.) Mull.Arg.	335
<i>Madacarpus Belagaviensis</i> Wight	170	<i>intermedius</i> (Baill.) N.P.Balacr.	335
<i>Madaractis arachnoidea</i> C.B.Clarke	171	<i>lawii</i> Muell.Arg.	334
Madhuca Ham. ex J. F. Gmel.	725, 772	<i>micranthus</i> Mull.Arg.	335
bourdillonii (Gamble) H.J.Lam	725	<i>moluccanus</i> (L.) Müll.Arg.	319
<i>indica</i> J.F.Gmel.	726	<i>muricatus</i> (Wight) Mull.Arg.	335
insignis (Radlk.) H.J.Lam	725, 772	var. <i>walkerae</i> (Hook.f.) Pax & K.Hoffm.	335
<i>latifolia</i> (Roxb.) J.F. Macbr.	726	nudiflorus (L.) Kulju & Welzen	334
longifolia (J.Koenig ex L.) J.F.Macbr.	725	philippensis (Lam.) Muell.Arg.	334

var. <i>tomentosus</i> Gamble	334	<i>divergens</i> (Hack.) Kuntze	629
polycarpus (Benth.) Kulju & Welzen	334	var. <i>hirsuta</i> (C.E.C.Fisch.) S.K.Jain	629
repandus (Rottler ex Willd.) Mull.Arg.	335	<i>forficulata</i> C.E.C.Fisch.	629
var. <i>scabrifolius</i> (A.Juss.) Müll.Arg.	335	var. <i>hirsuta</i> C.E.C.Fisch.	629
resinosus (Blanco) Merr.	335	<i>granularis</i> (L.) L. f.	629
var. <i>muricatus</i> (Wight) N.P.Balakr. & Chakrab.	335	<i>mysorensis</i> S.K. Jain & Hemadri	629
var. <i>stenanthus</i> (Mull.Arg.) Susila & N.P.Balakr.	335	myurus L.	638
var. <i>subramanyamii</i> (J.L.Ellis) Chakrab.	335	<i>porifera</i> Hack.	629
rhamnifolius (Rottler ex Willd.) Mull.Arg.	335	<i>ratnagirica</i> B.G.Kulk. & Hemadri	629
<i>stenanthus</i> Mull.Arg.	335	<i>Manulea indiana</i> Lour.	582
<i>subramanyamii</i> J.L.Ellis	335	<i>Mappa peltata</i> (Roxb.) Wight	334
tetracoccus (Roxb.) Kurz	335	<i>Mappia foetida</i> (Wight) Miers	352
<i>walkerae</i> Hook.f.	335	<i>tomentosa</i> Miers	352
var. <i>laxiflorus</i> Hook.f.	335	<i>wightiana</i> Miers	352
<i>zeylanicus</i> Mull.Arg.	335	Maranta L.	493
Malpighiaceae	474	arundinacea L.	493
Malva L.	487	var. <i>indica</i> (Tussac) Petersen	493
<i>coromandeliana</i> L.	488	<i>galanga</i> L.	754
<i>mauritiana</i> L.	487	<i>indica</i> Tussac	493
parviflora L.	487	<i>malaccensis</i> Burm.f.	755
sylvestris L.	487	<i>mediopicta</i> E.Morren	493
var. <i>mauritiana</i> (L.) Boiss.	487	<i>parviflora</i> (Roxb.) A.Dietr.	494
<i>tricuspidata</i> R.Br.	488	<i>placentaria</i> (Lour.) A.Dietr.	494
verticillata L.	488	<i>virgata</i> (Roxb.) A.Dietr.	494
Malvaceae	475	<i>zebrina</i> Sims	493
Malvastrum A.Gray	488	Marantaceae	493
coromandelianum (L.) Garcke	488	Margaritaria L.f.	574
<i>tricuspidatum</i> A.Gray	488	indica (Dalzell Airy Shaw	574
Malvaviscus Fabr.	488	<i>Mariscopsis hyalinus</i> (Vahl) Ballard	296
arboreus Cav.	488	<i>Mariscus albescens</i> Gaudich.	276
Mammea L.	207	<i>bulbosus</i> C.B.Clarke	273
americana L.	207	<i>clarkei</i> (T.Cooke) T.Koyama	273
suriga (Buch.-Ham. ex Roxb.) Kosterm.	207	<i>compactus</i> (Retz.) Bold.	273
<i>Mananthes</i> Bremek.	37	var. <i>macrostachys</i> (Boeckeler) F.C. How	273
<i>Manettia lanceolata</i> (Forssk.) Vahl	707	var. <i>macrostachys</i> (Boeckeler) H.B.Naithani &	273
Mangifera L.	69	S.Biswas	273
<i>axillaris</i> Desr.	68	<i>concinus</i> var. <i>evolutior</i> (C.B.Clarke) Panigrahi	274
<i>glauca</i> Rottb.	216	var. <i>khasianus</i> (C.B.Clarke) Panigrahi	274
indica L.	69	var. <i>subcompositus</i> (C.B.Clarke) Panigrahi	274
<i>pinnata</i> L. f.	71	<i>cyperinus</i> (Retz.) Vahl	274
<i>Mangostana cambogia</i> Gaertn.	222	subsp. <i>laxatus</i> (C.B.Clarke) T.Koyama	274
<i>morella</i> Gaertn.	223	var. <i>bengalensis</i> C.B.Clarke	274
Manihot Mill.	336	var. <i>maximus</i> C.B.Clarke	274
carthaginensis (Jacq.) Müll.Arg.	336	var. <i>pictus</i> (Nees) Karthik.	274
subsp. glaziovii (Müll.Arg.) Allem	336	<i>cyperoides</i> (Roxb.) A.Dietr.	271
<i>edulis</i> A.Richard	336	<i>dregeanus</i> Kunth	275
esculenta Crantz.	336	<i>dubius</i> (Rottb.) Kük. ex G.E.C.Fischer	275
<i>glaziovii</i> Muell.Arg.	336	<i>javanicus</i> (Houtt.) Merr. & F.P.Metcalf	276
<i>gossypifolia</i> (L.) Crantz	333	<i>maderaspatanus</i> (Willd.) Napper	277
<i>moluccana</i> (L.) Crantz	319	<i>mollipes</i> C.B.Clarke	278
<i>utilissima</i> Pohl	336	<i>paniceus</i> (Rottb.) Vahl	278
Manilkara Adans.	726	var. <i>roxburghianus</i> C.B.Clarke	278
hexandra (Roxb.) Dubard	726	<i>pedunculatus</i> (R.Br.) T.Koyama	296
roxburghiana (Wight) Dubard	726	<i>pennatus</i> (Lam.) Domin	276
zapota (L.) P.Royen	726	<i>pictus</i> Nees	274
Manisuris L.	638	<i>roxburghianus</i> (C.B.Clarke) Alston	278
<i>acuminata</i> (Hack.) Kuntze	628	<i>sieberianus</i> Nees ex C.B.Clarke	274
var. <i>stocksii</i> (Hook.f.) S.K.Jain	629	var. <i>evolutior</i> C.B.Clarke	274
var. <i>woodrowii</i> Bor	629	var. <i>khasianus</i> C.B.Clarke	274
<i>clarkei</i> (Hack.) Bor	607	<i>squarrosus</i> (L.) C.B.Clarke	280
<i>compressa</i> (L.f.) Kuntze	630	<i>sublimis</i> C.B.Clarke	274

<i>sumatrensis</i> (Retz.) J.Raynal	274	<i>procumbens</i> (Mill.) Small	585
var. <i>evolutior</i> (C.B.Clarke) Karthik.	274	Medicago L.	437
var. <i>khasianus</i> (C.B.Clarke) Karthik.	274	<i>sativa</i> L.	437
var. <i>subcompositus</i> (C.B.Clarke) Karthik.	274	Medinilla Gaudich.	495
<i>umbellatus</i> var. <i>evolutior</i> (C.B.Clarke) E.G. Camus	274	<i>beddomei</i> Clarke	495
var. <i>subcompositus</i> (C.B.Clarke) T.Tang &		<i>radicans</i> sensu Bedd.	495
F.T.Wang	274	<i>Meesia serrata</i> Gaertn.	520
Markhamia Seem. ex Baillon	189	<i>Megadenus capitatus</i> (L.) Raf.	282
<i>hildebrandtii</i> (Baker) Sprague	189	<i>Megastachya amabilis</i> (L.) P.Beauv.	622
<i>lutea</i> (Benth.) K.Schum.	189	<i>bipinnata</i> (L.) P.Beauv.	612
<i>platycalyx</i> (Baker) Sprague	189	<i>patula</i> (Kunth) Roem. & Schult.	624
<i>stipulata</i> (Wall.) Seem.	189	<i>riparia</i> (Willd.) Roem. & Schult.	625
<i>Marrubium indicum</i> (L.) Burm.f.	354	<i>tenella</i> (L.) Bojer	622
<i>indicum</i> Blanco	359	<i>Megathyrsus maximus</i> (Jacq.) B.K.Simon & Jacobs	643
Marsdenia R. Br.	94	<i>Meibomia brachystachya</i> (Benth.) Kuntze	430
<i>brunoniana</i> Wight & Arn.	95	<i>capitata</i> (Burm.f.) Kuntze	431
<i>floribunda</i> (Brongn.) Schltr.	94	<i>gangetica</i> (L.) Kuntze	425
<i>lanceolata</i> T. Cooke	90	<i>heterocarpa</i> (L.) Kuntze	431
<i>raziana</i> Yogan. & Subr.	94	<i>heterophylla</i> (Willd.) Kuntze	431
<i>sylvestris</i> (Retz.) P.I.Forst.	91	<i>lutescens</i> (Poir.) Kuntze	441
<i>tenacissima</i> (Roxb.) Moon	94	<i>pulchella</i> (L.) Kuntze	440
<i>volubilis</i> (L.f.) T. Cooke	90	<i>repanda</i> (Vahl) Kuntze	432
var. <i>angustifolia</i> (Hook.f.) Blatt. & McCann	90	<i>retroflexa</i> (L.) Kuntze	431
<i>Marsea canadensis</i> (L.) V.M.Badillo	155	<i>rufescens</i> (DC.) Kuntze	450
<i>Martinezia caryotifolia</i> Kunth	114	<i>scalpe</i> (DC.) Kuntze	432
Martynia L.	494	<i>scorpiurus</i> (Sw.) Kuntze	425
<i>annua</i> L.	494	<i>triqetra</i> (L.) Kuntz	447
<i>perennis</i> L.	345	<i>umbellata</i> (L.) Kuntze	423
Martyniaceae	494	<i>wightii</i> (Wight & Arn.) Kuntze	425
<i>Mascarena lagenicaulis</i> L.H.Bailey	120	<i>zonata</i> (Miq.) Kuntze	426
<i>verschaffeltii</i> (H.Wendl.) L.H.Bailey	120	Meiogyne Miq.	73
Mastixia Blume	255	<i>pannosa</i> (Dalzell) J.Sinclair	73
<i>arborea</i> (Wight) C.B.Clarke	255	<i>ramarowii</i> (Dunn) Gandhi	73
subsp. <i>arborea</i>	256	<i>Melaleuca linearis</i> Schrad. & J.C.Wendl.	512
subsp. <i>meziana</i> (Wangerin) K.M.Matthew ex		Melampodium L.	165
Ramamoorthy	256	<i>australe</i> Loefl.	136
<i>meziana</i> Wangerin	256	<i>paludosum</i> Kunth	165
<i>pentandra</i> auct. non Blume	255	<i>ruderalis</i> Sw.	153
<i>Matonia cardamomum</i> (L.) Stephenson & J.M.Churchill	758	Melanocenchris Nees	638
<i>Matricaria coronaria</i> (L.) Desr.	158	<i>jacquemontii</i> Jaub. & Spach.	638
<i>morifolia</i> (Ramat.) Ramat.	148	<i>monoica</i> (Rottler) C.E.C. Fisch.	638
<i>parthenium</i> L.	148	<i>royleana</i> Nees	638
Maurandya Ortega	585	Melanthera J. P. Rohr.	166
<i>barclaiana</i> Lindl.	585	<i>biflora</i> (L.) Wild	166
<i>Maxillaria purpurea</i> (Wight) Beer	552	<i>Melanthesa obliqua</i> Wight	568
<i>Mayepea intermedia</i> (Wight) Kuntze	522	<i>retusa</i> (Dennst.) Kostel.	568
<i>linocierodes</i> (Wight) Kuntze	522	<i>rhamnoides</i> (Retz.) Blume	568
<i>palembanica</i> (Miq.) Kuntze	522	<i>rupestris</i> Miq.	578
<i>pauciflora</i> (Wall. ex G.Don) Kuntze	522	<i>Melanthesopsis patens</i> (Roxb.) Müll.Arg.	568
Maytenus Molina	219	<i>Melanthium hyacinthoides</i> Royle	132
<i>emarginata</i> (Willd.) Ding Hou	218	<i>indicum</i> L.	224
<i>heyneana</i> (Roth) D.C.S. Raju & Babu	218	Melastoma L.	495
<i>ovata</i> (Wall. ex Wight & Arn.) Loes.	217	<i>asperum</i> L.	496
<i>puberula</i> (M.A.Lawson) Loesener	219	<i>malabathricum</i> L.	495
<i>rothiana</i> (Walp.) Lobreau-Callen	218	<i>octandrum</i> L.	496
<i>senegalensis</i> (Lam.) Exell	218	Melastomataceae	495, 769
<i>wallichiana</i> (Spreng.) D.C.S.Raju & Babu	218	Melhania Forssk.	488
<i>wightiana</i> Babu	218	<i>cannabina</i> Wight ex Mast.	488
Mazus Lour.	566	<i>incana</i> Wight & Arn.	488
<i>pumilus</i> (Burm.f.) Steenis	566	<i>tomentosa</i> Stocks ex Mast.	488
Mecardonia Ruiz & Pavon	585	Melia L.	500

azedarach L.	500	terminale Dalzell	496
<i>baccifera</i> Roth	499	umbellatum Burm.f.	496
<i>composita</i> Willd.	500	wallichii Ridl.	496
dubia Cav.	500	wightii Thwaites	496
Meliaceae	498	Menispermaceae	502, 769
<i>Melica cimicina</i> (L.) Salisb.	589	<i>Menispermum cocculus</i> L.	502
<i>diandra</i> Roxb.	603	<i>cordifolium</i> Willd.	504
<i>lappacea</i> (L.) Raspail	603	<i>fenestratum</i> Gaertn.	503
<i>latifolia</i> Roxb. ex Hornem.	661	<i>hirsutum</i> L.	502
<i>refracta</i> Roxb.	603	<i>japonicum</i> Thunb.	504
Melicope J. R. Forst. & G. Forst.	715	<i>laurifolium</i> (DC.) Roxb.	502
lunu-ankenda (Gaertn.) T.G.Hartley	715	<i>malabaricum</i> Lam.	504
Melilotus (L.) Mill.	437	<i>peltatum</i> Lam.	503
albus Medik.	437	<i>villosum</i> Lam.	502
indicus (L.) All.	437	Mentha L.	365
<i>parviflora</i> Desf.	437	× piperita L.	365
Melinis P. Beauv.	639	<i>aquatica</i> f. <i>piperita</i> (L.) G.Mey.	365
minutiflora P.Beauv.	639	<i>auricularia</i> L.	370
repens (Willd.) Zizka	639	<i>foetida</i> Burm.f.	370
<i>teneriffiae</i> (L.f.) Hack.	661	<i>fruticosa</i> Roxb. ex D.Don	371
Meliosma Blume	717	<i>integra</i> Buch.-Ham. ex Benth.	370
arnottiana (Wight) Walp.	717	<i>myosuroides</i> Roth	371
pinnata (Roxb.) Maxim.	718	<i>quadrifolia</i> D.Don	370
<i>pungens</i> (Wight & Arn.) Walp.	718	<i>quadrifolia</i> Roxb.	372
simplicifolia (Roxb.) Walp.	718	<i>quaternifolia</i> B.Heyne ex Roth	372
subsp. pungens (Wall. ex Wight & Arn.) Beusekom	718	<i>secunda</i> Roxb.	371
subsp. simplicifolia	718	<i>stellata</i> Buch.-Ham. ex Roxb.	372
<i>wightii</i> Planch. ex Brandis	718	<i>stellata</i> Lour.	372
<i>Mella floribunda</i> (R.Br.) Pennell	582	<i>verticillata</i> (Benth.) Roxb.	372
<i>hamiltoniana</i> (Benth.) Pennell	583	Menyanthaceae	504
Melocanna Trin.	639	<i>Menyanthes cristata</i> Roxb.	504
baccifera (Roxb.) Kurz	639	<i>hydrophyllum</i> Lour.	504
<i>bambusoides</i> Trin.	639	<i>indica</i> L.	504
<i>rheedii</i> Steud.	640	<i>Meoschium arnottianum</i> Nees	635
<i>travancorica</i> F.Muell.	640	<i>barbatum</i> (Retz.) P.Beauv.	633
Melochia L.	488	<i>ciliare</i> (Retz.) P.Beauv.	633
corchorifolia L.	488	<i>elegans</i> (Roem. & Schult.) Arn. & Nees	660
<i>cordata</i> Burm.f.	490	<i>griffithii</i> Nees & Arn.	635
Melothria L.	265	<i>monostachys</i> (Spreng.) Wight & Arn. ex Steud.	613
<i>amplexicaulis</i> (Lam.) Cogn.	266	<i>royleanum</i> Nees ex Steud.	635
angulata Chakrav.	265	<i>semisagittatum</i> (Roxb.) Schult.	635
<i>heterophylla</i> (Lour.) Cogn.	266	<i>wightianum</i> Nees	660
<i>leiosperma</i> (Wight & Arn.) Cogn.	261	<i>wightii</i> Nees	635
<i>maderaspatana</i> (L.) Cogn.	261	<i>Mephitidia acuminata</i> (Wight) Walp.	694
<i>maysorensis</i> (Wight & Arn.) C.C. Chang	268	<i>capitulata</i> (Wight) Walp.	694
<i>mucronata</i> (Blume) Cogn.	268	<i>jackiana</i> (Wight) Walp.	694
var. <i>umbellata</i> Chakrav.	268	<i>parvifolia</i> (Wight) Walp.	695
<i>ovata</i> Cogn.	266	<i>venulosa</i> (Wight & Arn.) Gardner	695
<i>perpusilla</i> (Blume) Cogn.	268	<i>Mercurialis alternifolia</i> Lam.	336
var. <i>subtruncata</i> Cogn.	268	<i>Merione villosa</i> (L.) Salisb.	303
<i>ritchiei</i> Chakrav.	261	Merremia Dennst. ex Endl.	252
Memecylon L.	495	<i>aegyptia</i> (L.) Urb.	242
<i>amabile</i> Bedd.	496	<i>chryseides</i> (Ker Gawler) Hallier f.	252
<i>amplexicaule</i> var. <i>malabarica</i> C.B.Clarke	495	<i>dissecta</i> (Jacq.) Hallier f.	242
angustifolium Wight	495	emarginata (Burm.f.) Hallier f.	252
<i>depressum</i> Benth.	496	gangetica Cufod.	252
grande Retz.	495	<i>hastata</i> Hallier f.	255
lushingtonii Gamble	495	hederacea (Burm.) Hallier.f.	252
macrocarpum Thwaites	495	<i>kentrocaulos</i> (C.B.Clarke) Hallier f.	242
malabaricum Cogn.	495	<i>pentaphylla</i> (L.) Hallier f.	242
talbotianum Brandis	495	<i>quinquefolia</i> (L.) Hallier f.	242

<i>rhyncorhiza</i> (Dalzell) Hallier f.	242	<i>sarmentosus</i> (Willd.) DC.	165
<i>tridentata</i> (L.) Hallier f.	254	<i>secundus</i> C.B. Clarke	165
subsp. <i>hastata</i> (Hallier f.) Ooststr.	255	Microstachys A. Juss.	336
<i>turpethum</i> (L.) Rendle	253	<i>chamaelea</i> (L.) Mull. Arg.	336
<i>umbellata</i> (L.) Hallier f.	240	<i>mercurialis</i> (L.) Dalzell & A. Gibson	336
<i>vitifolia</i> (Burm. f.) Hallier. f.	240	Microstegium Nees	639
<i>Mesosphaerum suaveolens</i> (L.) Kuntze	359	<i>ciliatum</i> (Trin.) A. Camus	639
<i>Mespilus japonica</i> Thunb.	683	<i>Microstylis densiflora</i> (A. Rich.) Alston	546
<i>Messerschmidia hispida</i> Benth.	199	<i>luteola</i> Wight	546
Mesua L.	207	<i>resupinata</i> (G. Forst.) Drake	534
<i>ferrea</i> L.	207	<i>rheedei</i> (Sw.) Lindl.	534
<i>nagana</i> Gardner	207	<i>versicolor</i> Wight	546
<i>nagassarium</i> (Burm. f.) Kosterm.	207	<i>versicolor</i> Lindl.	546
<i>thwaitesii</i> sensu	207	var. <i>luteola</i> (Wight) Hook. f.	546
Meteoromyrtus Gamble	514	<i>wallichii</i> Lindl.	534
<i>wynaadensis</i> (Bedd.) Gamble	514	Microtropis Wall. ex Meisn.	219
<i>Metrosideros citrina</i> Curtis	512	<i>latifolia</i> Wight ex M. A. Lawson	219
Meyenia Nees	42	<i>stocksii</i> Gamble	219
<i>erecta</i> Benth.	53	<i>wallichiana</i> Wight ex Thwaites	219
<i>hawtayneana</i> (Wall.) Nees	42	<i>Miegia maritima</i> (Aubl.) Willd.	296
<i>Meyera fluctuans</i> (Lour.) Spreng.	154	Mikania Willd., nom. cons.	166
Meyna Roxb. ex Link	695	<i>artemisioides</i> Cass.	156
<i>laxiflora</i> Robyns	695	<i>cordata</i> (Burm. f.) B. L. Rob.	166
Mezoneuron Wight & Arn.	392	var. <i>indica</i> Kitam.	166
<i>cucullatum</i> (Roxb.) Wight & Arn.	392	<i>micrantha</i> Kunth	166
<i>Michelia champaca</i> L.	473	<i>scandens</i> auct. non (L.) Willd.	166
<i>nilagirica</i> Zenker	474	<i>volubilis</i> (Vahl) Willd.	166
<i>Micranthus dorsiflorus</i> (Retz.) C. E. C. Fisch.	43	<i>Milium arundinaceum</i> J. Koenig ex Steud.	643
<i>oppositifolius</i> J. C. Wendl.	43	<i>bicolor</i> (L.) Cav.	656
<i>serpyllifolius</i> Roth	472	<i>cimicinum</i> L.	589
Micrargeria Benth.	559	<i>colonom</i> (L.) Moench	619
<i>wightii</i> Benth.	559	<i>compressum</i> Sw.	597
Microcarpaea R. Br.	586	<i>crus-galli</i> (L.) Moench	619
<i>minima</i> (K. D. Koenig ex Retz.) Merr.	586	<i>dactylon</i> (L.) Moench	610
<i>muscosa</i> R. Br.	586	<i>distichum</i> (L.) Muhl.	645
<i>spathulata</i> Hook.	566	<i>filiforme</i> Roxb.	615
<i>Microchaete corymbosa</i> Benth.	167	<i>globosum</i> Thunb.	632
Microchirita (C. B. Clarke) Yin Z. Wang	345, 768	<i>matrella</i> (L.) Poir. ex Steud.	665
<i>hamosa</i> (R. Br.) Yin Z. Wang	345	<i>orixense</i> Roxb. ex Hook. f.	626
<i>sahyadriensis</i> (Punekar & Lakshmin.) A. Weber & D. J. Middleton	345, 768	<i>paspalodes</i> (Michx.) Elliott	645
<i>Microchlaena quinquelocularis</i> Wight & Arn.	481	<i>radiatum</i> Rottler ex Hook. f.	615
Microchloa R. Br.	639	<i>tomentosum</i> J. Konig ex Rottler	616
<i>indica</i> (L. f.) P. Beauv.	639	<i>triracemosum</i> Roxb. ex Hook. f.	615
<i>setacea</i> (Roxb.) R. Br.	639	Miliusa Lesch. ex A. DC.	73, 762
<i>setacea</i> R. Br.	639	<i>eriocarpa</i> Dunn. ex Gamble	73
<i>thomaea</i> (L. f.) R. Br.	642	<i>gokhala</i> Ratheesh, Sujanalpal, Anil Kumar & Sivad.	73
Micrococca Benth.	336	<i>horsfieldii</i> (Bennett) Baill. ex Pierre	74
<i>mercurialis</i> (L.) Benth.	336	<i>indica</i> Lesch. ex A. DC.	74
<i>Microcos paniculata</i> L.	483	var. <i>tomentosa</i> (Thwaites) Hook. f. & Thomson	74
<i>tomentosa</i> Roxb.	483	<i>leschenaultii</i> A. DC.	74
<i>Microelus roeperianus</i> (Decais.) Wight & Arn.	568	<i>longiflora</i> (Hook. f. f. & Thomson) Baill. ex Finet & Gagnep.	74
<i>Microlonchus divaricatus</i> DC.	167	<i>malnadensis</i> N. V. Page & Nerlekar	74, 762
<i>Micropera maculata</i> Dalzell	555	<i>montana</i> var. <i>tomentosa</i> Thwaites	74
<i>viridiflora</i> Dalzell	555	<i>nilagirica</i> Bedd.	74
<i>Micropiper pellucidum</i> (L.) Miq.	580	<i>sclerocarpa</i> (A. DC.) Kurz	74
<i>Micropteryx suberosa</i> (Roxb.) Walp.	427	<i>tectona</i> C. E. Parkinson	74
<i>Micropyxis pumila</i> (Sw.) Duby	674	<i>tomentosa</i> (Roxb.) J. Sinclair	74
<i>tenella</i> Wight	674	<i>velutina</i> (DC.) Hook. f. & Thomson	74
<i>Microrhynchus acaulis</i> (Roxb.) Kurz	164	<i>villosa</i> (G. Don) W. Theob.	74
<i>glabra</i> (DC.) Wight	164	<i>wightiana</i> Hook. f. & Thomson	74

Millettia Wight & Arn.	437	rubicaulis Lam.	392
<i>ovalifolia</i> Kurz	437	<i>rugata</i> Lam.	397
<i>pallida</i> (Dalzell & A.Gibson) Dalzell	427	<i>saman</i> Jacq.	386
peguensis Ali	437	<i>sinuata</i> Lour.	397
<i>pinnata</i> (L.) Panigrahi	440	<i>sirissa</i> Roxb.	386
<i>racemosa</i> (Roxb.) Benth.	427	<i>stipulacea</i> Roxb.	385
<i>thyrsiflora</i> Benth.	408	<i>suma</i> Roxb.	396
Millingtonia L. f.	189	<i>sundra</i> Roxb.	395
<i>arnottiana</i> Wight	717	<i>tomentosa</i> Rottler	402
hortensis L. f.	189	<i>torta</i> Roxb.	397
<i>pinnata</i> Roxb.	718	<i>triquetra</i> Vahl	393
<i>pungens</i> Wall. ex Wight & Arn.	718	<i>xylocarpa</i> Roxb.	402
<i>simplicifolia</i> Roxb.	718	Mimusops L.	727
<i>Milnea edulis</i> Roxb.	498	elengi L.	727
<i>roxburghiana</i> Wight & Arn.	498	var. <i>parvifolia</i> (R.Br.) H.J.Lam	727
<i>Mimom catechu</i> L.f.	395	<i>hexandra</i> Roxb.	726
Mimosa L.	392	<i>parvifolia</i> R.Br.	727
<i>alba</i> Rottler	401	<i>roxburghiana</i> Wight	726
<i>amara</i> Roxb.	385	Miquelia Meisn.	352
<i>arabica</i> Lam.	402	<i>courtallensis</i> Arn. & Nees	627
<i>bigemina</i> L.	387	dentata Bedd.	352
<i>caesia</i> L.	395	Mirabilis L.	519
<i>cassia</i> L.	396	jalapa L.	519
<i>catechuoides</i> Roxb.	395	viscosa Cav.	519
<i>chinensis</i> Osbeck	385	<i>Mirasolia diversifolia</i> Hemsl.	175
<i>chundra</i> Rottler	395	Misopates Raf.	586
<i>cineraria</i> L.	394	orontium (L.) Raf.	586
<i>cinerea</i> L.	390	<i>Missiessya wallichiana</i> Wedd.	740
<i>concinna</i> Willd.	397	<i>Mitopetalum bicornis</i> (Lindl.) Blume	556
<i>cornigera</i> L.f.	401	<i>wightii</i> Blume	556
diplotricha Sauvalle	392	Mitracarpus Zucc. ex Schultes & Schultes f.	695
<i>dulcis</i> Roxb.	394	hirtus (L.) DC.	695
<i>eburnea</i> L.f.	401	<i>verticillatus</i> (Schumach. & Thonn.) Vatke	695
<i>elata</i> Roxb.	386	<i>villosus</i> (Sw.) DC.	695
<i>entada</i> L.	390	Mitragyna Korth.	695
<i>farnesiana</i> L.	401	parvifolia (Roxb.) Korth.	695
<i>ferruginea</i> Roxb.	396	Mitrasacme Labill.	464
hamata Willd.	392	<i>alsinoides</i> R.Br.	464
<i>horrida</i> L.	401	var. <i>indica</i> (Wight) H. Hara	464
<i>intsia</i> L.	396	indica Wight	464
<i>invisa</i> C.Mart.	392	<i>malaccensis</i> Wight	464
<i>juliflora</i> Sw.	394	pygmaea R. Br.	464
<i>latisiliqua</i> L.	392	var. <i>malaccensis</i> (Wight) H. Hara	464
<i>latronum</i> L.f.	401	Mitreola L.	464
<i>lebbeck</i> L.	386	<i>oldenlandioides</i> Wall. ex A. DC.	464
<i>leucocephala</i> Lam.	391	petiolata (J.F.Gmel.) Torr. & A.Gray	464
<i>leucophloea</i> Roxb.	401	Mitrephora (Blume) Hook. f. & Thomson	75
<i>marginata</i> Lam.	385	grandiflora Bedd.	75
<i>monadelpha</i> Roxb.	387	Mnesithea Kunth	640
<i>mutabilis</i> Roxb.	392	<i>clarkei</i> (Hack.) de Koning & Sosef	607
<i>natans</i> L.f.	393	<i>exaltata</i> (L.) Skeels	641
<i>octandra</i> Roxb.	392	<i>granularis</i> (L.) de Koning & Sosef	629
<i>odoratissima</i> L. f.	386	laevis (Retz.) Kunth	640
<i>pedunculata</i> Roxb.	393	<i>perforata</i> (Roxb.) Haines	640
<i>pennata</i> L.	396	<i>Mnianthus zeylanicus</i> Walp.	665
<i>pernambucana</i> L.	390	<i>Mniopsis hookeriana</i> Tul.	665
prainiana Gamble	392	<i>johnsonii</i> Wight	666
<i>procera</i> Roxb.	386	<i>Moacurra gelonioides</i> Roxb.	300
<i>prostrata</i> Lam.	393	<i>Modecca bracteata</i> Lam.	267
pudica L.	392	<i>palmata</i> Lam.	564
<i>pulchella</i> Roxb.	385	<i>Moghania bracteata</i> (Roxb.) H.L.Li	429

<i>fruticulosa</i> (Benth.) Mukerjee	429	<i>Monarda zeylanica</i> Burm.f.	354
<i>gracilis</i> Mukerjee	428	<i>Mondo intermedium</i> (D.Don) L.H.Bailey	134
<i>grahamiana</i> (Wight & Arn.) Kuntze	428	<i>japonicum</i> var. <i>griffithii</i> (Baker) Farw.	134
<i>involutrata</i> (Benth.) Kuntze	428	var. <i>intermedium</i> (D.Don) Farw.	134
<i>latifolia</i> (Benth.) Mukerjee	428	var. <i>wallichianum</i> (Kunth) Farw.	134
<i>lineata</i> (L.) Kuntze	428	<i>wallichianum</i> (Kunth) L.H.Bailey	134
<i>nilgheriensis</i> (Baker) H.L.Li	429	<i>Monechma</i> Hochst.	37
<i>semialata</i> (W.T.Aiton) Mukerjee	428	<i>Monerma radicans</i> (Steud.) Hack.	637
var. <i>viridis</i> (Kurz) Mukerjee	428	<i>repens</i> (J.R.Forst.) P.Beauv.	638
<i>sericans</i> (Kurz) Mukerjee	428	<i>Moniera floribunda</i> Kuntze	582
<i>strobilifera</i> (L.) J.St.-Hil. ex Kuntze	429	<i>hamiltoniana</i> Kuntze	583
<i>tuberosa</i> (Dalzell) Kuntze	429	<i>Monniera procumbens</i> (Mill.) Kuntze	585
<i>wallichii</i> (Wight & Arn.) Kuntze	428	<i>Monocera munroii</i> Wight	310
<i>wightiana</i> (Wight & Arn.) Mukerjee	429	<i>tuberculata</i> (Roxb.) Wight & Arn.	311
<i>Mogorium multiflorum</i> (Burm.f.) Lam.	525	<i>Monochilus affinis</i> Wight	557
<i>pubescens</i> (Retz.) Lam.	525	<i>gracilis</i> (Breda) Lindl.	557
<i>sambac</i> (L.) Lam.	525	<i>longilabris</i> Lindl.	557
<i>triflorum</i> Lam.	523	<i>Monochoria hastata</i> (L.) Solms	672
<i>undulatum</i> (L.) Lam.	525	<i>hastifolia</i> C.Presl	672
<i>vimineum</i> Lam.	523	<i>plantaginea</i> (Roxb.) Kunth	672
Molineria Colla	351	<i>vaginalis</i> (Burm.f.) C.Presl	672
<i>capitulata</i> (Lour.) Herb.	351	var. <i>plantaginea</i> (Roxb.) Solms	672
<i>finlaysoniana</i> Baker	351	<i>Monogynella reflexa</i> (Roxb.) Holub	241
<i>leptostachya</i> (Wight) Abeyw.	351	<i>Monolophus elegans</i> Wall.	759
<i>trichocarpa</i> (Wight) N.P.Balabr.	351	<i>scaposus</i> (Nimmo) Dalzell	757
Molluginaceae	505	Monoon Miq.	75
Mollugo L.	505	<i>coffeoides</i> (Thwaites ex Hook f. & Thomson) B. Xue	
<i>cerviana</i> (L.) Ser.	505	& R. M. K. Saunders	75
<i>disticha</i> (L.) Ser.	505	<i>fragrans</i> (Dalzell) B.Xue & R.M.K.Saunders	75
<i>hirta</i> Thunb.	505	<i>longifolium</i> (Sonn.) B. Xue & R. M. K. Saunders	75
<i>lotoides</i> (L.) Kuntze	505	<i>Monosis wightiana</i> DC.	176
<i>nudicaulis</i> Lam.	505	Monstera Adans.	109
<i>oppositifolia</i> L.	505	<i>caudata</i> (Roxb.) Schott	108
<i>pentaphylla</i> L.	505	<i>decursiva</i> (Roxb.) Schott	110
<i>spergula</i> L.	505	<i>deliciosa</i> Liebm.	109
<i>stricta</i> L.	505	<i>officinalis</i> (Roxb.) Schott	111
<i>Molubda scandens</i> (L.) Raf.	587	<i>pertusa</i> (Roxb.) Schott	110
Momordica L.	265	Montanoa La Llave & Lex.	166
<i>charantia</i> L.	265	<i>bipinnatifida</i> (Kunth) K. Koch	166
var. <i>B</i> L.	265	<i>elegans</i> K.Koch	166
var. <i>muricata</i> (Willd.) Chakrav.	265	<i>heracleifolia</i> Brongn. ex Groenl.	166
<i>cochinchinensis</i> (Lour.) Spreng.	265	<i>hibiscifolia</i> Benth.	166
<i>cylindrica</i> L.	265	<i>pyramidata</i> Sch.Bip. ex Sch.Bip.	166
<i>cymbalaria</i> Fenzl ex Naudin	265	<i>Monticalia corymbosa</i> (Benth.) C.Jeffrey	167
<i>denudata</i> (Thwaites) C.B. Clarke	265	Moonia Arn.	167
<i>dioica</i> Roxb. ex Willd.	266	<i>arnottiana</i> Wight	167
var. <i>denudata</i> Thwaites	265	<i>Moorochloa eruciformis</i> (Sm.) Veldkamp	600
<i>indica</i> L.	265	Moraceae	506
<i>lanata</i> Thunb.	259	<i>Moraea chinensis</i> (L.) Thunb.	352
<i>macrophylla</i> Gage	265	<i>Morgania juncea</i> Spreng.	583
<i>mixta</i> Roxb.	265	<i>rotundifolia</i> Spreng.	462
<i>monadelpha</i> Roxb.	260	Morinda L.	696
<i>muricata</i> Willd.	265	<i>angustifolia</i> Roth	696
<i>renigera</i> Wall. ex G. Don	266	<i>aspera</i> Wight & Arn.	696
<i>roxburghii</i> G.Don	266	<i>bracteata</i> Roxb.	696
<i>sativa</i> Roxb. ex Wight & Arn.	262	<i>chachuca</i> Buch.-Ham.	696
<i>subangulata</i> Blume	266	<i>citrifolia</i> L.	696
subsp. <i>renigera</i> (Wall. ex G. Don) W.J.de Wilde	266	var. <i>bracteata</i> Kurz	696
<i>triloba</i> Wight	266	var. <i>elliptica</i> Hook.f.	696
<i>tuberosa</i> (Roxb.) Cogn.	265	<i>coreia</i> Buch.-Ham.	696
<i>wallichii</i> Roem.	266	var. <i>stenophylla</i> (Spreng.) Chandrab.	696

var. <i>tomentosa</i> (Hook.f.) R.R.Fernandez	696	brownii Nandikar & Gurav	232
<i>elliptica</i> (Hook.f.) Ridl.	696	crocea (Griff.) Faden	232
<i>exserta</i> Roxb.	696	subsp. crocea	232
<i>mudia</i> Buch.-Ham.	696	subsp. ochracea (Dalzell) Faden	232
<i>multiflora</i> Roxb.	696	dimorpha (Dalzell) G.Brückn.	233
<i>nodosa</i> Buch.-Ham.	696	edulis (Stokes) Faden	233
pubescens Sm.	696	esculenta (Wall. ex C.B.Clarke) R.S.Rao & Kammathy	233
<i>tinctoria</i> Noronha	696	gigantea (Vahl) G.Brückn.	233
<i>tinctoria</i> Roxb.	696	japonica (Thunb.) Faden	233
var. <i>aspera</i> (Wight & Arn.) Hook.f.	696	<i>juncoides</i> (Wight) R.S.Rao & Kammathy	235
var. <i>multiflora</i> (Roxb.) Hook.f.	696	<i>koenigii</i> (Wall. ex C.B.Clarke) G.Brückn.	234
var. <i>tomentosa</i> (Roxb.) Hook.f.	696	lanceolata (Wight) Kammathy	234
<i>tomentosa</i> B.Heyne ex Roth	696	lanuginosa (Wall. ex C.B.Clarke) G.Brückn.	234
umbellata L.	696	loriformis (Hassk.) R.S.Rao & Kammathy	234
Moringa Adans.	510	<i>loureiroi</i> (Hance) R.S.Rao & Kammathy	233
oleifera Lam.	510	<i>malabarica</i> (L.) G.Brückn.	234
<i>pterygosperma</i> Gaertn.	510	var. <i>compressa</i> (Dalzell) Santapau & S.K.Jain	234
Moringaceae	510	var. <i>terminalis</i> (Wight) Santapau & S.K.Jain	234
<i>Morocarpus longifolius</i> (Burm.f.) Blume	740	<i>nimmoniana</i> (J.Graham ex C.B.Clarke) Bole & M.R.Almeida	235
Morus L.	510	nudiflora (L.) Brenan	234
alba L.	510	<i>ochracea</i> (Dalzell) G.Brückn.	232
indica L.	510	<i>paniculata</i> (Wall. ex C.B.Clarke) G.Brückn.	235
macroura Miq.	510	pauciflora (G.Brückn.) G.Brückn.	234
<i>papyrifera</i> L.	506	<i>scapiflora</i> (Roxb.) Royle	233
<i>Moschosma polystachyon</i> (L.) Benth.	355	semiteres (Dalzell) Santapau	235
<i>tenuiflorum</i> (L.) Heynh.	366	<i>siennea</i> (Blatt.) Raizada	234
Moullava Adans.	392	simplex (Vahl) Brenan	235
spicata (Dalzell) Nicolson	392	spirata (L.) G.Brückn.	235
Mucuna Adans.	437	vaginata (L.) G.Brückn.	235
atropurpurea (Roxb.) Wight & Arn.	437	versicolor (Dalzell) G.Brückn.	235
<i>hirsuta</i> Wight & Arn.	438	<i>wightii</i> R.S.Rao & Kammathy	234
<i>minima</i> Haines	438	zeylanica (C.B.Clarke) G.Brückn.	236
monosperma Wight	437	var. <i>longiscapa</i> (C.B.Clarke) Raizada	236
<i>nivea</i> (Roxb.) DC.	438	<i>Muricia cochinchinensis</i> Lour.	265
pruriens (L.) DC.	438	Murraya J. Koenig	715
var. <i>hirsuta</i> (Wight & Arn.) Wilmot-Dear	438	<i>exotica</i> L.	716
var. pruriens	438	koenigii (L.) Spreng.	715
var. <i>utilis</i> (Wall. ex Wight) L.H.Bailey	438	paniculata (L.) Jack.	716
<i>prurita</i> Wight	438	Musa L.	511
<i>utilis</i> Wight	438	× <i>champa</i> Baker	511
Muehlenbeckia Meisn.	669	× paradisiaca L.	511
platyclada (F.Muell.) Meisn.	669	× <i>sapientum</i> var. <i>champa</i> (Baker) Baker	511
<i>Muenteria lutea</i> (Benth.) Seem.	189	acuminata Colla	511
<i>Mukia leiosperma</i> (Wight & Arn.) Wight	261	balbisiana Colla	511
var. <i>triloba</i> (C.B.Clarke)	261	<i>bihai</i> L.	347
<i>maderaspatana</i> (L.) M.Roem.	261	<i>cavendishii</i> Lamb.	511
<i>rottleri</i> M.Roem.	261	<i>corniculata</i> Kurz	511
<i>scabrella</i> (L.f.) Arn.	261	<i>rosacea</i> Jacq.	511
<i>Muldera galeata</i> Miq.	581	<i>superba</i> Roxb.	511
<i>Munchausia speciosa</i> L.	470	Musaceae	511
Mundulea (DC.) Benth.	438	Mussaenda L.	696
sericea (Willd.) A.Chev.	438	<i>belilla</i> Buch.-Ham.	697
<i>suberosa</i> (DC.) Benth.	438	<i>dovinia</i> Buch.-Ham.	697
<i>Munnicksia laurifolia</i> Dennst.	54	erythrophylla Schumach. & Thonn.	696
Munronia Wight	500	<i>flavescens</i> Buch.-Ham.	697
pinnata (Wall.) W.Theob.	500	<i>formosa</i> L.	697
<i>wallichii</i> Wight	500	frondosa L.	697
Muntingia L.	510	var. <i>glabrata</i> Hook.f.	697
calabura L.	510	var. <i>hirsutissima</i> Hook.f.	697
Muntingiaceae	510	var. <i>laxa</i> Hook.f.	697
Murdannia Royle	232		

<i>fruticosa</i> L.	697	Naravelia Adans.	678
glabrata (Hook.f.) Hutch. ex Gamble	697	zeylanica (L.) DC.	678
hirsutissima (Hook.f.) Hutch. ex Gamble	697	<i>Nardus indica</i> L.f.	639
<i>ingrata</i> Wall. ex Hook.f.	697	<i>thomaea</i> L.f.	642
<i>lanceolata</i> (Forssk.) Spreng.	707	Naregamia Wight & Arn.	501
laxa (Hook.f.) Hutch. ex Gamble	697	alata Wight & Arn.	501
<i>macrophylla</i> Kurz	697	Naringi Adans.	716
philippica A.Rich.	697	crenulata (Roxb.) Nicolson	716
<i>splendida</i> Welw.	696	<i>Nasturtium indicum</i> (L.) DC.	202
<i>sumatrensis</i> B.Heyne ex Roth	697	<i>Nastus arundinaceus</i> (Retz.) Sm.	597
<i>tomentosa</i> Wight ex Hook.f.	697	<i>baccifera</i> (Roxb.) Raspail	639
<i>villosa</i> Schltdl. ex Hook.f.	697	<i>strictus</i> (Roxb.) Sm.	612
Mycetia Reinw.	697	<i>Nathusia swietenoides</i> (Roxb.) Kuntze	527
acuminata (Wight) Kuntze	697	<i>Nauclea cadamba</i> Roxb.	700
<i>Mygalurus bromoides</i> (L.) Link	664	<i>cordifolia</i> Roxb.	690
Myriophyllum L.	347	<i>elliptica</i> Dalzell & A.Gibson	700
<i>intermedium</i> auct non DC.	347	<i>missionis</i> Wall. ex G.Don	700
<i>oliganthum</i> (Wight & Arn.) F.Muell.	347	<i>oblongata</i> Miq. ex Hook.f.	700
<i>spathulatum</i> Blatter & Hallb.	347	<i>parvifolia</i> Roxb.	695
tuberculatum Roxb.	347	<i>purpurea</i> Roxb.	700
Myristica L.	512	<i>sterculiifolia</i> A.Rich. ex DC.	690
<i>aromatica</i> Lam.	512	<i>Nazia racemosa</i> auct. non Kuntze	661
<i>attenuata</i> Wall.	511	Neanotis W.H.Lewis	698
beddomei King	512	calycina (Wall. ex Hook.f.) W.H.Lewis	698
subsp. beddomei	512	carnosa (Dalzell) W.H.Lewis	698
subsp. sphaerocarpa W.J. de Wilde	512	<i>concanensis</i> P.Daniel & Vajr.	698
<i>canarica</i> Bedd. ex King	511	decipiens (Hook.f.) W.H.Lewis	698
<i>contorta</i> Warb.	512	<i>foetida</i> (Dalzell) W.H.Lewis	699
<i>dactyloides</i> sensu J.Sinclair	512	<i>hohenackeri</i> P.Daniel & Vajr.	699
<i>fatua</i> var. <i>magnifica</i> (Bedd.) Sinclair	512	<i>hutchinsonii</i> Deb & R.M.Dutta	698
fragrans Houtt.	512	indica (DC.) W.H.Lewis	698
magnifica Bedd.	512	var. <i>affinis</i> (Wight & Arn.) W.H.Lewis	698
malabarica Lam.	512	var. <i>deltoidea</i> (Wight & Arn.) W.H.Lewis	698
<i>officinalis</i> L.f.	512	lancifolia (Hook.f.) W.H.Lewis	698
Myristicaceae	511	latifolia Deb & R.M.Dutta	698
<i>Myrobalanus bellirica</i> Gaertn.	226	longiflora W.H.Lewis	698
<i>chebula</i> (Retz.) Gaertn.	227	monosperma (Wight & Arn.) W.H.Lewis	699
<i>Myrsine aurantiaca</i> Wall.	675	var. <i>tirunelvelica</i> A.N.Henry & Chandrab.	709
<i>capitellata</i> Wall.	676	montholonii (Hook.f.) W.H.Lewis	699
<i>wightiana</i> Wall. ex A. DC.	676	<i>paniculata</i> (L.) M.R.Almeida	701
Myrtaceae	512, 769	prainiana (Talbot) W.H.Lewis	699
<i>Myrtus caryophyllata</i> L.	515	<i>quadrilocularis</i> (Thwaites) W.H.Lewis	699
<i>cumini</i> L.	515	rheedei (Wight & Arn.) W.H.Lewis	699
<i>zeylanica</i> L.	517	ritchiei (Hook.f.) W.H.Lewis	699
Najas L.	349	subtilis (Miq.) Gaeverts ex Punekar & Lakshmin.	699
<i>dichotoma</i> Roxb.	349	tubulosa (G.Don) Mabb.	699
graminea Delile	349	wightiana (Wall. ex Wight & Arn.) W.H.Lewis	700
indica (Willd.) Cham.	349	Nechamandra Planch.	349
<i>lacerata</i> Rendle	349	alternifolia (Roxb. ex Wight) Thwaites	349
minor All.	349	<i>roxburghii</i> Planch	349
var. <i>indica</i> (Cham.) A.Braun	349	<i>Neesiella</i> Sreem.	23
<i>seminuda</i> Griff. ex Voigt	349	<i>echioides</i> (L.) Sreem.	24
<i>ternata</i> Roxb. ex Griff.	349	<i>longipedunculata</i> Sreem.	24
<i>Nama zeylanica</i> L.	350	<i>Nelipis bifida</i> (L.) Raf.	455
Nanooravia Kiran Raj & Sivad. (as 'Ravia')	640	<i>Nellica maderaspatana</i> Raf.	576
santapau (M.R.Almeida) Kiran Raj & Sivad.	640	Nelsonia R. Br.	43
Nanorrhinum Betsche	586	<i>campestris</i> R. Br.	43
incanum (Wall.) Betsche	586	canescens (Lam.) Spreng.	43
ramosissimum (Wall.) Betsche	586	<i>Neltuma glandulosa</i> (Torr.) Britton & Rose	394
Nanothamnus Thomson	167	<i>Nelumbium indicum</i> Poir.	518
sericeus Thomson	167	<i>rheedii</i> C.Presl	518

<i>speciosum</i> Willd.	518	<i>crispata</i> (Blume) Schltr. ex K.Schum. & Lauterb.	547
Nelumbo Adans.	518	crociformis (Zoll. & Moritzi) Seidenf.	547
<i>indica</i> Pers.	518	<i>discolor</i> (Blume) Schltr.	547
<i>nelumbo</i> (L.) H.Karst.	518	<i>hallbergii</i> Blatt. & McCann	547
nucifera Gaertn.	518	hispidula Blatt. & McCann	547
Nelumbonaceae	518	infundibulifolia Blatt. & McCann	547
<i>Nemodra elaeagnoides</i> A.Juss.	498	juliana (Roxb.) Schltr.	547
<i>Neobartlettia sordida</i> (Less.) R.M.King & H.Rob.	141	<i>monantha</i> Blatt. & McCann	547
Neocinnamomum H. Liu	382	plicata (Andrews) Schltr.	547
caudatum (Nees) Merrill	382	<i>prainiana</i> (King & Pantl.) Seidenf.	547
<i>Neodopsis decaryi</i> Jum.	119	Nesaea Comm. ex Kunth	470
<i>leptocheilos</i> Hodel	119	brevipes Koehne	470
Neolamarckia Bosser	700	lanceolata Koehne	470
cadamba (Roxb.) Bosser	700	prostrata (Buch.-Ham. ex Dillwyn) Suresh	471
Neolitsea (Benth. & Hook. f.) Merr.	382	Neuracanthus Nees	43
<i>cassia</i> (L.) Kosterm.	379	<i>lawii</i> Wight	43
<i>foliosa</i> (Nees) Gamble	382	sphaerostachyus (Nees) Dalzell	43
var. <i>caesia</i> (Meisn.) Gamble	382	tetragonostachyus Nees	43
scrobiculata (Meisn.) Gamble	382	subsp. trinervius (Wight) Bidgood & Brummitt	43
umbrosa (Nees) Gamble	382	<i>trinervius</i> Wight	43
var. <i>impunctata</i> (Meisn.) V. Singh & P. Singh	382	<i>Neuractis bidens</i> (Retz.) Veldkamp ex Mesfin	158
zeylanica (Nees & T. Nees) Merr.	383	Neurocalyx Hook.	700
Neonauclea Merr.	700	calycinus (R.Br. ex Benn.) Rob.	700
purpurea (Roxb.) Merr.	700	<i>capitata</i> Benth. ex Hook.f.	700
Neonotonia J. A. Lackey	438	<i>hookerianus</i> Wight	700
wightii (Wight & Arn.) J.A.Lackey	438	<i>wightii</i> Arn.	700
var. <i>coimbatorensis</i> (A.Sen) Karth.	438	<i>Neurocarpaea lanceolata</i> (Forssk.) R.Br.	707
<i>Neottia procera</i> Ker Gawl.	540	Neuropeltis Wall.	252
<i>Neowashingtonia filifera</i> (Linden ex André) Sudw.	125	<i>bracteata</i> Griff	252
<i>robusta</i> (H.Wendl.) A.Heller	125	<i>intermedia</i> Griff.	252
<i>Nepeta amboinica</i> L.f.	354	malabarica Van Ooster	252
<i>disticha</i> (L.) Blume	354	<i>ovata</i> Wall.	252
<i>indica</i> L.	354	racemosa Wall.	252
<i>indica</i> Burm.f.	361	Nicandra Adans.	731
<i>malabarica</i> L.	354	<i>indica</i> Roem. & Schult.	732
<i>Nephelium litchi</i> Cambess.	724	physalodes (L.) Gaertn.	731
<i>longana</i> Cambess.	723	<i>Nicodemia madagascariensis</i> (Lam.) R. Parker	202
<i>stipulaceum</i> Bedd.	724	<i>Nicolaia elatior</i> (Jack) Horan.	758
Neptunia Lour.	393	Nicotiana L.	731
<i>natans</i> (L.f.) Druce	393	plumbaginifolia Viv.	731
oleracea Lour.	393	tabacum L.	731
<i>plena</i> Lindl.	393	<i>Niebuhria biflora</i> (L.) Britten	166
<i>prostrata</i> (Lam.) Baill.	393	<i>oblongifolia</i> (Forssk.) DC.	214
triquetra (Vahl) Benth.	393	<i>Nilgiranthus asper</i> Santapau	51
<i>Nerissa multiflorus</i> (Martyn) Salisb.	67	<i>barbatus</i> (Nees) Bremek.	47
Nerium L.	95	<i>beddomei</i> Bremek.	47
<i>antidysentericum</i> L.	92	<i>campanulatus</i> (Wight) Bremek.	47
<i>caudatum</i> Roxb.	98	<i>ciliatus</i> (Nees) Bremek.	48
<i>coraea</i> Buch.-Ham. ex A.DC.	101	<i>circarensis</i> (Gamble) Bremek.	52
<i>coronarum</i> Jacq.	99	<i>decurrens</i> (Nees) Bremek.	49
<i>divaricatum</i> L.	99	<i>foliosus</i> (Wight) Bremek.	49
<i>indicum</i> Mill.	95	<i>heyneanus</i> (Nees) Bremek.	49
<i>odorum</i> Sol. ex Aiton	95	var. <i>fuscus</i> (C.B.Clarke) Bremek.	49
oleander L.	95	var. <i>neesii</i> Bremek.	49
<i>reticulatum</i> Roxb.	88	var. <i>viridis</i> (C.B.Clarke) Bremek.	49
<i>tinctorium</i> Roxb.	102	<i>lupulinus</i> (Nees) Bremek.	50
<i>tomentosum</i> (Roem. & Schult.) Roxb.	101	<i>meeboldii</i> (Craib) Bremek.	50
Nervilia Comm. ex Gaudich.	546	<i>membranaceus</i> (Talbot) Bremek.	50
aragoana Gaudich.	546	<i>neilgherrensis</i> (Bedd.) Bremek.	51
<i>biflora</i> (Wight) Schltr.	547	<i>papillosus</i> (T.Anderson) Bremek.	51
<i>carinata</i> (Roxb.) Schltr.	546	<i>perrottetianus</i> (Nees) Bremek.	52

<i>punctatus</i> (Nees) Bremek.	51	<i>lotus</i> var. <i>pubescens</i> Hook.f. & Thomson	520
<i>reticulatus</i> (Stapf) Bremek.	52	nouchali Burm.f.	520
<i>urceolaris</i> (Gamble) Bremek.	53	pubescens Willd.	520
<i>warreensis</i> auct. non Bremek.	51	<i>stellata</i> Willd.	520
<i>warreensis</i> (Dalzell) Bremek.	53	Nymphaeaceae	520
<i>Niligirianthus</i> Bremek.	46	Nymphoides Kuntze	504
<i>Nimmoia lawii</i> Wight	498	cristata (Roxb.) Kuntze	504
<i>Niota polyandra</i> Wight & Arn.	478	hydrophylla (Lour.) Kuntze	504
Nitrariaceae	518	indica (L.) Kuntze	504
<i>Nocca mollis</i> (Cav.) Jacq.	163	parvifolia Kuntze	505
<i>Nolina</i> Michaux	128	Oberonia Lindl.	547
<i>recurvata</i> (Lem.) Hemsl.	128	<i>arnottiana</i> Wight	549
<i>Nomaphila</i> Blume	36	bellii Blatt. & McCann	547
<i>pinnatifida</i> Dalzell	36	bicornis Lindl.	547
<i>Nomismia aurea</i> (Willd.) Wight & Arn.	442	brachyphylla Blatt. & McCann	548
<i>capitata</i> (Roth) Wight & Arn.	442	<i>brevifolia</i> (Hook.f.) Panigrahi	548
<i>Nonatelia acuminata</i> (Wight) Kuntze	694	<i>browneana</i> Thwaites ex Hook.f.	549
<i>capitulata</i> (Wight) Kuntze	694	brunoniana Wight	548
<i>jackiana</i> (Wight) Kuntze	694	chandrasekharanii V.J.Nair, V.S.Ramach. &	
<i>parvifolia</i> (Wight) Kuntze	695	R.Ansari	548
<i>venulosa</i> (Wight & Arn.) Kuntze	695	<i>denticulata</i> Wight	548
Nopalea Salm-Dyck	205	var. <i>brevifolia</i> (Hook.f.) S.Misra	548
cochenillifera (L.) Salm-Dyck	205	var. <i>iridifolia</i> (Roxb.) S.Misra	548
Normanbya F.Muell ex Becc.	121	ensiformis (Sm.) Lindl.	548
<i>merrillii</i> Becc.	114	falconeri Hook.f.	548
normanbyi (W.Hill) L.H.Bailey	121	<i>iridifolia</i> Lindl.	548
<i>Nortenia thouarsii</i> Cham. & Schltdl.	463	var. <i>brevifolia</i> Hook.f.	548
<i>Norysca mysurensis</i> (Wall. ex Wight & Arn.) Wight	350	var. <i>denticulata</i> Hook. f.	548
Nothapodytes Blume	352	josephi C.J.Saldanha	548
<i>foetida</i> (Wight) Sleumer	352	<i>lindleyana</i> Wight	549
nimmoniana (J.Graham) Mabb.	352	<i>lingmalensis</i> Blatt. & McCann	549
Nothopodia Blume	69	mucronata (D.Don) Ormerod & Seidenf.	548
beddomei Gamble	69	orbicularis Hook.f.	548
colebrookiana (Wight) Blume	69	<i>parvula</i> King & Pantl.	549
<i>dalzellii</i> Gamble	70	proudlockii King & Pantl.	548
var. <i>angustifolia</i> Gamble	70	<i>rangannana</i> Kesh.Murthy, S.N.Yogan. & K.Vasudeva	548
heyneana Gamble	69	recurva Lindl.	549
racemosa (Dalzell) Ramamoorthy	70	var. <i>lingmalensis</i> (Blatt. & McCann) Santapau &	
travancorica Bedd. ex Hook. f.	70	Kapadia	549
Nothosaerva Wight	64	santapau Kapadia	549
brachiata (L.) Wight	64	<i>sedgwickii</i> Blatt. & McCann	548
<i>Notocles indica</i> (L.) Salisb.	224	<i>smisrae</i> Panigrahi	548
<i>Notonia</i> DC.	162	<i>spiralis</i> Blatt. & McCann	549
<i>balsamica</i> Dalzell & A. Gibson	163	tenuis Lindl.	549
<i>corymbosa</i> DC.	163	<i>trilobata</i> Griff.	548
<i>grandiflora</i> DC.	163	<i>umbonata</i> Blatt. & McCann	547
<i>wightii</i> Wight & Arn.	438	verticillata Wight	549
<i>Notylia planifolia</i> (Jacks. ex Andrews) Conz.	557	var. <i>longibracteata</i> Blatt. & McCann	549
Nyctaginaceae	518	wightiana Lindl.	549
<i>Nyctago jalapae</i> (L.) DC.	519	var. <i>arnottiana</i> (Wight) R.Ansari, N.C.Nair &	
Nyctanthes L.	526	V.J.Nair	549
arbor-tristis L.	526	var. <i>nilgirensis</i> R.Ansari, N.C.Nair & V.J.Nair	549
<i>multiflora</i> Burm. f.	525	zeylanica Hook.f.	549
<i>pubescens</i> Retz.	525	Ochlandra Thwaites	640
<i>sambac</i> L.	525	<i>brandisii</i> Gamble	640
<i>triflora</i> Burm.f.	523	<i>rheedii</i> (Steud.) Benth. & Hook.f. ex Gamble	640
<i>undulatum</i> L.	525	scriptoria (Dennst.) C.E.C.Fisch.	640
<i>viminea</i> Retz.	523	talbotii Brandis	640
<i>Nyctanthus angustifolium</i> L.	523	travancorica (Bedd.) Gamble	640
<i>Nycterisition lanceolatum</i> Blume	725	var. <i>hirsuta</i> Gamble	640
Nymphaea L.	520	wightii (Munro) C.E.C.Fisch.	640

<i>Ochlopoa annua</i> (L.) H.Scholz	648	<i>verticillatum</i> B.Heyne ex Hook.f.	365
Ochna L.	520	<i>villosum</i> Roxb.	366
<i>beddomei</i> Gamble	520	<i>viridiflorum</i> Roth	366
<i>lanceolata</i> Sprengel	520	<i>viscosum</i> Roth	358
<i>obtusata</i> DC.	520	<i>zeylanicum</i> Medik.	366
var. gamblei (King ex Brandis) Kanis	520	Ocotea Aubl.	383
var. obtusata	520	<i>lanceolata</i> (Nees) Nees	383
<i>serrulata</i> (Hochst.) Walp.	520	lancifolia (Schott) Mez	383
<i>squarrosa</i> auct non L.	520	<i>ligustrina</i> Nees	383
<i>wightiana</i> Wall. ex Wight . Arn.	520	<i>Odina wodier</i> Roxb.	69
Ochnaceae	520	<i>Odollamia malabarica</i> Raf.	86
Ochreinauclea Ridsdale & Bakh.f.	700	<i>Oeceoclades tenera</i> Lindl.	556
missionis (Wall. ex G.Don) Ridsdale	700	<i>Oedera trinervia</i> Spreng.	157
<i>Ochrocarpos longifolius</i> Benth. & Hook.f. ex T.Anderson	207	<i>Oenocarpus regius</i> (Kunth) Spreng.	123
Ocimum L.	365	Oenothera L.	528
<i>adscendens</i> Wight ex Hook.f.	358	<i>octovalvis</i> Jacq.	528
<i>adscendens</i> Willd.	365	rosea L'Hér. ex Aiton	528
<i>album</i> Roxb.	365	<i>Ogiera ruderalis</i> (Sw.) Griseb.	153
americanum L.	365	<i>Oianthus</i> Benth.	92
<i>anisatum</i> Benth.	365	<i>beddomei</i> Hook. f.	92
<i>asperum</i> Roth	368	<i>disciflorus</i> Hook.f.	92
<i>barrelieri</i> Roth	365	<i>urceolatus</i> (Dalzell) Benth.	92
basilicum L.	365	Olacaceae	521
<i>bengalense</i> Poir.	371	Olax L.	521
<i>canum</i> Sims	365	imbricata Roxb.	521
<i>capitatum</i> Roth	367	scandens Roxb.	521
<i>capitellatum</i> L.f.	367	<i>wightiana</i> Wall. ex Wight & Arn.	521
<i>caryophyllatum</i> Roxb.	365	Oldenlandia L.	701, 772
<i>ciliare</i> B.Heyne ex Hook. f.	365	affinis (Roem. & Schult.) DC.	701
<i>coetsa</i> (Buch.-Ham. ex D.Don) Spreng.	359	<i>alata</i> J.König ex Roxb.	701
<i>cordifolium</i> Buch.-Ham. ex D.Don	369	<i>arenaria</i> Haines	703
<i>cristatum</i> Buch.-Ham. & J.Koenig ex Roxb.	365	<i>articularis</i> (R.Br. ex G.Don) Gamble	690
<i>dichotomum</i> Hochst. ex Benth.	365	<i>aspera</i> (B.Heyne ex Roth) DC.	694
<i>diffusum</i> Benth.	358	attenuata (Willd.) M.R.Almeida	701
filamentosum Forssk.	365	auricularia (L.) K.Schum.	701
<i>flaccidum</i> A.Rich.	367	biflora L.	701
<i>glaucum</i> B.Heyne ex Hook.f.	358	<i>brachiata</i> (Wight) Hook.f.	701
gratissimum L.	366	brachypoda DC.	701
var. <i>suave</i> (Willd.) Hook.f.	366	<i>caerulea</i> (Wight & Arn.)Gamble	691
<i>hadiense</i> Forssk.	369	corymbosa L.	702
<i>hirsutum</i> Benth.	366	var. corymbosa	702
<i>indicum</i> Roth	365	var. linearis (DC.) Verdc.	702
<i>inodorum</i> Burm.f.	366	<i>crystallina</i> Roxb.	703
kilimandscharicum Gürke	366	<i>dichotoma</i> (J.Koenig ex Roth) Hook.f.	701
<i>maypurens</i> Roth	369	<i>dichotoma</i> Roxb. ex Wight & Arn.	702
<i>menthoides</i> B.Heyne ex Roth	358	diffusa (Willd.) Roxb.	702
<i>mollissimum</i> Wall. ex Hook.f.	367	var. <i>extensa</i> Hook.f.	702
<i>monachorum</i> L.	366	var. <i>polygonoides</i> Hook.f.	702
<i>polystachyon</i> L.	355	<i>digyna</i> Retz.	745
<i>pubescens</i> Bojer ex Benth.	365	erecta (Manilal & Sivar.) R.R.Mill	702
<i>robustum</i> B.Heyne ex Hook.f.	366	<i>glabella</i> (R.Br. ex Bedd.) Kuntze	691
<i>rubicundum</i> Buch.-Ham. ex D.Don	367	<i>gracilis</i> (Wall.) Hook.f.	694
<i>sanctum</i> L.	366	<i>graminifolia</i> (L.f.) DC.	703
var. <i>hirsutum</i> (Benth.) Hook.f.	366	herbacea (L.) Roxb.	702
<i>scutellarioides</i> L.	370	<i>heynei</i> (R.Br. ex Wall.) G.Don	702
<i>subserratum</i> B.Heyne ex Hook.f.	366	<i>linearifolia</i> Wight & Arn.	701
tenuiflorum L.	366	<i>linearis</i> DC.	702
<i>thymiflorum</i> Roth	367	<i>maheshwarii</i> Santapau & Merchant	703
<i>thyrsiflorum</i> L.	365	<i>mysorensis</i> Wall. ex G.Don	699
<i>tuberosum</i> Roxb.	367	<i>nagporensis</i> Brace ex Haines	694
<i>urticifolium</i> Roth	366	<i>nitida</i> (Kurz) Gamble	691

<i>nudicaulis</i> Roth	702	<i>trichotoma</i> Wight & Arn.	344
ovatifolia (Cav.) DC.	702	<i>umbellata</i> C.B.Clarke	343
<i>paniculata</i> L.	701	Ophiopogon Ker-Gawl.	134
<i>pauciflora</i> Roxb. ex Wight & Arn.	702	<i>griffithii</i> (Baker) Hook.f.	134
prainiana (King) Elmer	703	<i>indicus</i> Wight	134
<i>pseudocorymbosa</i> (Bakh.f.) Raizada	702	intermedius D.Don	134
<i>puberula</i> G.Don	704	var. <i>gracilipes</i> Hook.f.	134
pumila (L.f.) DC.	703	var. <i>macranthus</i> Hook.f.	134
<i>pusilla</i> Rottler	701	var. <i>occidentalis</i> Hook.f.	134
<i>pygmaea</i> Kuntze	691	var. <i>parviflorus</i> Hook.f.	134
<i>radicans</i> Roxb. ex Wight & Arn.	701	var. <i>pauciflorus</i> Hook.f.	134
<i>ramosa</i> Roxb.	702	<i>japonicus</i> var. <i>intermedius</i> (D.Don) Maxim.	134
<i>repens</i> L.	688	var. <i>wallichianus</i> (Kunth) Maxim.	134
sedgwickii Blatt.	703, 772	<i>parviflorus</i> (Hook.f.) H.Hara	134
<i>shuteri</i> Hook.f.	703	<i>wallichianus</i> (Kunth) Hook.f.	134
stocksii Hook.f.	703	var. <i>pauciflorus</i> Hook.f.	134
stricta L.	703	Ophiorrhiza L.	704, 772
<i>stricta</i> (Sm.) Kuntze	702	brunonis Wight & Arn.	704
<i>talbotii</i> (N.P.Balakr.) M.R.Almeida	699	var. <i>hirsutior</i> Wight ex Hook.f.	704
tenelliflora (Blume) Kuntze	703	var. <i>johnsonii</i> Hook.f.	704
trinervia Retz.	703	codyensis Gamble	704, 772
<i>tubulosa</i> G.Don	699	<i>harrisiana</i> B.Heyne ex Hook.f.	704
umbellata L.	704	hirsutula Wight ex Hook.f.	704
<i>wightii</i> Hook.f.	704	<i>lanceolata</i> Forssk.	707
Olea L.	527	<i>mitreola</i> L.	464
<i>attenuata</i> Wall. & G.Don	522	mungos L.	704
<i>bournei</i> Fyson	527	<i>prostrata</i> D.Don	704
dioica Roxb.	527	rugosa Wall.	704
<i>gardneri</i> Thwaites	527	var. prostrata (D.Don) Deb & Mondal	704
<i>glandulifera</i> Wall. ex G.Don	527	<i>Ophioxylon Belagaviense</i> Wight	97
<i>heyneana</i> Wall. ex DC.	527	<i>macrocarpum</i> Wight	97
<i>linocieroides</i> Wight	522	<i>neilgherrense</i> Wight	97
paniculata R. Br.	527	<i>serpentinum</i> L.	96
<i>pauciflora</i> Wall. ex G.Don	522	<i>zeylanicum</i> Wight	97
polygama Wight	527	Ophiuros C.F.Gaertn	641
<i>roxburghiana</i> Schult.in Roem. & Schult.	522	bombaiensis Bor	641
<i>roxburghii</i> Spreng.	522	<i>corymbosus</i> (L.f.) C.F. Gaertn.	641
Oleaceae	521	exaltatus (L.) Kuntze	641
Oligochaeta (DC.) K.Koch	167	<i>laevis</i> (Retz.) Benth.	640
ramosa (Roxb.) Wagenitz	167	<i>perforatus</i> (Roxb.) Trin.	640
<i>Oligopholis tubulosa</i> Wight	559	<i>radicans</i> Steud.	637
Onagraceae	527	Ophrestia H.M.L.Forbes	439
<i>Oncorhiza esculentus</i> (Lour.) Pers.	302	pentaphylla (Dalzell) Verdc.	439
<i>Oncus esculentus</i> Lour.	302	<i>Ophrys lancea</i> Thunb. ex Sw.	544
<i>Onychium flavescens</i> Blume	552	<i>nervosa</i> Thunb.	545
Operculina S. Manso	253	Opilia Roxb.	529
<i>aegyptia</i> (L.) House	242	amentacea Roxb.	529
<i>dissecta</i> (Jacq.) House	242	Opiliaceae	528
<i>kentrocaulos</i> Hallier f.	242	Oplismenus P. Beauv.	641
<i>pentaphylla</i> (L.) House	242	burmannii (Retz.) P. Beauv.	641
turpethum (L.) S. Manso	253	<i>colonus</i> (L.) Kunth	619
var. <i>humilior</i> (Haines) K.K.Khanna	253	compositus (L.) P. Beauv.	641
<i>Ophelia alba</i> Wight & Arn.	343	<i>crus-galli</i> (L.) Dumort.	619
<i>corymbosa</i> Griseb.	343	<i>frumentaceus</i> (Link) Kunth	619
<i>densifolia</i> Griseb.	343	<i>hirtellus</i> subsp. <i>undulatifolius</i> (Ard.) U. Scholz	641
<i>elegans</i> Wight	343	<i>indicus</i> Duthie	641
<i>grisebachiana</i> Wight	343	<i>pictus</i> (J.Koenig) Kunth	619
<i>lawii</i> Wight & Arn.	344	<i>semialatus</i> (R.Br.) Desv.	590
<i>multiflora</i> Dalzell	343	<i>stagninus</i> (Retz.) Kunth	620
<i>pauciflora</i> Dalzell	343	<i>tomentosus</i> (Roxb.) Schult.	654
<i>pulchella</i> D.Don	343	undulatifolius (Ard.) P.Beauv.	641

Opuntia Mill.	205	<i>undulatifolius</i> (Ard.) Spreng.	641
<i>cochinellifera</i> (L.) Mill.	205	Orthosiphon Benth.	366
dillenii (KerGawler) Haw.	205	<i>asperus</i> (Roth) Benth. ex Sweet	368
elator (Willd.) Mill.	206	<i>diffusus</i> (Benth.) Benth.	358
ficus-indica (L.) Mill.	206	<i>glabratus</i> Benth.	367
<i>monacantha</i> (Willd.) Haw.	206	var. <i>parviflorus</i> (Benth.) Gamble	367
<i>nigricans</i> (Haw.) Haw.	206	<i>hispidus</i> Benth.	358
stricta (Haw.) Haworth	206	<i>inodorus</i> K.D.Koenig ex Hook.f.	366
var. <i>dillenii</i> (KerGawler) L.D.Benson	205	pallidus Royle ex Benth.	366
<i>vulgaris</i> Mill.	206	rubicundus (D.Don) Benth.	367
<i>Oraoma canarana</i> Trucz.	498	var. <i>canescens</i> Benth.	367
<i>Orbivestus cinerascens</i> (Sch.Bip.) H.Rob.	176	var. <i>hohenackeri</i> Hook.f.	367
Orchidaceae	529, 769	var. <i>macrocarpus</i> Prain	367
<i>Orchiodes procerum</i> (KerGawler) Kuntze	540	var. <i>mollissimus</i> Benth.	367
<i>Orchis clavata</i> B.Heyne ex Hook.f.	543	thymiflorus (Roth) Sleesen	367
<i>commelinifolia</i> Roxb.	541	<i>tomentosus</i> var. <i>glabratus</i> (Benth.) Hook.f.	367
<i>gigantea</i> Sm.	550	var. <i>parviflorus</i> Benth.	367
<i>mysorensis</i> B.Heyne ex Wall.	541	var. <i>rubiginosus</i> C.B.Clarke ex Hook.f.	367
<i>plantaginea</i> Roxb.	543	var. <i>viscosus</i> (Benth.) Hook.f.	367
<i>roxburghii</i> Pers.	543	<i>viscosus</i> Benth.	367
<i>strateumatica</i> L.	558	<i>Orthosporum ambrosioides</i> (L.) Kostel.	63
<i>stylosanthes</i> Buch.-Ham. ex Hook.f.	541	<i>Orygia decumbens</i> Forssk.	465
<i>tenuis</i> Rottler ex Wall.	543	<i>portulacifolia</i> Forssk.	738
<i>viridiflora</i> Rottler ex Sw.	544	Oryza L.	642
Oreocnide Miq.	742	<i>coarctata</i> Roxb.	649
frutescens (Thunb.) Miq.	742	<i>filiformis</i> Buch.-Ham. ex Steud.	642
integrifolia (Gaudich.) Miq.	742	glaberrima Steud.	642
<i>Oreodaphne lancifolia</i> (Schott) Nees	383	<i>granulata</i> Nees & Arn. ex G. Watt	642
<i>Oreodoxa regia</i> Kunth	123	<i>hexandra</i> (Sw.) Döll	636
Origanum L.	366	<i>indandamanica</i> J.L.Ellis	642
<i>benghalense</i> Burm.f.	370	<i>jeyporensis</i> Govindasw. & K.H.Krishnam.	642
<i>creticum</i> L.	366	latifolia Desv.	642
<i>indicum</i> Roth	370	<i>mexicana</i> (Kunth) Döll	636
<i>laxiflorum</i> Royle ex Benth.	366	meyeriana (Zoll. & Moritzzi) Baill.	642
<i>venosum</i> Willd. ex Benth.	366	<i>meyeriana</i> auct. non Baill.	642
vulgare L.	366	subsp. <i>granulata</i> (Nees & Arn. ex Watt.) Tateoka	642
<i>Ormocarpum umbellatum</i> (L.) Desv.	423	var. granulata (Nees & Arn. ex Watt.) Duist.	642
Ormosia Jacks.	439	var. <i>indandamanica</i> (J.L.Ellis) Veldkamp	642
travancorica Bedd.	439	<i>nivara</i> S.D.Sharma & Shastri	642
<i>Ornithidium imbricatum</i> (Lindl.) Wall. ex Hook.f.	552	<i>plena</i> (Prain) N.P.Chowdhury	642
<i>Ornithogalum indicum</i> Willd. ex Schult. & Schult.f.	129	rufipogon Griff.	642
<i>Ornitrophe serrata</i> Roxb.	722	sativa L.	642
Orobanchaceae	558, 769	subsp. <i>fatua</i> (Prain) De Wet	642
Orobanche L.	559	subsp. <i>rufipogon</i> (Griff.) De Wet	642
<i>acaulis</i> Roxb.	558	var. <i>abuensis</i> Watt	642
<i>aeginetia</i> L.	558	var. <i>bengalensis</i> Watt	642
cernua Loefl.	559	var. <i>coarctata</i> Watt	642
var. <i>nepalensis</i> DC.	559	var. <i>fatua</i> Prain	642
<i>pedunculata</i> Roxb	558	var. <i>latifolia</i> (Desv.) Döll	642
Oropetium Trin.	641	var. <i>plena</i> Prain	642
roxburghianum (Schult.) S.M. Phillips	641	var. <i>rufipogon</i> (Griff.) Watt	642
thomaeum (L.f.) Trin.	642	<i>triticoideus</i> Griff.	649
villosulum Stapf ex Bor	642	Osbeckia L.	496
Orophea Blume	75	aspera (L.) Blume	496
malabarica Sasidh. & Sivar.	75	brachystemon Naudin	496
sivarajanii Sasidh.	75	<i>courtallensis</i> Gamble	496
uniflora Hook.f. & Thomson	75	<i>cupularis</i> D.Don ex Wight & Arn.	497
zeylanica Hook.f. & Thomson	75	gracilis Bedd.	496
Oroxylum Vent.	189	<i>hispidissima</i> Wight	497
indicum (L.) Kurz	189	<i>kewensis</i> C.E.C.Fisch.	496
<i>Orthopogon stagninus</i> (Retz.) Spreng.	620	leschenaultiana DC.	496

<i>lineolata</i> Gamble	496	<i>Oxybaphus himalaicus</i> auct. non Edgew.	519
<i>minor</i> Triana	496	<i>viscosus</i> (Cav.) L'Hér. ex Choisy	519
muralis Naud.	496	Oxyceros Lour.	704
octandra (L.) DC.	496	rugulosus (Thwaites) Tirveng.	704
parvifolia Arn.	497	<i>Oxydectes aromatica</i> (L.) Kuntze	321
<i>rosea</i> Fyson	497	<i>caudata</i> (Geiseler) Kuntze	322
stellata Buch.-Ham. ex Ker Gawl.	497	<i>gibsoniana</i> (Nimmo) Kuntze	322
var. hispidissima (Wight) Hansen	497	<i>laccifera</i> (L.) Kuntze	322
<i>sublaevia</i> Cogn.	496	<i>oblongifolia</i> Kuntze	322
<i>truncata</i> D.Don ex Wight & Arn.	496	<i>pavana</i> (Buch.-Ham.) Kuntze	323
<i>truncata</i> D.Don ex Wight & Arn.	496	<i>ramiflora</i> (J.Graham) Kuntze	323
virgata D.Don ex Wight & Arn.	497	<i>reticulata</i> (Willd.) Kuntze	335
zeylanica L.f.	497	<i>rheedei</i> (J.Graham) Kuntze	323
<i>Osterdamia matrella</i> (L.) Kuntze	665	<i>tigilium</i> (L.) Kuntze	323
<i>tenuifolia</i> (Trin.) Kuntze	665	<i>variegata</i> (L.) Kuntze	321
<i>Ostodes integrifolia</i> Airy Shaw	337	<i>zeylanica</i> (Müll.Arg.) Kuntze	323
<i>zeylanica</i> (Thwaites) Müll.Arg.	337	Oxygonum Burch.	669
Osyris L.	720	sinuatum (Hochst. & Steud ex Meisn.) Dammer	669
<i>arborea</i> Wall. ex A. DC.	720	Oxystelma R. Br.	95
lanceolata Hochst. & Steud.	720	esculentum (L.f.) Sm.	95
<i>peltata</i> Roxb.	334	<i>secamone</i> (L.) H. Karst.	95
<i>quadripartita</i> Salzmann ex Decne.	720	<i>Oxytenanthera monadelphæ</i> (Thwaites) Alston	651
<i>wightiana</i> Wall. ex Wight	720	<i>monostigma</i> Bedd.	651
<i>Othonna tagetes</i> L.	173	<i>nigrociliata</i> (Buse) Munro	628
Otonephelium Radlk.	724	var. <i>hohenackeri</i> C.E.C.Fisch.	628
stipulaceum (Bedd.) Radlk.	724	<i>ritcheyi</i> (Munro) Blatt. & McCann	651
<i>Otosma aethiopica</i> (L.) Raf.	112	<i>stocksii</i> Munro	651
Ottelia Pers.	350	<i>thwaitesii</i> Munro	651
alismoides (L.) Pers.	350	<i>Pachira fastuosa</i> Decne.	489
<i>indica</i> (Willd.) Planch. ex Dalzell & A.Gibson	350	Pachygone Miers	503
Ottochloa Dandy	643	ovata (Poir.) Miers ex Hook. f. & Thomson	503
<i>malabarica</i> (L.) Dandy	637	<i>zeylanica</i> Sant. & Wagh	503
nodosa (Kunth) Dandy	643	<i>Pachyrhizus thunbergianus</i> Siebold & Zucc.	441
Ougeinia Benth.	439	<i>Pachysandra coriacea</i> Hook.	205
<i>dalbergioides</i> Benth.	439	Pachystoma Blume	550
oojeinensis (Roxb.) Hochr.	439	<i>hirsuta</i> (Joseph & Vajr.) Sath.Kumar & Manilal	550
<i>Ouratea angustifolia</i> (Vahl) Baill. ex Laness.	520	pubescens Blume	550
<i>Ouvirandra undulata</i> (Roxb.) Edgew.	102	<i>senile</i> (Lindl.) Rchb.f.	550
<i>Ovieda aculeata</i> (L.) Baill.	377	<i>wightii</i> Rchb.f.	550
<i>fragrans</i> (Vent.) Hitchc.	355	Paederia L.	705
<i>inermis</i> (L.) Burm.f.	377	foetida L.	705
<i>infortunata</i> (L.) Baill.	356	<i>prainii</i> Gand.	705
<i>mitis</i> L.	356	<i>valli-kara</i> Juss.	686
<i>verticillatum</i> Roxb. ex D.Don	356	<i>Paederota minima</i> K.D. Koenig ex Retz.	586
Oxalidaceae	561	<i>Pagiantha crispa</i> (Roxb.) Markgr.	98
Oxalis L.	561	<i>dichotoma</i> (Roxb.) Markgr.	99
acetosella L.	561	<i>heyneana</i> (Wall.) Markgr.	98
<i>apodiscias</i> Turcz.	561	Pajanelia DC.	190
articulata Savigny	562	longifolia (Willd.) K.Schum.	190
corniculata L.	562	<i>multijuga</i> (Wall.) DC.	190
<i>corymbosa</i> DC.	562	<i>rheedii</i> C.B.Clarke	190
debilis Kunth	562	<i>Palala attenuata</i> Kuntze	511
var. corymbosa (DC.) Lourteig	562	<i>fragrans</i> (Houtt.) Kuntze	512
dehradunensis Raizada	562	<i>magnifica</i> Kuntze	512
latifolia Kunth	562	<i>malabarica</i> (Lam.) Kuntze	512
<i>martiana</i> Zucc.	562	Palaquium Blanco	727
<i>nuda</i> Arn.	561	ellipticum (Dalzell) Baill.	727
<i>reinwardtii</i> Zucc.	561	<i>Palma dactylifera</i> (L.) Mill.	122
<i>rubra</i> A.St.-Hil.	562	<i>draco</i> (L.) Mill.	131
<i>sensitiva</i> L.	561	<i>Palmia bicolor</i> Endl. ex Dalzell & A.Gibson	243
violacea L.	562	<i>Palmijuncus huegelianus</i> (Mart.) Kuntze	117

<i>monoecus</i> (Roxb.) Kuntze	117	<i>colonom</i> L.	619
<i>rivalis</i> (Thwaites ex Trimen) Kuntze	116	<i>commutatum</i> (Schult.f.) Nees	614
<i>wightii</i> (Griff.) Kuntze	117	<i>compositum</i> L.	641
Pamburus Swingle	716	var. <i>paludosum</i> (Roxb.) Trimen	644
missionis (Wight) Swingle	716	<i>conjugatum</i> (P.J.Bergius) Roxb.	645
<i>Panax leschenaultii</i> DC.	112	<i>contractum</i> Wight & Arn. ex Nees	652
Pancratium L.	67	<i>costatum</i> Roxb.	654
<i>littorale</i> Jacq.	67	<i>courtallense</i> Nees & Wight ex Steud.	644
<i>malabathricum</i> Herb.	67	<i>cruscorvi</i> L.	619
parvum Dalzell	67	<i>crus-galli</i> L.	619
subsp. <i>malabaricum</i> (Baker) Traub	67	subsp. <i>colonom</i> (L.) K.Richt.	619
var. <i>malabaricum</i> Baker	67	subsp. <i>colonom</i> (L.) Makino & Nemoto	619
triflorum Roxb.	67	var. <i>colonom</i> (L.) Fiori	619
zeylanicum L.	67	var. <i>frumentaceum</i> (Link) Trimen	619
Pandanaceae	562, 770	var. <i>frumentaceum</i> (Roxb.) Trimen	619
Pandanus Parkinson	562, 770	var. <i>oryzoides</i> (Ard.) Fiori	619
amaryllifolius Roxb.	562	curviflorum Hornem.	643
<i>andamanensium</i> Kurz	563	<i>cuspidatum</i> Roxb.	619
canaranus Warb.	563, 770	<i>dactylon</i> L.	610
dubius Spreng.	563	<i>deccanense</i> Naik & Patunkar	643
<i>fascicularis</i> Lam.	563	<i>decompositum</i> var. <i>paludosum</i> (Roxb.) Trimen	644
<i>foetidus</i> Roxb.	562	<i>deflexum</i> Schumach.	600
var. <i>racemosus</i> Trimen	562	<i>difforme</i> Roth	611
furcatus Roxb.	563	<i>dimidiatum</i> L.	659
var. <i>indica</i> Kurz	563	<i>distachyon</i> L.	600
<i>inermis</i> Roxb.	563	<i>eruciforme</i> Sm.	600
kaida Kurz	563	<i>flavescens</i> auct. non Sw.	654
<i>leram</i> Kurz	563	<i>flavidum</i> Retz.	644
mangalorensis Nadaf & Zanan	563, 770	<i>fluitans</i> Retz.	645
<i>millore</i> Roxb.	563	<i>frumentaceum</i> Roxb.	619
<i>odoratissimus</i> L.f.	563	<i>garadei</i> Sundararagh. & Karthik.	644
odorifer (Forssk.) Kuntze	563	gardneri Thwaites	643
<i>sanderi</i> Sander	563	<i>geminatum</i> Forssk.	645
<i>spinifructus</i> Dennst.	563	<i>glaucescens</i> Lam.	643
tectorius Parkinson ex Du Roi	563	<i>glaucum</i> L.	646
var. <i>laevis</i> Warb.	563	var. <i>pumilum</i> (Poir.) Asch. & Graebn.	655
var. <i>sanderi</i> (Sander) B.C.Stone	563	<i>griffithii</i> Arn. ex Hook.f.	615
<i>thwaitesii</i> Martelli	562	<i>grossarium</i> L.	601
unipapillatus Dennst.	563	<i>heynii</i> Roth	643
<i>wallichianus</i> Martelli	562	<i>hirsutum</i> J.Koenig ex Roxb.	663
Pandorea (Endl.) Spach.	190	<i>holcoides</i> Roxb.	647
jasminoides (Lindl.) K.Schum.	190	<i>homonymum</i> Steud.	654
pandorana (Andrews) Steenis	190	<i>hordeoides</i> Lam.	647
Panicum L.	643	humile Steud.	643
<i>abludens</i> Roem. & Schult.	614	<i>humile</i> Thunb. ex Trin.	655
<i>accrescens</i> Trin.	611	<i>indicum</i> auct. non Mill.	652
<i>acutiglumum</i> Steud.	631	var. <i>angustum</i> (Trin.) Hook. f.	652
<i>americanum</i> L.	646	var. <i>brachiatum</i> Hook.f.	652
<i>amplexicaule</i> Rudge	631	var. <i>elatum</i> Hook.f.	652
antidotale Retz.	643	var. <i>pilosum</i> Hook.f.	652
auritum J. Presl ex Nees	643	var. <i>villosum</i> Hook.f.	652
<i>austro-asiaticum</i> Ohwi	655	<i>intermedium</i> (Roem. & Schult.) Roth	654
<i>barbatum</i> Roxb.	647	<i>interruptum</i> Willd.	652
brevifolium L.	643	<i>involucratum</i> Roxb.	646
<i>brizanthum</i> A.Rich.	600	<i>isachne</i> Roth	600
<i>brownianum</i> Wight & Arn. ex Steud.	616	<i>italicum</i> L.	654
<i>burmannii</i> Retz.	641	<i>javanicum</i> Poir.	663
<i>canarae</i> Steud.	645	<i>kunthianum</i> Wight & Arn. ex Steud.	632
var. <i>fimbriatum</i> Bor	645	<i>kurzii</i> Hook. f.	600
<i>ciliare</i> Retz.	615	<i>latifolium</i> auct. non L.	588
<i>cimicinum</i> (L.) Retz.	589	<i>leptochloa</i> Nees ex Steud.	595

<i>longipes</i> Wight & Arn. ex Hook. f.	610	<i>setigerum</i> Retz.	663
<i>malabaricum</i> (L.) Merr.	637	<i>simpliciusculum</i> Wight & Arn. ex Steud.	607
<i>marathense</i> Henrard	663	<i>spicatum</i> (L.) Roxb.	646
maximum Jacq.	643	<i>spinescens</i> R. Br.	650
miliaceum L.	644	<i>squarrosus</i> Retz.	661
<i>miliare</i> var. <i>hirtum</i> Hook.f.	644	<i>stagninum</i> Retz.	620
<i>miliiforme</i> J. Presl.	602	<i>subeglume</i> Trin.	616
<i>montanum</i> Roxb.	644	<i>subquadriparium</i> Trin.	602
<i>mucronatum</i> Roth	645	sumatrense Roth	644
<i>munroanum</i> Balansa	588	<i>supervacuum</i> C.B.Clarke	601
<i>muticum</i> Forssk.	601	<i>tenellum</i> Roxb.	643
<i>myosuroides</i> R. Br.	653	<i>tenellum</i> Griff.	643
<i>myuros</i> auct. non Lam.	631	<i>teneriffae</i> (L.f.) Spreng.	661
<i>natans</i> J.Koenig ex Trin.	644	<i>tenuissimum</i> Mart. ex Schrank	659
<i>nervosum</i> Roxb.	654	<i>ternatum</i> (Hochst. ex A.Rich.) Hochst. ex A.Rich.)	616
<i>nilagiricum</i> Steud.	601	<i>tomentosum</i> Roxb.	654
<i>nodosum</i> Kunth	643	<i>torreyanum</i> Wight & Arn. ex Steud.	616
notatum Retz.	644	<i>trigonum</i> Retz.	611
<i>orientale</i> (Rich.) Willd.	647	<i>trypheron</i> Schult.	643
<i>oryzoides</i> Ard.	619	<i>uncinatum</i> Raddi	650
<i>ovalifolium</i> Poir.	643	<i>undulatifolium</i> Ard.	641
<i>oxyphyllum</i> Hochst. ex Steud.	610	<i>vaginatum</i> (Sw.) Godr.	646
<i>pallide-fusum</i> Schumach.	655	<i>verticillatum</i> L.	655
<i>palmaefolium</i> J. Koenig	654	<i>villosus</i> auct. non Lam.	601
paludosum Roxb.	644	<i>violascens</i> (Link) Kunth	617
<i>panicoides</i> (P.Beauv.) Hitchc.	663	<i>virgatum</i> Roxb. ex Steud.	644
<i>paniculiferum</i> Steud.	654	<i>viride</i> L.	655
<i>paspaloides</i> Pers.	645	subsp. <i>italicum</i> (L.) Asch. & Graebn.	654
<i>patens</i> L.	610	var. <i>italicum</i> (L.) Backer	654
var. <i>latifolium</i> (Honda) Honda	611	<i>walense</i> Mez	643
<i>pictum</i> J. Konig	619	<i>wallichianum</i> Wight & Arn. ex Steud.	617
<i>pilipes</i> Nees & Arn. ex Buese	610	<i>wightianum</i> Arn. & Nees ex Nees	600
plenum Hitchc. & Chase	644	<i>wightii</i> Nees.	600
<i>plicatum</i> Willd.	654	<i>Panzeria sibirica</i> Steud.	361
<i>plicatum</i> Roxb.	655	Papaveraceae	564
var. <i>costatum</i> (Roxb.) Baker	654	Papilionanthe Schltr.	550
<i>polystachion</i> L.	647	<i>subulata</i> (Willd.) Garay	550
<i>procumbens</i> var. <i>setigerum</i> (Retz.) Nees	663	<i>Papilionopsis stylidioides</i> Steenis	432
<i>proliferum</i> auct. non Lam.	644	<i>Pappophorum elegans</i> Nees ex Steud.	621
var. <i>paludosum</i> (Roxb.) Stapf	644	<i>schimperianum</i> Hochst. ex A. Rich.	621
<i>prostratum</i> Lam.	601	<i>Papyrus auricomus</i> (Sieber ex Spreng.) Schrad.	275
var. <i>setigerum</i> (Retz.) Buse	663	<i>corymbosus</i> Nees	278
<i>psilopodium</i> Trin.	644	<i>dehiscens</i> Nees	278
var. <i>coloratum</i> Hook. f.	644	<i>elatus</i> Nees	275
<i>pumilum</i> Poir.	655	Paracalyx Ali	439
<i>punctatum</i> Burm. f.	645	<i>scariosus</i> (Roxb.) Ali	439
<i>pyramidale</i> Lam.	620	<i>Paracaryopsis coelestina</i> (Lindl.) R.R.Mill	193
<i>radicosum</i> J.Presl	616	<i>malabarica</i> (C.B.Clarke) R. R. Mill	193
<i>ramosum</i> L.	601	<i>Paracaryum coelestinum</i> (Lindl.) C.B.Clarke	193
var. <i>deflexum</i> (Schumach.) Peter	600	<i>malabaricum</i> C.B.Clarke	193
<i>remotum</i> Retz.	601	<i>Paracautleya bhatii</i> R.M.Sm.	756
repens L.	644	Paracrotan Miq.	337
var. <i>paludosum</i> (Roxb.) Kuntze	644	<i>integrifolius</i> (Airy Shaw) N.P.Balakr. & Chakrab.	337
<i>reptans</i> L.	601	<i>pendulus</i> (Hassk.) Miq.	337
<i>rhachitrichum</i> auct. non Hochst.	654	subsp. <i>zeylanicus</i> (Thwaites) N.P.Balakr. &	
<i>roxburghianum</i> Schult.	652	Chakrab.	337
<i>sanguinale</i> var. <i>ciliare</i> (Retz.) St.-Amans	615	Paraderris (Miq.) Geesink	439
<i>scabrum</i> subsp. <i>stagninum</i> (Retz.) A.Chev.	620	<i>canarensis</i> (Dalzell) Adema	439
<i>segetale</i> Roxb. ex Hook.f.	619	<i>Paraglycine pentaphylla</i> (Dalzell) F.J.Herm.	439
<i>semialatum</i> R. Br.	590	<i>Paramicrorhynchus procumbens</i> (Roxb.) Kirp.	165
<i>semiundulatum</i> Hochst. ex A. Rich.	601	Paramignya Wight	716

monophylla Wight	716	<i>granulare</i> Trin. ex Spreng.	614
<i>Parasympagis</i> Bremek.	46	<i>heterantherum</i> auct. non Nees & Meyen	614
<i>Paratropia capitata</i> Wight & Arn.	113	<i>longiflorum</i> Retz.	615
<i>venulosa</i> Wight & Arn.	113	<i>orbiculare</i> G.Forst.	646
<i>wallichiana</i> Wight & Arn.	113	<i>paspalodes</i> (Michx.) Scribn.	645
<i>Pardanthus chinensis</i> (L.) Ker Gawl.	352	<i>pedicellare</i> Trin. ex Hook. f.	614
Parietaria L.	742	<i>perrottetii</i> (Kunth) Hook.f.	616
<i>debilis</i> G.Forst.	742	<i>preslii</i> Kunth	615
<i>indica</i> L.	744	<i>punctatum</i> (Burm.f.) Stapf ex Ridl.	645
<i>microphylla</i> L.	743	<i>royleanum</i> Nees ex Hook. f.	616
<i>zeylanica</i> L.	744	<i>sanguinale</i> var. <i>ciliare</i> (Retz.) Hook. f.	615
<i>Parilium arbor-tristis</i> Gaertn.	526	var. <i>commutatum</i> (Schult.) Hook.f.	614
Parkia R. Br.	393	var. <i>extensum</i> Hook. f.	616
<i>biglandulosa</i> Wight & Arn.	393	var. <i>griffithii</i> Hook. f.	615
<i>pedunculata</i> (Roxb.) J.F.Macbr.	393	var. <i>pruriens</i> (Fisch. ex Trin.) Hook.f.	616
<i>roxburghii</i> G.Don	393	scrobiculatum L.	646
<i>timoriana</i> (DC.) Merr.	393	<i>semialatum</i> (R.Br.) Eyles	590
Parkinsonia L.	393	<i>ternatum</i> (Hochst. ex A.Rich.) Hook.f.	616
<i>aculeata</i> L.	393	<i>vaginatum</i> Sw.	646
Parmentiera DC.	190	Passiflora L.	564
<i>cereifera</i> Seem.	190	<i>alba</i> Link & Otto	565
Parnassia L.	219	<i>caerulea</i> L.	564
<i>mysorensis</i> H.Heyne ex Wight & Arn.	219	<i>calcarata</i> Mast.	565
Parochetus Buch.-Ham. ex D. Don	439	<i>edulis</i> Sims	564
<i>communis</i> D.Don	439	<i>foetida</i> L.	564
<i>major</i> D.Don	439	<i>leschenaultii</i> DC.	564
<i>oxalidifolius</i> Royle	439	<i>quadrangularis</i> L.	564
<i>Paronychia ficoidea</i> (L.) Desf.	58	<i>suberosa</i> L.	564
<i>lanata</i> Moench	57	<i>subpeltata</i> Ortega	565
<i>sessilis</i> (L.) Desf.	59	Passifloraceae	564
Parsonsia R. Br.	95	<i>Pastinaca candolleana</i> Wight & Arn.	78
<i>alboflavescens</i> (Dennst.) Mabb.	95	<i>glauca</i> Dalzell	78
<i>helicandra</i> Hook. & Arn.	95	<i>grandis</i> Dalzell & A.Gibson	78
<i>laevigata</i> (Moon) Alston	95	<i>rigens</i> Wight	78
<i>spiralis</i> Wall. ex G. Don	95	<i>sprengeliana</i> Wight	78
Parthenium L.	167	<i>Pauletia acida</i> (Korth.) Hassk.	404
<i>hysterophorus</i> L.	167	<i>acuminate</i> (L.) A.Schimtz	402
<i>Pascalina glauca</i> Ortega	177	<i>racemosum</i> (L.) A.Schimtz	403
Paspalidium Stapf	644	<i>tomentosa</i> (L.) A.Schimtz	403
<i>flavidum</i> (Retz.) A. Camus	644	<i>Paullinia asiatica</i> L.	717
<i>geminatum</i> (Forssk.) Stapf	645	Paulownia Seibold & Zucc.	565
<i>punctatum</i> (Burm.f.) A.Camus	645	<i>fortunei</i> (Seem.) Hemsl.	565
Paspalum L.	645	Paulowniaceae	565
<i>bicorne</i> Lam.	614	Pavetta L.	705
<i>canarae</i> (Steud.) Veldkamp	645	<i>amabilis</i> Bremek.	706
var. <i>fimbriatum</i> (Bor) Veldkamp	645	<i>assamica</i> Bremek.	706
<i>cartilagineum</i> J.S. Presl	646	<i>badullensis</i> Ridsdale	705
<i>chinense</i> Nees	617	<i>bengalensis</i> Bremek.	706
<i>ciliare</i> (Retz.) DC.	615	<i>blanda</i> Bremek.	705
<i>commersonii</i> Lam.	646	<i>bourdillonii</i> Sivad. & N.Mohanan	706
<i>compactum</i> Roth	645	<i>breviflora</i> DC.	705
var. <i>fimbriatum</i> Bor	645	var. <i>subcoriacea</i> Gamble	705
<i>compressum</i> (Sw.) Raspail	597	<i>brunonis</i> Wight	705
<i>conjugatum</i> P.J. Bergius	645	<i>canarica</i> Bedd.	712
<i>coromandelinum</i> Lam.	646	<i>chinensis</i> (Lam.) Roem. & Schult.	692
<i>dactylon</i> (L.) Lam.	610	<i>coccinea</i> (L.) Blume	692
<i>distichum</i> L.	645	<i>concanica</i> Bremek.	706
subsp. <i>paspalodes</i> (Michx.) Thell.	645	<i>crassicaulis</i> Repert. Spec. Nov. Regni Veg.	1.54166666666667 112.1934;B.D.Sharma et al.
subsp. <i>vaginatum</i> (Sw.) Maire	646	<i>erubescens</i> (Wall. ex G.Don) Miq.	692
var. <i>paspalodes</i> (Michx.) Thell.	645	<i>griffithii</i> Bremek.	706
var. <i>vaginatum</i> (Sw.) Griseb.	646		

hispidula Wight & Arn.	705	<i>Peltanthera solanacea</i> Roth	101
var. <i>siphonantha</i> (Dalzell) Hook.f.	706	Peltophorum (Vogel) Benth.	393
indica L.	705	africanum Sond.	393
subsp. <i>tomentosa</i> (Roxb. ex Sm.) Bennet	706	dasyrachis (Miq.) Baker	393
var. <i>glabra</i> Blatt. & Hallb.	705	dubium (Spreng.) Taub.	394
var. glabrescens (Kurz) Deb & Rout	706	<i>ferrugineum</i> (Decne.) Benth.	394
var. indica	706	pterocarpum (DC.) K. Heyne	394
var. <i>montana</i> Thwaites ex Hook.f.	705	<i>Peltophorus acuminatus</i> (Hack.) A. Camus	628
var. <i>polyantha</i> Hook.f.	706	<i>divergens</i> non A. Camus	629
var. tomentosa (Roxb. ex Sm.) Hook.f.	706	<i>myurus</i> (L.) Desv.	638
<i>laeta</i> Bremek.	706	<i>Peltopsis perfoliata</i> (L.) Raf.	673
<i>macrothyrsa</i> Teijsm. & Binn.	692	<i>Penicillaria involucrata</i> (Roxb.) Schult.	646
madrassica Bremek.	706	Pennisetum Pers.	646
<i>neglecta</i> Bremek.	706	<i>alopencuros</i> auct. non J. Jacq.	646
<i>nilagirica</i> Bedd.	712	<i>americanum</i> (L.) K. Schum.	646
<i>polyantha</i> (Hook.f.) Wall. ex Bremek.	706	<i>araneosum</i> Edgew.	647
<i>polyneura</i> Bremek.	706	<i>catabasis</i> Stapf & C.E. Hubb.	646
<i>praecox</i> Bremek.	706	<i>cenchroides</i> Rich. ex Pers.	603
<i>rothiana</i> DC.	706	var. <i>echinoides</i> (Hochst. & Steud.) Hook.f.	603
siphonantha Dalzell	706	<i>ciliare</i> (L.) Link	603
<i>stocksii</i> Bremek.	705	var. <i>setigerum</i> (Vahl) Leeke	603
<i>stricta</i> (Roxb.) Blume	692	<i>ciliares</i> Hook.f.	647
<i>thomsonii</i> Bremek.	705	<i>crus-galli</i> (L.) Baumg.	619
<i>tomentosa</i> Roxb. ex Sm.	706	glaucum (L.) R.Br.	646
var. <i>glabrescens</i> (Kurz) Bremek.	706	<i>griffithii</i> Munro ex Hook.f.	647
var. <i>roxburghii</i> (Kurz) Bremek.	706	hohenackeri Hochst. ex Steud.	646
travancorica Bremek.	706	<i>holcoides</i> (Roxb.) Schult.	647
<i>velutina</i> Wall.	706	hordeoides (Lam) Steud.	647
<i>villosa</i> B. Heyne ex Roth	706	<i>imberbe</i> Edgew.	647
<i>wightiana</i> Wall.	711	<i>lanatum</i> Ham. ex Wall.	647
Pavonia Ruiz	488	orientale Rich.	647
arabica Hochst. ex Steud.	488	<i>parviflorum</i> Trin.	655
<i>coxii</i> Tadul. & K.C. Jacob	489	pedicellatum Trin.	647
<i>glechomifolia</i> (A. Rich.) Garcke	489	<i>pennisetiforme</i> (Hochst. ex Steud.) Wipff	603
odorata Willd.	488	polystachion (L.) Schult.	647
<i>patens</i> (Andrews) Chiov.	489	purpureum Schumach.	647
procumbens (Wight & Arn.) Walp.	489	<i>setaceum</i> subsp. <i>orientale</i> (Rich.) Maire	647
zeylanica (L.) Cav.	489	var. <i>orientale</i> (Rich.) Maire	647
<i>Paxtonia rosea</i> Lindl.	555	<i>setosum</i> (Sw.) Rich.	647
Pecteilis Rafin.	550	<i>spicatum</i> Roem. & Schult.	646
gigantea (Sm.) Raf.	550	<i>typhoides</i> (Burm.f.) Stapf & C.E. Hubb.	646
Pedaliaceae	565	<i>typhoideum</i> Rich.	646
Pedaliium L.	565	villosum R.Br. ex Fresen.	647
murex L.	565	Pentacalia Cass.	167
Pedicularis L.	559	corymbosa (Benth.) Cuatrec.	167
zeylanica Benth.	559	<i>Pentagonia physalodes</i> (L.) Hiern	731
<i>Pedilanthus tithymaloides</i> (L.) Poit.	330	Pentanema Cass.	167
Peganum L.	518	cernuum (Dalzell) Ling	167
harmala L.	518	indicum (L.) Ling	167
<i>Pegia colebrookiana</i> Wight	69	<i>Pentapanax leschenaultii</i> (DC.) Seem.	112
<i>Peiranisia multijuga</i> (Rich.) Britton & Rose	399	<i>Pentapetesuberifolia</i> L.	489
<i>Pelidnia caerulea</i> (L.) Barnhart	456	Pentaphylacaceae	566
Peliosanthes Andrews	134	<i>Pentaptera arjuna</i> Roxb. ex DC.	226
<i>campanulata</i> Wall. ex Baker	134	<i>paniculata</i> Roxb.	227
<i>courtallensis</i> Wight	134	<i>tomentosa</i> Roxb. ex DC.	226
<i>humilis</i> Andrews	134	Pentas Benth.	707
teta Andrews	134	lanceolata (Forssk.) Deflers	707
subsp. humilis (Andrews) Jessop ex Gandhi	134	<i>Pentasachme fasciculata</i> (Buch.-Ham. ex Wight) M.R.	
<i>Pella ribesioides</i> Gaertn.	720	Almeida	100
Pellionia Gaudich.	742	<i>Pentatherum pilosulum</i> (Trin.) Tzvelev	589
heyneana Wedd.	742	Pentatropis Wight & Arn.	95

capensis (L.f.) Bullock	95	richardianus Wight	551
<i>microphylla</i> (Roxb.) Wight & Arn.	95	secundus (Lindl.) Rathakr.	551
<i>Pentstemon dichotoma</i> Griff.	463	spiralis A.Rich.	551
<i>paniculata</i> Griff.	460	<i>stenostachyus</i> (Lindl. ex Benth.) Kraenzl.	550
<i>Peperomia umbellata</i> (L.) Kostel.	581	<i>stocksii</i> (Hook.f.) Kraenzl.	544
Peperomia Ruiz & Pavon	579, 770	<i>Perlabia phoenicea</i> (Wight & Arn.) A.Schimtz	403
blanda (Jacq.) Kunth	579	<i>purpurea</i> (L.) A.Schimtz	403
<i>candolleana</i> Miq.	580	<i>variegata</i> (L.) A.Schimtz	404
<i>dindygulensis</i> Miq.	579	Perotis Aiton	648
<i>duclouxii</i> C.DC.	580	indica (L.) Kuntze	648
heyneana Miq.	580	var. <i>keelakaraiensis</i> P.Umam. & P.Daniel	648
meeboldii C.DC.	580, 770	<i>latifolia</i> Aiton	648
pellucida (L.) Kunth	580	<i>spicata</i> (L.) T.Durand & H.Durand	648
portulacoides (Lam.) Dieter.	580	Persea Mill.	383
<i>reflexa</i> (L.f.) A.Dietr.	580	americana Mill.	383
tetraphylla (G.Forst.) Hook. & Arn.	580	<i>camphora</i> (L.) Spreng.	379
<i>umbellata</i> (L.) Kunth	581	<i>cassia</i> (L.) Spreng.	379
wightiana Miq.	580	<i>glaucescens</i> (Wight) N.P. Singh	383
<i>Peplidium diandrum</i> (L.) Voigt	566	<i>lancifolia</i> Schott	383
<i>Peplis indica</i> Willd.	471	macrantha (Nees) Kosterm.	383
<i>Peramium procerum</i> (Ker Gawler) Makino	540	Persicaria (L.) Mill.	669
Pergularia L.	95	<i>auriculata</i> (Makino) Masam.	670
brunoniana (Wight & Arn.) D. Dietr.	95	<i>auriculata</i> (Meisn.) S.K.Dixit, Datt & G.P.Roy	670
daemia (Forssk.) Chiov.	96	barbata (L.) H.Hara	669
<i>extensa</i> (Jacq.) N.E. Br.	96	subsp. <i>stagnina</i> (Buch.-Ham. ex Meisn.) Soják	671
<i>minor</i> Andrews	99	var. <i>stagnina</i> (Buch.-Ham. ex Meisn.) Grierson	671
<i>odoratissima</i> (Roxb.) Wight	99	chinensis (L.) H. Gross	669
<i>pallida</i> (Roxb.) Wight & Arn.	99	decipiens (R.Br.) K.L.Wilson	669
<i>sinensis</i> Lour.	89	dichotoma (Blume) Masam.	669
<i>Perilepta</i> Bremek.	46	<i>flaccida</i> (Meisn.) H. Gross	671
<i>dyeriana</i> (Mast.) Bremek.	49	<i>flaccida</i> (Meisn.) Nakai ex Sasaki	671
<i>Periploca alboflavescens</i> Dennst.	95	glabra (Willd.) M.Gómez	669
<i>arborea</i> Dennst.	101	hydropiper (L.) Delarbre	670
<i>dubia</i> Burm.f.	88	subsp. <i>flaccida</i> (Meisn.) Munshi & Javeid	671
<i>emetica</i> Retz.	97	var. glabulosissima Gage	670
<i>esculenta</i> L.f.	95	var. hydropiper	670
<i>indica</i> L.	91	lanigera (R.Br.) Soják	670
<i>secamone</i> L.	97	<i>lapathifolia</i> var. <i>lanigera</i> (R.Br.) Chantar. & Tubtimtong	670
<i>spiralis</i> Wall. ex G. Don	95	minor (Huds.) Opiz	670
<i>sylvestris</i> Retz.	91	subsp. <i>decipiens</i> (R.Br.) Soják	669
<i>tunicata</i> Retz.	89	nepalensis (Meisn.) Miyabe	670
Peristrophe Nees	43	<i>peduncularis</i> (Wall. ex Meisn.) Nemoto	669
<i>baphica</i> (Spreng.) Bremek.	31	piripu (DC.) M.R.Almeida	670
bicalyculata (Retz.) Nees	43	pulchra (Blume) Soják	670
var. <i>rivinoidea</i> C.B.Clarke	31	<i>serrulata</i> (Lag.) Webb & Moq.	669
var. <i>subaequibracteata</i> Bennet	31	stagnina (Buch.-Ham. ex Meisn.) Qaiser	671
<i>montana</i> auct. non Nees	49	<i>viscosa</i> (Buch.-Ham. ex D.Don) H. Gross ex Nakai	671
<i>paniculata</i> (Forssk.) Brummitt	31	<i>Pervinca rosea</i> (L.) Gaterau	85
<i>tinctoria</i> auct. non Nees	31	<i>Perxo polystachyon</i> (L.) Raf.	355
Peristylus Blume	550	Petalidium Nees	43
affinis (D.Don) Seidenf.	550	barlerioides (Roth) Nees	43
aristatus Lindl.	550	<i>patulum</i> (Jacq.) Dalzell & A.Gibson	45
densus (Lindl.) Santapau & Kapadia	550	Petrea L.	746
<i>elatus</i> Dalzell	551	volubilis L.	746
<i>exilis</i> Wight	550	Petunia Juss.	731
gardneri (Hook.f.) Kraenzl.	551	hybrida Vilm.	731
goodyeroides (D.Don) Lindl.	551	violacea Lindl.	731
var. <i>affinis</i> (D.Don) T.Cooke	550	var. <i>hybrida</i> Hook.	731
lancifolius A.Rich.	551	Peucedanum L.	78
lawii Wight	551	dhana Buch.-Ham. ex C.B.Clarke	78
plantagineus (Lindl.) Lindl.	551		

var. dalzellii C.B.Clarke	79	<i>hispida</i> Choisy	249
var. dhana	79	<i>indica</i> (Burm.f.) R.C.Fang	247
<i>grande</i> C.B.Clarke	78	<i>insularis</i> Choisy	247
<i>graveolens</i> (L.) Hiern	76	<i>laciniata</i> Dalzell in Hook.	247
<i>Peutalis minus</i> (Huds.) Raf.	670	<i>learii</i> (Knight ex Paxton) Lindl.	247
<i>Phaeneilema dimorphum</i> (Dalzell) G.Brückn.	233	<i>nil</i> (L.) Choisy	248
<i>giganteum</i> (Vahl) G.Brückn.	233	<i>punctata</i> G.Don	248
<i>hallbergii</i> (Blatt.) Raizada	232	<i>purpurea</i> (L.) Voigt	249
<i>herbaceum</i> (Roxb.) G.Brückn.	233	<i>purshii</i> G.Don	248
<i>lanuginosum</i> (Wall. ex C.B.Clarke) G.Brückn.	234	<i>rubrocaeruleus</i> (Hook.) Planch.	250
<i>malabaricum</i> (L.) V.Naray.	234	<i>variifolia</i> Decne.	248
<i>ochraceum</i> (Dalzell) G.Brückn.	232	Pharnaceum <i>cerviana</i> L.	505
<i>paniculatum</i> (Wall. ex C.B.Clarke) G.Brückn.	235	<i>depressum</i> L.	216
<i>pauciflorum</i> G.Brückn.	234	<i>distichum</i> L.	505
<i>pulneyense</i> (Fyson) Raizada	233	<i>Pharus aristatus</i> Retz.	631
<i>rigidum</i> (Blatt.) Raizada	235	<i>ciliatus</i> Retz.	636
<i>scaberrimum</i> (Blume) Raizada	236	Phaseolus L.	440
<i>scapiflorum</i> (Roxb.) G.Brückn.	233	<i>aconitifolius</i> Jacq.	451
<i>sienneum</i> (Blatt.) Raizada	234	<i>adenanthus</i> G.Mey.	451
<i>spiratum</i> (L.) G.Brückn.	235	<i>alatus</i> Roxb.	451
<i>vaginatum</i> (L.) G.Brückn.	235	<i>angularis</i> (Willd.) W.Wight	451
<i>versicolor</i> (Dalzell) G.Brückn.	235	<i>atropurpureus</i> DC.	436
<i>zeylanicum</i> (C.B.Clarke) G.Brückn.	236	<i>calcaratus</i> Roxb.	452
<i>Phaeomeria magnifica</i> (Roscoe) K. Schum.in Engl.	758	<i>cylindricus</i> L.	453
Phalaenopsis Blume	551	<i>dalzellianus</i> Kuntze	451
<i>decumbens</i> (Griff.) Holttum	552	<i>dalzellii</i> T.Cooke	451
deliciosa Rchb.f.	551	<i>grahamianus</i> Wight & Arn.	451
mysorensis C.J.Saldanha	552	<i>lathyroides</i> L.	436
parishii Rchb.f.	552	lunatus L.	440
<i>wightii</i> Rchb.f.	551	<i>mungo</i> L.	452
<i>Phalangium attenuatum</i> Wight	129	<i>pauciflorus</i> Dalzell	451
<i>comosum</i> (Thunb.) Poir.	129	<i>psoraleoides</i> Wight & Arn.	436
<i>indicum</i> (Willd. ex Schult. & Schult.f.) Kunth	129	<i>radiatus</i> Roxb.	452
<i>laxum</i> (R.Br.) F.Muell.	130	<i>radiatus</i> L.	452
<i>oligospermum</i> Wight	130	<i>rostratus</i> Wall.	451
<i>parviflorum</i> Wight	130	<i>roxburghii</i> Wight & Arn.	452
<i>tuberosum</i> Dalzell & A.Gibson	130	<i>semierectus</i> L.	436
<i>tuberosum</i> (Roxb.) Kunth	130	<i>sepiarius</i> Dalzell	453
<i>Phalaridantha arundinacea</i> (L.) St.-Lag.	648	<i>sublobatus</i> Roxb.	452
Phalaris L.	648	<i>torosus</i> Roxb.	452
aquatica L.	648	<i>trilobatus</i> Schreb.	452
var. <i>minor</i> (Retz.) Mutel	648	<i>vexillatus</i> L.	453
arundinacea L.	648	vulgaris L.	440
var. <i>minor</i> (Retz.) Paunero	648	Phaulopsis Willd. ('Phaylopsis') nom. & orth. cons.	43
<i>hispida</i> Thunb.	593	<i>dorsiflora</i> (Retz.) Santapau	43
minor Retz.	648	imbricata (Forssk.) Sweet	43
<i>tuberosa</i> L.	648	<i>oppositifolia</i> (J.C.Wendl.) Lindau	43
<i>zizanioides</i> L.	607	<i>parviflora</i> Willd.	43
Phanera Lour.	404	<i>Phelipaea indica</i> (L.) A. Spreng. ex Steud.	558
<i>phoenicea</i> (Wight & Arn.) Benth.	403	<i>Phelum indicum</i> Hoult.	649
<i>purpurea</i> (L.) Benth.	403	<i>Phillyrea robusta</i> Roxb.	526
retusa (Roxb.) Benth.	404	<i>Phillyrea ramiflora</i> Roxb. ex C.B.Clarke	522
vahlilii (Wight & Arn.) Benth.	404	Philodendron Schott	109
<i>variegata</i> (L.) Benth.	404	cordatum Kunth ex Schott	109
<i>Pharbitis acuminata</i> (Vahl) Choisy	247	giganteum Schott	109
<i>acuminata</i> var. <i>congesta</i> (R.Br.) Choisy	247	lacerum (Jacq.) Schott	109
<i>barbata</i> G.Don	248	<i>Phlebophyllum</i> Nees	46
<i>cathartica</i> (Poiret) Choisy	247	<i>canaricum</i> (Bedd.) Bremek.	47
<i>diversifolia</i> Lindl.	248	<i>kunthianum</i> Nees	50
<i>diversifolius</i> Lindl.	249	<i>lanatum</i> (Nees) Bremek.	50
<i>hederacea</i> (L.) Choisy	248	<i>lawsonii</i> (Gamble) Bremek.	50

<i>spicatum</i> (Roth) Bremek.	48	<i>imbricata</i> Lindl.	552
<i>versicolor</i> (Wight) Bremek.	48	var. <i>coriacea</i> Hook.f.	552
<i>Phleum crinitum</i> Roxb.	649	Phragmites Adans.	648
<i>Phlogacanthus latifolius</i> Wight	35	<i>bifarius</i> Wight ex Hook.f.	648
<i>Phlomis aspera</i> Willd.	361	karka (Retz.) Trin. ex Steud.	648
<i>biflora</i> Vahl	361	var. <i>cinctus</i> Hook.f.	648
<i>cephalotes</i> Roth	362	<i>roxburghii</i> (Kunth) Steud.	648
<i>chinensis</i> Retz.	362	<i>vallatorius</i> (Pluk. ex L.) Veldkamp	648
<i>decemdentata</i> Willd.	362	Phrymaceae	566
<i>diffusa</i> Rottler ex Hook.f.	362	Phrynium Willd.	493
<i>dimidiata</i> Roth	361	<i>cadellianum</i> King ex Baker	494
<i>eriosstoma</i> B.Heyne ex Hook.f.	362	<i>capitatum</i> Willd.	493
<i>esculenta</i> Roxb.	361	<i>dichotomum</i> Roxb.	494
<i>hirta</i> B.Heyne ex Roth	363	<i>parviflorum</i> Roxb.	494
<i>indica</i> L.	365	<i>placentarium</i> (Lour.) Merr.	494
<i>linifolia</i> Roth	363	pubinerve Blume	493
<i>martinicensis</i> (Jacq.) Sw.	363	<i>rheedei</i> Suresh & Nicolson	493
<i>moluccana</i> Roxb.	362	<i>spicatum</i> Roxb.	494
<i>montana</i> J.Koenig ex Roxb.	362	<i>virgatum</i> Roxb.	494
<i>montana</i> Roth	364	<i>zebrinum</i> (Sims) Roscoe	493
<i>nepetifolia</i> L.	360	Phyla Lour.	746
<i>nutans</i> Roth	364	nodiflora (L.) Greene	746
<i>obliqua</i> Buch.-Ham. ex Hook.f.	361	Phyllanthaceae	566, 770
<i>plukenetii</i> Roth	361	Phyllanthus L.	574
<i>sibirica</i> (L.) Medik.	361	acidus (L.) Skeels	574
<i>stricta</i> B.Heyne ex Hook.f.	364	<i>alatus</i> Blume	577
<i>urticifolia</i> Vahl	364	<i>albicans</i> Wall.	570
<i>zeylanica</i> L.	365	amarus Schumach. & Thonn.	574
<i>Phoberos crenatus</i> Wight & Arn.	719	<i>anceps</i> Vahl	578
Phoebe Nees	383	<i>andrachnoides</i> Willd.	576
cathia (D.Don) Kosterm.	383	<i>arboreus</i> (Wight) Mull.Arg.	571
<i>lanceolata</i> (Nees) Nees	383	<i>arnottianus</i> (Müll.Arg.) Müll.Arg.	574
<i>paniculata</i> (Nees) Nees	383	<i>asperulatus</i> auct. non Hutch.	574
wightii Meisn.	383	<i>asperus</i> Mull.Arg.	572
Phoenicophorium H.Wendl.	121	<i>assamicus</i> Mull.Arg.	571
borsigianum (K.Koch) Stuntz	121	<i>bacciformis</i> L.	579
<i>sechellarum</i> H.Wendl.	121	baillonianus Mull.Arg.	575
Phoenix L.	121	<i>canaranus</i> Mull.Arg.	573
acaulis Roxb.	121	<i>cantoniensis</i> Hornem.	577
var. <i>melanocarpa</i> Griff.	121	<i>cecilfischeri</i> J.L.Ellis	575
<i>andamanensis</i> W. Mill.	122	<i>cicca</i> Müll.Arg.	574
canariensis Chabaud	121	debilis Klein ex Willd.	575
var. <i>porphyrococca</i> Vasc. & Franco	121	<i>distichus</i> (L.) Mull.Arg.	574
dactylifera L.	122	<i>diversifolius</i> var. <i>wightianus</i> Mull.Arg.	571
<i>humilis</i> (L.) Cav.	118	<i>echinatus</i> Buch.-Ham. ex Wall.	577
<i>humilis</i> Royle ex Becc.	122	emblica L.	575
var. <i>loureiroi</i> (Kunth) Becc.	122	<i>fagifolius</i> Mull.Arg.	572
var. <i>pedunculata</i> (Griff.) Becc.	122	<i>fischeri</i> (Gamble) J.L.Ellis	575
loureiroi Kunth	122	<i>flaccidus</i> Thwaites	577
var. <i>pedunculata</i> (Griff.) Govaerts	122	fraternus G.L.Webster	575
<i>ouseleyana</i> Griff.	122	<i>gardnerianus</i> (Wight) Baill.	578
paludosa Roxb.	122	<i>glomeratus</i> Roxb. ex Wall.	575
<i>pedunculata</i> Griff.	122	<i>gracilis</i> Roxb.	576
<i>pusilla</i> Lour.	122	<i>gymnanthus</i> Baill.	568
reclinata Jacq.	122	<i>heyneanus</i> auct. non Mull.Arg.	572
roebelenii O'Brien	122	<i>hirsutus</i> (Roxb.) Mull.Arg.	574
<i>spinosa</i> Schumach. & Thonn.	122	<i>hohenackeri</i> Mull.Arg.	572
sylvestris (L.) Roxb.	122	<i>indicus</i> (Dalzell) Mull.Arg.	574
<i>Phoenixopus intybaceus</i> (Jacq.) Less.	164	indofischeri Bennet	575
Pholidota Lindl. ex Hook.	552	<i>javanicus</i> Poir. ex Spreng.	576
<i>assamica</i> Regel	552	<i>juniperinoides</i> Müll.Arg.	575

<i>jussieuianus</i> (Wight) Müll.Arg.	573	virgatus G.Forst.	577
<i>kozhikodianus</i> Sivar. & Manilal	577	var. gardnerianus (Wight) Govaerts & Radd.-Sm.	578
<i>lanceolarius</i> (Roxb.) Müll.Arg.	573	var. <i>oblongifolius</i> Müll.Arg.	578
lawii J.Graham	575	var. virgatus	578
<i>leprocarpus</i> Wight	577	<i>virosus</i> Roxb. ex Willd.	571
leschenaultii Müll.Arg.	576	<i>vitis-idea</i> (Burm.f.) D.Koenig ex Roxb.	568
<i>leucopyrus</i> (Willd.) D.Koenig ex Roxb.	570	wightianus Müll.Arg.	578
<i>longifolius</i> Jacq.	574	<i>zeylanicus</i> (Gaertn.) Müll.Arg.	573
<i>lucena</i> B.Heyne ex Roth	570	<i>Phyllaurea variegata</i> (L.) W.Wight	321
macrocalyx Müll.Arg.	576	Phyllocephalum Blume	168
maderaspatensis L.	576	anthelminticum (L.) S.R. Paul & S.L. Kapoor	168
<i>malabaricus</i> Müll.Arg.	571	<i>hookeri</i> (C.B.Clarke) Uniyal	168
megacarpus (Gamble) Kumari & Chandrab.	576	lilacinum (Dalzell & A.Gibson) S.M.Almeida &	
<i>miquelianus</i> Müll.Arg.	578	M.R.Almeida	168
<i>missionis</i> Hook.f.	576	mayurii (C.E.C.Fisch.) Narayana	168
<i>mukerjeeanus</i> D.Mitra & Bennet	575	phyllolaenum (DC.) Narayana	168
<i>muricatus</i> Wall.	577	<i>ritchiei</i> (Hook.f. f.) Narayana	168
myrtifolius (Wight) Müll.Arg.	576	scabridum (DC.) K.Kirkman	168
<i>nanus</i> Hook.f.	574	<i>tenue</i> (C.B.Clarke) Narayana	168
narayanswamii Gamble	576	<i>Phyllodes densiflora</i> (Blume) Kuntze	494
<i>neilgherrensis</i> (Wight) Müll.Arg.	571	<i>mediopicta</i> (E.Morren) Kuntze	493
<i>nemorum</i> Russell ex Müll.Arg.	575	<i>placentaria</i> Lour.	494
<i>nepalensis</i> Müll. Arg.	572	<i>pubinervis</i> (Blume) Kuntze	493
<i>niruri</i> auct. non L.	574	<i>spicata</i> (Roxb.) Kuntze	494
var. <i>amarus</i> (Schumach. & Thonn.) Leandri	574	<i>virgata</i> (Roxb.) Kuntze	494
var. <i>debilis</i> (Klein ex Willd.) Müll.Arg.	575	<i>zebrina</i> (Sims) Kuntze	493
<i>nitidus</i> (Roxb.) Reinw. ex Blume	573	Phyllodium Desv.	440
<i>obcordatus</i> Willd.	576	pulchellum (L.) Desv.	440
<i>patens</i> Roxb.	568	<i>Phyllomphax affinis</i> (D.Don) Schltr.	550
<i>patens</i> Miq. ex Müll.Arg.	578	<i>Phyllorkis</i> Thouars	530
<i>perrottetianus</i> Müll.Arg.	571	<i>acutiflora</i> (A.Rich.) Kuntze	530
pinnatus (Wight) G.L.Webster	576	<i>albida</i> (Wight) Kuntze	530
polyphyllus Willd.	576	<i>caudata</i> (Lindl.) Kuntze	531
<i>polyphyllus</i> Dalzell & A.Gibson	575	<i>fimbriata</i> (Lindl.) Kuntze	530
<i>pomaceus</i> Moon	568	<i>fuscopurpurea</i> (Wight) Kuntze	531
<i>pyncocarpus</i> Müll.Arg.	571	<i>gamblei</i> (Hook.f.) Kuntze	531
<i>quadrangularis</i> Willd.	579	<i>hookeri</i> Kuntze	531
<i>racemosus</i> L.f.	579	<i>kaitiensis</i> (Rchb.f.) Kuntze	531
reticulatus Poir.	576	<i>nilgherensis</i> (Wight) Kuntze	531
<i>retusus</i> Dennst.	568	<i>tremula</i> (Wight) Kuntze	531
<i>rhamnoides</i> Retz.	568	<i>Phyllostachys striata</i> (Lodd. ex Lindl.) Nakai	598
<i>rhamnoides</i> Willd.	568	Physalis L.	731
<i>rhamnoides</i> Roxb.	579	angulata L.	731
rheedei Wight	577	<i>flexuosa</i> L.	735
rotundifolius Klein ex Willd.	577	lagascae Roem. & Schult.	732
scabrifolius Hook.f.	577	<i>latifolia</i> Lam.	732
<i>sepiarius</i> Roxb. ex Wall.	568	longifolia Nutt.	732
<i>simplex</i> Retz.	578	minima L.	732
var. <i>gardnerianus</i> (Wight) Müll.Arg.	578	<i>parviculea</i> S.F.Blake	732
var. <i>virgatus</i> (G.Forst.) Müll.Arg.	577	<i>parviflora</i> Lag.	732
<i>stellatus</i> Retz.	573	peruviana L.	732
<i>strictus</i> Roxb.	578	var. <i>latifolia</i> (Lam.) Dunal	732
talbotii Sedgw.	577	<i>somnifera</i> L.	735
<i>taxifolius</i> D.Don	575	<i>sugunda</i> Buch.-Ham. ex Wall.	735
tenellus Roxb.	577	<i>Physichilus serpyllum</i> Nees	37
<i>tomentosus</i> (Dalzell) Müll.Arg.	574	Phytolacca L.	579
<i>tristis</i> A.Juss.	568	<i>asiatica</i> L.	752
<i>turbinatus</i> J.König ex Roxb.	568	dioica L.	579
urinaria L.	577	Phytolaccaceae	579
var. <i>laevis</i> Haines	577	<i>Piaropus crassipes</i> (Mart.) Raf.	672
<i>velutinus</i> (Wight) Müll.Arg.	572	<i>Pierardia courtallensis</i> Wight	567

<i>macrostachya</i> Wight	567	<i>reflexum</i> L.f.	580
Pilea Lindl.	742	<i>roxburghii</i> (Miq.) J.Presl	581
melastomoides (Poir.) Wedd.	742	schmidtii Hook.f.	581
microphylla (L.) Liebm.	743	<i>siriboa</i> L.	580
<i>muscosa</i> Lindl.	743	<i>subpeltatum</i> Willd.	581
<i>radicans</i> Wight	743	<i>tetraphyllum</i> G.Forst.	580
<i>trinervia</i> (Roxb.) Wight	742	trichostachyon (Miq.) C. DC.	581
wightii Wedd.	743	trioicum Roxb.	581
<i>Piletocarpus protensus</i> (Wight) Hassk.	236	umbellatum L.	581
Piliostigma Hochst.	404	var. <i>subpeltatum</i> (Willd.) C. DC.	581
<i>acidum</i> (Reinw. ex Korth.) Benth.	404	Piperaceae	579, 770
foveolatum (Dalzell) Thoth.	404	<i>Piperi betlum</i> (L.) St.-Lag.	580
malabaricum (Roxb.) Benth.	404	<i>Piptoclaina malabarica</i> G.Don	199
var. <i>acidum</i> (Reinw. ex Korth.) de Wit	404	<i>supina</i> G.Don	199
var. <i>reniformis</i> Royle ex Baker) Thoth.	404	<i>Piptostylis indica</i> Dalzell	714
<i>racemosum</i> (Lam.) Benth.	403	<i>Pircunia dioica</i> (L.) Moq.	579
<i>Pilocarpus heterophyllus</i> (DC.) A.Gray	192	Pisonia L.	519
<i>Pilogyne garcini</i> (Burm.f.) Wight	258	aculeata L.	519
<i>mucronata</i> (Blume) W.J.de Wilde & Duyfjes	268	<i>alba</i> Span.	519
<i>scabra</i> (L.f.) W.J. de Wilde & Duyfjes	269	<i>excelsa</i> Blume	519
Pimpinella L.	79	<i>grandis</i> auct. non R. Br.	519
adscendens Dalzell	79	<i>morindifolia</i> R.Br.	519
candolleana Wight & Arn.	79	umbellifera (J.R.Forst. & G. Forst.) Seem.	519
heyneana (Wall. ex DC.) Kurz	79	<i>Pistacia oleosa</i> Lour.	724
<i>involuta</i> (Roxb.) Wight & Arn.	80	<i>Pistaciovitex pinnata</i> (L.) Kuntze	376
<i>katrajensis</i> Rao & Hemadri	79	Pistia L.	109
<i>monoica</i> Dalzell	79	stratiotes L.	109
wallichiana (Miq.) Gandhi	79	Pisum L.	440
Pinalia Lindl.	552	sativum L.	440
<i>braccata</i> (Lindl.) Kuntze	533	Pithecellobium Mart.	394
<i>exilis</i> (Hook.f.) Kuntze	538	<i>bigeminum</i> (L.) Mart.	387
<i>jerdoniana</i> (Wight) Kuntze	553	dulce (Roxb.) Benth.	394
<i>microchilos</i> Kuntze	533	<i>gracile</i> Bedd.	387
mysorensis (Lindl.) Kuntze	552	<i>nicobaricum</i> Prain	387
<i>nana</i> (A.Rich.) Kuntze	534	<i>saman</i> (Jacq.) Benth.	386
<i>nilgherensis</i> Kuntze	538	<i>Pithecoctenium buccinatorium</i> DC.	185
<i>reticosa</i> (Wight) Kuntze	533	Pittosporaceae	582
Pinanga Blume	122	Pittosporum Banks ex Soland.	582
<i>calapparia</i> (Blume) H.Wendl.	114	dasycaulon Miq.	582
dicksonii (Roxb.) Blume	122	<i>Placolobium travancoricum</i> (Bedd.) Yakovlev	439
<i>Pinardia coronaria</i> (L.) Less.	158	<i>Placus laevis</i> Lour.	144
<i>roxburghii</i> (Desf. ex Cass.) Less.	158	<i>Pladera alata</i> Buch.-Ham. ex Wall.	340
Pinda P. K. Mukh. & Constance	79	<i>decussata</i> Roxb.	339
concanensis (Dalzell) P.K.Mukh. & Constance	79	<i>fastigiata</i> C.B.Clarke	343
Piper L.	580, 770	<i>pusilla</i> Roxb.	343
argyrophyllum Miq.	580	<i>pusilla</i> Thwaites	343
attenuatum Buch.-Ham. ex Miq.	580	<i>sessiliflora</i> Roxb.	340
betle L.	580	<i>Planera speciosa</i> (J.Koenig) Giseke	256
<i>blandum</i> Jacq.	579	Plantaginaceae	582
crenulatibracteum C.DC.	580, 770	<i>Plantaginorchis elliptica</i> (Wight) Szlach.	541
galeatum (Miq.) C. DC.	581	<i>longicornu</i> (Lindl.) Szlach. & Kras-Lap.	543
<i>guigal</i> Buch.-Ham. ex D. Don	581	<i>plantaginea</i> (Lindl.) Szlach.	543
<i>hookeri</i> Miq.	581	<i>rhynchocarpa</i> (Thwaites) Szlach.	544
hymenophyllum (Miq.) Wight	581	<i>suaveolens</i> (Dalzell) Szlach. & Kras-Lap.	544
longum L.	581	Plantago L.	586
malamiris L.	581	asiatica L.	586
mullesua Buch.-Ham. ex D. Don	581	<i>major</i> var. <i>asiatica</i> (L.) Decne.	586
nigrum L.	581	<i>Plaso monosperma</i> (Lam.) Kuntze	410
nilghirianum C.DC.	581	<i>Platanthera brachyphylla</i> Lindl.	541
<i>pellucidum</i> L.	580	<i>canarensis</i> Lindl. ex Rchb.f.	541
<i>portulacoides</i> Lam.	580	<i>commelinifolia</i> (Roxb.) Lindl. ex Wall.	541

<i>gigantea</i> Lindl. ex Wall.	550	<i>tuberosus</i> Blume	369
<i>lutea</i> Wight	543	<i>urticifolius</i> (Benth.) Hook.f.	368
<i>marginata</i> (Colebr.) Lindl. ex Wall.	543	<i>viscosus</i> (Roth) Spreng.	358
<i>rhynchocarpa</i> Thwaites	544	<i>wightii</i> J.Graham	360
<i>stenostachya</i> Lindl. ex Benth.	550	<i>Plectronia dicocca</i> (Gaertn.) F.Muell.	708
Platostoma P.Beauv.	367	<i>didyma</i> (C.F.Gaertn.) Bedd.	708
africanum P.Beauv.	367	var. <i>umbellata</i> (Wight) Gamble	708
<i>flaccidum</i> (A.Rich.) Benth.in Hook.	367	<i>parviflora</i> (Lam.) Bedd.	686
hispidum (L.) A.J.Paton	367	<i>rheedei</i> (DC.) Bedd.	686
<i>Platystylis atropurpurea</i> (Lindl.) Lindl.	545	<i>Pleione breviscapa</i> (Lindl.) Kuntze	533
Plecosperrum Trecul	510	<i>corrugata</i> (Wight) Kuntze	533
spinsum (Roxb. ex Willd.) Trécul	510	<i>nervosa</i> (A.Rich.) Kuntze	533
<i>Plectoma stellata</i> (L.f.) Raf.	457	<i>odoratissima</i> (Lindl.) Kuntze	533
Plectranthus L.Herit.	368	Pleiospermium (Engl.) Swingle	716
amboinicus (Lour.) Spreng.	368	alatum (Wight & Arn.) Swingle	716
<i>aromaticus</i> Roxb.	370	<i>Pleocaulus</i> Bremek.	46
<i>asper</i> (Roth) Spreng.	368	<i>reticulatus</i> (Stapf) M.R.Almeida	52
barbatus Andrews	368	<i>ritchiei</i> (C.B.Clarke) Bremek.	52
<i>barrelieri</i> (Roth) Spreng.	365	<i>sessilis</i> (Nees) Bremek.	52
beddomei Raizada	368	var. <i>sessiloides</i> (Wight) Vajr.	52
bishopianus Gamble	368	<i>sessiloides</i> (Wight) Bremek.	52
<i>blumei</i> (Benth.) Launert	370	<i>Pleomele braunii</i> (Engl.) N.E.Br.	131
caninus Roth	368	<i>fragrans</i> (L.) Salisb.	131
<i>carnosus</i> (L.f.) Sm.	353	<i>hookeriana</i> (Kuntze) N.E.Br.	131
<i>coetsa</i> Buch.-Ham. ex D.Don	359	<i>marginata</i> (Lam.) N.E.Br.	132
var. <i>hookeri</i> Hook.f.	359	<i>reflexa</i> (Lam.) N.E.Br.	131
<i>coleoides</i> Benth.	368	<i>sanderiana</i> (Sander) N.E.Br.	131
<i>cordifolius</i> D.Don	369	<i>spicata</i> (Roxb.) N.E.Br.	132
crameri R.H.Willemse	368	<i>terniflora</i> (Roxb.) Merr.	132
<i>dubius</i> Spreng.	353	<i>Pleonotoma diversifolia</i> (Kunth) Bureau & K.Schum.	186
<i>forsskaolii</i> Vahl	369	<i>Pleudia aegyptiaca</i> (L.) Raf.	374
<i>gerardianus</i> Benth.	360	<i>Pleuremidis grandiflora</i> (Roxb. ex Rottl.) Raf.	54
glabratus (Benth.) Alston	368	<i>Pleurolobus gangeticus</i> (L.) J. St. Hil.	425
hadiensis (Forssk.) Schweinf. ex Sprenger	369	Pleurostyliya Wight & Arn.	219
<i>indicus</i> (Roth) Spreng.	365	<i>heynei</i> Wight & Arn.	219
<i>japonicus</i> (Burm.f.) Koidz.	360	opposita (Wall.) Alston	219
<i>lophanthoides</i> (Buch.-Ham. ex D.Don) Grierson &		<i>wightii</i> Wight & Arn.	219
D.G.Long	360	Pluchea Cass.	169
var. <i>gerardianus</i> (Benth.) Bennet	360	<i>balsamifera</i> (L.) Less.	142
<i>macraei</i> Benth.	359	<i>hirsuta</i> (L.) Less.	143
malabaricus (Benth.) R.H.Willemse	369	<i>malcolmii</i> C.B.Clarke	145
var. <i>leptostachys</i> (Benth.) R.H.Willemse	369	ovalis (Pers.) DC.	169
<i>maypurensis</i> (Roth) Spreng.	369	paniculata <i>gardneri</i> (Hook.f.) Karthik. & Moorthy	169
mollis (Aiton) Spreng.	369	var. jacquemontii (Hook.f.) Karthik. & Moorthy	169
<i>mollissimus</i> Wall. ex Benth.	367	var. paniculata	169
<i>monachorum</i> (L.) Spreng.	366	var. subsimplax (Hook.f.) Karthik. & Moorthy	169
<i>monadelphus</i> (R.Br. ex Roth) Buch.-Ham. ex Wall.	368	<i>senecioides</i> (DC.) W. Theob.	169
<i>nigrescens</i> Benth.	360	tomentosa DC.	169
<i>nilgherricus</i> Benth.	360	<i>Plumbagidium auriculatum</i> (Lam.) Spach	587
parvifolius Talbot	369, 768	<i>scandens</i> (L.) Spach	587
rotundifolius (Poir.) Spreng.	369	Plumbaginaceae	587
<i>rubicundus</i> D.Don	367	Plumbago L.	587
<i>rufescens</i> Benth.	359	auriculata Lam.	587
<i>scabrellus</i> Benth.	360	<i>capensis</i> Thunb.	587
scutellarioides (L.) R.Br.	370	indica L.	587
<i>secundus</i> Roxb.	369	<i>rosea</i> L.	587
<i>stocksii</i> Hook.f.	360	<i>scandens</i> L.	587
<i>striatus</i> var. <i>gerardianus</i> (Benth.) Hand.-Mazz.	360	zeylanica L.	587
<i>strobiliferus</i> Roxb.	353	Plumeria L.	96
<i>thymiflorus</i> (Roth) Spreng.	367	<i>acuminata</i> W.T. Aiton	96
<i>tuberosus</i> Roxb. ex Benth.	367	<i>acutifolia</i> Poir.	96

alba L.	96	<i>paniceum</i> auct. non (Lam.) Hack.	649
obtusula L.	96	<i>saccharoideum</i> P. Beauv.	649
rubra L.	96	var. <i>monandrum</i> (Roxb.) Hack.	649
var. <i>acuminata</i> (W.T.Aiton) R.S. Rao & Balamani	96	<i>santapaui</i> Sur	649
Poa L.	648	<i>tristachyum</i> (Steud.) Roberty	627
<i>amabilis</i> L.	622	<i>Pogonatum crinitum</i> (Thunb.) Steud.	649
annua L.	648	<i>Pogonia biflora</i> Wight	547
<i>aspera</i> Jacq.	622	<i>carinata</i> (Roxb.) Lindl.	546
<i>atrovirens</i> Desf.	622	<i>crispata</i> Blume	547
<i>bifaria</i> Vahl	621	<i>discolor</i> (Blume) Blume	547
<i>brevifolia</i> (Willd.) Kunth	588	<i>juliana</i> (Roxb.) Wall. ex Trimen	547
<i>chinensis</i> L.	637	<i>prainiana</i> King & Pantl.	547
<i>cilianensis</i> All.	622	<i>Pogonotrophe macrocarpa</i> Miq.	508
<i>ciliaris</i> L.	623	Pogostemon Desf.	370
<i>contracta</i> Retz.	637	<i>auricularius</i> (L.) Hassk.	370
<i>coromandelina</i> J. Koenig ex Rottler	621	benghalensis (Burm.f.) Kuntze	370
<i>curvula</i> Schrad.	623	cruciatus (Benth.) Kuntze	370
<i>cynosuroides</i> Retz.	612	deccanensis (Panigrahi) Press	370
<i>diarrhena</i> Schult.	623	erectus (Dalzell) Kuntze	371
<i>elegans</i> Roxb.	624	var. <i>gracilis</i> (Dalzell) Panigrahi	371
<i>flexuosa</i> Roxb.	622	<i>frutescens</i> J.Graham	370
<i>fusca</i> (L.) Desf.	637	<i>gracilis</i> (Dalzell) F.Muell.	371
<i>gangetica</i> Roxb.	623	heyneanus Benth.	371
<i>glutinosa</i> Roxb. ex Stapf	625	<i>hirsutus</i> Wight	372
<i>indica</i> J.Koenig ex Rottler	625	<i>indicus</i> (Roth) Kuntze	370
<i>japonica</i> Thunb.	623	mollis Benth.	371
<i>lagopoides</i> (L.) Kunth	588	myosuroides (Roth) Kuntze	371
<i>malabarica</i> Retz.	637	paniculatus (Willd.) Benth.	371
<i>multiflora</i> Roxb.	625	<i>patchouly</i> var. <i>suavis</i> (Ten.) Hook.f.	371
<i>nutans</i> Retz.	624	peethapushpam Pradeep	371
<i>panicea</i> Retz.	637	plectrantoides Desf.	371
<i>paniculata</i> Roxb.	622	pubescens Benth.	371
<i>patula</i> Kunth	624	purpurascens Dalzell	371
<i>pilosa</i> L.	625	<i>purpuricaulis</i> Dalzell	370
<i>plumosa</i> Retz.	622	quadrifolius (Benth.) F.Muell.	372
<i>procera</i> Roxb.	637	speciosus Benth.	372
<i>riparia</i> Willd.	625	stellatus (Lour.) Kuntze	372
<i>secundaria</i> B.Heyne ex Hook.f.	637	<i>suavis</i> Ten.	371
<i>tenella</i> L.	622	<i>tetraphylla</i> (Wight) F.Muell.	370
<i>tenuifolia</i> A.Rich.	624	<i>verticillatus</i> (Benth.) Miq.	372
<i>tremula</i> Lam.	625	<i>verticillatus</i> (Roxb.) Bhatti & Ingr.	372
<i>unioloides</i> Retz.	625	wightii Benth.	372
<i>viscosa</i> Retz.	625	<i>Poinciana coriaria</i> Jacq.	391
Poaceae (Gramineae)	588, 770	<i>elata</i> L.	390
<i>Pocilla persica</i> (Poir.) Fourr.	587	<i>pulcherrima</i> L.	388
<i>Podanthera pallida</i> Wight	538	<i>regia</i> Hook.	390
<i>Podocarpium repandum</i> (Vahl) Y.C.Yang & P.H.Huang	432	<i>Poinsettia cyathophora</i> (Murray) Klotzsch & Garcke	326
Podostemaceae	665	<i>heterophylla</i> (L.) Klotzsch & Garcke	326
<i>Podostemum algiforme</i> (Bedd.) Benth. & Hook.f.	666	<i>pulcherrima</i> (Willd. ex Klotzsch) R.Graham	329
<i>barberi</i> Willis	666	<i>Poivreia coccinea</i> (Sonn.) Thouars	225
<i>hookerianum</i> (Tul.) Wedd.	665	<i>Polanisia chelidonii</i> (L.f.) DC.	221
<i>stylosum</i> (Wight) Benth.	666	Polianthes L.	134
<i>wallichii</i> R.Br. ex Griff.	666	<i>tuberosa</i> L.	134
Poeciloneuron Bedd.	207	Pollia Thunb.	236
indicum Bedd.	207	<i>didyma</i> C.B.Clarke	236
<i>Pogalis barbata</i> (L.) Raf.	669	<i>indica</i> (Wight) Thwaites	236
<i>Pogonarthria bipinnata</i> (L.) Chiov	612	secundiflora (Blume) Bakh.f.	236
Pogonatherum P. Beauv.	649	var. <i>gigantea</i> (Hassk.) Sanjappa	236
<i>contortum</i> Brongn.	626	var. <i>indica</i> (Wight) Sanjappa	236
crinitum (Thunb.) Kunth	649	<i>sorzogonensis</i> var. <i>gigantea</i> (Hassk.) C.B.Clarke	236
paniceum (Lam.) Hack.	649	var. <i>indica</i> (Wight) C.B.Clarke	236

<i>Pollichia zeylanica</i> (Burm.f.) F.Muell.	200	<i>dichotomum</i> Blume	669
<i>Pollinia argentea</i> (Brongn.) Trin.	627	<i>flaccidum</i> Meisn.	671
<i>articulata</i> Trin.	626	<i>glabrum</i> Willd.	669
<i>ciliata</i> Trin.	639	<i>hydropiper</i> L.	670
subsp. <i>wallichiana</i> (Steud.) Hack.in DC.	639	var. <i>flaccidum</i> (Meisn.) Steward	671
<i>conjugata</i> (Roxb.) Prain	626	<i>lanigerum</i> R.Br.	670
<i>contorta</i> (Brongn.) Druce	626	<i>lapathifolium</i> var. <i>lanigerum</i> (R.Br.) C.Moore &	
<i>fimbriata</i> Hack.	626	Bethe	670
<i>fulva</i> Spreng.	605	<i>minus</i> Huds.	670
<i>monandra</i> (Roxb.) Spreng.	649	<i>nepalense</i> Meisn.	670
<i>monantha</i> Nees ex Steud.	639	<i>pedunculare</i> Wall. ex Meisn.	669
<i>phaeothrix</i> Hack.	626	<i>platycladum</i> F.Muell.	669
<i>tristachya</i> (Steud.) Thwaites	627	plebeium R.Br.	671
<i>wallichiana</i> Nees ex Steud.	639	var. indica (Heyne ex Roth) Hook.f.	671
<i>Pollinidium angustifolium</i> (Trin.) Haines	627	var. miqueliana Hook.f.	671, 771
<i>binatum</i> (Retz.) C.E. Hubb.	627	var. plebium	671
<i>Poloa wightiana</i> DC.	169	var. polyneura Hook.f.	671, 771
<i>Polyadenia gemmiflora</i> (Blume) Nees	378	pubescens Blume	671
Polyalthia Blume	76	<i>pulchrum</i> Blume	670
<i>cardiopetala</i> Dalzell	73	<i>punctatum</i> var. <i>alatum</i> Buch.-Ham. ex D. Don	670
<i>cerasoides</i> (Roxb.) Benth. & Hook. f. ex Bedd.	73	<i>roxburghii</i> Meisn.	671
<i>coffeoides</i> (Thwaites ex Hook. f. & Thomson) Bedd.	75	<i>serrulatum</i> Lag.	669
<i>fragrans</i> (Dalzell) Bedd.	75	<i>stagninum</i> Buch.-Ham. ex Meisn.	671
<i>lawii</i> (Hook.f. & Thomson) Finet & Gagnep.	72	<i>strigosum</i> var. <i>pedunculare</i> (Wall. ex Meisn.) Steward	669
<i>longifolia</i> (Sonn.) Thwaites	75	<i>tomentosum</i> Willd.	670
<i>suberosa</i> (Roxb.) Benth. & Hook.f.	76	viscosum Buch.-Ham. ex D. Don	671
Polycarpaea Lam.	215	var. <i>minus</i> Hook. f.	671
<i>aurea</i> Wight & Arn.	215	<i>Polymnia abyssinica</i> L.f.	160
<i>corymbosa</i> (L.) Lam.	216	<i>grandis</i> Hort.Berol. ex Kunth	166
var. <i>aurea</i> (Wight & Arn.) Wight	215	<i>Polynome alata</i> (L.) Salisb.	301
Polycarpon Loefl.	216	<i>bulbifera</i> (L.) Salisb.	301
<i>loeflingii</i> Wight & Arn. ex Benth.	216	<i>Polyozus maderaspatana</i> DC.	711
prostratum (Forssk.) Asch. & Schweinf.	216	<i>Polyplethia polyandra</i> (Griff.) Tiegh.	179
<i>Polychilos decumbens</i> (Griff.) Shim	552	Polypleurum (Tul.) Warm.	666
<i>mysorensis</i> (C.J.Saldanha) Shim	552	stylosum (Wight) J.B. Hall	666
<i>parishii</i> (Rchb.f.) Shim	552	wallichii (R.Br. ex Griff.) Warm.	666
<i>Polydontia zeylanica</i> Wight	684	<i>Polypodium laciniatum</i> Burm.f.	108
Polygala L.	667	Polypogon Desf.	649
<i>abyssinica</i> R.Br. ex Fresen.	667	monspeliensis (L.) Desf.	649
<i>arillata</i> Buch.-Ham. ex D. Don	667	var. <i>indicus</i> Bhattacharya & S.K.Jain	649
<i>arvensis</i> Willd.	667	Polystachya Hook.	552
<i>chinensis</i> L.	667	concreta (Jacq.) Garay & H.R.Sweet	552
<i>ciliata</i> L.	668	<i>flavescens</i> (Blume) J.J.Sm.	552
<i>dunnii</i> Panigrahi	667	<i>purpurea</i> Wight	552
<i>elongata</i> Klein ex Willd.	667	<i>wightii</i> Rchb.f.	552
<i>erioptera</i> DC.	667	<i>Polytoca barbata</i> (Roxb.) Stapf ex Hook. f.	604
<i>jacobii</i> Chandrab.	667	<i>cookie</i> Stapf	662
<i>javana</i> DC.	667	Polytrias Hackel	649
<i>persicariifolia</i> DC.	668	indica (Houtt.) Veldkamp	649
<i>raoi</i> R.N.Banerjee & L.K.Banerjee	667	Polyzygus Dalzell	79
<i>rosmarinifolia</i> Wight & Arn.	668	tuberosus Dalzell ex Walp.	79
<i>sibirica</i> L.	668	<i>Pommereulla monoica</i> Rottler	638
<i>telephioides</i> Willd.	667	<i>royleana</i> Steud.	638
Polygalaceae	667	Pongamia Adans.	440
Polygonaceae	668, 771	<i>canarensis</i> Dalzell	439
Polygonum L.	671, 771	<i>elliptica</i> Wall.	423
<i>alatum</i> Buch.-Ham. ex D. Don	670	<i>glabra</i> Vent.	440
var. <i>nepalense</i> (Meisn.) Hook. f.	670	var. <i>xerocarpa</i> (Hassk.) Prain	440
<i>barbatum</i> L.	669	<i>heyneana</i> Wight & Arn.	423
var. <i>stagninum</i> (Buch.-Ham. ex Meisn.) Steward	671	pinnata (L.) Pierre	440
<i>chinense</i> L.	669	var. <i>xerocarpa</i> (Hassk.) Alston	440

<i>uliginosa</i> (Willd.) DC.	424	<i>pentandrus</i> Dennst.	720
<i>xerocarpa</i> Hassk.	440	<i>pertusus</i> Roxb.	110
<i>Pongatium indicum</i> Lam.	736	<i>pinnatus</i> L.	108
<i>zeylanicum</i> Kuntze	736	<i>scandens</i> L.	109
<i>Pongelion wightii</i> Tiegh.	728	<i>Pouteria tomentosa</i> (Roxb.) Baehni	727
Pontederia L.	672	Pouzolzia Gaudich.	743
<i>crassipes</i> Mart.	672	<i>ambigua</i> Wight	744
<i>hastata</i> L.	672	<i>aspera</i> Wight	744
<i>lanceolata</i> Wall. ex Kunth	672	<i>auriculata</i> Wight	743
<i>plantaginea</i> Roxb.	672	var. <i>cymosa</i> (Wight) Hook. f.	743
<i>vaginalis</i> Burm.f.	672	<i>bennettiana</i> Wight	743
Pontederiaceae	672	var. <i>bennettiana</i>	743
<i>Pootia triflora</i> Dennst.	340	var. <i>mysorensis</i> (Wight) Hook.f.	743
Porana Burm. f.	253	<i>caudata</i> (Wall.) Benn.	743
<i>malabarica</i> C.B. Clarke	253	<i>courtallensis</i> Wight	743
<i>paniculata</i> Roxb.	253	<i>cymosa</i> Wight	743
Poranopsis Roberty	253	<i>indica</i> Gaudich.	744
<i>paniculata</i> (Roxb.) Roberty	253	<i>integrifolia</i> Dalzell	743
Porpax Lindl.	553	<i>longifolia</i> Wight	744
<i>chandrasedharanii</i> Bhargavan & C.N.Mohan	538	<i>mysorensis</i> Wight	743
<i>jerdoniana</i> (Wight) Rolfe	553	<i>neilgherrensis</i> Wight	744
<i>lichenora</i> (Lindl.) T.Cooke	553	<i>nilghirensis</i> Wight	744
<i>papillosa</i> Blatt. & McCann	553	<i>oblongifolia</i> Wight	744
<i>reticulata</i> Lindl.	553	<i>pentandra</i> (Roxb.) Benn.	744
Porteresia Tateoka	649	<i>scabra</i> Wight	744
<i>coarctata</i> (Roxb.) Tateoka	649	<i>trialata</i> Wight	744
Portulaca L.	673, 771	<i>wightii</i> Benn. & Br.	744
<i>badamica</i> S.R.Yadav & Dalavi	673, 771	var. <i>caudata</i> C.E.C.Fisch.	743
<i>grandiflora</i> Hook.	673	var. <i>nilghirensis</i> (Wight) Hook.f.	744
<i>lakshminarasimhaniana</i> S.R.Yadav & Dalavi	673, 771	var. <i>scabra</i> C.E.C.Fisch.	744
<i>oleracea</i> L.	673	<i>zeylanica</i> (L.) Benn.	744
<i>pilosa</i> L.	673	<i>Praecitrullus</i> Panglo	258
subsp. <i>grandiflora</i> (Hook.) R.Geesink	673	<i>fistulosus</i> (Stocks) Pangalo	258
<i>portulacastrum</i> L.	55	Premna L.	372
<i>quadrifida</i> L.	673	<i>angustior</i> (C.B. Clarke) Ridl.	373
<i>suffruticosa</i> Wall. ex Wight & Arn.	673	<i>coriacea</i> C.B. Clarke	372
<i>tuberosa</i> Roxb.	673	<i>coriacea</i> (C.B. Clarke) A. Rajendran & P. Daniel	372
<i>wightiana</i> Wall. ex Wight & Arn.	673	var. <i>coriacea</i>	372
Portulacaceae	673, 771	var. <i>villosa</i> (C.B. Clarke) A. Rajendran & P. Daniel	372
<i>Posoqueria fragrans</i> (Roxb.) J.König ex Roxb.	686	<i>corymbosa</i> (Burm.f.) Schauer	373
<i>uliginosa</i> (Retz.) Roxb.	711	<i>integrifolia</i> var. <i>obtusifolia</i> (R.Br.) C. Pei	373
<i>Potamochoa retzii</i> (Spreng.) Griff.	631	<i>latifolia</i> Roxb.	373
Potamogeton L.	673	<i>latifolia</i> Thwaites	373
<i>indicus</i> Roth ex Roem. & Schult.	102	var. <i>cuneata</i> C.B. Clarke	373
<i>indicus</i> Roxb.	673	var. <i>gamblei</i> Haines	373
<i>marinus</i> L.	674	var. <i>henryi</i> D. Naras. ex A. Rajendran & P. Daniel	373
<i>nodosus</i> Poir.	673	var. <i>mucronata</i> (Roxb.) C.B. Clarke	373
<i>pectinatus</i> L.	674	var. <i>viburnoides</i> C.B. Clarke	373
<i>perfoliatus</i> L.	673	<i>littoralis</i> King & Gamble	373
<i>roxburghianus</i> Schult. & Schult.f.	673	<i>mollissima</i> Roth	373
Potamogetonaceae	673	<i>nimmoniana</i> J. Graham	352
<i>Pothomorphe subpeltata</i> (Willd.) Miq.	581	<i>obtusifolia</i> R.Br.	373
<i>umbellata</i> (L.) Miq.	581	var. <i>angustior</i> (C.B. Clarke) Moldenke	373
Pothos L.	109	var. <i>minor</i> (Ridl.) Moldenke	373
<i>acaulis</i> Jacq.	105	<i>parvifolia</i> Roth	358
<i>aureus</i> Linden & André	108	<i>serratifolia</i> L.	373
<i>caudatus</i> Roxb.	108	var. <i>minor</i> (Ridl.) A. Rajendran & P. Daniel	373
<i>decursivus</i> Roxb.	110	<i>spinosa</i> Roxb.	373
<i>drupaceus</i> Dennst.	675	<i>tomentosa</i> Willd.	373
<i>lanceolatus</i> L.	105	<i>viburnoides</i> Wall. ex Schauer	373
<i>officinalis</i> Roxb.	111	<i>villosa</i> C.B. Clarke	372

<i>Prenanthes acaulis</i> Roxb.	164	<i>atropurpureum</i> (W.Bull) Radlk.	44
<i>asplenifolia</i> Willd.	164	bicolor (Schränk) Radlk. ex Lindau	44
<i>japonica</i> L.	178	carruthersii (Seem.) Guillaumin	44
<i>javanica</i> Willd.	154	lapathifolium (Vahl) B. Hansen	44
<i>procumbens</i> Roxb.	165	latifolium (Vahl) B. Hansen	44
<i>sarmentosa</i> Willd.	165	malabaricum (C.B.Clarke) Gamble	44
<i>Prevestea cordata</i> Hallier f.	240	<i>palatiferum</i> (Wall.) Radlk.	44
Primulaceae	674, 771	Pseudobombax Dugand	489
<i>Prionostachys ensifolia</i> Hassk. ex C.B.Clarke	233	ellipticum (Kunth) Dugand	489
<i>Pristimera grahamii</i> (Wight) A.C. Sm.	219	<i>Pseudobrachiaria deflexa</i> (Schumacher.) Launert	600
<i>indica</i> (Willd.) A.C.Sm.	220	<i>Pseudocassia spectabilis</i> (DC.) Britton & Rose	399
Pritchardia Seem. & H.Wendl.	123	Pseudoconyza Cuatrec	169
<i>filifera</i> Linden ex André	125	viscosa (Mill.) d'Arcy	169
pacifica Seem. & H.Wendl.	123	<i>Pseudognaphalium luteoalbum</i> (L.) Hilliard & B.L.Butt	164
Priva Adams.	746	var. <i>pallidum</i> (Lam.) Karthik. & Moorthy	164
cordifolia (L.f.) Druce	746	<i>Pseudomarriscus cyperoides</i> (Roxb.) Rauschert	271
Procris Comm. ex Juss.	744	<i>Pseudomussaenda lanceolata</i> (Forssk.) Wernham	707
<i>acuminata</i> Poir.	741	<i>Pseudopogonatherum contortum</i> (Brongn.) A.Camus	626
crenata C.B.Rob.	744	Pseudoraphis Griff.	650
<i>laevigata</i> Blume	744	spinescens (R.Br.) Vickery	650
<i>monandra</i> D.Don	741	var. <i>subglabra</i> (Trimen) Bor	650
<i>peduncularis</i> Wall. ex Royle	742	<i>Pseudoryza ciliata</i> (Retz.) Griff.	636
pedunculata (J.R.Forst. & G. Forst.) Wedd.	744	Pseudosorghum A.Camus	650
<i>wightiana</i> Wall. ex Wedd.	744	fasciculare (Roxb.) A. Camus	650
Prosopis L.	394	<i>Pseudostenosiphonium</i> Lindau	46
cineraria (L.) Druce	394	<i>Pseudotenanthera monadelpha</i> (Thwaites) R.B.Majumdar	651
glandulosa Torr.	394	<i>ritcheyi</i> (Munro) R.B.Majumdar	651
juliflora (Sw.) DC.	394	<i>stocksii</i> (Munro) R.B.Majumdar	651
<i>spicata</i> Burm.f.	394	Pseudoxytenanthera Soderstr. & R.P. Ellis	651
<i>spicigera</i> L.	394	monadelpha (Thwaites) Soderstr. & R.P.Ellis	651
<i>Prosorus</i> Dalzell	574	<i>nigroclata</i> (Buse) T.Q.Nguyen	628
<i>indicus</i> Dalzell	574	ritcheyi (Munro) H.B.Naithani	651
<i>Protasparagus aethiopicus</i> (L.) Oberm.	127	stocksii (Munro) T.Q.Nguyen	651
<i>africanus</i> (Lam.) Oberm.	127	<i>stocksii</i> (Munro) H.B. Naithani	651
<i>asiaticus</i> (L.) Kamble	127	Psidium L.	514
<i>gonoclados</i> (Baker) Kamble	127	guajava L.	514
<i>jacquemontii</i> (Baker) Kamble	128	<i>Psilanthus bridsoniae</i> Sivar.	688
<i>laevissimus</i> (Steud. ex Baker) Kamble	127	<i>travancorensis</i> (Wight & Arn.) J.-F.Leroy	688
<i>plumosus</i> (Baker) Oberm.	128	<i>wightianus</i> (Wall. ex Wight & Arn.) J.-F.Leroy	688
<i>racemosus</i> var. <i>javanicus</i> (Kunth) Kamble	128	<i>Psilorhagma glauca</i> (Lam.) O. Deg. & I. Deg.	400
var. <i>subacerosus</i> (Baker) Kamble	128	<i>suffruticosa</i> (Roth) Britton	400
<i>zeylanicus</i> (Hook.f.) Kamble	128	<i>Psilostachys filiformis</i> (Voight) Dalzell & A.Gibson	618
Proteaceae	677	Psilotrichum Blume	65
<i>Protium caudatum</i> Wight & Arn.	204	nudum Moq.	65
<i>gileadense</i> Wight & Arn.	204	<i>Psoralea corylifolia</i> L.	420
<i>Prunella indica</i> Burm.f.	367	<i>tetragonoloba</i> L.	420
Prunus L.	684	<i>Psychechilos gracilis</i> Breda	557
cerasoides Buch.-Ham. ex D.Don	684	Psychotria L.	707
ceylanica (Wight) Miq.	684	<i>ambigua</i> Wight & Arn.	687
<i>puddum</i> Roxb. ex Brandis	684	anamallayana Bedd.	707
<i>Pseudaechmanthera</i> Bremek.	46	bisulcata Wight & Arn.	707
Pseudanthistiria (Hack.) Hook. f.	650	<i>bracteata</i> Wight & Arn.	707
heteroclita (Roxb.) Hook. f.	650	canarensis Talbot	707
<i>hispida</i> Hook.f.	650	dalzellii Hook.f.	707
umbellata (Hack.) Hook. f.	650	<i>doddajorrane</i> Schltdl. ex Hook.f.	707
<i>Pseudanthus brachiatus</i> (L.) Wight	64	<i>elongata</i> (Wight) Hook.f.	708
Pseudarthria Wight & Arn.	440	flavida Talbot	707
viscida (L.) Wight & Arn.	440	<i>fosbergii</i> Sohmer	708
Pseudechinolaena (Hook.f.) Stapf	650	<i>heyneana</i> Wall.	708
polystachya (Kunth)	650	nigra (Gaertn.) Alston	707
Pseuderanthemum Radlk.	44	var. nigra	707

var. peninsularis (Hook.f.) Deb & M.G.Gangop.	707	<i>stocksii</i> Hook.f.	169
octosulcata Talbot	708	wightiana (DC.) C.B.Clarke	169
<i>ophioxyloides</i> Wall.	687	<i>Puliculum articulatum</i> (Trin.) Stapf ex Haines	626
<i>repens</i> (L.) L.	690	<i>Puneeria coagulans</i> Stocks	735
sohmeri Kiehn	708	Punica L.	471
subintegra (Wight & Arn.) Hook.f.	708	granatum L.	471
<i>thwaitesii</i> var. <i>peninsularis</i> Hook.f.	707	Pupalia Adans.	65
truncata Wall.	708	<i>atropurpurea</i> (Lam.) Moq.	65
<i>vaginans</i> Hook.f.	708	lappacea (L.) Juss.	65
<i>volubilis</i> Roxb. ex Wight & Arn.	705	var. lappacea	65
Psydrax Gaertn.	708	var. orbiculata (B.Heyne ex Wall.) C.C. Towns.	65
dicoccos Gaertn.	708	<i>orbiculata</i> Wight	65
umbellata (Wight) Bridson	708	<i>prostrata</i> (L.) Mart.	63
<i>Ptelea arborea</i> Blanco	723	<i>Pusaetha entada</i> Kuntze	390
<i>viscosa</i> L.	723	<i>Putoria indica</i> DC.	698
<i>Ptercanthus</i> (Nees) Bremek.	46	Putranjiva Wall.	677
Pterocarpus Jacq.	441	roxburghii Wall.	677
<i>bilobus</i> Roxb. ex G.Don	441	Putranjivaceae	677
indicus Willd.	441	Pycnospora R. Br. ex Wight & Arn.	441
marsupium Roxb.	441	<i>hedysaroides</i> R. Br. ex Baker	441
var. <i>acuminata</i> Prain	441	lutescens (Poir.) Schind.	441
santalinus L.f.	441	<i>nervosa</i> Wight & Arn.	441
<i>wallichii</i> Wight & Arn.	441	Pycneus P. Beauv.	293, 765
Pteroceras Hasselt ex Hassk.	553, 769	<i>atroglumosus</i> (Govind.) P.Singh & V.Singh	294
indicum Punekar	553, 769	<i>caespitosus</i> (Poir.) C.B.Clarke	294
<i>Pterochilus plantagineus</i> Hook. & Arn.	534	<i>capillaris</i> (J.Koenig ex Roxb.) Nees ex C.B.Clarke	293
<i>Pterocyperus esculentus</i> (L.) Opiz	276	<i>decumbens</i> (Govind.) P.Singh & V.Singh	294
Pterolobium R. Br. ex Wight & Arn.	395	diaphanum (Schrad. ex Roem. & Schult.) S.S.Hooper	
hexapetalum (Roth) Santapau & Wagh	395	& T.Koyama	293
<i>indicum</i> A.Rich.	395	var. <i>acaulis</i> (C.B.Clarke) Karthik.	293
<i>Pteroloma triquetrum</i> (L.) Benth.in Miq.	447	var. <i>gracilescens</i> (Kük.) S.S.Hooper	293
Pterospermum Schreb.	489	var. <i>laxus</i> (Kük.) H.B.Naithani & S.Biswas	293
acerifolium (L.) Willd.	489	<i>esculentus</i> (L.) Hayek	276
diversifolium Blume	489	<i>flavescens</i> auct. non (L.) P.Beauv. ex Rchb.	294
<i>glabrescens</i> Wight & Arn.	489	flavidus (Retz.) T.Koyama	293
heyneanum Wall. ex Wight & Arn.	489	var. <i>erectus</i> (C.B.Clarke) Karthik.	293
reticulatum Wight & Arn.	489	var. <i>khasianus</i> (C.B.Clarke) Karthik.	293
rubiginosum B.Heyne ex Wall.	489	<i>globosus</i> Rchb.	293
suberifolium (L.) Willd.	489	var. <i>erectus</i> C.B.Clarke	293
<i>Pterostigma capitatum</i> Benth.	582	var. <i>nilagiricus</i> (Hochst. ex Steud.) C.B. Clarke	293
<i>Pterygodium sulcatum</i> Roxb.	558	var. <i>strictus</i> (Lam.) Domin	293
Pterygota Schott & Endl.	490	<i>govindarajalui</i> V.S.Raju	294
alata (Roxb.) R. Br.	490	<i>hyalinus</i> (Vahl) Domin	296
Ptychosperma Labill.	123	kanarensis V.P.Prasad & N.P.Singh	294, 765
<i>alexandrae</i> F.Muell.	114	<i>lamarckianus</i> (Schult.) M.R.Almeida	293
<i>calapparia</i> (Blume) Miq.	114	var. <i>strictus</i> (Lam.) M.R.Almeida	293
<i>dicksonii</i> (Roxb.) Miq.	122	<i>latispicatus</i> (Boeckeler) C.B.Clarke	293
elegans (R.Br.) Blume	123	<i>lurida</i> (Govind.) P.Singh & V.Singh	294
macarthurii (H.Wendl. ex H.J.Veitch) H.Wendl. ex		macrostachyos (Lam.) J.Raynal	294
Hook.f.	123	mahadevanii Govind.	294, 765
<i>normanbyi</i> (W.Hill) F.Muell.	121	malabaricus C.B.Clarke	294
<i>Ptychotis roxburghiana</i> DC.	80	<i>odoratus</i> var. <i>hahnianus</i> (Boeckeler) Stehlé	294
Pueraria DC.	441	<i>paniculatus</i> (Rottb.) Nees	294
<i>lobata</i> (Willd.) Ohwi	441	<i>plurinodosus</i> Pycneus plurinodosus (Govind.) P.Singh	
montana (Lour.) Merr.	441	& V.Singh, J. Econ. Taxon. Bot. 5: 467.1984	294
var. <i>lobata</i> (Willd.) Sanjappa & Pradeep	441	polystachyos (Rottb.) P.Beauv.	294
<i>thunbergiana</i> (Siebold & Zucc.) Benth.	441	var. <i>circinatus</i> (Ridl.) H.B.Naithani & S.Biswas	294
tuberosa (Willd.) DC.	441	var. <i>hahnianus</i> (Boeckeler) C.B.Clarke	294
Pulicaria Gaertn.	169	var. <i>laxiflorus</i> (Benth.) C.B.Clarke	295
angustifolia DC.	169	var. microdontus (Torr.) Govaerts	295
<i>indica</i> Jaub. & Spach	169	var. <i>paniculatus</i> (Rottb.) Donn.Sm.	294

var. polystachyos	295	<i>nilgherrica</i> (Benth.) H.Hara	360
pumilus (L.) Nees	295	<i>Racosperma auriculiforme</i> (Benth.) Pedley	384
puncticulatus (Vahl) Nees	295	<i>decurrens</i> (Willd.) Pedley	384
var. <i>quinquagintiflorus</i> (C.B.Clarke) C.B.Clarke	295	<i>mangium</i> (Willd.) Pedley	385
<i>pygmaeus</i> (Rottb.) Nees	278	Radermachera Zoll. & Moritzi	190
<i>rotundus</i> (L.) Hayek	279	<i>wallichii</i> (C.B.Clarke) Chatterjee	191
sanguinolentus (Vahl) Nees	295	xylocarpa (Roxb.) Roxb. ex K.Schum.	190
subsp. <i>micronux</i> (C.B.Clarke) H.B.Naithani & S.Biswas	295	<i>Randia brandisii</i> Gamble	687
subsp. <i>sacer</i> (Korlahalli) Karthik.	295	<i>floribunda</i> (Roxb.) DC.	687
subsp. <i>sacer</i> (Korlahalli) H.B.Naithani & S.Biswas	295	<i>fragrans</i> (Roxb.) Bedd.	686
var. <i>micronux</i> (C.B.Clarke) Karthik.	295	<i>gardneri</i> (Thwaites) Bedd.	685
<i>squarrosus</i> (L.) Nees	280	<i>laurifolia</i> Benth. & Hook.f.	685
stramineus C.B.Clarke	295	<i>malabarica</i> Lam.	686
<i>stricticulmis</i> (Govind.) P.Singh & V.Singh	294	<i>rottleri</i> Wight & Arn.	687
<i>strictus</i> (Lam.) Alston	293	<i>rugulosa</i> (Thwaites) Hook.f.	704
<i>Pygeum acuminatum</i> Colebr.	684	<i>spinosa</i> (Thunb.) Poir.	687
<i>gardneri</i> Hook. f.	684	<i>tomentosa</i> Wight & Arn.	687
<i>sisparens</i> Gamble	684	<i>turgida</i> (Roxb.) Tirveng.	687
<i>wightianum</i> Blume	684	<i>uliginosa</i> (Retz.) Poir.	711
<i>zeylanicum</i> Bedd.	684	<i>Rania candolleana</i> Wight & Arn.	688
<i>Pyrethrum acmella</i> (L.) Medik.	142	Ranunculaceae	678
<i>cinerariifolium</i> Trevir.	174	Ranunculus L.	679
<i>indicum</i> Roxb.	158	<i>peninsularis</i> Saldanha	679
<i>parthenium</i> (L.) Sm.	148	reniformis Wall.ex Wight & Arn.	679
<i>sinense</i> (Sabine) DC.	148	subpinnatus Wight & Arn.	679
Pyrostegia C.Persl.	190	wallichianus Wight & Arn.	679
<i>ignea</i> (Vell.) C.Presl	190	Rapanea Aubl.	676, 771
venusta (Ker Gawler) Miers	190	capitellata (Wall.) Mez	676
<i>Pyrrothrix</i> Bremek.	46	striata Mez	676, 771
Pyrus L.	684	wightiana (Wall. ex A. DC.) Mez	676
communis L.	684	Raphanus L.	201
<i>Pythonium bulbiferum</i> (Roxb.) Schott	104	raphanistrum L.	201
<i>sylvaticum</i> (Roxb.) Wight	105	subsp. sativus (L.) Domin	201
<i>Pyxidaria crustacea</i> (L.) Kuntze	460	<i>sativus</i> L.	201
<i>nummularifolia</i> (D.Don) Kuntze	461	<i>Rapuntium arenarioides</i> C.Presl	208
<i>procumbens</i> (Krock.) Borbás	461	<i>leschenaultianum</i> C.Presl	209
<i>viscosa</i> (Hornem.) Kuntze	462	<i>nicotianifolium</i> (Roth ex Schult.) C.Presl	209
<i>Pyxidium viride</i> (L.) Moq.	62	<i>trialatum</i> (Buch.-Ham. ex D.Don) C.Presl	208
Quamoclit Mill.	253	<i>zeylanicum</i> (L.) C.Presl	209
<i>coccinea</i> (L.) Moench	245	<i>Raputia heterophylla</i> DC.	192
<i>hederifolia</i> (L.) G. Don	246	<i>rassocephalum crepidioides</i> auct. non (Benth.) S. Moore	160
longiflora (Willd.) G. Don	253	Rauvolfia L.	96
<i>mutica</i> Choisy	250	<i>canescens</i> L.	96
<i>phoenicea</i> Choisy	246	<i>decurva</i> Hook.f.	97
<i>pinnata</i> (Desr.) Bojer	249	<i>densiflora</i> (Wall.) Benth. ex Hook.f.	97
<i>vulgaris</i> Choisy	249	var. <i>macrophylla</i> Hook.f.	97
Quassia L.	728	<i>hirsuta</i> Jacq.	96
indica (Gaertn.) Noot.	728	serpentina (L.) Benth. ex Kurz	96
Queenslandiella Dom.	296	<i>subpubescens</i> L.	96
hyalina (Vahl) Ballard	296	tetraphylla L.	96
<i>Quirivelia frutescens</i> (L.) R. Br.	93	<i>tomentosa</i> Jacq.	96
<i>Quisqualis indica</i> L.	225	verticillata (Lour.) Baill.	97
<i>malabarica</i> Bedd.	225	var. <i>macrophylla</i> (Hook.f.) Karthik. & Moorthy	97
<i>Rabdochloa bipinnata</i> (L.) Kuntze	612	Ravenala Adans.	736
<i>virgata</i> (Sw.) P.Beauv.	604	madagascariensis Sonn.	736
<i>Rabdosia coetsa</i> (Buch.-Ham. ex D.Don) H.Hara	359	<i>Ravia santapaui</i> (M.R.Almeida) Kiran Raj & Sivad.	640
var. <i>hookeri</i> (Hook.f.) V.Singh & P.Singh	359	<i>Razumovia tranquebarica</i> Spreng.	559
<i>lophanthoides</i> (Buch.-Ham. ex D.Don) H.Hara	360	<i>Reichardia decapetala</i> Roth	387
var. <i>gerardiana</i> (Benth.) H.Hara	360	<i>hexapetala</i> Roth	395
<i>nigrescens</i> (Benth.) H.Hara	360	<i>Reichenheimia subpeltata</i> (Wight) Klotzsch	185
		<i>Reidia bailloniana</i> (Müll.Arg.) Gamble	575

<i>cordifolia</i> Alston	575	<i>orientalis</i> Desv.	606
<i>floribunda</i> Wight	578	<i>villosula</i> Steud.	602
<i>latifolia</i> Wight	575	<i>wightiana</i> (Steud.) B.D.Jacks.	606
<i>macrocalyx</i> (Mull.Arg.) Gamble	576	<i>zeylanica</i> (Steud.) B.D.Jacks.	606
<i>Reigera maritima</i> (L.) Opiz	269	<i>zizanioides</i> (L.) Roberty	607
Reinwardtia Dumort.	459	Rhapis L. f. ex Aiton	123
<i>indica</i> Dumort.	459	<i>excelsa</i> (Thunb.) Henry	123
<i>trigyna</i> Planch. nom. superfl.	459	<i>humilis</i> Blume	123
Reinwardtiadendron Koord.	501	<i>Rheedia madruno</i> (Kunth) Planch. & Triana	223
<i>anamalaiense</i> (Bedd.) C.J. Saldanha	501	Rhinacanthus Nees	44
Reissantia N. Halle	219, 766	<i>communis</i> Nees	44
<i>grahamii</i> (Wight) Ding Hou	219	<i>nasutus</i> (L.) Kurz	44
<i>indica</i> (Willd.) N.Hallé	220	<i>Rhinanthus indicus</i> L.	558
<i>sessiliflora</i> N.V.Page, Srivastav & R.Rao	220, 766	Rhizophora L.	683
<i>Rejoua dichotoma</i> (Roxb.) Gamble	99	<i>apiculata</i> Blume	683
Remirea Aubl.	296	<i>candel</i> L.	683
<i>maritima</i> Aubl.	296	<i>candelaria</i> DC.	683
var. <i>pedunculata</i> (R.Br.) Benth.	296	<i>caryophylloides</i> Burm.f.	224
<i>pedunculata</i> R.Br.	296	<i>caseolaris</i> L.	473
<i>wightiana</i> Nees	296	<i>conjugata</i> Arn.	683
Remusatia Schott	110	<i>corniculata</i> L.	674
<i>vivipara</i> (Roxb.) Schott	110	<i>cylindrica</i> L.	224
<i>Renanthera flos-aeris</i> (L.) Rchb.f.	530	<i>gymnorhiza</i> L.	225
<i>Renealmia mutica</i> (Roxb.) Salisb.	755	<i>mucronata</i> Lam.	683
<i>Resupinaria grandiflora</i> (L.) Raf.	444	<i>parviflora</i> Roxb.	225
<i>Retzia pilosa</i> Rottler ex Choisy	241	<i>tagal</i> Perr.	683
<i>Reussia sarmentosa</i> Dennst.	705	Rhizophoraceae	682
Reutealis Airy Shaw	337	<i>Rhodanthe manglesii</i> Lindl.	162
<i>trisperma</i> (Blanco) Airy Shaw	337	<i>Rhoeo discolor</i> (L'Hér.) Hance	237
<i>Rhabdia lycioides</i> auct. non Mart.	199	<i>spathacea</i> (Sw.) Stearn	237
<i>viminea</i> (Wall.) Dalziel & Hook.	199	Rhopalephora Hassk.	236
Rhamnaceae	679	<i>scaberrima</i> (Blume) Faden	236
Rhamnus L.	680	var. <i>fruticosa</i> (C.B.Clarke) Vrinda & Panikkar	236
<i>circumscissa</i> L. f.	680	Rhus L.	70
<i>davurica</i> var. <i>hirsuta</i> (Wight & Arn.) M.A. Lawson	680	<i>cobbe</i> L.	722
<i>hirsuta</i> Wight & Arn.	680	<i>cominia</i> L.	722
<i>myrtina</i> Burm. f.	680	<i>mysorensis</i> G.Don	70
<i>nummularia</i> Burm.f.	681	<i>paniculata</i> Wall. ex G. Don	71
<i>oenopolia</i> L.	682	<i>Rhynchelytrum repens</i> (Willd.) C.E.Hubb.	639
<i>parviflora</i> Klein & Willd. ex Schult.	680	<i>Rhynchocharpa epigaea</i> (Rottler) Nandin	260
<i>purandharensis</i> Bhandari & Bhansali	680	var. <i>gracilipes</i> Naudin	260
<i>virgata</i> var. <i>hirsuta</i> (Wight & Arn.) Y.L. Chen & P.K.		<i>foetida</i> auct. non Schrad.	264
Chou	680	Rhynchoglossum Blume	346
<i>virgatus</i> Roxb.	680	<i>notonianum</i> (Wall.) B.L. Burt	346
<i>vitis-idaea</i> Burm.f.	568	<i>obliquum</i> Blume	346
<i>wightii</i> Wight & Arn.	680	var. <i>parviflorum</i> C.B.Clarke	346
<i>xylopyrus</i> Retz.	682	Rhynchosia Lour.	442
var. <i>glaberrima</i> Sedgw.	681	<i>albiflora</i> (Sims) Alston	442
Rhamphicarpa Benth.	559	<i>aurea</i> (Willd.) DC.	442
<i>elongata</i> (Hochst.) O. J. Hansen	559	<i>beddomei</i> Baker	442
<i>fistulosa</i> (Hochst.) Benth.	559	<i>cana</i> (Willd.) DC.	442
<i>longiflora</i> Benth.	559	<i>capitata</i> (Roth) DC.	442
Rhaphidophora Hassk.	110	<i>coodoorensis</i> Bedd.	442
<i>caudata</i> (Roxb.) Schott	108	<i>cyanosperma</i> Baker	442
<i>decursiva</i> (Roxb.) Schott	110	<i>elongata</i> DC.	442
<i>laciniata</i> (Burm.f.) Merr.	108	<i>heynei</i> Wight & Arn.	442
<i>pertusa</i> (Roxb.) Schott	110	<i>hirta</i> (Andr.) Meikle & Verdc.	442
<i>Rhaphidospora glabra</i> (J.Koenig ex Roxb.) Nees	38	<i>laxiflora</i> Cambess.	443
<i>glabrituba</i> Bremek.	38	<i>minima</i> (L.) DC.	442
<i>Rhaphiophallus hohenackeri</i> Schott	104	var. <i>laxiflora</i> (Cambess.) Baker	443
<i>Rhaphis halepensis</i> (L.) Roberty	656	var. <i>minima</i>	443

rothii Aitch.	443	<i>pomacea</i> Wight	239
rufescens (Willd.) DC.	443	<i>tiliifolia</i> (Desr.) Choisy	254
<i>sericea</i> Span.	443	Rivina L.	579
suaveolens (L.f.) DC.	443	humilis L.	579
<i>tomentosa</i> (Roxb.) Baill.	442	<i>paniculata</i> L.	720
<i>viscida</i> (L.) DC.	440	<i>Robinia grandiflora</i> L.	444
viscosa (Roth) DC.	443	<i>maculata</i> Kunth	430
Rhynchospora Vahl	296	<i>sepium</i> Jacq.	430
<i>articulata</i> (Roxb.) Schult.	296	<i>suberosa</i> (DC.) Roxb.	438
<i>aurea</i> Vahl	296	<i>uliginosa</i> Willd.	424
colorata (L.) H.Pfeiff.	296	Robiquetia Gaudich.	554
corymbosa (L.) Britton	296	josephiana Manilal & Sath.Kumar	554
<i>discolor</i> Hochst. ex Steud.	297	rosea (Lindl.) Garay	554
<i>glauca</i> Vahl	296	<i>Rodschiedia serrata</i> Dennst.	682
rugosa (Vahl) Gale	296	<i>Roettlera hamosa</i> (R.Br.) Kuntze	345
wightiana (Nees) Steud.	297	Rondeletia L.	709
Rhynchosstylis Blume	553	<i>asiatica</i> L.	711
<i>albiflora</i> I.Barua & Bora	553	<i>cinerea</i> Wall.	712
<i>garwalica</i> (Lindl.) Rchb.f.	553	<i>exserta</i> Roxb.	712
<i>guttata</i> (Lindl.) Rchb.f.	553	<i>heynei</i> Schult.	712
<i>latifolia</i> C.E.C.Fisch.	554	odorata Jacq.	709
retusa (L.) Blume	553	<i>orissensis</i> Roth	712
f. <i>albiflora</i> (I.Barua & Bora) Christenson	553	<i>repens</i> L.	690
Rhynchotechum Blume	346	<i>thyrsiflora</i> Roth	712
permolle (Nees) B.L. Burt	346	<i>Roptrostemon discolor</i> (Blume) Blume	547
<i>Rhytionanthos rheedei</i> (Manilal & Sath.Kumar) Garay,		Rorippa Scop.	202
Hamer & Siegerist	531	indica (L.) Hiern	202
<i>Ribesiodes ribes</i> (Burm.f.) Kuntze	675	Rosa L.	684
<i>robustum</i> (Roxb.) Kuntze	676	centifolia L.	684
<i>viridiflorum</i> (Scheff.) Kuntze	676	involuta Roxb.	684
Richardia Kunth	709	leschenaultiana (Redout & Thory) Wight & Arn.	684
<i>aethiopica</i> (L.) Spreng.	112	multiflora Thunb.	684
scabra L.	709	<i>sempervirens</i> var. <i>leschenaultiana</i> Redout & Thory	684
<i>Richardsonia scabra</i> (L.) A.St.-Hil.	709	Rosaceae	683, 771
<i>Ricinocarpus brachystachyus</i> (Hornem.) Kuntze	317	<i>Roscoeia villosa</i> Roxb.	357
<i>ciliatus</i> (Forssk.) Kuntze	317	<i>Rostellaria mollissima</i> Nees	40
<i>fruticosus</i> (Forssk.) Kuntze	318	<i>pepoides</i> Nees	40
<i>lanceolatus</i> (Willd.) Kuntze	318	<i>rotundifolia</i> Nees	39
<i>malabaricus</i> (Müll.Arg.) Kuntze	318	<i>Rostellularia crinita</i> Nees	39
<i>villosus</i> var. <i>racemosus</i> Kuntze	318	<i>diffusa</i> (Willd.) Nees	38
Ricinus L.	337	var. <i>orbiculata</i> (Wall. ex T.Anderson) J. L. Ellis	40
communis L.	337	var. <i>prostrata</i> (Roxb. ex C.B.Clarke) J. L. Ellis	40
<i>dicoccus</i> Roxb.	319	var. <i>rotundifolia</i> J. L. Ellis	40
<i>montanus</i> (Willd.) Wall.	320	<i>gracilis</i> Wight	38
<i>salicinus</i> Hassk.	332	<i>japonica</i> (Thunb.) J.L. Ellis	39
<i>speciosus</i> Burm.f.	337	<i>latispica</i> (C.B.Clarke) Bremek.	39
<i>spectabilis</i> Blume	337	<i>mollissima</i> (Nees) Nees	40
<i>Rikliella chinensis</i> (Osbeck) M.R.Almeida	292	var. <i>serpyllifolia</i> (C.B.Clarke) Raizada	39
<i>kernii</i> (Raymond) J.Raynal	292	<i>neesii</i> (Ramamoorthy) A.K. Mukh.	39
<i>squarrosa</i> (L.) J.Raynal	292	<i>procumbens</i> Wight	39
Rinorea Aubl.	748	<i>procumbens</i> (L.) Nees	40
bengalensis (Wall.) Kuntze	748	var. <i>serpyllifolia</i> Benth.	39
<i>Ripidium arundinaceum</i> (Retz.) Grassl	651	var. <i>simplex</i> (D.Don) T.Yamaz.	40
<i>bengalense</i> (Retz.) Grassl	652	<i>prostrata</i> (Roxb. ex C.B.Clarke) R.B. Majumdar	40
Rivea Choisy	253	<i>pumila</i> Nees	40
<i>bona-nox</i> Choisy	253	<i>quinqueangularis</i> (J.Koenig ex Roxb.) Nees	40
<i>cuneata</i> (KerGawler) Wight	238	var. <i>pepoides</i> (Nees) Raizada	40
<i>hirsuta</i> Wight	238	<i>rotundifolia</i> (Nees) Nees A.DC.	39
hypocrateriformis Choisy	253	<i>serpyllifolia</i> (Benth.) Bremek.	39
<i>nervosa</i> (Burm.f.) Hallier f.	239	<i>sundana</i> Bremek.	40
ornata Choisy	254	<i>vahlia</i> (Roth) Nees	41

Rotala L.	471, 768	Rotula Lour.	199
<i>belgaumensis</i> S.R. Yadav, Malpure & Chandore	471, 768	<i>aquatica</i> Lour.	199
<i>densiflora</i> (Roth) Koehne	471	Rourea Aubl.	237
<i>fimbriata</i> Wight	471	<i>minor</i> (Gaertn.) Alston	237
<i>illecebroides</i> (Arn.) Koehne	471	<i>prainiana</i> Talbot	238
<i>indica</i> (Willd.) Koehne	471	<i>santaloides</i> (Vahl) Wight & Arn.	237
<i>kasargodensis</i> K.S.Prasad & Raveendran	471	<i>Roxburghia rostrata</i> Russell ex Nees	53
<i>leptopetala</i> (Blume) Koehne	472	Roystonea O.F.Cook	123
<i>macrandra</i> Koehne	472	<i>regia</i> (Kunth) O.F.Cook	123
<i>malampuzhensis</i> R.V. Nair ex Cook	472	Rubia L.	709
<i>mexicana</i> Schltdl. & Cham.	472	<i>alata</i> Wall.	709
<i>occultiflora</i> Koehne	472	<i>cordifolia</i> L.	709
<i>pentandra</i> (Roxb.) Blatter & Hallb.	472	<i>tinctoria</i> Salisb.	709
<i>ritchiei</i> (Clarke) Koehne	472	<i>tinctorum</i> L.	709
<i>rosea</i> (Poir.) C.D.K. Cook	472	Rubiaceae	685, 772
<i>rotundifolia</i> (Buch.-Ham. ex Roxb.) Koehne	472	Rubus L.	684, 771
<i>roxburghiana</i> Wight	471	<i>ellipticus</i> Sm.	684
<i>serpyllifolia</i> (Roth) Bremek.	472	var. <i>hirta</i> Hook.f.	685
<i>tenuis</i> Koehne	469	<i>fairholmianus</i> Gardner	685
<i>verticillaris</i> L.	472	<i>fockeii</i> Gandhi	685
Rothea Raf.	373	<i>fulvus</i> Focke	685
<i>incisa</i> (Klotzsch) Steane & Mabb.	373	<i>glomeratus</i> Blume	685
<i>serrata</i> (L.) Steane & Mabb.	373	<i>gowreephul</i> Roxb.	684
Rothia Pers.	443	<i>kasthuriæ</i> Gandhi	685, 771
<i>indica</i> (L.) Druce	443	<i>lasiocarpus</i> Sm.	685
<i>trifoliata</i> (Roth) Pers.	443	<i>micropetalus</i> Gardner	685
Rottboellia L. f.	651	<i>moluccanus</i> L.	685
<i>acuminata</i> Hack.	628	<i>moluccanus</i> L.	685
var. <i>stocksii</i> Hook. f.	629	<i>mysorensis</i> B.Heyne	685
<i>biflora</i> Roxb.	641	<i>niveus</i> Thunb.	685
<i>clarkei</i> Hack.	607	<i>rosifolius</i> Sm.	685
<i>cochinchinensis</i> (Lour.) Clayton	651	<i>rugosus</i> Sm.	685
<i>compressa</i> L.f.	630	Rudbeckia L.	170
<i>dimidiata</i> (L.) L.f.	659	<i>amplexicaulis</i> Vahl	170
<i>divergens</i> Hack.	629	Ruellia L.	45
<i>exaltata</i> (L.) L.f.	641	<i>alternata</i> Burm.f.	47
var. <i>robusta</i> Hook.f.	651	<i>anagallis</i> Burm. f.	459
<i>gibbosa</i> Hack. ex Lisboa	607	<i>antipoda</i> L.	460
<i>granularis</i> (L.) Roberty	629	<i>balsamica</i> L.f.	36
<i>hispida</i> Roxb. ex Hook.f.	651	<i>barlerioides</i> Roth	43
<i>laevis</i> Retz.	640	<i>beddomei</i> C.B. Clarke	45
<i>myurus</i> (L.) Benth.	638	<i>colorata</i> Blume	47
<i>perforata</i> Roxb.	640	<i>cordifolia</i> Vahl	48
<i>repens</i> G.Forst.	638	<i>coromandelina</i> Nees	26
<i>roxburghiana</i> Schult.	641	<i>crenata</i> Benth. ex Hohen.	48
<i>setacea</i> Roxb.	639	<i>crispa</i> auct. non L.	53
<i>thomaea</i> (L.f.) Willd.	642	<i>crossandra</i> Steud.	48
<i>triacantha</i> Roth	621	<i>cuspidata</i> Wall.	41
Rottlera aureopunctata Dalzell	334	<i>depressa</i> Wall.	32
<i>ferruginea</i> Roxb.	335	<i>diffusa</i> Nees	48
<i>incana</i> Vahl	345	<i>dorsiflora</i> Retz.	43
<i>indica</i> Willd.	334	<i>dura</i> Nees	53
<i>moluccana</i> (L.) Scheff.	319	<i>ebracteata</i> Dalzell	51
<i>peltata</i> Wight	335	<i>elegans</i> Hook.	51
<i>rhombifolia</i> (Willd.) Thwaites	335	<i>erecta</i> Burm.f.	32
<i>scabrifolia</i> A.Juss.	335	<i>fasciculata</i> Retz.	41
<i>tetracocca</i> Roxb.	335	<i>filiformis</i> Klein ex Nees	26
<i>tinctoria</i> Roxb.	334	<i>imbricata</i> Forssk.	43
<i>trinervis</i> Zipp. ex Span.	335	<i>latebrosa</i> B. Heyne ex Roth	51
<i>urandra</i> Dalzell	321	<i>mysorensis</i> Roth	26
<i>viscida</i> Blume	335	<i>nemoralis</i> Vahl ex Nees	26

<i>obovata</i> Roxb. ex Hornem.	37	<i>fastigiatum</i> Nees ex Steud.	626
patula Jacq.	45	<i>koenigii</i> Retz.	631
<i>pavala</i> Roxb.	51	<i>moonja</i> Royle	652
prostrata Poir.	45	<i>munja</i> Roxb.	652
var. <i>dejecta</i> (Nees) C.B. Clarke	45	officinarum L.	652
<i>punctata</i> Nees	51	var. <i>giganteum</i> Kunth	652
<i>quadrivalvis</i> Buch.-Ham.	36	<i>paniceum</i> Lam.	649
<i>repanda</i> L.	53	<i>panicosum</i> Griff.	649
<i>ringens</i> L.	37	<i>repens</i> Willd.	639
<i>salicifolia</i> Vahl	37	<i>sara</i> Roxb.	652
<i>satpoorensis</i> Wawra	51	<i>spicatum</i> L.	648
<i>secundiflora</i> Bojer ex Nees	26	spontaneum L.	652
<i>setigera</i> Wight ex Nees	32	<i>teneriffe</i> L. f.	661
<i>spicata</i> Roth	48	<i>tridentatum</i> (Roxb.) Spreng.	638
<i>tentaculata</i> L.	35	<i>tristachyum</i> Steud.	627
tuberosa L.	45	Sacciolepis Nash	652
<i>urens</i> Roth	53	<i>aurita</i> (Nees) A.Camus	643
<i>variabilis</i> Macrae ex Nees	26	indica (L.) Chase	652
<i>zeylanica</i> K.D.Koenig ex Roxb.	26	interrupta (Willd.) Stapf	652
Rumex L.	672	mysuroides (R.Br.) A. Camus	653
acetosella L.	672	<i>Saccolabium acaule</i> (Lindl.) Hook.f.	540
var. <i>multifidus</i> (L.) DC.	672	<i>flabelliforme</i> Blatt. & McCann	540
dentatus L.	672	<i>garwalicum</i> Lindl.	553
<i>glaber</i> Forssk.	668	<i>jerdonianum</i> (Wight) Rchb.f.	554
<i>multifidus</i> L.	672	<i>maculatum</i> (Dalzell) Hook.f.	555
<i>spinosus</i> L.	668	<i>nilagiricum</i> Hook.f.	540
Rungia Nees	45	<i>ochraceum</i> Lindl.	529
<i>apiculata</i> Bedd.	37	<i>paniculatum</i> Wight	530
var. <i>compta</i> C.B.Clarke	37	<i>peninsulare</i> (Dalzell) Alston	533
<i>crenata</i> T.Anderson	38	<i>praemorsum</i> (Roxb.) Hook.f.	529
<i>elegans</i> Dalzell & A. Gibson	38	<i>pulchellum</i> (Wight) C.E.C.Fisch.	540
<i>linifolia</i> Nees	38	<i>retusum</i> (L.) Voigt	553
var. <i>saldanhae</i> Mascar. & Janarth.	39	<i>rheedei</i> Wight	553
muralis Nees	45	<i>ringens</i> Lindl.	530
parviflora (Retz.) Nees	45	<i>roseum</i> Lindl.	554
subsp. <i>pectinata</i> (L.) L.H. Cramer	45	<i>rubrum</i> Wight	530
var. <i>muralis</i> (Nees) C.B. Clarke	45	<i>smeeanum</i> Rchb.f.	554
var. <i>pectinata</i> (L.) C.B. Clarke	45	<i>speciosum</i> Wight	529
pectinata (L.) Nees	45	<i>tenerum</i> (Lindl.) Lindl.	556
var. <i>clarkeana</i> Hand.-Mazz.	45	<i>tenuifolium</i> (L.) Alston	532
repens (L.) Nees	46	<i>viridiflorum</i> (Dalzell) Lindl.	555
<i>sisparensis</i> T.Anderson	41	<i>walkerianum</i> (Wight) Rchb.f.	554
Russelia Jacq.	586	<i>wightianum</i> Lindl.	530
equisetiformis Schltdl. & Cham.	586	<i>Saccopetalum arboreum</i> Elmer	74
Ruta L.	716	<i>horsfieldii</i> Bennett	74
graveolens L.	716	<i>lineatum</i> Craib	74
Rutaceae	712	<i>sclerocarpum</i> (A.DC.) Hook. f. & Thomson	74
<i>Rykia furcata</i> (Roxb.) de Vriese	563	<i>tectonum</i> (Hutch. ex C.E.Parkinson) Chatterjee	74
<i>Rynchocarpa rostrata</i> (Rottler) Naudin	264	<i>tomentosum</i> Hook.f. & Thomson	74
<i>Rytillix granularis</i> (L.) Skeels	629	<i>unguiculatum</i> C.E.C.Fisch.	74
Sabal Adans.	123	Sageraea Dalzell	76
<i>blackburniana</i> Schult. & Schult.f.	124	<i>laurifolia</i> (J.Graham) Blatt.	76
mexicana Mart.	123	laurina Dalzell	76
minor (Jacq.) Pers.	124	Sageretia Brongn.	680
palmetto (Walter) Lodd. ex Schult. & Schult.f.	124	<i>oppositifolia</i> Brongn.	680
<i>Sabazia microglossa</i> DC.	157	parviflora G.Don	680
Sabiaceae	717	Sagittaria L.	56
Saccharum L.	651	<i>obtusifolia</i> L.	56
arundinaceum Retz.	651	sagittifolia L.	56
bengalense Retz.	652	subsp. <i>leucopetala</i> (Miq.) Hartog	56
<i>conjugatum</i> (Roxb.) Spreng.	626	var. <i>leucopetala</i> Miq.	56

<i>triandra</i> Dalzell	56	<i>zeylanica</i> Roxb.	135
trifolia L.	56	Santalaceae	720, 772
<i>Saguaster elegans</i> (R.Br.) Kuntze	123	<i>Santaloides roxburghii</i> (Hook. & Arn.) Kuntze	237
<i>macarthurii</i> (H.Wendl. ex H.J.Veitch) Kuntze	123	Santalum L.	720
<i>normanbyi</i> (W.Hill) Kuntze	121	album L.	720
<i>Saguerus wightii</i> (Griff.) H.Wendl. & Drude	115	<i>Santapaua</i> N.P. Balakr. & Subr.	36
Salacca Reinw.	124	<i>Santia monspeliensis</i> (L.) Parl.	649
<i>edulis</i> Reinw.	124	<i>venulosa</i> Wight & Arn.	695
<i>rumphii</i> Wall.	124	Sapindaceae	722
zalacca (Gaertn.) Voss	124	Sapindus L.	724
Salacia L.	220	<i>deficiens</i> Wight & Arn.	723
beddomei Gamble	220	emarginatus Vahl	724
chinensis L.	220	laurifolius Vahl	724
fruticosa Heyne ex Lawson	220	<i>tetraphyllus</i> Vahl	723
gambleana Whiting & Kaul	220	<i>trifolius</i> auct non L.	724
<i>latifolia</i> Wall. ex Lawson	220	<i>Sapium insigne</i> (Royle) Benth. & Hook. f.	331
macroserma Wight	220	var. <i>malabaricum</i> (Wight) Hook.f.	331
malabarica Gamble	220	<i>Saponaria hispanica</i> Mill.	216
oblonga Wall. ex Wight & Arn.	220	<i>vaccaria</i> L.	216
<i>prinoides</i> (Willd.) DC.	220	<i>Sapota elengioides</i> A.DC.	727
reticulata Wight	220	<i>tomentosa</i> (Roxb.) A.DC.	727
<i>talbotii</i> Gamble	220	Sapotaceae	724, 772
Salicaceae	718	Saprosma Blume	709
<i>Salicornia brachiata</i> Roxb.	64	<i>ceylanicum</i> (Gardner) Bedd.	709
<i>indica</i> Willd.	64	foetens (Wight) K.Schum.	709
Salix L.	719	subsp. ceylanicum (Gardner) M.G.Gangop. & Chakrab.	709
tetrasperma Roxb.	719	glomeratum (Gardner) Bedd.	709
<i>Salmalia insignis</i> (Wall.) Schott & Endl.	478	Saraca L.	407
<i>malabarica</i> (DC.) Schott & Endl.	478	asoca (Roxb.) Willd.	407
Salomonina Lour.	668	<i>cauliflora</i> Baker	407
ciliata (L.) DC.	668	declinata Miq.	407
<i>oblongifolia</i> DC.	668	<i>indica</i> auct. non L.	407
Salvadora L.	720	thaipingensis Canttey ex Prain	407
persica L.	720	<i>Sarcanthus guttatus</i> Lindl.	553
var. <i>indica</i> (Wight) T.A.Rao & Chakraborti	720	<i>pauciflorus</i> Wight	532
var. <i>tuticornica</i> aT.A.Rao & Chakraborti	720	<i>peninsularis</i> Dalzell	532
Salvadoraceae	720	<i>tenuifolius</i> (L.) Seidenf.	533
Salvia L.	374	<i>walkerianus</i> Wight	554
aegyptiaca L.	374	<i>Sarcoca dioica</i> (L.) Raf.	579
<i>ciliata</i> Benth.	374	<i>Sarcocephalus cadamba</i> (Roxb.) Kurz	700
coccinea Buc'hoz ex Etl.	374	<i>missionis</i> (Wall. ex G.Don) Havil.	700
leucantha Cav.	374	<i>Sarcophilus dalzellianus</i> Santapau	555
<i>pumila</i> Benth.	374	<i>luniferus</i> (Rchb.f.) Benth. ex Hook.f.	532
<i>Samadera indica</i> Gaertn.	728	<i>maculatus</i> (Dalzell) Pfitzer	555
<i>Samama cadamba</i> (Roxb.) Kuntze	700	<i>tenuifolius</i> (L.) Náves	532
<i>citrifolia</i> (L.) Kuntze	696	<i>viridiflorus</i> (Dalzell) T.Cooke	555
<i>Samanea saman</i> (Jacq.) Merr.	386	<i>Sarcoclinium longifolium</i> Wight	319
<i>Samara rheedii</i> Wight	676	Sarcococca Lindl.	205
<i>ribes</i> (Burm.f.) Benth. & Hook. f. ex Kurz	675	coriacea (Hook.) cSweet	205
<i>robusta</i> Benth. & Hook.f. ex Kurz	676	<i>nepalensis</i> Royle	205
<i>viridiflora</i> Arn.	676	<i>pruniformis</i> Lindl.	205
<i>Sanguinaria ciliaris</i> (Retz.) Bubani	615	<i>trinervia</i> Wight	205
<i>Sanseverinia thyriflora</i> Petagna	135	<i>zeylanica</i> Baill.	205
Sansevieria Thunb.	135	Sarcostemma R. Br.	97
cylindrica Bojer ex Hook.	135	<i>acidum</i> (Roxb.) Voigt	97
<i>fragrans</i> (L.) Jacq.	131	<i>annulare</i> Roth	92
hyacinthoides (L.) Druce	135	<i>brevistigma</i> Wight & Arn.	97
roxburghiana Schult. & Schult.f.	135	brunonianum Wight & Arn.	97
stuckyi God.-Leb.	135	intermedium Decne.	97
<i>thyriflora</i> (Petagna) Thunb.	135	secamone (L.) Bennett	97
trifasciata Prain	135		

stocksii Hook. f.	97	<i>bengalensis</i> Gamble	113
viminale non R. Br.	97	capitata (Wight & Arn.) Harms	113
subsp. <i>brunonianum</i> (Wight & Arn.) P.I. Forst.	97	micrantha (C.B.Clarke) Gamble	113
Sarcostigma Wight & Arn.	352	rostrata (Wight) Harms	113
kleinii Wight & Arn.	352	var. <i>micrantha</i> (C.B.Clarke) Maheshw.	113
<i>Sarcoyucca aloifolia</i> (L.) Lindling.	135	roxburghii Gamble	113
<i>Saribus chinensis</i> (Jacq.) Blume	121	stellata (Gaertn.) Baill.	113
<i>Sarissus anceps</i> Gaertn.	691	venulosa (Wight & Arn.) Harms	113
<i>Saritaea magnifica</i> (W.Bull) Dugand	186	wallichiana (Wight & Arn.) Harms	113
Satyrium Sw. nom. cons.	554	Schinus L.	70
<i>lanceum</i> (Thunb. ex Sw.) Pers.	544	<i>limonia</i> L.	715
nepalense D.Don	554	molle L.	70
<i>wightianum</i> Lindl.	554	Schizachyrium Nees	653
Sauromatum Schott	110	brevifolium (Sw.) Nees ex Buse	653
<i>guttatum</i> Schott	110	exile (Hochst.) Pilg.	653
var. <i>pedatum</i> (Link & Otto) Engl.	110	<i>paranjpyeanum</i> (Bhide) Raizada & S.K.Jain	614
var. <i>sessiliflorum</i> (Roxb.) Engl.	110	<i>sudhanshui</i> N.P.Singh	653
var. <i>simlense</i> (Schott) Engl.	110	<i>Schizocasia sanderiana</i> (W.Bull) Engl.	104
var. <i>venosum</i> (Dryand. ex Aiton) Engl.	110	Schizostachyum Nees	653
<i>pedatum</i> (Link & Otto) Schott	110	beddomei (C.E.C.Fisch.) R.B.Majumdar	653
<i>sessiliflorum</i> (Roxb.) Kunth	110	<i>hindostanicum</i> Kurz	651
<i>simlense</i> Schott	110	Schleichera Willd.	724
venosum (Dryand. ex Aiton) Kunth	110	oleosa Merr.	724
Sauropus Blume	578	<i>oleosa</i> (Lour.) Merr.	724
<i>albicans</i> Blume	578	<i>trijuga</i> Willd.	724
var. <i>gardnerianus</i> (Wight) Müll. Arg.	578	<i>Schmidelia distachya</i> DC.	722
var. <i>zeylanicus</i> (Wight) Müll. Arg.	578	<i>rheedei</i> Wight	722
androgynus (L.) Merr.	578	Schoenoplectiella Lye	297
bacciformis (L.) Airy Shaw	579	articulata (L.) Lye	297
<i>ceratogynum</i> Baill. ex Mull.Arg.	579	juncooides (Roxb.) Lye	297
<i>gardnerianus</i> Wight	578	lateriflora (J.F.Gmel.) Lye	297
<i>indicus</i> Wight	578	senegalensis (Steud.) Lye	297
<i>lanceolatus</i> Hook.f.	578	supina (L.) Lye	297
<i>oblongifolius</i> Hook.f.	578	Schoenoplectus (Rchb.) Palla,	298
quadrangularis (Willd.) Mull.Arg.	579	<i>articulatus</i> (L.) Palla	297
<i>retroversus</i> Wight	578	corymbosus (Roth ex Roem. & Schult.) J.Raynal	298
<i>rigidus</i> Thwaites	579	<i>grossus</i> (L.f.) Palla	269
saksenanus Manilal, Prasann. & Sivar.	579	<i>jacobi</i> (C.E.C.Fisch.) Lye	297
<i>zeylanicus</i> Wight	578	<i>juncooides</i> (Roxb.) Palla	297
<i>Saururus natans</i> L.	102	<i>lateriflorus</i> (J.F.Gmel.) Lye	297
Saxifraga L.	727	litoralis (Schrud.) Palla	298
<i>sarmentosa</i> L.f.	727	subsp. <i>subulatus</i> (Vahl) Soják	298
stolonifera Curtis	727	subsp. thermalis (Trab.) S.S.Hooper	298
Saxifragaceae	727	<i>maritimus</i> (L.) Lye	269
<i>Scabrita scabra</i> L.	526	mucronatus (L.) Palla	298
<i>triflora</i> L.	526	<i>senegalensis</i> (Steud.) Palla	297
Scadoxus Raf.	67	<i>senegalensis</i> (Hochst. ex Steud.) Palla ex J.Raynal	297
multiflorus (Martyn) Raf.	67	<i>supinus</i> subsp. <i>lateriflorus</i> (J.F.Gmel.) Soják	297
Scaevola L.	346	Schoenorchis Reinw.	554
<i>frutescens</i> var. <i>sericea</i> (Vahl) Merr.	346	jerdoniana (Wight) Garay	554
<i>koenigii</i> Vahl	346	<i>latifolia</i> (C.E.C.Fisch.) C.J.Saldanha	554
<i>lobelia</i> L.	346	smeeana (Rchb.f.) Jalal, Jayanti & Schuit.	554
var. <i>sericea</i> (Vahl) Benth.	346	<i>Schoenus articulatus</i> Roxb.	296
plumieri (L.) Vahl	346	<i>coloratus</i> L.	296
<i>sericea</i> Vahl	346	<i>corymbosus</i> (L.) Pers.	296
taccada (Gaertn.) Roxb.	346	<i>laevigatus</i> Roxb. ex Nees	292
<i>Scepa lindleyana</i> Wight	567	<i>nemorum</i> Vahl	290
<i>Sceura marina</i> Forssk.	26	<i>paniculatus</i> Burm.f.	300
<i>schaemum timorensense</i> var. <i>villosum</i> C.E.C.Fisch.	635	<i>rugosus</i> Vahl	296
Schefflera J. R. Forst. & G. Forst.	113	<i>Schollia carnosa</i> (L.f.) Schrank ex Steud.	93
actinophylla (Endl.) Harms	113	Schouwia DC.	202

<i>arabica</i> (Vahl) DC.	202	<i>glomeratus</i> B.Heyne ex Wall.	272
purpurea (Forssk.) Schweinf.	202	<i>glomeratus</i> Roxb.	285
Schrebera Roxb.	527	<i>incurvatus</i> Roxb.	297
<i>pubescens</i> Kurz	527	<i>isolepis</i> (Nees) Boeckeler	292
swietenoides Roxb.	527	<i>jacobi</i> C.E.C.Fisch.	297
var. <i>pubescens</i> (Kurz) Kurz	527	<i>juncoides</i> Roxb.	297
<i>Schultzia</i> ? <i>bentharii</i> C.B.Clarke	78	<i>kernii</i> Raymond	292
Schumannianthus Gangnep.	494	<i>kyllingioides</i> (A.Rich.) Boeckeler	276
dichotomus (Roxb.) Gagnep.	494	<i>kyllingioides</i> (A.Rich.) Boeckeler	276
virgatus (Roxb.) Rolfe	494	<i>lateriflorus</i> J.F.Gmel.	297
<i>Sciaccasia siamea</i> (Lam.) Britton & Rose	399	<i>lawianus</i> Boeckeler	286
<i>Scilla coromandeliana</i> Roxb.	132	<i>lithospermus</i> L.	299
<i>hyacinthina</i> (Roth) J.F.Macbr.	133	<i>litoralis</i> subsp. <i>subulatus</i> (Vahl) M.A.Wadood Khan	298
<i>indica</i> Roxb.	132	subsp. <i>thermalis</i> (Trab.) Murb.	298
<i>indica</i> (Wight) Baker	133	var. <i>subulatus</i> (Vahl) Chiov.	298
Scindapsus Schott	111	<i>maritimus</i> L.	269
<i>aureus</i> (Linden & André) Engl.	108	subsp. <i>affinis</i> (Roth) Norl.	269
<i>caudatus</i> (Roxb.) Schott	108	var. <i>affinis</i> (Roth) C.B. Clarke	269
<i>decursivus</i> (Roxb.) Schott	110	<i>medius</i> Roxb.	281
officinalis (Roxb.) Schott	111	<i>michelianus</i> L.	277
<i>pertusus</i> (Roxb.) Schott	110	<i>microcephalus</i> (Steud.) Dandy	276
<i>pinnatus</i> (L.) Schott	108	<i>miliaceus</i> Roxb.	285
<i>Scirpus acutangulus</i> Roxb.	281	<i>miliaceus</i> L.	288
<i>aestivalis</i> (Vahl) Retz.	283	<i>monander</i> Roxb.	269
<i>affinis</i> Roth	269	<i>monander</i> Rottb.	283
<i>argenteus</i> Rottb.	283	<i>monostachyos</i> J.König ex Roxb.	288
<i>aristatus</i> Willd.	289	<i>monostachyus</i> (L.) Kuntze	287
<i>articulatus</i> L.	297	<i>mucronatus</i> L.	298
<i>arvensis</i> Roxb.	285	<i>mutatus</i> Roxb. ex C.B.Clarke	282
<i>atropurpureus</i> Retz.	281	<i>pallens</i> Roxb.	283
<i>bangalorensis</i> B.Heyne ex Wall.	296	<i>pectinatus</i> Roxb.	298
<i>barbatus</i> Rottb.	269	<i>pentagonus</i> Roxb.	288
<i>benghalensis</i> Pers.	288	<i>pilosus</i> Retz.	289
<i>bispicatus</i> J.König ex Roxb.	288	<i>plantagineus</i> Retz.	281
<i>bisumbellatus</i> Forssk.	283	<i>plantagineus</i> Roxb.	288
<i>brevifolius</i> Roxb.	285	<i>plantaginoides</i> Rottb.	281
<i>capitatus</i> L.	282	<i>polytrichoides</i> Retz.	287
<i>chaetarius</i> (Roem. & Schult.) Spreng.	282	<i>puberulus</i> Poir.	270
<i>chinensis</i> Osbeck	292	<i>purpurascens</i> (Boeckeler) Kuntze	281
<i>ciliaris</i> L.	289	<i>quinquangularis</i> Vahl	288
<i>cinnamometorum</i> Vahl	284	<i>salbundius</i> Buch.-Ham. ex Wall.	288
<i>comosus</i> Wall.	282	<i>scaber</i> Roxb.	283
<i>complanatus</i> Retz.	284	<i>schoenoides</i> Roxb.	287
<i>congestus</i> (D.Don) Buch.-Ham. ex D.Don	281	<i>schoenoides</i> Retz.	288
<i>corymbosus</i> L.	296	<i>sericeus</i> Poir.	288
<i>corymbosus</i> (Roth ex Roem. & Schult.) B.Heyne	298	<i>spiralis</i> Rottb.	282
<i>cuspidatus</i> Roth	289	<i>squamosus</i> Link	292
<i>cymosus</i> (R.Br.) Poir.	284	<i>squarrosus</i> L.	292
<i>cyperoides</i> L.	274	<i>strictus</i> Roxb.	284
<i>densus</i> Wall.	270	<i>strobilinus</i> Roxb.	269
<i>dichotomus</i> L.	285	<i>subarticulatus</i> Roxb.	297
<i>diphyllus</i> Retz.	285	<i>subulatus</i> Vahl	298
<i>dipsaceus</i> Rottb.	285	<i>subviviparus</i> (Boeckeler) Kuntze	281
<i>dubius</i> Roxb.	281	<i>supinus</i> L.	297
<i>elongatus</i> Buch.-Ham. ex D.Don	282	var. <i>lateriflorus</i> (J.F.Gmel.) T.Koyama	297
<i>erectus</i> C.B.Clarke	297	<i>tenellus</i> Roxb.	289
<i>falcatus</i> Vahl	286	<i>tetragonus</i> Roxb.	288
<i>ferrugineus</i> L.	286	<i>tetragonus</i> (R.Br.) Poir.	289
<i>fistulosus</i> (Schult.) Kuntze	281	<i>thermalis</i> Trab.	298
<i>geniculatus</i> L.	282	<i>tranquebariensis</i> Roth	286
<i>globulosus</i> Roxb.	286	<i>tristachyos</i> Roxb.	286

<i>tuberosus</i> Roxb.	281	<i>crenata</i> Clos	719
<i>tumidus</i> Roxb.	281	Scoparia L.	587
<i>umbellatus</i> (Rottb.) Kuntze	290	<i>dulcis</i> L.	587
<i>umbellatus</i> Roxb. ex Kunth	296	Scorzonera L.	170
<i>uncinatus</i> Willd.	290	<i>hispanica</i> L.	170
<i>velatus</i> (R.Br.) Poir.	288	<i>Scrophularia chinensis</i> L.	727
<i>wardianus</i> J.R.Drumm.	298	Scrophulariaceae	727
Scleria Berg.	298	Scurrula L.	467
<i>africana</i> Benth.	280	<i>atropurpurea</i> (Blume) Danser	467
<i>androgyna</i> Nees	298	<i>buddleioides</i> sensu C.J.Saldanha	468
<i>annularis</i> Steud.	298	<i>cordifolia</i> (Wall.) G. Don	467
<i>biflora</i> Roxb.	298	<i>parasitica</i> L.	468
subsp. <i>ferruginea</i> J.Kern	298	<i>philippensis</i> (Cham. & Schltdl.) G.Don	467
<i>caricina</i> (R.Br.) Benth.	281	Scutellaria L.	374
<i>chinensis</i> var. <i>biauriculata</i> C.B.Clarke	300	<i>angulosa</i> Benth.	374
<i>cochinchinensis</i> (Lour.) Druce	300	<i>barbata</i> D.Don	374
<i>corymbifera</i> Boeckeler	298	<i>celtidifolia</i> A.Ham.	374
<i>corymbosa</i> Roxb.	298	<i>colebrookiana</i> Wall.	374
<i>elata</i> Thwaites	300	<i>discolor</i> Colebr.	374
var. <i>decolorans</i> C.B.Clarke	300	<i>floribunda</i> Benth.	374
var. <i>latior</i> C.B.Clarke	300	<i>indica</i> Roxb.	374
<i>ferruginea</i> Ohwi	298	<i>japonica</i> Burm.f.	360
<i>foliosa</i> Hochst. ex A.Rich.	299	<i>minor</i> var. <i>indica</i> Benth.	374
<i>glandiformis</i> Boeckeler	300	<i>rivularis</i> Wall. ex Benth.	374
<i>hebecarpa</i> Nees	299	<i>scandens</i> D.Don	374
var. <i>pubescens</i> (Steud.) C.B.Clarke	299	<i>squamulosa</i> A.Ham.	374
<i>levis</i> Retz.	299	<i>violacea</i> B.Heyne ex Benth.	374
var. <i>pubescens</i> (Steud.) C.Z.Zheng	299	var. <i>colebrookiana</i> Hook.f.	374
<i>lithosperma</i> (L.) Sw.	299	var. <i>hispidior</i> Hook.f.	374
var. <i>linearis</i> Benth.	299	<i>wightiana</i> Benth.	374
var. <i>lithosperma</i>	299	Scutia (Comm. ex DC.) Brongn.	680
<i>major</i> Moon	298	<i>circumcissa</i> (L.f.) W. Theob.	680
<i>melanostoma</i> Boeckeler	300	<i>indica</i> Brongn.	680
<i>multilacunosa</i> T.Koyama	299	<i>myrtina</i> (Burm.f.) Kurz	680
<i>pergracilis</i> (Nees) Kunth	299	var. <i>emarginata</i> Bhandari & Bhansali	680
<i>poiformis</i> Retz.	299	var. <i>myrtina</i>	680
<i>psilorrhiza</i> C.B.Clarke	299	<i>Seaforthia calapparia</i> (Blume) Mart.	114
<i>pubescens</i> Steud.	299	<i>dicksonii</i> (Roxb.) Mart.	122
<i>reticulata</i> auct. non (Holtum) J.Kern	280	<i>elegans</i> R.Br.	123
<i>ridleyi</i> C.B.Clarke	298	<i>Sebaea carinata</i> (Roxb.) Spreng.	341
<i>salebrosa</i> Boeckeler ex C.B.Clarke	299	<i>sulcatum</i> (Roxb.) Spreng.	341
<i>scrobiculata</i> C.B.Clarke	300	<i>Sebastiania</i> Spreng.	336
<i>stocksiana</i> Boeckeler	299	<i>chamaelea</i> (L.) Mull.Arg.	336
<i>terrestris</i> (L.) Fassett	300	<i>Sebestena myxa</i> (L.) J. Presl	195
var. <i>decolorans</i> (C.B.Clarke) Fassett	300	<i>officinalis</i> Gaertn.	195
var. <i>latior</i> (C.B.Clarke) Fassett	300	<i>sebestena</i> (L.) Britton	195
<i>tessellata</i> Willd.	300	<i>Sebifera glutinosa</i> Lour.	381
<i>wightiana</i> Steud.	299	Secamone R. Br.	97
Sclerocarpus Jacq.	170	<i>emetica</i> (Retz.) R. Br. ex Schult.	97
<i>africanus</i> Jacq. Icon. Pl. Rar.1: 17	170	<i>laurifolia</i> (Roxb.) K. Schum.	90
<i>Scleromitron approximatum</i> (R.Br. ex Wight & Arn)		<i>Sechium americanum</i> Poir.	266
Kurz 703		<i>chayota</i> Jacq. ex Hemsl.	266
<i>nitidum</i> Kurz	691	<i>edule</i> (Jacq.) Sw.	266
<i>tenelliflorum</i> (Blume) Korth.	703	<i>Securingea leucopyrus</i> (Willd.) Müll.Arg.	570
<i>Sclerophyllum coarctatum</i> (Roxb.) Griff.	649	<i>virosa</i> (Roxb. ex Willd.) Baill.	571
Scleropyrum Arn.	720	Seddera Hochst.	254
<i>pentandrum</i> (Dennst.) Mabb.	720	<i>evolvuloides</i> Wight	240
<i>wallichianum</i> Arn.	720	<i>latifolia</i> Hochst. & Steud.	254
<i>Sclerostylis atalantioides</i> Wight	713	<i>Seemannantha strigosa</i> (Dalzell) Alef.	448
<i>parvifolia</i> Wight	713	Sehima Forssk.	653
Scolopia Schreb.	719	<i>elegans</i> (Roem. & Schult.) Roberty	660

ischaemoides Forssk.	653	intsia (L.) Maslin, Seigler & Ebinger	396
nervosum (Rottler ex Roem. & Schult.) Stapf	653	megaladena (Desv.) Maslin, Seigler & Ebinger	396
sulcatum (Hack.) A. Camus	653	pennata (L.) Maslin	396
<i>Seidenfia densiflora</i> (A.Rich.) Szlach.	546	polyacantha (Willd.) Seigler & Ebinger	396
<i>rheedei</i> (Sw.) Szlach.	534	rugata (Lam.) Britton & Rose	397
<i>versicolor</i> (Lindl.) Marg. & Szlach.	546	senegal (L.) Britton	397
Semecarpus L. f.	70	<i>suma</i> (Roxb.) Britton & Rose	396
anacardium L. f.	70	torta (Roxb.) Maslin, Seigler & Ebinger	397
auriculata Bedd.	70	Senna Mill.	397
<i>grahamii</i> Wight	69	<i>absus</i> (L.) Roxb.	389
kathalekanensis Dasappa & Swam.	70	<i>acutifolia</i> (Delile) Batka	397
<i>Senebiera didyma</i> (L.) Pers.	201	alata (L.) Roxb.	397
<i>pinnatifida</i> DC.	201	alexandrina Mill.	397
Senecio L.	170	<i>angustifolia</i> (Vahl) Batka	397
<i>arachnoideus</i> Sieber ex DC.	171	<i>arborescens</i> (Vahl) Roxb.	400
Belagaviensis (Wight) C.B. Clarke	170	auriculata (L.) Roxb.	398
bicolor Ces., Pass. & Gibelli	170	floribunda (Cav.) H.S.Irwin & Barneby	398
subsp. cineraria (DC.) Chater	170	<i>glauca</i> Roxb.	400
bombayensis N.P. Balakr.	170	hirsuta (L.) H.S.Irwin & Barneby	398
candicans DC.	170	italica Mill.	398
<i>cineraria</i> DC.	170	montana (Roth) V.Singh	398
<i>corymbosus</i> Wall. ex DC.	148	multiglandulosa (Jacq.) H.S.Irwin & Barneby	398
dalzellii C.B.Clarke	170	multijuga (Rich.) H.S.Irwin & Barneby	399
<i>divaricatus</i> L.	160	<i>obovata</i> (Collad.) Link	398
edgeworthii Hook. f.	171	<i>obtusifolia</i> (L.) H.S.Irwin & Barneby	399
<i>gracilis</i> Arn.	172	occidentalis (L.) Link	399
<i>grahami</i> Hook. f.	170	var. <i>sophora</i> (L.) X.Y. Zhu.	399
grahamii Hook.f.	171	siamea (Lam.) H.S.Irwin & Barneby	399
<i>hieracifolius</i> L.	154	sophora (L.) Roxb.	399
<i>indicus</i> Backer	163	<i>speciosa</i> Roxb.	400
<i>intermedius</i> Wight	171	spectabilis (DC.) H.S.Irwin & Barneby	399
<i>lanuginosa</i> var. <i>tomentosa</i> (Wight) M.R. Almeida	171	splendida (Vogel) H.S.Irwin & Barneby	400
<i>lawii</i> C.B.Clarke	170	sulfurea (Collad.) H.S.Irwin & Barneby	400
ludens C.B.Clarke	171	<i>sumatrana</i> Roxb.	399
mayurii C.E.C.Fisch.	171	surattensis (Burm.f.) H.S.Irwin & Barneby	400
<i>multifidus</i> Willd.	171	var. <i>glauca</i> (Lam.) X.Y. Zhu	400
nudicaulis Buch.-Ham. ex D. Don	171	timoriensis (DC.) H.S.Irwin & Barneby	400
<i>pilosiusculus</i> C.B.Clarke	172	tora (L.) Roxb.	400
<i>rabanii</i> C.B.Clarke	172	<i>toroides</i> Roxb.	399
<i>reticulatus</i> (Wight) C.B. Clarke	170	uniflora (Mill.) H.S.Irwin & Barneby	400
<i>saxatilis</i> Wall. ex DC.	172	<i>Sephalica</i> Jones	526
scandens Buch.-Ham. ex D. Don	171	<i>Sericeocassia uniflora</i> (Mill.) Britton	400
scopolii Hoppe & Hornsch. ex Bluff & Fingerh.	171	<i>Sericocalyx</i> Bremek.	46
sempervivus Sch.Bip.	171	<i>Serissa ceylanica</i> (Gardner) Thwaites	709
<i>sonchifolius</i> (L.) Moench	154	<i>glomerata</i> (Gardner) Bedd.	709
tenuifolius Burm.f.	171	<i>Serpicula verticillata</i> L.f.	349
<i>tomentosus</i> (Wight) C.B. Clarke	171	<i>Serratula anthelmintica</i> (L.) Roxb.	168
<i>tussilaginea</i> (Burm.f.) Kuntze	156	<i>indica</i> Klein ex Willd.	159
<i>valerianifolius</i> Wolf ex Rchb.	155	Sesamum L.	565
vulgaris L.	171	alatum Thonn.	565
<i>wightianus</i> DC.	171	indicum L.	565
wightii (DC.) Benth.	172	laciniatum Klein ex Willd.	565
zeylanicus DC.	172	<i>orientale</i> L.	565
Senegalia Raf.	395	<i>Sesban coccinea</i> (L.f.) Poir.	444
caesia (L.) Maslin, Seigler & Ebinger	395	<i>grandiflorus</i> (L.) Poir.	444
caffra (Thunb.) P.J.H.Hurter & Mabb.	395	Sesbania Adans.	444
catechu (L.f.) P.J.H.Hurter & Mabb.	395	<i>aculeata</i> (Willd.) Poir.	444
chundra (Roxb. & Rottler) Maslin	395	var. <i>paludosa</i> (Roxb.) Baker	444
ferruginea (DC.) Pedley	396	<i>aegyptiaca</i> Poir.	444
hohenackeri (Craib) Ragupathy, Seigler, Ebinger & Maslin	396	var. <i>concolor</i> Wight & Arn.	444

var. <i>picta</i> Prain	444	edulis Jacq.	266
bispinosa (Jacq.) W.Wight	444	<i>garacini</i> Burm.f.	258
grandiflora (L.) Pers.	444	<i>garcini</i> Burm. f.	260
javanica Miq.	444	Sida L.	490
<i>paludosa</i> (Roxb.) King	444	<i>acuta</i> Burm.f.	490
procumbens (Roxb.) Wight & Arn.	444	<i>alba</i> L.	491
sesban (L.) Merr.	444	<i>alnifolia</i> L.	491
var. <i>concolor</i> (Wight & Arn.) Baquar	444	<i>balica</i> Miq.	490
var. <i>picta</i> (Prain) Santapau	444	beddomei K.C.Jacob	490
Seshagiria Ansari & Hemadri	98	<i>carpinifolia</i> L.f.	490
sahyadrica Ansari & Hemadri	98	cordata (Burm.f.) Borss. Waalk.	490
<i>Sesleria brevifolia</i> (Willd.) Panz.	588	cordifolia L.	490
<i>lagopoides</i> (L.) Spreng.	588	<i>crispa</i> L.	485
<i>spicata</i> (Willd.) Spreng.	620	elongata Blume	490
Sesuvium L.	55	var. balica (Miq.) Borss.	490
portulacastrum (L.) L.	55	<i>glutinosa</i> Roxb.	490
Setaria P. Beauv.	654	<i>grandifolia</i> Willd.	476
<i>adhaerens</i> subsp. <i>verticillata</i> (L.) Belo-Corr.	655	<i>graveolens</i> Roxb. ex Hornem.	476
var. <i>verticillata</i> (L.) Belo-Corr.	655	<i>grewioides</i> Guill. & Perr.	491
barbata (Lam.) Kunth	654	<i>hirta</i> Lam.	476
<i>flavida</i> (Retz.) Veldkamp	644	<i>humilis</i> Cav.	490
<i>geminata</i> (Forssk.) Veldkamp	645	<i>indica</i> L.	477
<i>glauca</i> (L.) P.Beauv.	646	<i>mutica</i> Delile	477
var. <i>macrocarpa</i> Hook.f.	655	mysorensis Wight & Arn.	490
homonyma (Steud.) Chiov.	654	<i>orientalis</i> Cav.	491
intermedia Roem. & Schult.	654	ovata Forssk.	491
italica (L.) P. Beauv.	654	<i>pannosa</i> G.Forst.	477
<i>pallide-fusca</i> (Schumach.) Stapf & C.E. Hubb.	655	<i>persica</i> Burm.f.	477
palmifolia (J.Koenig Stapf	654	<i>polyandra</i> Roxb.	477
<i>Paniculifera</i> (Steud.) E. Fourn. ex Hemsl.	654	<i>ramosa</i> Cav.	477
parviflora (Poir.) M.Kerguelen	655	rhombifolia L.	491
plicata (Lam.) T.Cooke	655	subsp. <i>alnifolia</i> (L.) Ugbor.	491
pumila (Poir.) Roem. & Schult.	655	subsp. retusa (L.) Borss.	491
<i>punctata</i> (Burm.f.) Veldkamp	645	subsp. rhombifolia	491
<i>rhachitricha</i> T. Cooke	654	var. <i>retusa</i> (L.) Mast.	491
<i>stricta</i> (Roth ex Roem. & Schult.) Kunth	616	<i>rhomboidea</i> Roxb. ex Fleming	491
<i>tomentosa</i> (Roxb.) Kunth	654	schimperiana Hochst. ex A. Rich.	491
verticillata (L.) P. Beauv.	655	spinosa L.	491
viridis (L.) P.Beauv.	655	<i>veronicifolia</i> Lam.	490
subsp. <i>italica</i> (L.) Briq.	654	<i>Sideroxylon tomentosum</i> Roxb.	727
<i>Setariopsis glauca</i> (L.) Samp.	646	Sigesbeckia L.	172
<i>italica</i> (L.) Samp.	654	orientalis L.	172
<i>verticillata</i> (L.) Samp.	655	<i>Silphium trilobatum</i> L.	177
<i>viridis</i> (L.) Samp.	655	Simaroubaceae	728
<i>Setcreasea lanceolata</i> Faruqi	236	<i>Sinapis juncea</i> L.	200
<i>pallida</i> Rose	236	<i>nigra</i> L.	200
<i>purpurea</i> Boom	236	<i>Sinocalamus brandisii</i> (Munro) Keng f.	611
<i>Sethia indica</i> DC. nom. superfl.	317	<i>giganteus</i> (Munro) Keng f.	612
Shorea Roxb. ex C. F. Gaertn.	304	<i>Siphonanthus indicus</i> L.	356
<i>laccifera</i> B.Heyne ex Wall.	304	<i>splendens</i> (G.Don) Hiern	357
roxburghii G.Don	304	<i>Siphonia</i> Richard.	332
<i>talura</i> Roxb.	304	<i>brasiliensis</i> Willd. ex A.Juss.	332
tumbugaia Roxb.	305	<i>Siphostigma cristata</i> (L.) Raf.	230
<i>Shuterea bicolor</i> (Vahl) Choisy	243	Sirhookera Kuntz	554
<i>sublobata</i> (L.f.) House	243	lanceolata (Wight) Kuntze	554
Shuteria Wight & Arn.	445	latifolia (Wight) Kuntze	554
involucrata (Wall.) Wight & Arn.	445	<i>Sison ammi</i> L.	80
var. <i>vestita</i> (Wight & Arn.) H. Ohashi	445	<i>Sisymbrium indicum</i> L.	202
<i>vestita</i> Wight & Arn.	445	<i>Sitodium altile</i> Parkinson ex F.A.Zorn	506
var. <i>involucrata</i> Baker	445	<i>Slevogtia maritima</i> Dalzell	341
Sicyos L.	266	<i>orientalis</i> Griseb.	341

Smilacaceae	728	<i>insanum</i> L.	734
Smilax L.	728	<i>khasianum</i> C.B.Clarke	732
<i>aspera</i> L.	728	var. <i>chatterjeeanum</i> Sengupta	735
<i>indica</i> Burm.f.	728	lasiocarpum Dunal	733
<i>laurifolia</i> Roxb.	728	var. <i>velutinum</i> Dunal	733
<i>maculata</i> Roxb.	728	luteoalbum Pers.	734
<i>perfoliata</i> Lour.	728	mammosum L.	734
<i>prolifera</i> Roxb.	728	melongena L.	734
<i>villandia</i> Buch.-Ham. ex Royle	728	var. <i>esculentum</i> (Dunal) Nees	734
wightii A.DC.	728	var. <i>insanum</i> (L.) Prain	734
zeylanica L.	728	myriacanthum Dunal	734
Smithia Aiton	445	<i>nigrum</i> L.	732
bigemina Dalzell	445	var. <i>americanum</i> (Mill.) O.E. Schulz	732
blanda Wall. ex Wight & Arn.	445	var. <i>minor</i> Hook. f.	732
var. <i>racemosa</i> Baker	445	<i>niveum</i> Thunb.	733
capitata Dalzell	445	pimpinellifolium L.	734
conferta Sm.	445	<i>porphyranthum</i> Dunal	734
<i>dichotoma</i> Dalzell ex Baker	446	pseudocapsicum L.	734
<i>flava</i> Prain	445	pubescens Willd.	734
<i>geminiflora</i> Roth	445	<i>pubescens</i> Ruiz & Pav.	734
gracilis Benth.	445	rudepannum Dunal	734
hirsuta Dalzell	445	<i>sanctum</i> L.	733
laxiflora Benth.	445	seaforthianum Andrews	734
purpurea Hook.	445	sisymbriifolium Lam.	734
pycnantha Benth. ex Baker	446	<i>stramoniifolium</i> Jacq.	733
<i>racemosa</i> Heyne ex Wight & Arn.	445	surattense Burm. f.	735
salsuginea Hance	446	torvum Sw.	735
sensitiva Aiton	446	trilobatum L.	735
var. <i>flava</i> (Prain) T.Cooke	445	tuberosum L.	735
setulosa Dalzell	446	<i>verbascifolium</i> L.	733
Smithsonia C.J.Saldanha	555	viarum Dunal	735
maculata (Dalzell) C.J.Saldanha	555	violaceum Ortega	735
straminea C.J.Saldanha	555	virginianum L.	735
viridiflora (Dalzell) C.J.Saldanha	555	<i>viridiflorum</i> Ruiz & Pav.	735
Smythea Seem.	680	wendlandii Hook. f.	735
bombaiensis (Dalzell) S.P.Banerjee & P.K.Mukh.	680	<i>xanthocarpum</i> Schrad. & H. Wendl.	735
<i>velutina</i> (Ridl.) S.P.Banerjee & P.K.Mukh.	681	Solena Willd.	266
<i>Sodada decidua</i> Forssk.	212	amplexicaulis (Lam.) Gandhi	266
Solanaceae	729	<i>angulata</i> (Chakrav.) Babu	265
<i>Solandra lobata</i> Murray	485	<i>dumetorum</i> (Retz.) D.Dietr.	687
Solanum L.	732	<i>floribunda</i> (Roxb.) D.Dietr.	687
aculeatissimum Jacq.	732	<i>heterophylla</i> Lour.	266
americanum Mill.	732	<i>uliginosa</i> (Retz.) D.Dietr.	711
anguivi Lam.	732	<i>Solenocarpus indicus</i> Wight & Arn.	70
<i>bigeminatum</i> Nees	730	<i>Solenopsis longiflora</i> (L.) M.R.Almeida	208
capsicoides All.	732	<i>Solenostemon paniculatus</i> (Benth.) Guillaumet & Comet	368
<i>chloranthum</i> DC.	735	<i>rotundifolius</i> (Poir.) J.K.Morton	369
<i>denticulatum</i> Blume	730	<i>scutellarioides</i> (L.) Codd	370
diphyllum L.	733	Solidago L.	172
donianum Walp.	733	canadensis L.	172
elaeagnifolium Cav.	733	chilensis Meyen	172
erianthum D.Don	733	<i>chinensis</i> Osbeck	177
<i>esculentum</i> Dunal	734	<i>microglossa</i> DC.	172
ferox L.	733	nemoralis Aiton	172
giganteum Jacq.	733	Sonchus L.	172
<i>globiferum</i> Dunal	734	arvensis L.	172
hovei Dunal	733	subsp. <i>brachyotus</i> (DC.) Kitam.	173
<i>humboldtii</i> Willd.	731	asper (L.) Garsault	172
incanum L.	733	brachyotus DC.	173
indicum L.	733	<i>calyculatus</i> Roxb. ex DC.	164
var. <i>maroanum</i> Bitter	732	<i>cyaneus</i> D.Don	147

<i>lachnocephalus</i> Rech. f.	173	<i>miliiforme</i> var. <i>sikkimense</i> Snowden	656
oleraceus L.	173	<i>montanum</i> (Roxb.) Kuntze	598
var. <i>asper</i> L.	172	<i>monticola</i> (Roem. & Schult Kuntze	605
wightianus DC.	173	nitidum (Vahl) Pers.	657
Sonerila Roxb.	497, 769	<i>nodulibarbe</i> (Steud.) Kuntze	606
<i>axillaris</i> Wight	497	<i>oliganthum</i> (Steud.) Kuntze	614
pedunculosa Thwaites	497	<i>orientale</i> (Desv.) Kuntze	606
raghavana Ratheesh, Sunil, Nandakumar & Shaju	497, 769	<i>pseudischaemum</i> (Steud.) Kuntze	599
rheedei Wight & Arn.	497	purpureosericeum (Hochst. ex A.Rich.) Asch. & Schweinf.	657
rotundifolia Bedd.	497	subsp. <i>deccanense</i> Garber	657
scapigera Dalzell	497	<i>roxburghii</i> var. <i>hians</i> (Hook.f.) Stapf	656
versicolor Wight	497	<i>saccharatum</i> var. <i>halepense</i> (L.) Kuntze	656
var. axillaris (Wight) Gamble	497	<i>schoenanthus</i> (L.) Kuntze	609
wallichii Benn.	497	<i>serratum</i> (Thunb.) Roem. & Schult.	657
Sonneratia L. f.	472	<i>triticeum</i> (R.Br.) Kuntze	630
<i>acida</i> L.f.	473	<i>umbellatum</i> (Hack.) Kuntze	650
alba Sm.	472	<i>verticillatum</i> (Roxb.) Kuntze	606
apetala Buch.-Ham.	473	<i>vulgare</i> Pers.	656
caseolaris (L.) Engl.	473	<i>zizanioides</i> (L.) Kuntze	607
Sophora L.	446	<i>Sorostachys pulchellus</i> (R.Br.) Lye	279
<i>aurea</i> Aiton	412	Soymida A.Juss.	501
<i>glauca</i> DC.	446	febrifuga (Roxb.) A. Juss.	501
<i>heptaphylla</i> sensu Wight	446	<i>Sparattosperma roseum</i> (Bertol.) Miers	192
velutina Lindl.	446	<i>Sparganophorus</i> Boehm ('Sphaganophorus')	173
wightii Baker	446	<i>sparganophora</i> (L.) C. Jeffrey	173
Sopubia Buch.-Ham. ex G.Don	560	<i>Spathiostemon salicinus</i> (Hassk.) Hassk.	332
delphinifolia G.Don	560	<i>Spathium crispum</i> (Thunb.) Voigt	102
var. delphinifolia	560	<i>echinatum</i> (Roxb.) Voigt	102
var. parviflora Benth.	560	<i>microphyllum</i> (Roxb.) Voigt	102
trifida Buch.-Ham. ex D. Don	560	<i>monostachyum</i> (L.f.) Edgew.	102
Sorghum Moench	656	<i>undulatum</i> (Roxb.) Edgew.	102
<i>annulatum</i> (Forssk.) Kuntze	612	Spathodea Pal.	191
bicolor (L.) Moench.	656	<i>adenophylla</i> A.DC.	188
subsp. <i>halepense</i> (L.) de Wet & Huckabaym	656	<i>arcuata</i> Wight	187
var. <i>saccharatum</i> Mehrotra, Aswal & B.S. Bisht	656	campanulata P.Beauv.	191
var. <i>sikkimense</i> (Snowden) Teplyak	656	<i>crispa</i> Dalzell & A.Gibson	187
<i>brevifolium</i> (Sw.) Kuntze	653	<i>crispa</i> G.Don	187
<i>caricosum</i> (L.) Kuntze	613	<i>diepenhorstei</i> Miq.	188
<i>caucasicum</i> (Trin.) Griseb.	598	<i>falcata</i> Wall. ex DC.	187
<i>caudatum</i> (Hack.) Stapf	656	<i>indica</i> (L.) Pers.	189
<i>contortum</i> (L.) Kuntze	630	<i>longiflora</i> P. Beau.	188
controversum (Steud.) Snowden	656	<i>loureiriana</i> DC.	188
<i>deccanense</i> Stapf ex Raizada	657	<i>lutea</i> Benth.	189
<i>demissum</i> (Steud.) Kuntze	590	<i>rheedei</i> Spreng.	188
<i>dochna</i> var. <i>wrightii</i> (Hack.) Snowden	656	<i>roxburghii</i> Spreng.	188
<i>durra</i> (Forssk.) Trab.	656	<i>serrulata</i> (Wall. ex DC.) DC.	187
var. <i>coimbatoricum</i> (Burkill ex Benson & Subba Rao) Snowden	656	<i>stipulata</i> Wall.	189
<i>exile</i> (Hochst.) Kuntze	653	<i>suaveolens</i> (Roxb.) Benth. & Hook.f.	191
<i>fasciculare</i> (Roxb.) Haines	650	<i>xylocarpa</i> (Roxb.) T. Anderson ex Brandis .	190
<i>foveolatum</i> (Delile) Kuntze	613	<i>Spathodithyros suffruticosus</i> (Blume) Hassk.	229
<i>gangeticum</i> (Hack.) Kuntze	650	Spathoglottis Blume	555
<i>gidarba</i> (Steud.) Kuntze	608	<i>lilacina</i> Griff.	555
<i>giganteum</i> Edgew.	656	plicata Blume	555
halepense (L.) Pers.	656	<i>rosea</i> (Lindl.) G.Nicholson	555
<i>heteroclitum</i> (Roxb.) Kuntze	650	<i>spicata</i> Lindl.	555
<i>ischaemum</i> (L.) Kuntze	599	Spatholobus Hassk.	446
<i>jwarancusa</i> (Jones) Kuntze	609	parviflorus (DC.) Kuntze	446
<i>kuntzeanum</i> (Hack.) Kuntze	599	purpureus Benth. ex Baker	446
<i>miliaceum</i> (Roxb.) Snowden	656	<i>roxburghii</i> Benth.	446
var. <i>parvispiculum</i> Snowden	656	Spermacoe L.	709

alata Aubl.	709	<i>calva</i> DC.	137
articularis L.f.	710	<i>ciliata</i> Kunth	137
<i>corymbosa</i> (Willd.) Roth	693	<i>iabadicensis</i> A.H.Moore	138
<i>decandollei</i> Deb & R.M.Dutta	710	<i>oleracea</i> L.	137
exilis (L.O.Williams) C.D.Adams ex W.C.Burger & C.M.Taylor	710	<i>paniculata</i> Wall. ex DC.	137
<i>exserta</i> Roxb.	693	<i>pseudoacmella</i> (L.) Murray	153
<i>filina</i> Wall.	710	<i>radicans</i> Jacq.	137
<i>gardneri</i> Wall.	710	<i>uliginosa</i> Sw.	138
<i>hirta</i> L.	695	Spinacia L.	65
hispida L.	710	oleracea L.	65
<i>hispida</i> Miq. ex Hook.f.	701	Spinifex L.	657
<i>kleinii</i> Steud.	710	<i>dioicus</i> Buch.-Ham. ex Dillwyn	657
<i>latifolia</i> Aubl.	709	littoreus (Burm.f.) Merr.	657
<i>lineata</i> Roxb.	701	<i>squarrosus</i> L.	657
<i>longicaulis</i> R.Br. ex G.Don	710	<i>Spiranthera pentaphylla</i> (L.) Bojer	242
malabarica (Sivar. & Manilal) Sivar., R.V.Nair & Kunju	710	<i>turpethum</i> (L.) Bojer	253
ocymoides Burm.f.	710	Spiranthes Rich.	555
pusilla Wall.	710	himalayensis Survesw., Kumar & Mei Sun	555
<i>ramosa</i> Wall.	710	<i>Spiranthes lancea</i> (Thunb. ex Sw.) Bakh.f. & Steenis	544
<i>ramosissima</i> R.Br. ex Wall.	710	<i>Spirillus perfoliatus</i> (L.) Nieuwl.	673
remota Lam.	711	Spirodela Schleid.	454
<i>repens</i> (DC.) Fosberg & J.M.Powell	710	<i>maxima</i> (Blatt. & Hallb.) McCann	454
<i>stricta</i> L.f.	703	polyrrhiza (L.) Schleid.	454
<i>sumatrensis</i> Retz.	693	<i>Spirostemon spiralis</i> Griff.	95
<i>teres</i> Roxb.	693	<i>Splitgerbera macrostachya</i> Wight	740
<i>triandra</i> Buch.-Ham. ex D.Don	710	<i>Spodiopogon albidus</i> (Wall.) Benth.	657
verticillata L.	711	Spodiopogon Trin.	657
<i>villosa</i> Sw.	695	<i>angustifolius</i> Trin.	627
Spermadictyon Roxb.	711	<i>binatus</i> (Retz.) Roberty	627
<i>Mysurunse</i> Steud.	711	<i>conjugatus</i> (Roxb.) Voigt	635
suaveolens Roxb.	711	<i>geniculatus</i> (Roxb.) Voigt	633
Sphaenocleaceae	736	rhizophorus (Steud.) Pilg.	657
Sphaeranthus L.	173	<i>semisagittatus</i> (Roxb.) Voigt	635
africanus L.	173	Spondias L.	70
<i>hirtus</i> Willd.	173	<i>acuminata</i> Roxb.	71
indicus L.	173	indica (Wight & Arn.) Airy Shaw & Forman	70
senegalensis DC.	173	<i>mangifera</i> Willd.	71
<i>Sphaeridiophorum linifolium</i> (L.f.) Jaub. & Spach	434	pinnata (L.f.) Kurz	71
<i>Sphaerium giganteum</i> (J.Koenig) Kuntze	604	<i>Sponia wightii</i> Planch.	211
<i>Sphaerocarya leprosa</i> Dalzell	521	Sporobolus R. Br.	657
<i>wallichiana</i> Wight & Arn.	720	capillaris Miq.	657
<i>Sphaerochloa quinquangularis</i> (L.) P.Beauv. ex Desv.	315	<i>ciliatus</i> Munro ex Hook. f.	658
<i>Sphaeromorphaea australis</i> (Less.) Kitam.	154	coromandelianus (Retz.) Kunth	657
<i>russeliana</i> DC.	154	diandrus (Retz.) P.Beauv.	658
Sphenoclea Gaertn.	736	var. <i>major</i> Buse	658
zeylanica Gaertn.	736	var. <i>nanus</i> Hook.f.	658
Sphenodesme Jack.	375	fertilis (Steud.) Clayton	658
involutrata (C.Presl) B.L.Rob.	375	humilis J.Presl	658
var. paniculata (C.B.Clarke) Munir	375	subsp. <i>minor</i> Veldk	658
<i>paniculata</i> C.B.Clarke	375	indicus (L.) R. Br.	658
Spigelia L.	464	var. <i>diandrus</i> (Retz.) Jovet & Guedes	658
anthelmia L.	464	var. <i>fertilis</i> (Steud.) Jovet & Guedes	658
Spilanthes Jacq.	173	var. <i>flaccidus</i> (Roth) Veldkamp	658
acmella (L.) Murray	173	var. <i>major</i> (Buse) Baaijens	658
<i>acmella</i> auct. non Murray	142	maderaspatanus Bor	658
var. <i>calva</i> (DC.) C.B.Clarke ex C.B.Clarke	137	<i>mangaloricus</i> Hochst. ex Miq.	659
var. <i>calva</i> sensu Hook.f.	153	<i>minutiflorus</i> (Trin.) Link	659
var. <i>oleracea</i> (L.) C.B.Clarke	137	nervosus Hochst.	658
var. <i>paniculata</i> (Wall. ex DC.) C.B. Clarke	137	<i>orientalis</i> auct. non Kunth	658
		<i>pilifer</i> (Trin.) Kunth	658
		piliferus (Trin.) Kunth	658

<i>scabrifolius</i> Bhide	657	<i>Stenolobium castanifolium</i> D.Don	192
<i>setulosus</i> (Trin.) N.Terracc.	664	<i>stans</i> (L.) Seem.	192
spicatus (Vahl) Kunth	659	var. <i>castanifolium</i> (D.Don) Seem.	192
<i>stocksii</i> Bor	658	<i>Stenophyllus barbatus</i> (Rottb.) T.Cooke	269
tenuissimus (Mart. ex Schrank) Kuntze	659	<i>densus</i> f. <i>trifidus</i> (Wall.) H.Pfeiff.	270
<i>tremulus</i> (Willd.) Kunth	659	<i>puberulus</i> (Poir.) Killip	270
virginicus (L.) Kunth	659	<i>Stenosiphonium</i> Nees	46
<i>virginicus</i> (L.) Brongn.	659	<i>confertum</i> Nees	48
wallichii Munro ex Trimen	659	<i>cordifolium</i> (Vahl) Alston	48
Stachyphrynium K.Schum.	494	var. <i>subsericeum</i> (Nees) L.H.Cramer	48
<i>cadellianum</i> (King ex Baker) N.P.Balacr.	494	<i>parviflorum</i> T.Anderson	48
placentarium (Lour.) Clausager & Borchs.	494	<i>russelianum</i> Nees	48
spicatum (Roxb.) K.Schum.	494	var. <i>subsericeum</i> m (Nees) T.Anderson	48
<i>Stachys decemdentata</i> G.Forst.	362	<i>setosum</i> T.Anderson	48
Stachytarpheta Vahl	747	<i>subsericeum</i> Nees	48
indica (L.) Vahl	747	Stenotaphrum Trin.	659
var. <i>jamaicensis</i> (L.) Razi	747	dimidiatum (L.) Brongn.	659
jamaicensis (L.) Vahl	747	<i>glabrum</i> Trin.	659
mutabilis (Jacq.) Vahl	747	Stephania Lour.	503
urticifolia (Salisb.) Sims	747	hernandiifolia (Willd.) Walp.	503
Stapelia L.	98	japonica (Thunb.) Miers	504
<i>adscendens</i> Roxb.	84	<i>Stephanotis floribunda</i> Brongn.	94
<i>callamulia</i> Buch.-Ham. ex Hook.f.	83	<i>Stephegyne parvifolia</i> (Roxb.) Korth.	695
gigantea N. E. Br.	98	Sterculia L.	491
grandiflora Masson	98	<i>acerifolia</i> A.Cunn. ex G.Don	478
<i>umbellata</i> Donn ex Roxb.	83	<i>acuminata</i> P.Beauv.	479
<i>Stapfiola bipinnata</i> (L.) Kuntze	612	<i>alata</i> Roxb.	490
<i>Staphylea indica</i> Burm. f.	752	<i>colorata</i> Roxb.	481
Staphyleaceae	736	foetida L.	491
<i>Staurogeton trisulcus</i> (L.) Schur	454	guttata Roxb.	491
Staurogyne Wall.	46	<i>heynei</i> Bedd.	490
<i>glauca</i> (Nees) Kuntze	46	<i>populifolia</i> DC.	487
glutinosa (Wall. ex C.B. Clarke) Kuntze	46	urens Roxb.	491
spatulata (Blume) Koord.	46	villosa Roxb.	492
zeylanica (Nees) Kuntze	46	Stereospermum Cham.	191
<i>Stauroopsis championii</i> (Lindl.) Tang & F.T.Wang	538	<i>angustifolia</i> (Haines) Haines	191
<i>Staurospermum verticillatum</i> Schumach. & Thonn.	695	<i>caudatum</i> (DC.) Miq.	191
<i>Stegosia cochinchinensis</i> Lour.	651	chelonoides (L.f.) DC.	191
<i>Steiremis ficoidea</i> (L.) Raf.	58	var. <i>angustifolia</i> Haines	191
Steirodiscus Less.	173	colais (Buch.-Ham. ex Dillwyn) Mabb.	191
tagetes (L.) Schltr.	173	var. <i>angustifolium</i> (Haines) Bennet & Raizada	191
<i>Stelis mucronata</i> D.Don	548	var. <i>shendurunii</i> Sasidh.	191
Stellaria L.	216	<i>grandiflorum</i> Cubitt & W.W.Sm.	191
media (L.) Vill.	216	neuranthum Kurz	191
<i>Stemmodontia biflora</i> (L.) W.Wight	166	<i>personatum</i> (Hassk.) Chatterjee	191
Stemodia L.	587	var. <i>angustifolia</i> (Haines) Santisuk	191
<i>aquatica</i> Willd.	583	<i>serrulatum</i> DC.	187
<i>floribunda</i> (R.Br.) Roberty	582	<i>suaveolens</i> DC.	191
<i>hirsuta</i> Heyne ex Benth.	584	tetragonum DC.	191
<i>hypericifolia</i> Benth.	584	<i>wallichii</i> C.B.Clarke	191
<i>minuta</i> G.Don	463	<i>xylocarpum</i> (Roxb.) Benth. & Hook.f.	190
<i>repens</i> Benth.	585	<i>Steris aquatica</i> Burm. f.	350
<i>sessilis</i> Benth.	584	<i>Steudnera virosa</i> (Roxb.) Prain	107
verticillata (Mill.) Hassl.	587	<i>Stevensonia borsigiana</i> (K.Koch) L.H.Bailey	121
viscosa Roxb.	587	<i>Stichorkis elliptica</i> (Wight) Marg.	545
<i>Stemodiakra viscosa</i> Kuntze	587	<i>viridiflora</i> (Blume) Marg.	545
Stemonuraceae	736	Stictocardia Hallier f.	254
<i>Stemonurus coriaceus</i> (Wight) Miers	736	beraviensis (Vatke) Hallier f.	254
<i>foetidus</i> Wight	352	tiliifolia (Desr.) Hallier f.	254
<i>tetrandrus</i> (Wall.) Alston	736	Stigmaphyllon A.Juss.	475
<i>Stenactis speciosus</i> Lindl.	155	ciliatum (Lam.) A. Juss.	475

<i>Stilago buniis</i> L.	567	<i>grahamiana</i> Wight	47
<i>diandra</i> Roxb.	566	heteromalla T.Anderson ex C.B. Clarke	49
<i>lanceolaria</i> Roxb.	566	heyneana Nees	49
<i>Stillingia agallocha</i> (L.) Baill.	331	var. <i>campanulata</i> (Wight) C.B. Clarke	47
<i>chamaelea</i> (L.) Müll.Arg.	336	var. <i>fusca</i> C.B. Clarke	49
<i>Stipa littorea</i> Burm. f.	657	var. <i>viridis</i> C.B. Clarke	49
<i>spinifex</i> L.	657	integrifolia (Dalzell) Kuntze	49
<i>Stizolobium atropurpureum</i> (Roxb.) Kuntze	437	<i>involuta</i> var. β Nees	47
<i>capitatum</i> (Roxb.) Kuntze	438	ixiocephala Benth.	50
<i>hirsutum</i> (Wight & Arn.) Kuntze	438	jogensis Gilli	50, 761
<i>monospermum</i> (Wight) Kuntze	437	kunthiana (Nees) T.Anderson ex Benth.	50
<i>niveum</i> (Roxb.) Kuntze	438	lanata Nees	50, 762
<i>pruriens</i> (L.) Medik.	438	lawsoni Gamble	50
<i>prurimum</i> (Wight) Piper	438	lupulina T.Anderson	50
<i>utile</i> (Wall. ex Wight) Ditmer	438	lurida Wight	50
<i>Stoechadomentha capitata</i> Kuntze	582	meeboldii Craib	50, 762
<i>Stoerkia draco</i> (L.) Crantz	131	membranacea Talbot	50
<i>Stratiotes alismoides</i> L.	350	microstachya Benth. ex Hohen.	51
Streblus Lour.	510	minor Talbot	51, 762
asper Lour.	510	<i>neesiana</i> Wight	50
Strelitzia Banks	737	neilgherrensis Bedd.	51
<i>reginae</i> Banks	737	neoasper Venu & P. Daniel	51
Strelitziaceae	736	newii Bedd. ex C.B. Clarke	51
<i>Streptium asperum</i> Roxb.	746	papillosa T.Anderson	51
Striga Lour.	560	<i>parviflorus</i> Bedd.	53
angustifolia (D.Don) C.J.Saldanha	560	pavala (Roxb.) J.R.I.Wood	51
asiatica (L.) Kuntze	560	<i>perfoliata</i> T.Anderson	49
densiflora (Benth.) Benth.	560	perrottetiana Nees	52
euphrasioides (Vahl) Benth.	560	pulneyensis C.B. Clarke	52
gesnerioides (Willd.) Vatke	560	<i>pushpangadanii</i> E.S.S.Kumar	50
<i>lutea</i> Lour.	560	reticulata Stapf	52
var. <i>bicolor</i> Kuntze	560	rubicunda T.Anderson	52
<i>orobanchoides</i> (R.Br.) Benth.	560	<i>rugosa</i> Wight	49
<i>schimperiana</i> Hochst.	558	scrobiculata Dalzell ex C.B. Clarke	52
Strobilanthes Blume	46, 761	sessilis Nees	52
<i>adenophorus</i> auct. non Nees	47	var. ritchiei C.B. Clarke	52
alternata (Burm.f.) J.R.I.Wood	47	var. sessilis	52
anamallaica J.R.I.Wood	47	var. sessiloides Wight	52
<i>anceps</i> var. <i>microstachya</i> (Benth.) C.B. Clarke	51	<i>sessiloides</i> Dalzell & A.Gibson	52
<i>asper</i> auct. non Decne.	51	<i>setosa</i> J.R.I.Wood	48
<i>asperrima</i> Nees	49	sinuata J.R.I.Wood	53
aurita J.R.I. Wood	47	subg. <i>Pteracanthus</i> Nees	46
barbata Nees	47	subg. <i>Sympagis</i> Nees	46
var. <i>bonaccordensis</i> E.S.S.Kumar & R.R. Vikram.	47	<i>tenera</i> Nees	49
callosa Nees	47	<i>tetraptera</i> Dalzell	47
var. <i>hispida</i> C.B. Clarke	47	<i>trifida</i> Nees	49
campanulata Wight	47	tristis (Wight) T.Anderson	53
canarica Bedd.	47	urceolaris Gamble	53
carinei J.R.I.Wood	48	urens (Roth) J.R.I. Wood	53
ciliata Nees	48	warreensis Dalzell	53
<i>circarensis</i> Gamble	52	<i>warreensis</i> Dalzell	51
consanguinea (Nees) T.Anderson	48	<i>Strobocalyx arborea</i> (Buch.-Ham.) Sch.Bip.	176
cordifolia (Vahl) J.R.I.Wood	48	<i>elaegnifolia</i> (DC.) Sch.Bip.	175
crossandra (Steud.) J.R.I.Wood	48	Strombosia Blume	521
cuspidata (Benth.) T.Anderson	48	ceylanica Gardner	521
decurrens (Nees) T.Anderson	49	<i>leprosa</i> (Dalzell) Talbot	521
dyeriana Mast.	49	Strophanthus DC.	98
foliosa (Wight) T.Anderson	49	wallichii A.DC.	98
var. <i>capitata</i> (Wight) T.Anderson	49	wightianus Wight	98
<i>gamblei</i> Carine	50	Struchium P. Browne	173
<i>gossypina</i> T.Anderson	50	sparganophora (L.) Kuntze	173

<i>Strychnodaphne lanceolata</i> Nees	383	<i>Sympagis</i> (Nees) Bremek.	46
Strychnos L.	464	Symphorema Roxb.	375
<i>aenea</i> A.W.Hill	464	<i>involucratum</i> Roxb.	375
<i>bourdillonii</i> Brandis	465	<i>polyandrum</i> Wight	375
<i>cinnamomifolia</i> Thwaites	465	<i>Symphyllia mallotiformis</i> Muell.Arg.	324
var. <i>wightii</i> A.W. Hill	465	Symphytotrichum Nees	174
<i>colubrina</i> L.	464	<i>ericoides</i> (L.) G.L.Nesom	174
<i>dalzellii</i> C.B.Clarke	464	Symplocaceae	737
var. <i>lanceolaris</i> A.Hill.	464	Symplocos Jacq.	737
<i>minor</i> Dennst.	464	<i>barberi</i> Gamble	738
<i>nux-vomica</i> L.	465	<i>beddomei</i> C.B.Clarke	737
var. <i>oligosperma</i> Dop	465	<i>cochinchinensis</i> (Lour.) S. Moore	737
<i>potatorum</i> L.f.	465	var. <i>laurina</i> (Retz.) Noot.	737
<i>rheedei</i> C.B.Clarke	465	<i>gardneriana</i> Wight	737
<i>wallichiana</i> Steud. ex A. DC.	465	<i>kanarana</i> Talbot	737
Stuckenia Holub	674	<i>kurgensis</i> C.B.Clarke	737
<i>pectinata</i> (L.) Börner	674	<i>laurina</i> (Retz.) Wall. ex G. Don	737
<i>Sturmia longipes</i> (Lindl.) Rchb.f.	545	<i>macrocarpa</i> subsp. <i>kanarana</i> (Talbot) Noot.	737
<i>nervosa</i> (Thunb.) Rchb.f.	545	<i>macrophylla</i> Wall. ex DC.	737
<i>Stylocoryna canarica</i> (Bedd.) Gamble	712	subsp. <i>Rosea</i> (Bedd.) Noot.	738
<i>malabarica</i> DC.	686	var. <i>kurgensis</i> (C.B.Clarke) Noot.	737
<i>nilagirica</i> (Hook.f.) Gamble	712	<i>obtusa</i> Wall. ex G. Don	737
<i>pandaki</i> DC.	686	<i>pulchra</i> Wight	737
<i>rheedei</i> Kostel.	686	subsp. <i>villosa</i> (Brand) Noot.	738
<i>rigida</i> Wight	711	<i>racemosa</i> Roxb.	737
<i>Stylodiscus trifolius</i> (Roxb.) Bennett	568	<i>rosea</i> Bedd.	738
Stylosanthes Sw.	447	var. <i>glabrior</i> C.B.Clarke	738
<i>fruticosa</i> (Retz.) Alston	447	<i>spicata</i> Roxb.	737
<i>hamata</i> (L.) Taub.	447	var. <i>laurina</i> (Retz.) C. B. Clarke	737
<i>humilis</i> Kunth	447	<i>villosa</i> Brand	738
<i>mucronata</i> Willd.	447	<i>Synadenium grantii</i> Hook. f.	331
<i>Stylurus robustus</i> (A.Cunn.) O.Deg.	677	<i>umbellatum</i> Pax	331
<i>Supushpa</i> Suryan.	46	var. <i>puberulum</i> N.E.Br.	331
<i>scrobiculata</i> (Dalzell ex C.B.Clarke) Suryan.	52	<i>Synantherias sylvatica</i> (Roxb.) Schott	105
Suregada Roxb. ex Rottler	337	Synedrella Gaertn., nom. cons.	174
<i>angustifolia</i> Baill.	337	<i>nodiflora</i> (L.) Gaertn.	174
<i>lanceolata</i> (Willd.) Kuntze	337	<i>vialis</i> (Less.) A.Gray	146
<i>Sussodia oppositifolia</i> (Sm.) Buch.-Ham.	357	Syngonium Schott	111
<i>Svensonia hyderabadensis</i> (Walp.) Moldenke	745	<i>auritum</i> (L.) Schott	111
Swertia L.	343, 767	<i>plumieri</i> Schott	111
<i>affinis</i> C.B.Clarke	343	<i>Synmeria crinifera</i> (Lindl.) Szlach.	541
<i>angustifolia</i> Buch.-Ham. ex D. Don	343	<i>Synnema balsamicum</i> (L.f.) Alston	36
var. <i>hamiltoniana</i> Burkill	343	<i>barbigera</i> Kuntze	36
var. <i>pulchella</i> (D.Don) Burkill	343	<i>pinnatifidum</i> (Dalzell) Kuntze	36
<i>beddomei</i> C.B.Clarke	343	<i>verticillatum</i> (Nees) Kuntze	36
<i>corymbosa</i> Wight ex Griseb.	343	<i>Synostemon bacciformis</i> (L.) G.L.Webster	579
<i>decussata</i> Nimmo ex C.B.Clarke	343	<i>Syntherisma aegyptiaca</i> Schult. ex Steud.	611
<i>densifolia</i> (Griseb.) Kashyapa	343	<i>ciliaris</i> (Retz.) Schrad.	615
<i>lawii</i> Burkill	344	<i>malabarica</i> (L.) Sw. ex Roem. & Schult.	637
<i>minor</i> Knobl.	344	<i>perrottetii</i> (Kunth) Chase	616
<i>pulchella</i> var. <i>elegans</i> (Wight) C. B. Clarke	343	<i>royleana</i> (Nees) Newbould	616
<i>raveendrae</i> Shahina & Nampy	344, 767	<i>sanguinalis</i> subsp. <i>ciliare</i> (Retz.) Masam. & Yanagih.	615
<i>trichotoma</i> Wall. ex C. B. Clarke	344	<i>sanguinalis</i> var. <i>ciliaris</i> (Retz.) Honda	615
Swietenia Jacq.	501	<i>sericea</i> Honda	615
<i>chloroxylon</i> Roxb.	713	<i>ternata</i> (A.Rich.) Newbould	616
<i>febrifuga</i> Roxb.	501	<i>ternatum</i> (Hochst. ex A.Rich.) Newbold	616
<i>macrophylla</i> King	501	<i>violascens</i> (Link) Nash	617
<i>mahagoni</i> (L.) Jacq.	501	Syzygium P. Browne ex Gaertn.	514, 769
Syagrus Mart.	124	<i>alternifolium</i> (Wight) Walp.	514
<i>romanzoffiana</i> (Cham.) Glassman	124	<i>caryophyllaeum</i> auct non Gaertner	515
<i>schizophylla</i> (Mart.) Glassman	124	<i>caryophyllatum</i> (L.) Alston	515

daviflorum (Roxb.) Wall. ex A.M.Cowan & Cowan	515	jerdonianum Wight	554
cumini (L.) Skeels	515	scaberulum Hook.f.	555
gardneri Thwaites	515	<i>Taetsia stricta</i> (Sims) Standl.	130
hemisphericum (Wight) Alston	515	<i>terminalis</i> (L.) W.Wight	131
<i>heyneanum</i> (Duthie) Gamble	517	Tagetes L.	174
<i>jambolanum</i> (Lam.) DC.	515	erecta L.	174
jambos (L.) Alston	515	minuta L.	174
kanarense (Talbot) Raizada	515, 769	patula L.	174
laetum (Buch.-Ham.) Gandhi	516	<i>rotundifolia</i> Mill.	175
lanceolatum (Lam.) Wight & Arn.	516	tenuifolia Cav.	174
<i>leptanthum</i> (Walp.) Nied.	515	Tainia Blume	556
malabaricum (Bedd.) Gamble	516	bicornis (Lindl.) Rchb.f.	556
malaccense (L) Merr. & Perry	516	<i>Tali prainiana</i> (Talbot) M.R.Almeida	238
mundagam (Bourd.) Chithra	516	Talinaceae	738
munronii (Wight) N.P.Balakr.	516	Talinum Adans.	738
myhendrae (Bedd. ex Brandis) Gamble	516	<i>cuneifolium</i> (Vahl) Willd.	738
nervosum A.Cunn. ex DC.	516	<i>indicum</i> Wight & Arn.	738
occidentale (Bourd.) Gandhi	517	portulacifolium (Forssk.) Asch. ex Schweinf.	738
<i>operculatum</i> (Roxb.) Nied.	516	<i>Tamara alba</i> Roxb. ex Steud.	518
<i>phillyraeoides</i> (Trimen) Santapau	514	<i>rubra</i> Roxb. ex Steud.	518
rubicundum Wight & Arn.	517	Tamaricaceae	738
<i>ruscifolium</i> (Willd.) Santapau & Wagh	514	Tamarindus L.	407
salicifolium (Wight) J.Graham	517	indica L.	407
stocksii (Duthie) Gamble	517	Tamarix L.	738
tamilnadensis Rathakr. & Chithra	517	ericoides Rottler & Willd.	738
travancoricum Gamble	517	Tamilnadia Tirveng. & Sastre	711
utilis (Talbot) Rathakr. & N.C.Nair	517, 769	uliginosa (Retz.) Tirveng. & Sastre	711
<i>wightianum</i> Wall. ex Wight & Arn.	516	Tanacetum L.	174
zeylanicum (L.) DC.	517	cinerariifolium (Trevir.) Sch.Bip.	174
Tabebuia Gomes ex DC.	192	<i>purpureum</i> D.Don	151
<i>argentea</i> (Bureau & K.Schum.) Britton	192	<i>sinense</i> (Sabine) Sch. Bip.	148
aurea (Silva Manso) Benth. & Hook.f. ex S.Moore	192	<i>Tanarius flexuosus</i> (Wight) Kuntze	334
<i>avellanedae</i> Lorentz ex Griseb.	188	<i>indicus</i> (Wight) Kuntze	333
heterophylla (DC.) Britton	192	<i>peltatus</i> (Roxb.) Kuntze	334
subsp. <i>pallida</i> (Lindl.) Stehlé	192	<i>roxburghii</i> (Wight) Kuntze	334
<i>impetiginosa</i> (Mart. ex DC.) Standl.	188	<i>tomentosus</i> (Wight) Kuntze	334
pallida (Lindl.) Miers	192	<i>Tanghinia dichotoma</i> (Roxb. ex Wall.) G.Don	99
subsp. <i>heterophylla</i> (DC.) Stehlé	192	<i>lactaria</i> (Buch.-Ham. ex Spreng.) G.Don	86
<i>pentaphylla</i> Hemsl.	192	<i>odollam</i> (Gaertn.) G.Don	86
rosea (Bertol.) Bertero ex A.DC.	192	<i>Tapinocarpus dalzellii</i> Schott	111
Tabernaemontana L.	98	<i>Taprobanea spathulata</i> (L.) Christenson	556
alternifolia L.	98	Taraxacum Weber ex F.H. Wigg., nom. cons.	174
citrifolia L.	98	insigne Ekman	174
<i>coronaria</i> (Jacq.) Willd.	99	javanicum Soest	174
var. <i>plena</i> Roxb. ex Voigt	99	officinale F.H.Wigg.	174
<i>crispa</i> Roxb.	98	<i>Tardavel latifolia</i> (Aubl.) Standl.	709
<i>densiflora</i> Wall.	97	<i>ocymoides</i> (Burm.f.) Hiern	710
dichotoma Roxb. ex Wall.	99	<i>stricta</i> (L.f.) Hiern	703
divaricata (L.) R. Br. ex Roem. & Schult.	99	Tarennia Gaertn.	711, 772
gamblei Subr. & A.N. Henry	99	agumbensis Raghavan	711, 772
<i>heyneana</i> Wall.	98	asiatica (L.) Kuntze ex K.Schum.	711
<i>oblonga</i> Wall.	98	canarica (Bedd.) Bremek.	712
<i>recurva</i> Roxb.	99	nilagirica (Bedd.) Bremek.	712
<i>subcapitata</i> Hook.f. & Thomson	97	Tarlmounia H.Rob., S.C.Keeley, Skvarla & R.Chan	175
Tacca J. R. Forst & G. Forst.	303	elliptica (DC.) H.Rob., S.C.Keeley, Skvarla & R.Chan	175
leontopetaloides (L.) Kuntze	303	<i>Tarphochalmys</i> Bremek.	46
Tadehagi H.Ohashi	447	Taverniera DC.	447
triquetrum (L.) H.Ohashi	447	cuneifolia (Roth) Ali	447
<i>Taeniandra</i> Bremek.	46	<i>nummularia</i> auct. non DC.	447
Taeniophyllum Blume	555	Taxillus Tiegh.	468
alwisii Lindl.	555	<i>bracteatus</i> (Heyne ex Wall.) Tieghem	468

courtallensis (Gamble) Danser	468	roxburghiana J.R.Drumm.	448
cuneatus (Heyne ex Roth) Danser	468	<i>senticosa</i> auct. non Pers. 1807; ; Baker	448
<i>gibbosus</i> (Talbot) M.R.Almeida	466	<i>sericea</i> (Willd.) DC.	438
heyneanus (Schult.) Danser	468	spinosa (L.f.) Pers	448
recurvus Tiegh.	468	strigosa (Dalzell) Santapau & Maheshw.	448
tomentosus (B.Heyne ex Roth) Tiegh.	468	<i>suberosa</i> DC.	438
Tecoma Juss.	192	<i>subtriflora</i> Baker	449
<i>argentea</i> Bureau & K.Schum.	192	<i>tenuis</i> Dalzell & A.Gibson	448
<i>aurea</i> (Silva Manso) DC.	192	tinctoria Pers.	449
<i>australis</i> R.Br.	190	var. <i>pulcherrima</i> Baker	449
<i>avellanedae</i> (Lorentz ex Griseb.) Speg.	188	uniflora Pers.	449
capensis (Thunb.) Lindl.	192	subsp. petrosa (Blatt. & Hallb.) Gillett & Ali	449
castanifolia (D.Don) Melch.	192	var. uniflora	449
<i>chinensis</i> (Lam.) K. Koch	186	villosa (L.) Pres.	449
<i>gaudichaudii</i> DC.	192	var. <i>incana</i> (Roxb.) Baker	449
<i>grandiflora</i> Loisel.	186	<i>wallichii</i> J.Graham ex Fawcett & Rendle	448
<i>impetiginosa</i> Mart. ex DC.	188	Teramnus P. Browne	449
<i>jasminoides</i> Lindl.	190	labialis (L.f.) Spreng.	449
<i>pandorana</i> (Andrews) Skeels	190	var. <i>mollis</i> (Wight & Arn.) Baker	449
<i>radicans</i> (L.) Juss.	186	mollis (Wight & Arn.) Benth.	449
<i>rosea</i> Bertol.	192	Terminalia L.	226
stans (L.) Juss. ex Kunth	192	alata Roth	226
<i>suaveolens</i> (Roxb.) G.Don	191	arjuna (Roxb. ex DC.) Wight & Arn.	226
<i>venusta</i> (KerGawler) Lem.	190	bellirica (Gaertn.) Roxb.	226
<i>xylocarpa</i> (Roxb.) G. Don	190	catappa L.	226
<i>Tecomaria capensis</i> (Thunb.) Spach	192	chebula Retz.	227
Tectona L.f.	375	crenulata Roth	227
grandis L.f.	375	<i>cuneata</i> Roth	226
<i>theca</i> Lour.	375	<i>elliptica</i> Willd.	226
<i>theca</i> Lour.	375	<i>gella</i> Dalzell	226
<i>Teinostachyum beddomei</i> C.E.C.Fisch.	653	paniculata Roth	227
<i>wightii</i> (Munro) Bedd.	640	<i>tomentosa</i> (Roxb. ex DC.) Wight & Arn.	226
<i>Telanthera bettzickiana</i> Regel	58	var. <i>crenulata</i> (Roth) C.B.Clarke	227
<i>ficoidea</i> (L.) Moq.	58	<i>Terminalis stricta</i> (Sims) Kuntze	130
<i>pungens</i> (Kunth) Moq.	59	Terminthia Bernh.	71
<i>Telistra purpurea</i> (L.) Raf.	403	paniculata (Wall. ex G. Don) C.Y. Wu & T.L. Ming	71
<i>Telmatophace polyrrhiza</i> (L.) Godr.	454	Terniola Tul.	666
Telosma Coville	99	pedunculosa Wedd.	666
cordata (Burm.f.) Merr.	99	ramosissima Wedd.	666
<i>minor</i> (Andrews) Craib	99	<i>zeylanica</i> (Gardn.) Tul.	665
pallida (Roxb.) Craib	99	<i>Testudipes recurva</i> (Roxb. ex Lindl.) Markgr.	99
<i>Teloxys ambrosioides</i> (L.) W.A. Weber	63	<i>Tetradenia foliosa</i> Nees	382
Tephrosia Pers.	447	<i>zeylanica</i> (Nees & T. Nees) Nees	383
calophylla Bedd.	447	<i>Tetragastris ossea</i> Gaertn.	334
canarensis J.R.Drumm.	447	<i>Tetraglossa indica</i> Bedd.	321
<i>diffusa</i> (Roxb.) Wight & Arn.	448	<i>Tetragoga</i> Bremek.	46
<i>hamiltonii</i> Drumm. ex Dunn	448	Tetramelaceae	738
<i>hirta</i> (Buch.-Ham.) Benth.	449	Tetrameles R. Br.	738
<i>hirta</i> (Buch.-Ham.) Gamble	449	<i>grahamiana</i> (Nimmo) Wight	738
hookeriana Wight & Arn.	447	nudiflora R. Br.	738
<i>incana</i> (Roxb.) Sweet	449	<i>Tetranthera apetala</i> Roxb.	381
<i>pauciflora</i> Graham ex Baker	449	<i>attenuata</i> var. <i>laevigata</i> Nees	381
pentaphylla (Roxb.) G. Don	448	<i>oblonga</i> var. <i>stocksii</i> Meisn.	382
<i>petrosa</i> Blatt. & Hallb.	449	<i>Tetrapilus polygama</i> (Wight) L. A. S. Johanson	527
<i>procumbens</i> Buch.-Ham. ex Dunn	448	Tetrapogon Desf.	659
<i>pulcherrima</i> (Baker) Gamble	449	tenellus (J.Koenig ex Roxb.) Chiov.	659
pumila (Lam.) Pers.	448	<i>tetrastachys</i> Hack. ex Duthie	604
purpurea (L.) Pers.	448	<i>triangularis</i> Hochst. ex Hook.f.	659
var. <i>diffusa</i> (Roxb.) Aitch.	448	Tetrastigma (Miq.) Planch.	752
var. <i>pumila</i> (Lam.) Baker	448	<i>canarense</i> sensu Gamble	752
<i>racemosa</i> Wight & Arn.	427	gamblei B.V.Shetty & P.Singh	752

lanceolarium (Roxb.) Planch.	753	Thryocephalon nemorale J.R.Forst. & G.Forst.	291
leucostaphylum (Dennst.) Alston	753	Thunbergia Retz., nom. cons.	53
<i>muricatum</i> (Wall.) Gamble	753	alata Bojer ex Sims	53
sulcatum (P.Lawson) Gamble	753	<i>clarkei</i> T. Yamaz.	54
Teucrium L.	375	coccinea Wall.	53
heynei V.S.Kumar & Chakrab.	375	<i>cordifolia</i> Nees	54
polium L.	375	erecta (Benth.) T.Anderson	53
<i>tomentosum</i> B.Heyne ex Benth.	375	fragrans Roxb.	53
<i>tomentosum</i> Lam.	375	var. <i>laevis</i> (Nees) C.B. Clarke	54
<i>Thalia dichotoma</i> (Roxb.) Roxb. ex Link	494	grandiflora (Roxb. ex Rottl.) Roxb.	54
Thalictrum L.	679	<i>hawtayneana</i> Wall.	42
dalzellii Hook.f.	679	<i>lacei</i> Gamble	54
<i>glyphocarpum</i> Wight & Arn.	679	laevis Nees	54
javanicum Blume	679	laurifolia Lindl.	54
punduanum Wall.	679	mysorensis (Wight) T.Anderson	54
saniculiforme DC.	679	Thunia Rchb. f.	556
<i>Thalysia mays</i> (L.) Kuntze	664	alba (Lindl.) Rchb.f.	556
Theaceae	738	var. bracteata (Roxb.) N.Pearce & P.J.Cribb	556
<i>Thecagonum biflorum</i> (L.) Babu	701	<i>bracteata</i> (Roxb.) Schltr.	556
<i>ovatifolium</i> (Cav.) Babu	702	<i>venosa</i> Rolfe	556
<i>Theka grandis</i> (L.f.) Lam.	375	<i>Thuranthos congestus</i> (Wight) Speta	133
<i>Thelepaepale ixiocephala</i> (Benth.) Bremek.	50	<i>coromandelianus</i> (Roxb.) Speta	132
Thelepogon Roth	660	<i>govindappae</i> (A.Boraiah & Fathima) Speta	132
elegans Roth	660	<i>indicus</i> (Roxb.) Speta	132
<i>Thelipaepale</i> Bremek.	46	<i>nagarjunae</i> (Hemadri & Swahari) Speta	132
Themeda Forssk.	660	<i>polyanthus</i> (Blatt. & McCann) Speta	133
<i>ciliata</i> (L.f.) Hack.	660	<i>wightianus</i> (Hook.f.) Speta	132
cymbaria Hack.	660	Thymeliaceae	739
<i>forskalii</i> (Kunth) Hack. ex Duthie	661	Thymophylla Lag.	175
var. <i>laxa</i> (Andersson) Hack.	660	tenuifolia (Cass.) Rydb.	175
<i>imberbis</i> (Retz.) T. Cooke	661	<i>Thymus origanum</i> Kuntze	366
laxa (Andersson) A. Camus	660	<i>syrticus</i> Spreng.	374
<i>prostrata</i> (L.) Roberty	636	<i>Thyridostachyum laeve</i> (Retz.) Nees ex Steud.	640
quadrivalvis (L.) Kuntze	660	Thysanolaena Nees	661
<i>serratifolia</i> Roberty	660	<i>assamensis</i> Gand.	661
<i>thwaitesii</i> (Hook.f.) A.Camus	660	latifolia (Roxb. ex Hornem.) Honda	661
tremula (Nees ex Steud.) Hack	660	<i>maxima</i> (Roxb.) Kuntze	661
triandra Forssk.	661	<i>procera</i> (Retz.) Mez	626
var. <i>laxa</i> (Andersson) Noltie	660	<i>sikkimensis</i> Gand.	661
var. <i>roylei</i> (Hook.f.) Domin	661	<i>Tiaridium indicum</i> (L.) Lehm.	197
Theriophonum Blume	111	<i>Tigilium klotzschianum</i> Wight	322
dalzellii Schott	111	<i>officinale</i> Klotzsch	323
fischeri Sivad.	111	<i>Tillaea pentandra</i> Royle ex Edgew.	257
<i>indicum</i> Engl.	111	<i>schimperii</i> (Fisch. & C.A. Mey.) M.G.Gilbert	257
<i>uniseriatum</i> Blatt. & McCann	111	<i>Tilmia caryotifolia</i> (Kunth) O.F.Cook	114
Thespesia Sol. ex Correa	492	Tinospora Miers	504
lampas (Cav.) Dalzell	492	cordifolia (Willd.) Miers.	504
populnea (L.) Sol. ex Corrêa	492	<i>malabarica</i> (Lam.) Hook. f. & Thomson	504
Thevetia L. Nom. Cons.	99	sinensis (Lour.) Merr.	504
<i>neriifolia</i> Juss. ex Steud.	99	<i>Tinus courtallensis</i> (Wight) Kuntze	675
peruviana (Pers.) Merr.	99	<i>humilis</i> (Vahl) Kuntze	674
<i>Thlaspi arabicum</i> Vahl	202	<i>missionis</i> (Wall. ex A. DC.) Kuntze	675
Thottea Rottb.	126	<i>paniculata</i> (Roxb.) Kuntze	675
dalzellii (Hook.f.) Karthik. & Moorthy	126	<i>pauciflora</i> (B.Heyne Kuntze	675
siliquosa (Lam.) Ding Hou	126	Tithonia Desf. ex Juss.	175
sivarajanii E.S.S.Kumar, A.E.S.Khan & Binu	126	diversifolia (Hemsl.) A.Gray	175
Thrinax L. f. ex Sw.	124	rotundifolia (Mill.) S.F. Blake	175
<i>barbadensis</i> Lodd. ex Mart.	118	<i>Tithymalus divergens</i> Klotzsch	330
parviflora Sw.	124	<i>dracunculoides</i> (Lam.) Klotzsch & Garcke	325
<i>Thrixspermum luniferum</i> Rchb.f.	532	<i>perbracteatus</i> (Gage) Sojak	329
<i>Thryallis glauca</i> (Cav.) Kuntze	474	<i>rothianus</i> (Spreng.) Klotzsch & Garcke	330

<i>Tittmannia pusilla</i> Benth.	463	<i>Trachypogon schoenanthus</i> (L.) Nees	609
<i>viscosa</i> (Hornem.) Rchb.	462	Trachys Pers.	661
Toddalia Juss.	717	<i>muricata</i> (L.) Pers.	661
<i>aculeata</i> (Smith) Pers.	717	Trachyspermum Link	80
<i>asiatica</i> (L.) Lam.	717	<i>ammi</i> (L.) Sprague	80
var. <i>floribunda</i> (Wall.) Kurz	717	<i>involutratum</i> (Roxb.) H. Wolff	80
var. <i>gracilis</i> Gamble	717	<i>roxburghianum</i> (DC.) H. Wolff	80
bilocularis Wight & Arn.	717	<i>stictocarpum</i> (C.B. Clarke) H. Wolff	80
Tolypanthus (Blume) Rchb.	468	Tradescantia L.	236
lageniferus Tiegh.	468	<i>axillaris</i> (L.) L.	230
<i>Tomex tomentosa</i> L.	355	<i>biflora</i> Willd. ex Schult. & Schult.f.	229
<i>Tonningia arachnodea</i> (C.B. Clarke) Kuntze	230	<i>cristata</i> (L.) L.	230
<i>axillaris</i> (L.) Raf.	230	<i>cucullata</i> Roth	231
<i>cristata</i> (L.) Kuntze	230	<i>cyanotidea</i> Hassk.	231
<i>cucullata</i> (Roth) Kuntze	231	<i>discolor</i> L'Hér.	237
<i>fasciculata</i> (B. Heyne ex Roth) Kuntze	231	<i>fasciculata</i> B. Heyne ex Roth	231
<i>pilosa</i> (Schult. & Schult.f.) Kuntze	231	<i>glomerata</i> B. Heyne ex C.B. Clarke	231
<i>tuberosa</i> (Roxb.) Kuntze	231	<i>imbricata</i> Roxb.	230
<i>vaginata</i> (Wight) Kuntze	230	<i>incana</i> B. Heyne ex C.B. Clarke	230
<i>villosa</i> (Spreng.) Kuntze	231	<i>malabarica</i> L.	234
<i>vivipara</i> (Dalzell) Kuntze	227	<i>montana</i> B. Heyne ex Wall.	232
<i>wightii</i> (C.B. Clarke) Kuntze	231	pallida (Rose) D.R. Hunt	236
<i>Tonsella africana</i> Willd.	218	<i>paniculata</i> Roxb.	232
Toona (Endl.) M. Roem.	501	<i>pendula</i> (Schnizl.) D.R. Hunt	237
<i>ciliata</i> M. Roem.	501	<i>pexata</i> H.E. Moore	237
<i>hexandra</i> (Wall.) M. Roem.	501	<i>pilosa</i> Willd. ex Schult. & Schult.f.	231
Torenia L.	463	<i>scaberrima</i> (Blume) Hassk.	236
<i>asiatica</i> auct. non L.	463	sillamontana Matuda	237
bicolor Dalzell	463	spathacea Sw.	237
cordifolia Roxb.	463	<i>tricolor</i> C.B. Clarke	237
<i>crustacea</i> (L.) Cham. & Schltdl.	460	<i>tuberosa</i> Roxb.	231
fournieri Linden ex E. Fourn.	463	<i>villosa</i> Spreng.	231
<i>globosa</i> Buch.-Ham. ex Wall.	463	zebrina Bosse	237
<i>hirta</i> Cham. & Schltdl.	461	<i>Tragantes tenuifolia</i> Wallr.	156
indica C.J. Saldanha	463	Tragia L.	337
lindernioides C.J. Saldanha	463	bicolor Miq.	337
<i>lucida</i> Buch.-Ham. ex Wall.	460	<i>cannabina</i> L.f.	338
<i>parviflora</i> Buch.-Ham. ex Benth.	463	var. <i>hastata</i> (L.) Pax & K. Hoffm.	338
<i>rotundifolia</i> (L.) Cordem.	462	<i>chamaelea</i> L.	336
<i>roxburghii</i> Buch.-Ham. ex Wall.	462	hildebrandtii Müll. Arg.	338
thouarsii (Cham. & Schltdl.) Kuntze	463	hispidia Willd.	338
travancorica Gamble	463	involutrata L.	338
var. <i>varians</i> Roxb.	460	var. <i>cannabina</i> auct. non Müll. Arg.	338
<i>Torresia latifolia</i> (Osbeck) P. Beauv. ex Roem. & Schult.	603	var. <i>cannabina</i> Müll. Arg.	338
<i>Tortula aspera</i> (Roxb.) Roxb. ex Willd.	746	var. <i>cordata</i> Mull. Arg.	338
<i>Torulinium odoratum</i> (L.) S.S. Hooper	278	var. <i>hispidia</i> (Willd.) Mull. Arg.	338
Tournefortia L.	199	var. <i>montana</i> Thwaites	338
<i>edgeworthii</i> A. DC.	199	var. <i>rheediana</i> Müll. Arg.	338
reticosa Wight	199	<i>involutrata</i> auct. non L.	338
<i>royleana</i> A. DC.	199	<i>marginata</i> Poir.	318
<i>subulata</i> Hochst. ex A. DC.	199	<i>mercurialis</i> L.	336
<i>zeylanica</i> (Burm.f.) Wight	199	<i>miqueliana</i> Müll. Arg.	337
<i>Tournesol plicata</i> (Vahl) Kuntze	320	var. <i>bicolor</i> (Miq.) Mull. Arg.	337
<i>Toxicodendron paniculatum</i> (Wall. ex G. Don) Kuntze	71	var. <i>unicolor</i> Müll. Arg.	338
Toxocarpus Wight & Arn.	100	montana (Thwaites) Mull. Arg.	338
concanensis Hook. f.	100	<i>muelleriana</i> Pax & K. Hoffm.	338
<i>eriocarpus</i> Hook. f.	80	var. <i>unicolor</i> auct. non (Müll. Arg.) Pax & K. Hoffm.	338
kleinii Wight & Arn.	100	var. <i>unicolor</i> (Müll. Arg.) Pax & K. Hoffm.	338
<i>laurifolius</i> (Roxb.) Wight	90	plukenetii Radcl.-Sm.	338
<i>Trachycarpus excelsus</i> (Thunb.) H. Wendl.	123	praetervisa Chakrab. & N.P. Balakr.	338
<i>Trachyzos muricata</i> (L.) Steud.	661	var. <i>unicolor</i> (Müll. Arg.) Chakrab. & N.P. Balakr.	338

Tragopogon L.	175	Trichoglottis Blume	556
dubius Scop.	175	tenera (Lindl.) Rchb.f.	556
<i>pratense</i> auct. non L.	175	<i>tenera</i> (Hook. f.) Schltr.	556
Tragus Haller nom. cons.	661	Tricholaena Schrad. ex J. A. & J.H. Schult.	661
<i>biflorus</i> Schult.	661	teneriffae (L.f.) Link	661
mongolorum Ohwi	661	Tricholepis DC.	175
<i>racemosus</i> auct. non All.	661	amplexicaulis C.B.Clarke	175
<i>roxburghii</i> Panigrahi	661	angustifolia DC.	175
Trapa L.	473	glaberrima DC.	176
<i>bispinosa</i> Roxb.	473	var. <i>angustifolia</i> (DC.) L.B.Chaudhary &	
natans L.	473	A.K.Pandey	175
var. bispinosa (Roxb.) Makino	473	<i>procumbens</i> Wight	167
var. natans	473	radicans (Roxb.) DC.	176
Trema Lour.	211	<i>Trichoon karka</i> (Retz.) Roth	648
orientalis (L.) Blume	211	<i>roxburghii</i> (Kunth) W.Wight	648
<i>Trewia hernandifolia</i> Roth	333	<i>Trichophorum comosum</i> (Wall.) A.Dietr.	282
<i>macrophylla</i> Roth	334	<i>Trichophyllum capitatum</i> (L.) House	282
<i>macrostachya</i> Klotzsch	334	<i>chaetaria</i> (Roem. & Schult.) House	282
<i>nudiflora</i> L.	334	Trichosanthes L.	266
var. <i>dentata</i> Susila & N.P.Balakr.	335	anaimalaiensis Bedd.	266
var. <i>polycarpa</i> (Benth.) Susila & N.P.Balakr.	334	<i>anamalayana</i> Bedd.	266
var. <i>tomentosa</i> Susila & N.P.Balakr.	334	<i>anguina</i> L.	267
<i>polycarpa</i> Benth.	334	bracteata (Lam.) Voigt	267
<i>Triaenacacanthus</i> Nees ('Triaenanthus')	46	var. <i>scotanthus</i> (C.B.Clarke) Handel-Mazzetti	268
Trianthema L.	55	var. <i>tomentosa</i> (Heyne ex C.B. Clarke) Chakrav.	266
crystallina Vahl	55	<i>brevibracteata</i> Kundu	267
<i>decandra</i> L.	55	var. <i>longirostrata</i> Kundu	267
<i>govindia</i> Buch.-Ham. ex G. Don	56	var. <i>sublobata</i> Kundu	267
<i>monogyna</i> L.	55	<i>burmensis</i> var. <i>alba</i> Kundu	267
<i>obcordata</i> Roxb.	55	cucumerina L.	267
<i>pentandra</i> auct.	56	var. <i>anguina</i> (L.) Haines	267
portulacastrum L.	55	<i>cuspidata</i> Lam.	267
triquetra Rottler & Willd.	55	<i>foetidissima</i> Jacq.	264
<i>Trias stocksii</i> Benth. ex Hook.f.	531	<i>grandibracteata</i> Kurz	268
<i>Triathera bromoides</i> (Roem. & Schult.) Roth ex Kunth	662	lepiniana (Naudin) Cogn.	267
Tribulus L.	761	lobata Roxb.	267
<i>lanuginosus</i> L.	761	<i>multiloba</i> C.B.Clarke	268
subramanyamii P.Singh, G.S.Giri & V.Singh	761	nervifolia L.	267
terrestris L.	761	<i>pachyrrhachis</i> Kundu	267
<i>Tricalysia apiocarpa</i> (Dalzell ex Hook.f.) Gamble	689	<i>palmata</i> Roxb.	267
<i>dalzellii</i> (Thwaites) Alston	689	var. <i>scotanthus</i> C.B.Clarke	268
<i>sphaerocarpa</i> (Dalzell ex Hook.f.) Gamble	689	var. <i>tomentosa</i> Heyne ex C.B. Clarke	267
<i>Triceros cochinchinensis</i> Lour.	736	<i>perrottetiana</i> Cogn.	267
<i>Trichaurus ericoides</i> (Rottler & Willd.) Arn.	738	<i>tricuspidata</i> auct. non Lour.	267
<i>Trichelostylis cinnamometorum</i> (Vahl) Nees	284	<i>tricuspidata</i> Lour.	267
<i>complanata</i> (Retz.) Nees	284	villosula Cogn.	267
<i>digitata</i> Dalzell ex Boeckeler	286	var. <i>nilgirrensis</i> Kundu	267
<i>miliacea</i> (L.) Nees	288	wallichiana (Ser.) Wight	268
<i>quinquangularis</i> (Vahl) Nees	288	<i>Trichosporum perrottetii</i> Kuntze	344
<i>tenella</i> Nees	289	Trichotosia Blume	556
<i>Trichilia connaroides</i> (Wight & Arn.) Benth.	500	bracteata (Schltr.) P.F.Hunt	556
Trichodesma R. Br.	199	Trichuriella Bennet	65
<i>amplexicaul</i> auct. non Roth	199	monsoniae (L.f.) Bennet	65
<i>amplexicaule</i> Roth	200	<i>Trichurus monsoniae</i> (L.f.) C.C. Towns.	65
<i>hirsutum</i> Edgew.	199	Tridax L.	176
inaequale Edgew.	199	procumbens L.	176
indicum (L.) Lehm.	199	Trifolium L.	450
var. amplexicaule (Roth) T. Cooke	200	<i>indicum</i> L.	437
var. indicum	200	repens L.	450
<i>sedgewickianum</i> S. P. Banerji	199	Trigonella L.	450
zeylanicum (Burm.f.) R.Br.	200	foenum-graecum L.	450

<i>indica</i> L.	443	<i>reflexum</i> (L.f.) Raf.	580
<i>Trigonostemon lawianus</i> (Nimmo ex Dalzell & A.Gibson)		<i>Troxistemon littorale</i> (Jacq.) Raf.	67
Müll.Arg.	322	<i>Truellum dichotomum</i> (Blume) Soják	669
<i>zeylanicus</i> (Thwaites) Müll.Arg.	337	<i>Tsiana speciosa</i> (J.Koenig) J.F.Gmel.	256
Trilobachne Schenck ex Henrard	662	<i>Tubiflora acaulis</i> (L.f.) Kuntze	33
cookei (Stapf) Schenck ex Henrard	662	<i>Tulasnea ceylanica</i> Wight	665
<i>Trimorpha canadensis</i> (L.) Lindm.	155	<i>pedunculata</i> Wight	666
<i>Triopteris indica</i> Willd.	474	<i>ramosissima</i> Wight	666
<i>Triphasia sarmentosa</i> Blume	715	<i>Tunga diandra</i> Roxb.	290
<i>Tripinna africana</i> (Spreng.) Voigt	189	<i>laevigata</i> Roxb.	292
<i>Triplectrum radicans</i> Don ex Wight & Arn.	495	<i>triceps</i> Roxb.	292
Tripogon Roem. & Schult.	662	Turbina Raf.	254
<i>abyssinicus</i> Hook. f.	663	corymbosa (L.) Raf.	254
bromoides Roth	662	Turnera L.	565
var. <i>longifolius</i> Hook. f.	662	angustifolia Mill.	565
var. <i>major</i> Hook. f.	662	ulmifolia L.	565
capillatus Jaub. & Spach.	662	var. <i>angustifolia</i> (Mill.) Willd.	565
filiformis Nees ex Steud.	662	Turpinia Vent.	736
var. <i>tenuispicus</i> Hook.f.	662	cochinchinensis (Lour.) Merr.	736
<i>hookerianus</i> Bor	663	malabarica Gamble	736
jacquemontii Stapf	662	<i>nepalensis</i> Wall.	736
var. <i>submuticus</i> Hook.f.	663	<i>pomifera</i> non DC.	736
lisboae Stapf	662	Turraea L.	502
<i>pauperculus</i> Stapf	631	<i>pinnata</i> Wall.	500
pungens C.E.C.Fisch.	662	pubescens Hell.	502
purpurascens Duthie	663	<i>villosa</i> Benn.	502
<i>roxburghianus</i> (Steud.) Bhide	641	<i>Tussilago japonica</i> L.	156
<i>submuticus</i> Hack. ex Hook.f.	663	Tylophora R. Br.	100
wightii Hook. f.	663	<i>asthmatica</i> (L.f.) Wight & Arn.	100
<i>Tripsacum granulare</i> (L.) Raspail	629	var. <i>glabra</i> Decne.	100
<i>mucronatum</i> (Pers.) Raspail	661	capparidifolia Wight & Arn.	100
<i>muticum</i> (L.) Raspail	634	<i>carnosa</i> auct. non Wall. ex Wight	100
<i>myurus</i> (L.) Raspail	638	dalzellii Hook. f.	100
<i>paniceum</i> (Lam.) Raspail	649	fasciculata Buch.-Ham. ex Wight	100
<i>Tristicha ceylanica</i> Gardner	665	flexuosa R. Br.	100
<i>ramosissima</i> (Wight) Willis	665	indica (Burm.f.) Merr.	100
<i>Triticum sativum</i> Lam.	663	var. glabra (Decne.) H. Huber	100
<i>vulgare</i> Vill.	663	var. indica	100
Trithuria Hook. f.	348	iphisia Decne.	101
konkanensis S.R.Yadav & Janarth.	348	multiflora (Wight & Arn.) Alston	101
<i>Trithyrocarpus paleatus</i> (Hassk.) Hassk.	229	pauciflora Wight & Arn.	101
Triticum L.	663	rotundifolia Buch.-Ham. ex Wight	101
aestivum L.	663	<i>tenuis</i> Blume	100
<i>bifarium</i> (Vahl) Kuntze	621	<i>tenuissima</i> (Roxb. ex Willd.) Wight & Arn.	100
<i>hybernium</i> L.	663	<i>tetrapetala</i> (Dennst.) Suresh	100
Triumfetta L.	492	var. <i>tenuissima</i> (Roxb. ex Willd.) Swarupan.	100
<i>angulata</i> Lam.	492	Typha L.	739
annua L.	492	<i>angustata</i> Bory & Chaub.	739
<i>bartramia</i> L.	492	angustifolia L.	739
malebarica J.Koenig ex Rottb.	492	subsp. <i>domingensis</i> (Pers.) Rohrb.	739
<i>neglecta</i> Wight & Arn.	492	var. <i>domingensis</i> (Pers.) Hemsl.	739
pentandra A.Rich.	492	domingensis Pers.	739
pilosa Roth	492	Typhaceae	739
rhomboidea Jacq.	492	Typhonium Schott	111
rotundifolia Lam.	492	<i>amboinense</i> Blatt. & McCann	112
<i>Trophis spinosa</i> Roxb. ex Willd.	510	bulbiferum Dalzell	111
Tropidia Lindl.	556	<i>cuspidatum</i> Decne	111
angulosa (Lindl.) Blume	556	<i>divaricatum</i> var. <i>roxburghii</i> (Schott) Engl.	112
<i>bellii</i> Blatt. & McCann	556	<i>flagelliferum</i> Griff.	111
<i>govindovii</i> Blume	556	flagelliforme (Lodd.) Blume	111
<i>Troxirum blandum</i> (Jacq.) Raf.	579	<i>incurvatum</i> Blatt. & McCann	111

roxburghii Schott	112	<i>deflexa</i> (Schumach.) H.Scholz	600
<i>schottii</i> Prain	112	<i>distachya</i> (L.) T.Q. Nguyen	600
<i>sylvaticum</i> Voigt	111	<i>eruciformis</i> (Sm.) C.Nelson, Sutherl. & Fern.Casas	600
<i>venosum</i> (Dryand. ex Aiton) Hett. & P.C.Boyce	110	<i>helopus</i> (Trin.) Stapf	663
<i>Uhdea bipinnatifida</i> Kunth	166	<i>hybrida</i> (Basappa & Muniy.) Ashalatha & V.J. Nair	602
Ulmaceae	739	<i>kurzii</i> (Hook.f.) T.Q. Nguyen	600
<i>Ulmus integrifolia</i> Roxb.	739	<i>marathensis</i> Henrard	663
Umbilicus DC.	258	var. <i>velutina</i> Henrard	663
rupestris (Salisb.) Dandy	258	<i>maxima</i> (Jacq.) R.D. Webster	643
<i>Ungeria monocephala</i> (Roxb.) Nees ex C.B.Clarke	273	<i>munae</i> (Basappa) Ashalatha & V.J. Nair	601
<i>Uniola bipinnata</i> (L.) L.	612	<i>mutica</i> (Forssk.) T.Q.Nguyen	601
<i>indica</i> Spreng.	625	panicoides P. Beauv.	663
<i>lappacea</i> (L.) Trin.	603	var. <i>marathensis</i> (Henrard) Bor	663
<i>Unona cerasoides</i> (Roxb.) Baill.	73	var. <i>pubescens</i> (Kunth) Bor	663
<i>discolor</i> Vahl	72	var. <i>velutina</i> (Henrard) Bor	663
<i>dunalii</i> Hook. f. & Thomson	72	<i>pubescens</i> Kunth	663
<i>lawii</i> Hook.f. & Thomson	72	<i>ramosa</i> (L.) T.Q. Nguyen	601
<i>narum</i> Dunal	76	<i>remota</i> (Retz.) Ashalatha & V.J. Nair	601
<i>odorata</i> (Lam.) Dunal	72	<i>reptans</i> (L.) Stapf.	601
<i>pannosa</i> Dalzell	73	<i>semialata</i> (R.Br.) Kunth	590
<i>ramarowii</i> Dunn	73	<i>semiundulata</i> (Hochst. ex A.Rich.) Ashalatha & V.J.Nair	601
<i>Uragoga anamallayana</i> (Bedd.) Kuntze	707	var. <i>lanata</i> (Basappa & Muniy.) Ashalatha & V.J. Nair	601
<i>bisulcata</i> (Wight & Arn.) Kuntze	707	setigera (Retz.) Stapf	663
<i>dalzellii</i> (Hook.f.) Kuntze	707	var. <i>albistyla</i> (Basappa & Muniy.) Karthik.	663
<i>nilgherensis</i> Kuntze	708	<i>stapfiana</i> (Basappa & Muniy.) Ashalatha & V.J. Nair	600
<i>subintegra</i> (Wight & Arn.) Kuntze	708	<i>subquadripa</i> (Trin.) R.D.Webster	602
<i>truncata</i> (Wall.) Kuntze	708	Urochondra C.E.Hubb.	664
<i>Urania madagascariensis</i> (Sonn.) Raeusch.	736	setulosa (Trin.) C.E. Hubb.	664
<i>speciosa</i> Willd.	736	<i>Uropetalum montanum</i> Dalzell	131
Uraria Desv.	450	<i>Urostigma arnottianum</i> Miq.	507
<i>alopescuroides</i> (Roxb.) Wight	450	<i>bengalense</i> (L.) Gasp.	507
<i>alopescuroides</i> (Roxb.) Sweet	450	<i>dalhousiae</i> Miq.	507
<i>gracilis</i> Prain	450	<i>religiosum</i> (L.) Gasp.	509
<i>hamosa</i> (Roxb.) Wall. ex Wight & Arn.	450	<i>Urtica caudata</i> Burm.f.	740
lagopodoides (L.) DC.	450	<i>caudata</i> Wall.	743
lagopus DC.	450	<i>diversifolia</i> Link	741
picta (Jacq.) DC.	450	<i>frutescens</i> Thunb.	742
<i>repanda</i> Wall ex Benth.	450	<i>interrupta</i> L.	742
rufescens (DC.) Schindl.	450	<i>japonica</i> L. f.	740
<i>Urbanisol tagetiflora</i> var. <i>diversifolius</i> (Hemsl.) Kuntze	175	<i>longifolia</i> Burm. f.	740
Urena L.	493	<i>melastomoides</i> Poir.	742
lobata L.	493	<i>pentandra</i> Roxb.	744
subsp. <i>lobata</i> var. <i>viminea</i> (Cav.) Gurje	493	<i>scabrella</i> Roxb.	740
subsp. <i>sinuata</i> (L.) Borss. Waalk.	493	<i>sinuata</i> Blume	741
<i>ovalifolia</i> Forssk.	486	<i>trinervia</i> Roxb.	742
sinuata L.	493	Urticaceae	739
<i>Uretia lanata</i> Kuntze	57	Utricularia L.	455
<i>persica</i> (Burm.f.) Kuntze	57	<i>affinis</i> Wight	458
<i>sanguinolenta</i> (L.) Kuntze	57	var. <i>griffithii</i> (Wight) Oliv.	458
<i>Urginea congesta</i> Wight	133	var. <i>griffithii</i> (Wight) Oliv. ex C.B.Clarke	458
<i>coromandeliana</i> Wight	132	<i>alata</i> Benj.	455
<i>govindappae</i> A.Boraiah & Fathima	132	<i>albiflora</i> Griff.	456
<i>indica</i> (Roxb.) Kunth	132	albocaerulea Dalzell	455
<i>nagarjunae</i> Hemadri & Swahari	132	arcuata Wight	455
<i>polyantha</i> Blatt. & McCann	133	aurea Lour.	455
<i>wightiana</i> Hook.f.	132	australis R.Br.	455
Urochloa P. Beauv.	663	babui S.R.Yadav, Sardesai & S.P.Gaikwad	455
<i>brizantha</i> (A.Rich.) R.D.Webster	600	bifida L.	455
var. <i>ciliata</i> (Basappa & Muniy.) Ashalatha & V.J. Nair	600	var. <i>wallichiana</i> (Benj.) Thwaites	457
<i>cimicina</i> (L.) Kunth	589		

<i>biflora</i> Roxb.	456	var. <i>coromandeliana</i> A.DC.	457
<i>brachypoda</i> Wight	458	striatula Sm.	458
caerulea L.	455	<i>stricticaulis</i> (J.Koenig ex Oliver) Stapf ex Gamble	457
var. <i>affinis</i> (Wight) Thwaites	458	<i>uliginoides</i> Wight	456
var. <i>filicaulis</i> (Wall. ex A. DC.) Haines	456	uliginosa Vahl	458
var. <i>graminifolia</i> (Vahl) Bhattacharyya	456	<i>volubilis</i> Wight ex Benj.	457
var. <i>smithiana</i> (Wight) C.B. Clarke	457	<i>wallichiana</i> Benj.	455
var. <i>stricticaulis</i> J. Koenig	457	var. <i>macrolepis</i> (Wight) Gamble	457
<i>campestris</i> Miq. ex C.B. Clarke	456	<i>wallichii</i> Wight	457
<i>capillacea</i> Wight ex Oliver	457	<i>Uva concava</i> (Teijsm. & Binn.) Kuntze	76
cecilii P. Taylor	456	<i>lurida</i> (Hook.f. & Thomson) Kuntze	76
<i>conferta</i> Wight	456	Uvaria L.	76
<i>decipiens</i> Dalzell	458	<i>cerasoides</i> Roxb.	73
<i>diantha</i> Roxb. ex Roem. & Schult.	456	concava Teijsm. & Binnend.	76
<i>diflora</i> Roxb. ex C.B. Clarke	456	<i>esculenta</i> Roxb. ex Rottl. & Willd.	72
<i>equiseticaulis</i> Blatt. & McCann	456	<i>eucincta</i> Bedd. ex Dunn	76
<i>exoleta</i> R. Br.	456	<i>hookeri</i> King	76
<i>fasciculata</i> Roxb.	455	<i>longifolia</i> Sonn.	75
<i>filicaulis</i> Wall. ex A. DC.	455	<i>lurida</i> Hook. f. & Thomson	76
<i>flexuosa</i> Vahl	455	var. <i>macrophylla</i> Hook. f. & Thomson	76
gibba L.	456	var. <i>sikkimensis</i> King	76
graminifolia Vahl	456	<i>lutea</i> Roxb.	71
<i>griffithii</i> Wight	458	narum (Dunal) Wight & Arn.	76
<i>humilis</i> Vahl	455	var. <i>macrophylla</i> (Hook.f. & Thomson) Hook.f. & Thomson	76
<i>inflexa</i> var. <i>stellaris</i> (L.f.) P.Taylor	457	<i>odorata</i> Lam.	72
<i>intricata</i> Griff. ex Oliv.	458	<i>sclerocarpa</i> A.DC.	74
janarthanamii S.R.Yadav, Sardesai & S.P.Gaikwad	456	<i>stellata</i> Merr.	76
<i>khasiana</i> Joseph & Mani	456	<i>suberosa</i> Roxb.	76
lazulina P. Taylor	457	<i>sympetala</i> Merr.	76
<i>lilacina</i> Griff.	458	<i>tomentosa</i> Roxb.	74
<i>lilliput</i> Pellegr.	457	<i>velutina</i> DC.	74
<i>macrolepis</i> Wight	457	<i>villosa</i> (G.Don) Roxb	74
malabarica Janarth. & A.N.Henry	457	Vaccaria Wolf	216
minutissima Vahl	457	hispanica (Mill.) Rauschert	216
naikii S.R.Yadav, Sardesai & S.P.Gaikwad	457	Vaccinium L.	312
<i>nayarii</i> Janarth. & A.N. Henry	458	neilgherrense Wight	312
<i>nivea</i> Vahl	455	Vachellia Wight & Arn.	401
var. <i>rosea</i> (Edgew.) Trimen	456	eburnea (L.f.) P.J.H.Hurter & Mabb.	401
<i>ogmosperma</i> Blatt. & McCann	455	farnesiana (L.) Wight & Arn.	401
<i>parviflora</i> Buch.-Ham. ex Sm.	456	horrida (L.) Kyal. & Boatwr.	401
<i>pedicellata</i> Wight	456	leucophloea (Roxb.) Maslin, Seigler & Ebinger	401
polygaloides Edgew.	457	nilotica (L.) P.J.H.Hurter & Mabb.	401
praeterita P. Taylor	457	subsp. cupressiformis (J.L.Stewart) Ragupathy,	
<i>pterosperma</i> Edgew.	456	Seigler, Ebinger & Maslin	401
<i>purpurascens</i> J. Graham	456	subsp. indica (Benth.) Kyal. & Boatwr.	402
<i>racemosa</i> var. <i>filicaulis</i> (Wall. ex A. DC.) C.B. Clarke	456	planifrons (Koenig ex Wight & Arnott) Ragupathy,	
var. <i>rosea</i> (Edgew.) Thwaites	456	Seigler, Ebinger & Maslin	402
<i>ramosa</i> Vahl	455	tomentosa (Rottler) Maslin, Seigler & Ebinger	402
reticulata Sm.	457	Vahlia Thunb.	744
var. <i>parviflora</i> Santapau	457	dichotoma (Murray) Kuntze	744
var. <i>stricticaulis</i> Koenig ex Oliver	457	digyna (Retz.) Kuntze	745
var. <i>uliginosa</i> (Vahl) C.B. Clarke	458	<i>oldenlandioides</i> Roxb.	744
<i>rosea</i> Edgew.	456	<i>viscosa</i> Roxb.	745
<i>roseopurpurea</i> Stapf ex Gamble	456	Vahliaceae	744
<i>roxburghii</i> Spreng.	456	<i>Valeriana chinensis</i> L.	518
<i>saharunporensis</i> Royle ex Oliv.	456	<i>Valerianoides indica</i> (L.) Medik.	747
<i>sampathii</i> Subr. & Yogan.	456	<i>jamaicense</i> (L.) Kuntze	747
scandens Benj.	457	<i>jamaicensis</i> (L.) Medik.	747
smithiana Wight	457	<i>mutabilis</i> (Jacq.) Kuntze	747
<i>squamosa</i> Benj.	455	Vallaris Burm. f.	101
stellaris L.f.	457		

<i>assamensis</i> Griff.	101	<i>maderaspatana</i> Gaertn.	681
<i>dichotoma</i> (Roxb.) Wall. ex G.Don	101	velutina Ridl.	681
<i>heynei</i> Spreng.	101	<i>Vepris bilocularis</i> (Wight & Arn.) Engl.	717
solanacea (Roth) Kuntze	101	Verbascum L.	727
Vallisneria L.	350	chinense (L.) Santapau	727
<i>alternifolia</i> Roxb. ex Wight	349	<i>coromandelianum</i> (Vahl) Kuntze	727
<i>octandra</i> Roxb.	348	Verbena L.	747
spiralis L.	350	bonariensis L.	747
<i>verticillata</i> (L.f.) Roxb.	349	var. <i>rigida</i> (Spreng.) Kuntze	747
Vanasushava P. K. Mukh. & Constance	80	var. <i>venosa</i> (Gillies & Hook.) Chodat	747
pedata (Wight) P.K. Mukh. & Constance	80	<i>hyderabadensis</i> Rottler ex Wall.	745
Vanda Jones ex R. Br.	556	<i>indica</i> L.	747
<i>pulchella</i> Wight	540	<i>jamaicensis</i> L.	747
<i>Vanda roxburghii</i> R.Br.	557	<i>maysorensis</i> Wight ex Wall.	745
spathulata (L.) Spreng.	556	<i>mutabilis</i> Jacq.	747
tessellata (Roxb.) Hook. ex G.Don	557	<i>nodiflora</i> L.	746
<i>tesselloides</i> (Roxb.) Rchb.f.	557	rigida Spreng.	747
testacea (Lindl.) Rchb.f.	557	<i>venosa</i> Gillies & Hook.	747
thwaitesii Hook.f.	557	Verbenaceae	745
<i>wightiana</i> Lindl. ex Wight	529	Verbesina L.	176
wightii Rchb.f.	557	<i>acmella</i> L.	142
Vandellia P. Brown ex L.	463	<i>alba</i> L.	153
<i>anagallis</i> (Burm.f.) T.Yamaz.	459	<i>biflora</i> L.	166
<i>angustifolia</i> Benth.	461	<i>bosvallia</i> L. f.	159
<i>antipoda</i> (L.) T. Yamaz.	460	<i>calendulacea</i> L.	177
<i>ciliata</i> (Colsm.) T.Yamaz.	460	encelioides (Cav.) Benth. & Hook.f. ex A.Gray	176
<i>corymbosa</i> Baker	461	<i>lavenia</i> L.	138
<i>crustacea</i> (L.) Benth.	460	<i>nodiflora</i> L.	174
<i>erecta</i> Benth.	461	<i>prostrata</i> L.	153
<i>hirsuta</i> Benth.	462	<i>pseudoacmella</i> L.	153
<i>hirta</i> (Cham. & Schltdl.) T.Yamaz.	461	<i>sativa</i> Roxb. ex Sims	160
<i>nummularifolia</i> D.Don	461	Vernicia Lour.	339
<i>pedunculata</i> Benth.	459	cordata (Thunb.) Airy Shaw	339
scabra Benth.	463	fordii (Hemsl.) Airy Shaw	339
<i>sessiliflora</i> Benth.	461	montana Lour.	339
<i>verbenifolia</i> Haines	460	Vernonia Schreb., nom. cons.	176
<i>veronicifolia</i> (Retz.) Haines	460	<i>alata</i> (D.Don) Heyne ex DC.	163
<i>viscosa</i> (Hornem.) Merr.	462	<i>albicans</i> DC.	151
<i>Vangueria dicocca</i> (Gaertn.) Miq.	708	altissima Nutt.	176
<i>Vanieria cochinchinensis</i> Lour.	510	<i>anthelmintica</i> (L.) Willd.	168
Vanilla Miller	557	arborea Buch.-Ham.	176
<i>domestica</i> (L.) Druce	352	var. <i>wightiana</i> Hook. f.	176
planifolia Jacks. ex Andrews	557	<i>aspera</i> Buch.-Ham.	136
walkeriae Wight	557	<i>bababudensis</i> Talbot	177
<i>Varasia quadrifaria</i> (Blume) Sojak	342	cinerascens Sch.Bip.	176
<i>Vareca zeylanica</i> Gaertn.	718	<i>cinerea</i> (L.) Less.	151
<i>Varronia alba</i> Jacq.	194	var. <i>parviflora</i> (Reinw.) DC.	151
Vateria L.	305	conyzoides DC.	177
indica L.	305	<i>dalzelliana</i> J.R. Drumm. & Hutch.	137
<i>malabarica</i> Blume	305	<i>divergens</i> (Roxb.) Edgew.	136
Vatica L.	305	<i>elaeagnifolia</i> DC.	175
chinensis L.	305	<i>elliptica</i> DC.	175
<i>laccifera</i> Wight & Arn.	304	<i>gardneri</i> Thwaites	137
<i>roxburghiana</i> Blume	305	<i>indica</i> Wall. ex C.B. Clarke	136
<i>Veitchia merrillii</i> (Becc.) H.E.Moore	114	malabarica Hook. f.	177
Ventilago Gaertn.	681	<i>nilgheryensis</i> DC.	136
<i>bombaiensis</i> Dalzell	680	<i>ornata</i> Talbot	137
<i>calyculata</i> Tul.	681	<i>parviflora</i> Reinw.	151
denticulata Willd.	681	pectiniformis DC.	177
var. <i>bifida</i> Bhandari & Bhansali	681	pulneyensis Gamble	177
goughii Gamble	681	<i>pyramidale</i> (D.Don) S.N.Mitra	136

<i>roxburghii</i> Less.	136	<i>Vilfa capillaris</i> Arn. ex Miq.	657
<i>saligna</i> DC.	137	<i>coromandeliana</i> (Retz.) P.Beauv.	657
var. <i>nilghirensis</i> Hook.f.	137	<i>diandra</i> (Retz.) Trin.	658
Veronica L.	587	<i>humilis</i> (J.Presl) Steud.	658
anagallis-aquatica L.	587	<i>indica</i> (L.) Trin. ex Steud.	658
persica Poir.	587	<i>mangalorica</i> Hochst. ex Miq.	659
<i>Vesiculina gibba</i> (L.) Raf.	456	<i>mangalorica</i> Hochst. ex Steud.	659
<i>graminifolia</i> (Vahl) Raf.	456	<i>pilifera</i> Trin.	658
<i>Vetiveria lawsonii</i> (Hook.f.) Blatt. & McCann	605	<i>procera</i> (Retz.) P.Beauv.	626
<i>zizanioides</i> (L.) Nash	607	<i>roxburghiana</i> Nees ex Wight	657
<i>Vibo spinosa</i> (L.) Medik.	668	<i>setulosa</i> Trin.	664
Viburnum L.	55	<i>spicata</i> (Vahl) P.Beauv.	659
<i>acuminatum</i> Wall. ex DC.	55	<i>virginica</i> (L.) P.Beauv.	659
<i>coriaceum</i> Blume	55	Villarsia cristata (Roxb.) Spreng.	504
<i>crassifolium</i> Rehder	55	<i>hydrophyllum</i> (Lour.) Roem. & Schult.	504
cylindricum Buch.-Ham. ex D. Don	55	<i>indica</i> (L.) Vent.	504
var. <i>crassifolium</i> (Rehder) C.K. Schneid.	55	<i>rheedei</i> Kostel.	504
punctatum Buch.-Ham. ex D. Don	55	Villebrunea frutescens (Thunb.) Blume	742
Vicia L.	451	<i>integrifolia</i> Gaudich.	742
faba L.	451	Vinca L.	101
<i>Vicoa auriculata</i> Cass.	167	major L.	101
<i>cernua</i> Dalzell	167	<i>parviflora</i> Retz.	85
<i>indica</i> (L.) DC.	167	<i>pusilla</i> Murray	85
<i>Vidoricum insigne</i> (Radlk.) Kuntze	725	<i>rosea</i> L.	85
<i>latifolium</i> (Roxb.) Kuntze	726	<i>Vincentia flavescens</i> (Juss.) Burret	482
<i>malabaricum</i> (Bedd.) Kuntze	726	<i>Vincetoxicum flexuosum</i> (R.Br.) Kuntze	100
<i>neriifolium</i> (Moon) Kuntze	726	<i>tunicatum</i> (Retz.) Kuntze	89
Vigna Savi	451	Viola L.	748
aconitifolia (Jacq.) Marechal	451	arcuata Blume	748
adenantha (G.Mey.) Marechal & al.	451	betonicifolia Sm.	748
angularis (Willd.) Ohwi & Ohashi	451	subsp. <i>betonicifolia</i> Jacobs & Moore	748
bournea Gamble	451	<i>caespitosa</i> D.Don	748
<i>calcarata</i> (Roxb.) Kurz	452	<i>distans</i> Wall.	748
<i>capensis</i> (L.) Walp.	453	<i>enneasperma</i> L.	748
<i>catjang</i> Walp.	452	<i>patrinii</i> var. <i>nepalensis</i> Ging.	748
dalzelliana (Kuntze) Verdc.	451	pilosa Blume	748
grahamiana (Wight & Arn.) Verdc.	451	<i>serpens</i> Wall. ex Ging.	748
indica T.M. Dixit, K.V. Bhat & S.R. Yadav	452	<i>suffruticosa</i> L.	748
mungo (L.) Hepper	452	<i>wightiana</i> Wall. ex Wight	748
<i>pilosa</i> (Klein ex Willd.) Baker	426	Violaceae	748
radiata (L.) R.Wilczek	452	<i>Virecta prostrata</i> Buch.-Ham. ex D.Don	704
var. radiata	452	Viscum L.	721, 772
var. sublobata (Roxb.) Verdc.	452	angulatum B.Heyne ex DC.	721
<i>sinensis</i> subsp. <i>cylindrica</i> (L.) Van Eselt.	453	articulatum Burm. f.	721
var. <i>catjang</i> (Burm.f.) Chiov	453	var. <i>dichotomum</i> Kurz	721
trilobata (L.) Verdc.	452	var. thelocarpum (Danser) R.S.Rao	721
var. <i>pusilla</i> Naik & Pokle	452	<i>attenuatum</i> DC.	721
umbellata (Thunb.) Ohwi & Ohashi	452	bandipurens Triveni, Shivmurthy, Amruthesh,	
unguiculata (L.) Walp.	452	C.R.Vijay & Sadanand	721, 772
subsp. <i>catjang</i> (Burm.f.) Chiov.	453	capitellatum Sm.	721
subsp. cylindrica (L.) Verdc.	453	cruciatum Sieber ex Boiss.	721
subsp. unguiculata	453	heyneanum DC.	721
var. <i>catjang</i> (Burm.f.) H.Ohashi	453	malurianum Sanjai & N.P.Balacr.	721, 772
var. <i>cylindrica</i> (L.) H.Ohashi	453	monoicum Roxb. ex DC.	721
vexillata (L.) A. Rich.	453	mysorens Gamble	721, 772
var. <i>sepiaria</i> (Dalzell) Babu & S.K.Sharma	453	<i>nepalense</i> Spreng.	721
var. stocksii Benth	453	var. <i>thelocarpum</i> Danser; B.D.Sharma et al.	721
var. vexillata	453	orbiculatum Wight	722
var. wightii (Bedd.) Babu & S.K.Sharma	453	<i>orientale</i> Willd.	721
<i>wightii</i> Bedd.	453	ramosissimum Wight	722
<i>Vigolina acmella</i> (Roth) Poir.	157	subracemosum Sanjai & N.P.Balacr.	722

trilobatum Talbot	722	<i>woodrowii</i> Stapf	751
<i>verruculosum</i> Wight & Arn.	721	<i>Vitmania viscosa</i> (Cav.) Turra ex Steud.	519
Vitaceae	749	Vittadinia A.Rich.	177
Vitex L.f.	376	<i>australis</i> A.Rich.	177
<i>agnus-castus</i> var. <i>negundo</i> (L.) Kuntze	376	Volkameria L.	377
var. <i>trifolia</i> (L.) Kurz	377	<i>aculeata</i> L.	377
<i>alata</i> Willd.	376	<i>alata</i> (Thonn.) Kuntze	565
altissima L.f.	376	<i>alternifolia</i> Burm.f.	355
var. <i>alata</i> (Willd.) Trimen	376	<i>fragrans</i> Vent.	355
<i>appendiculata</i> Rottler ex C.B. Clarke	376	<i>herbacea</i> Roxb.	373
<i>arborea</i> Roxb.	376	heterophylla Poir.	377
<i>digitata</i> Wight ex Steud.	376	<i>inermis</i> L.	377
<i>incisa</i> Lam.	376	<i>laciniata</i> Kuntze	565
<i>indica</i> Mill.	377	<i>multiflora</i> Burm.f.	357
<i>latifolia</i> Wight ex Steud.	376	<i>neriifolia</i> Roxb.	377
leucoxydon L.f.	376	<i>orientalis</i> (L.) Kuntze	565
var. <i>zeylanica</i> Moldenke	376	<i>serrata</i> L.	373
<i>morava</i> Buch.-Ham. ex Wall.	376	<i>Volutarella divaricata</i> (DC.) Benth.	167
negundo L.	376	<i>ramosa</i> (Roxb.) Santapau	167
var. <i>incisa</i> (Lam.) C.B. Clarke	376	<i>Volvulopsis nummularium</i> (L.) Roberty	243
var. <i>intermedia</i> (C.Pei) Moldenke	376	Vulpia C.C. Gmel.	664
var. <i>purpurascens</i> Sivar. & Moldenke	376	<i>bromoides</i> (L.) Gray	664
peduncularis Wall. ex Schauer	376	<i>myuros</i> (L.) C.C. Gmel.	664
var. <i>roxburghiana</i> C.B. Clarke	376	subsp. <i>bromoides</i> (L.) Parl.	664
pinnata L.	376	<i>Vulvaria ambrosioides</i> (L.) Bubani	63
<i>rheedei</i> Kostel.	376	<i>Wagatea spicata</i> (Dalzell) Wight	392
<i>saligna</i> Roxb.	376	Wahlenbergia Schrad. ex Roth	210
trifolia L.	377	<i>agrestis</i> (Wall.) A. DC.	210
<i>triphylla</i> Royle	377	<i>dehiscens</i> (Roxb.) A. DC.	210
<i>zeylanica</i> Turcz.	376	erecta (Roth ex Roem. & Schult.) Tuynin Steenis	210
Vitis L.	753	flexuosa (Hook.f. f. & Thomson) Thulin	210
<i>adnata</i> (Roxb.) Wall.	750	gracilis (G.Forst.) A. DC.	210
<i>araneosus</i> (Dalzell) Lawson	749	<i>indica</i> A. DC.	210
<i>auriculata</i> (Roxb.) Wall.	751	marginata (Thunb.) A. DC.	210
<i>canarensis</i> Dalzell	750	<i>perotifolia</i> Wight & Arn.	210
<i>carnosa</i> (Lam.) Wall.	750	<i>Wallichia caudata</i> (Lour.) Mart.	115
<i>discolor</i> (Blume) Dalzell	750	<i>Wallrothia leucoxydon</i> (L.f.) Roth	376
<i>elongata</i> (Roxb.) Wall. ex M.A. Lawson	750	<i>Walsura piscidia</i> Roxb.	500
<i>erioclada</i> Wight & Arn.	749	<i>trifoliolata</i> (A.Juss.) Harms	500
<i>gigantea</i> Bedd.	751	Waltheria L.	493
<i>glauca</i> (Roxb.) Wight & Arn.	751	<i>americana</i> L.	493
<i>glyptocarpa</i> Thwaites	750	indica L.	493
<i>indica</i> L.	749	Washingtonia H. Wendl.	125
<i>japonica</i> Thunb.	749	<i>filifera</i> (Linden ex André) H. Wendl. ex de Bary	125
<i>lanceolaria</i> (Roxb.) Wight & Arn.	753	var. <i>robusta</i> (H. Wendl.) Parish	125
<i>latifolia</i> Roxb.	749	robusta H. Wendl.	125
<i>linnaei</i> Wall. ex Wight & Arn.	751	<i>Wattakaka</i> Hassk.	90
<i>mollissima</i> Wall.	749	<i>angustifolia</i> (Hook.f.) S.D. Deshp.	90
<i>muricata</i> Wall.	753	<i>lanceolata</i> (T. Cooke) A.P. Jagtap & N.P. Singh	90
<i>pallida</i> Wight & Arn.	751	<i>volubilis</i> (L.f.) Stapf	90
<i>pedata</i> (Lam.) Wall. ex Wight & Arn.	750	var. <i>lacuna</i> (Buch.-Ham) ex Wight) M.A. Rahman	
<i>pentaphylla</i> Thunb.	263	& Wilcock	90
<i>quadrangularis</i> (L.) Wall. ex Wight	751	<i>Webera asiatica</i> (L.) Bedd.	711
<i>repanda</i> (Vahl) Wight & Arn.	751	<i>canarica</i> (Bedd.) Hook.f.	712
<i>repens</i> (Lam.) Wight & Arn.	751	<i>nilagirica</i> (Bedd.) Hook.f.	712
<i>setosa</i> (Roxb.) Wall. ex Wight	752	<i>thyrsoidea</i> Roth	712
<i>sulcata</i> P. Lawson	753	Wedelia Jacq., nom. cons.	177
<i>tenuifolia</i> Wight & Arn.	749	<i>biflora</i> (L.) DC.	166
<i>tomentosa</i> B. Heyne ex Roth	749	<i>calendulacea</i> auct. non Pers.	177
<i>trifolia</i> L.	750	chinensis (Osbeck) Merr.	177
vinifera L.	753	glauca (Ortega) O. Hoffm. ex Hicken	177

<i>scandens</i> C.B.Clarke	166	Xanthorrhoeaceae	753
trilobata (L.) Hitchc.	177	Xanthosoma Schott	112
<i>Wellia tagera</i> Rheede	400	<i>sagittifolium</i> (L.) Schott	112
Wendlandia Bartling ex DC. Nom. Cons.	712	Xantolis Raf.	727
angustifolia Wight ex Hook.f.	712	tomentosa (Roxb.) Raf.	727
<i>cinerea</i> DC.	712	var. <i>elengioides</i> (A.DC.) Vajr.	727
<i>exserta</i> (Roxb.) DC.	712	<i>Xenacanthus</i> Bremek.	46
heynei (Schult.) Santapau & Merchant	712	<i>heteromallus</i> (T.Anderson ex C.B.Clarke) Bremek.	49
<i>lawii</i> Hook.f.	712	<i>pulneyensis</i> (C.B.Clarke) Bremek.	52
<i>notoniana</i> Wall. ex Wight & Arn.	712	<i>Xenikophyton seidenfadenianum</i> M.Kumar, Sequiera &	
thyrsoidea (Roth) Steud.	712	J.J.Wood	554
var. <i>lawii</i> (Hook.f.) Cowan	712	<i>smeeanum</i> (Rchb.f.) Garay	554
<i>Wensea pyramidata</i> J.C.Wendl.	371	Xenostegia D.F.Austin & Staples	254
<i>Westonia indica</i> (L.) Kuntze	443	tridentata (L.) D.F.Austin & Staples	254
<i>Wiborgia acmella</i> Roth	157	subsp. hastata (Ooststr.) Parmar	255
<i>parviflora</i> (Cav.) Kunth	157	subsp. tridentata	255
Wiesneria Micheli	56	<i>Xeraea globosa</i> (L.) Kuntze	64
triandra (Dalzell) Micheli	56	<i>Xeromphis malabarica</i> (Lam.) D.C.S.Raju	686
<i>Winchia atroviridis</i> (Blume) Kurz	88	<i>spinosa</i> (Thunb.) Keay	687
<i>Wisteria pallida</i> Dalzell & A.Gibson	427	<i>uliginosa</i> (Retz.) Maheshw.	711
Withania Pauquy	735	<i>Ximenesia encelioides</i> Cav.	176
coagulans (Stocks) Dunal	735	Ximenia L.	521
somnifera (L.) Dunal	735	americana L.	521
Wodyetia A.K.Irvine	125	<i>Xipholepis aspera</i> (Buch.-Ham.) Steetz	136
bifurcata A.K.Irvine	125	Xylia Benth.	402
Wolffia Horkel ex Schleid. nom. cons	454	<i>dolabriformis</i> Benth.	402
arrhiza (L.) Horkel ex Wimm.	454	xylocarpa (Roxb.) Taub.	402
globosa (Roxb.) Hartog & Plas	455	<i>Xylophylla lucena</i> Roth	570
microscopica (Griff.) Kurz	455	Xylosma G.Forst.	719
<i>Wolffia spectabilis</i> Dennst.	539	latifolia Hook.f. & Thomson	719
<i>Wollastonia biflora</i> (L.) DC.	166	Xyridaceae	754
Woodfordia Salisb.	473	Xyris L.	754
<i>floribunda</i> Salisb.	473	capensis Thunb.	754
fruticosa (L.) Kurz	473	complanata R.Br.	754
<i>Woodrowia diandra</i> Stapf	618	indica L.	754
<i>Wormia bracteata</i> (Wight) Hook.f. & Thomson	300	pauciflora Willd.	754
<i>retusa</i> (Thunb.) Hook.f. & Thomson	301	Youngia Cass.	178
Wrightia R. Br.	101	<i>acaulis</i> (Roxb.) DC.	164
arborea (Dennst.) Mabb.	101	japonica (L.) DC.	178
<i>coalita</i> Buch.-Ham. ex Dillwyn	101	<i>napifolia</i> Wight	178
<i>mollissima</i> Wall.	101	Yucca L.	135
<i>pubescens</i> Roth	101	<i>aletriformis</i> Haw.	131
<i>rheedei</i> Kostel.	101	aloifolia L.	135
<i>rothii</i> G.Don	102	<i>draco</i> (L.) Carrière	131
tinctoria (Roxb.) R. Br.	102	<i>draconis</i> L.	135
subsp. rothii (G.Don) Ngan	102	<i>ensifolia</i> Groenl.	135
subsp. tinctoria	102	<i>flexilis</i> var. <i>ensifolia</i> (Groenl.) Baker	135
var. <i>rothii</i> (G.Don) Hook.f.	102	gloriosa L.	135
<i>tomentosa</i> Roem. & Schult.	101	Zaleya Burm. f.	55
<i>wallichii</i> A.DC.	101	decandra (L.) Burm. f.	55
<i>Wulfenia notoniana</i> Wall.	346	govindia (Buch.-Ham. ex G.Don) Nair	56
<i>obliqua</i> Wall.	346	pentandra (L.) C.Jeffrey	56
Xanthium L.	178	Zanonia L.	268
<i>indicum</i> J. König ex Roxb.	178	indica L.	268
<i>pungens</i> Wallr.	178	var. <i>pubescens</i> Cogn.	268
strumarium L.	178	Zantedeschia Spreng.	112
<i>Xanthochymus ovalifolius</i> Bedd.	223	aethiopica (L.) Spreng.	112
<i>spicatus</i> Wight & Arn.	223	<i>virosa</i> (Roxb.) K.Koch	107
<i>Xanthophthalmum coronarium</i> (L.) P.D. Sell	158	Zanthoxylum L.	717
Xanthophyllum Roxb.	668	<i>budrunga</i> DC.	717
flavescens Roxb.	668	<i>connaroides</i> Wight & Arn.	500

ovalifolium Tutchet	717	squarrosus Wight	760
rhetsa DC.	717	wightianum Thwaites	760
tetraspermum Wight & Arn.	717	zerumbet (L.) Roscoe ex Sm.	760
triphylum Wight	715	zingiber (L.) H.Karst.	760
Zappania indica (L.) Lam.	747	Zingiberaceae	754, 773
jamaicensis (L.) Lam.	747	Zinnia L., nom. cons.	178
mutabilis (Jacq.) Lam.	747	angustifolia Kunth	178
nodiflora (L.) Lam.	746	bidens Retz.	158
urticifolia (Salisb.) Poir.	747	elegans L.	178
Zea L.	664	linearifolia Moench	178
mays L.	664	linearis Benth.	178
subsp. mexicana (Schrad.) Iltis	664	multiflora L.	178
mexicana (Schrad.) Kuntze	664	pauciflora L.	178
Zebrina pendula Schnizl.	237	peruviana (L.) L.	178
Zehneria Endl.	268	tenuiflora Jacq.	178
angulata (Chakrav.) J.L.Ellis	265	Zizania aristata (Retz.) Kunth	631
maysorensis (Wight & Arn.) Arn.	268	ciliata (Retz.) Spreng.	636
var. oblonga V.P.Prasad & M.Prasad	268	retzii Spreng.	631
var. umbellata (Chakrav.) Kumari	268	terrestris L.	300
mucronata (Blume) Miq.	268	Ziziphus Mill.	681
perpusilla (Blume) Bole & M.R. Almeida	268	caracutta Buch.-Ham. ex Roxb.	682
scabra Sond.	269	glaberrima (Sedgw.) Santapau	681
umbellata (Klein ex Willd.) Thwaites	266	glabrata B.Heyne ex Roth	681
Zenkeria Trin.	664	horrida Roth	681
stapfii Henrard	664	jujuba Mill.	681
Zephyranthes Herb.	68	mauritiana Lam.	681
carinata Herb.	68	var. fruticosa (Haines) R.R.Stewart	681
Zerna bromoides (L.) B.D.Jacks.	664	nummularia (Burm.f.) Wight & Arn.	681
myuros (L.) B.D.Jacks.	664	var. glabrescens Bhandari & Bhansali	682
Zeuxine Lindl.	557	var. nummularia	682
bracteata Wight	558	oenopolia (L.) Mill.	682
brevifolia Wight	558	rotundifolia Lam.	681
gracilis (Breda) Blume	557	rugosa Lam.	682
longilabris (Lindl.) Trimen	557	trinervia Roxb.	681
strateumatica (L.) Schltr.	558	xylopyrus (Retz.) Willd.	682
var. laxiflora I.Barua	558	var. glaberrima Sedgwick	682
sulcata (Roxb.) Lindl.	558	Zoduba masuca (D.Don) Buch.-Ham.	532
sulcata (Roxb.) Lindl. ex Wight	558	Zollikoferia secunda (C.B.Clarke) Boiss	165
Zeylanidium (Tul.) Engl.	666	Zornia J. F. Gmel.	453
barberi (Willis) C. Cusset	666	conjugata (Willd.) Sm.	453
johnsonii (Wight) Engl.	666	diphylla (L.) Pers.	453
lichenoides (Kurz)Engl.	666	var. conjugata (Willd.) Trimen	453
var. Khandalense (Willis) Santapau	666	var. walkeri (Arn.) Baker	454
sessile (Willis) C.D.K.Cook & Rutish.	667	var. zeylonensis (Pers.) Mart.	453
Zingiber Boehmer.	759	gibbosa Span.	453
capitatum Roxb.	759	pulchella (L.) Pers.	440
var. elatum (Roxb.) Baker	759	quilonensis Ravi	454
cassumunar Roxb.	759	strobilifera (L.) Pers.	429
var. palamauense Haines	759	walkeri Arn.	454
cernuum Dalzell	759	zeylonensis Pers.	453
cylindricum Thwaites	759	Zoysia Willd.	665
galanga (L.) Stokes	754	matrella (L.) Merr.	665
macrostachyum Dalzell	760	subsp. tenuifolia (Willd. ex Trin.) T.Koyama	665
missionis Wall.	760	var. martella	665
montanum (J.Koenig) Link ex A.Dietr.	759	var. pacifica Goudsw.	665
neesanum (J.Graham) Ramamoorthy	760	var. tenuifolia (Willd. ex Trin.) T.Koyama	665
nigrum Gaertn.	755	pacifica (Goudsw.) M.Hotta & Kuroki	665
nimmonii (J.Graham) Dalzell	760	pungens Willd.	665
officinale Roscoe	760	var. tenuifolia (Willd. ex Trin.) T.Durand & Schinz	665
purpureum var. palamauense (Haines) K.K.Khanna	759	tremula (Willd.) B.D.Jacks.	659
roseum (Roxb.) Roscoe	760	Zygia dulcis (Roxb.) Lyons	394

<i>saman</i> (Jacq.) Lyons	386	<i>cucullata</i> (Roth) R.S.Rao & Kammathy	231
<i>Zygomenes axillaris</i> (L.) Salisb.	230	Zygophyllaceae	760

Index to Vernacular Names (English)

Acacia savane Desmanto	390	Ash or White pumpkin	258	Bermuda arrowroot	493
Acacia courant	390	Ashy sunflower	161	Big cordgrass	612
Aculeata palm	114	Asian bush beech	358	Big leaf Mahagony	501
Aegean dock	672	Asian nightshade	735	Big thyme	368
African Basil	366	Asian pigeonwings	414	Bigleaf periwinkle	101
African Blackwood	421	Asiatic beech berry	358	Bilimbi	561
African Ebony	421	Asoka	407	Billygoat weed	139
African eggplant	732, 733	Asparagus	127	Bird of Paradise	737
African ground cherry	732	Aspen leabane	155	Birdseye speedwell	587
African lovegrass	623	Aster	141	Birdseed	171
African milk bush	331	Aubergine	734	Bird's-eye	587
African purslane	56	Australian Bluebell	210	Bismarckia Palm	115
African rice	642	Australian native monstera	108	Bitter Apple	733
African Sandalwood	720	Australian Strawflower	162	Bitter candytuft	201
Aglaonema	103	Australian waterbutton	150	Bitter gourd	265
Aiea morning glory	250	Avocado	383	Bitter Oleander	92
Air plant	256	Ayapana	156	Bitterweed	139
Airplane plant	129	Aztec berry	732	Black babool	401
Ajigator yam	248	Babool Gum Arabic Tree	402	Black catechu	395
Albert palm	117	Baby watermelon	260	Black creeper	93
Alexander palm	114	Bachelor button	64	Black eyed susan	53
Alexandra palm	114	Bachelor's button	147	Black gram	452
Aligator weed	59	Bael tree	713	Black mint	174
Allherb	368	Bagflower	357	Black oil plant	217
Alligator apple	71	Bahama grass	610	Black oyster plant	170
Alligator pear	383	Bahera	226	Black palm	121
Alpine eranthemum	33	Balloon cherry	731	Black Pepper	581
Amami-gum	406	Balsam apple	222	Black salsify	170
American bell flower	249	Bamboo palm	119	Blackbean	413
American burnweed	154	Banana	511	Blackberry lily	352
American carpet grass	597	Barbados Lily	67	Blackweed	139
American dogweed	176	Barbados nut	332	Blanket grass	597
American hairy senna	398	Barbed skullcap	374	Bleeding glory-bower	357
American mint	359	Barberton daisy	158	Bleeding-heart vine	357
American moon flower	244	Barmuda grass	610	Blinding tree	331
American nightshade	732	Bastard myrobalan	226	Blood lily	67
American pepper	70	Bastard rose wood	421	Blood red tassel flower	388
American wormwood	139	Bastard sandal	317	Bloodwoodtree	391
Angel Flower	582	Bastard satin wood	438	Blue Barleria	29
Angelonia	582	Bastarda sarsaparilla	91	Blue bell	413
Angels trumpet	585	Bath sponge gourd	265	Blue bell Barleria	27
Angular winter cherry	731	Bay Bean	413	Blue bottle	147
Animated oat	596	Bay Pod	413	Blue dawn flower	247
Annual aster	146	Bay-bean	413	Blue mink	139
Annual fleabane	155	Beach morning glory	246	Blue mist flower	141
Annual ragweed	139	Beach sunflower	161	Blue morning glory	247
Annual sow thistle	173	Beach-bean	413	Blue palmetto	124
Antelope grass	620	Bean of India	518	Blue pea	414
Anzac flower	166	Bee bush	668	Blue periwinkle	101
Arabian coffee plant	688	Beet root	62	Blue Potato vine	735
arabica coffee	688	Beetle nut	114	Blue snake weed	747
Areca nut	114	Beleric	226	Blue speedwell	587
Arenga	115	Bell Bauhinia	403	Blue trumpet vine	54
Arikury Palm	124	Bell bean	451	Blue weed	139
Arrowroot	493	Bell mimosa	390	Blunt-leaved mistletoe	721
Artichoke thistle	151	Bell pea	439	Blunt-toothed blanketflower	157
Artichokethistle	151	Bell tree dahlia	152	Boer lovegrass	623
Arum lily	112	Bengal almond	226	Bonduc Nut	391
Ash gourd	258	Bengal gram	414	Bottle Brush	513

Bottle gourd	264	Calf's snout	586	Cauliflower	200
Bottle palm	123	Calico flower	126	caustic bushes	97
Bourgou	620	Calico plant	58	Cavendish banana	511
Bower of Beauty	190	Californian Pepper tree	70	Ceara rubber	336
Bowing lady	356	Calla lily	112	Centauree chausse-trappe	147
Brasiletto climber	392	Caltrops	147	Centaury	147
Brass buttons	150	Camel grass	609	Centipede grass	635
Brazilian copal	406	Camel thorn	408	centipede tongavine	108
Brazilian Nightshade	734	Camel's hay	609	Centipida plant	669
Brazilian verbena	747	Camphor Basil	366	Century plant	126
Bread grass	600	Camphor laurel	379	Cetronella	609
Bread wheat	663	Camphor tree	379	Ceylon cinnamon tree	380
Bridal Veil	356	Camphor wood	379	Ceylon ironwood	207
Bridle couch plant	691	Camphor-Scented Basil	366	Ceylon oak	384
Brindleberry	222	Canada crookneck	263	Ceylon Raspberry	685
Brindonia Tallow Tree	222	Canada pumpkin	263	Ceylon sheep grass	600
Brinjal	734	Canadian Fleabane	155	Ceylon spinach	184
Bristly foxtail	655	Canadian goldenrod	172	Chausse-trappe	147
Bristly Smithia	446	Canadian Horsetweed	155	Chebulic myrobalan	227
Broad bean	451	Cananga tree	72	cheerful sunflower	162
Broad leaf thyme	368	Canary Island Date Palm	121	cheese plant	109
Broadleaf carpet grass	597	Canary island lavender	360	Chestnut leaf trumpet bush	192
Broadleaf Lady Palm	123	Candahar tree	358	Chichurdi	733
Broadleaf thyme	368	Candle nut tree	319, 339	Chicken Gizzard	64
Brook pimpernel	587	Candle plant	162	Chickenweed	673
buah keras or kukui nut tree	319	Cane palm	119	Chickweed Sparrow	586
Buck-thorn	330	Cannon-ball tree	384	Chik weed	139
Buddha bamboo	597	Cantonese wood-oil tree	339	Chikenweed	171
Buddha's hand	103	Cantula	126	Chilli Pepper	729
Buddha's-belly bamboo	597	Cantula agave	126	China aster	146
Buddhist Bauhinia	404	Cape gooseberry	732	China creeper	249
Buffalo cowitch	437	Cape honeysuckle	192	China Crook-neck Squash	263
Buffalo head grass	611	Cape jasmine	689	China wood oil	339
Buffalo spinach	184	Cape jessamine	689	Chinese ape	103
Bulb onion	458	Carambola	561	Chinese Blackwood	421
Bulbous canary-grass	648	cardamom	758	Chinese cassia	379
Burgu Millet	620	Cardi	151	Chinese cinnamon Cinnamon	379
Burma iron wood	402	Cardinal Creeper	246	Chinese evergreen	103
Burmese Cassia	388	Cardone	151	Chinese fan palm	121
Burmese Pink Cassia	388	Cardoni	151	Chinese honeysuckle	225
Bush clockvine	53	Carduni	151	Chinese knotweed	669, 670
Bush daisy	166	Caribbean copper plant	325	Chinese lantern tree	390
Bush palmetto	124	Caribbean Trumpet Tree	192	Chinese millet	654
Bush Tomato	733	Carolina palmetto	124	Chinese Plantain	586
Butter cup bush	398	Carpentaria Palm	117	Chinese plum	683
Butter daisy	165, 176	Carrot	77	Chinese potato	369
Butter fruit	383	Carrot weed	139	Chinese preserving melon	258
Butterfly lily	759	Carum	80	Chinese spinach	60
Butterfly pea	413, 414	Cashew nut	68	Chinese taro	103
Butterfly-bush	202	Cassava	336	Chinese tung oil tree	339
Butternut Squash	263	Cassie flower	401	Chinese wood-oil tree	339
Butter-seed Tree	193	Castor	337	Chittagong wood	499
Button weed	150, 710	Castor oil plant	337	Chop suey green	158
Cabbage	200	cat mint	354	Chow-chow	266
Cabbage Palm	119, 124	Cat tail	739	Christ plant	328
Cabbage palmetto	124	Catalina lovegrass	623	Christ thorn	328
Cabbage rose	684	Catchbirdtree	519	Christmas candle	330
Cabbage tree	519	Cat-claw	519	Christmas candlestick	360
Cairo Morning Glory	245	Cathedral bells	256	Christmas kalanchoe	257
Calapo	412	Cats claw creeper	187	Christmas Palm	114
Calappa Palm	114	Cat's claw trumpet	187	Christmas tree plant	257

Chrysanthemum greens	158	Coorg milk plant	92	Day king	729
Silver-seed gourd	262	Copey	222	Deccan senna	398
Cimora misha	330	Copper pod	394	Desert fan palm	125
Cinnamo	380	Coral plant Fire cracker plant	586	Desert Poinsettia	326
Citron	714	Coral vine	668	Devil's claw	494
Citronella Grass	609	Cordofan pea	414	Devil's tree	81
Clasping coneflower	170	Coriander	77	Devil's backbone	330
clasping-leaf coneflower	170	Corn	664	Devil's Fig	734
Climbing asparagus	128	Corn marigold	148	devil's ivy	108
climbing milkweeds	97	Corn sow thistle	172	Devil's-claw	519
Climbing spinach	184	Cornflower	147	Dhobi tree	697
Climbing staff tree	217	Coromandel ebony	306	Dill	76
Climbing ylang-ylang	72	Cosmos	150	Dindle gutweed	172
Clubhead cutgrass	636	Costa Rica nightshade	735	Divi Divi	391
Cluster bean	420	Country almond	226	Dogbane	368
Clustered yellowtops	157	Country potato	369	Dogfennel	156
Clustertop vervain	747	Cow basil	216	Doubtful knight's spur	678
Coast Morning Glory creeper	245	Cow Pea	453	Downy sunflower	161
Coastal Jack Bean	413	cow soapwort	216	Dragon bamboo	612
Coat buttons	176	Cowcockle	216	Dumbcane	108
Coca leaf	317	Cowherb	216	Durra	656
Cocaine plant	317	Cowpea witchweed	560	Dwarf banana	511
Cocklebur	178	Cowpen daisy	176	Dwarf Bettle Nut Palm	115
Cockroach Berry	732	Cow's udder	734	Dwarf goldenrod	172
Cocont palm	118	Coyure palm	114	Dwarf Palmetto	124
Cocos Palm	124	Crane Flower	737	Dwarf Poinciana	388
Coffee Senna	399	Creeing chaff weed	59	Dwarf poinsettia	326
coffee shrub of Arabia	688	Creeping Cinderella-weed	146	Dwarf senna	389
Coffee Weed	399	Creeping Croftonweed	139	Dwarf white Bauhinia	402
Coltstail	155	Creeping Philodendron	110	Dwarf koa	390
Colville's Glory	389	Creeping spinach	184	Dyersweed goldenrod	172
Common asparagus fern	128	Crimson mountain Ebony	403	Dysentery rosebay	92
Common blanketflower	157	Crofton weed	138	Eared senna	398
Common Butterweed	171	Crook-neck Squash	263	Early barnyard grass	619
Common cowitch	438	Crown daisy	158	East African Blackwood	421
Common daisy	141	Crown of thorns	328	East Coast dune sunflower	161
Common field-speedwell	587	Crown-beard	176	East Indian Satin Wood tree	713
common flax	459	Cuban oregano Country borage	368	Eastern daisy fleaban	155
Common gaillardia	157	Cucumber	262	Ebolo	151
common goldenrod	172	Cucumber tree	189, 561	Ebony	308
Common groundcherry	732	Cucumberleaf sunflowe	161	Edible chrysanthemum	158
common groundsel	171	Cucumberleaf sunflower	161	Egg plant	734
Common indigo	435	Cuddaph Almond	68	Egyptian sag	374
Common madder	709	Cumin seed	77	Egyptian Starcluster	707
Common marigold	146	Cuntry aconite	223	Elegant Dutchman's pipe	126
Common Mountain Ebony	403	Currant tomato	734	elephant ear	103
Common night glory	253	Curry leaf	715	Elephant grass	647
Common onion	458	Curtain creeper	177	elephant nettle fever nettle pulus	741
Common palmetto Palmetto	124	Curved lovegrass	623	Elephant scratchwort	437
Common pear	684	Cushaw pumpkin	262	Elephant's foot	128
Common Plantain	586	Cut leaf ground cherry	731	Eleven o'clock	673
Common purslane	673	Cyprus vine	249	English coca	317
Common salsify	175	Dagger plant	135	English daisy	141
common snapdragon	582	Dahlia	152	English marigold	146
Common sowthistle	173	Daisy fleabane	155	European Fan Palm	118
Common wheat	663	Daisy Tree	166	European pear	684
Communist grass	147	Dalmatian chrysanthemum	174	Everblooming ixora	692
Communist weed	147	Dancing Girl Ginger	758	Faba bean	451
Confetti tree	218	Dark blue creeper	93	False amaranth	63
Congo coffee	688	Date palm	122	False patchpouli	371
Coomb teak	358	Dates	122	False pepper	70

False pickerelweed	672	Fragrant cananga	72	Golden Silk Cotton Tree	193
False sarsaparilla	91	Fragrant Himalayan champaca	473	Good Friday grass	353
False tamarind	392	Fragrant Pandan	562	Good night flower	244
Fava bean	451	Fragrant root	91	Goose berry	575, 731
Feathered Yellow-eye	754	French bean	440	Grand Crinum Lily	66
Felty germander	375	French thyme	368	Granny vine	250
Fennel	78	Funnel creeper	187	Gray goldenrod	172
Fenugreek	450	funnel vine	186	gray-stem Goldenrod	172
Ferny asparagus	128	Funnel Weed	150	Great bougainvillea	519
Fetid Passion Flower	564	Garden asparagus	127	Great Neem	500
Fever grass	609	Garden cosmos	150	greater periwinkle	101
Fever plant	366	Garden cress	201	Green amaranth	62
Fiddle flower	330	Garden dahlia	151	Green bristlegrass	655
Fiddle-leaf morning-glory	246	Garden marigold	146	Green ebony perismon Ninai	306
Field bean	451	Garden orache	62	Green foxtail	655
Field goldenrod	172	Garden pea	440	Green gram	452
Field milk thistle	172	gardenia	689	Green leopard plant	156
Field sorrel	672	Garland chrysanthemum	158	Green Purslane	673
Field sowthistle	172	Garland flower	759	Grimsel	171
Field wood-rush	353	Garlic	458	Grinsel	171
Fiery Costus	256	Gaub tree	307	Ground Glutton	171
Fiji Fan Palm	123	Gebang Palm	119	Ground nut	410
Finger millet	620	Gentleman's toes	260	Groundsel	171
Fire ball lily	67	Geranium grass	609	Grundsel	171
Fire on the Mountain	326	Geranium tree	403	Grundy Swallow	171
Firebush	690	German millet	654	Guar Bean	420
Firecracker flower	30	Giant bamboo	612	Guar gum	420
Fire-on-the-mountain	326	Giant bitter-apple	733	Gugal	204
Fireweed	151, 154	Giant Crinum Lily	66	Guggul	204
Firewheel	157	giant goldenrod	172	Gugul	204
Fir-tree kalanchoe	257	Giant Ground cherry	732	Guinea grass	643
Fish Poison Bush	739	Giant leopard plant	156	Gum Acacia	397
Fish Poison tree	54	Giant Philodendron	109	Gum Arabic Tree	397
Fish tail Palm	118	Giant potato	248	Gum Senegal Tree	397
Fishtail palm	117	Giant Potato creeper	735	Gun powder plant	743
Flamboyant	394	Giant/Grand Red/Pink Spider Lily	66	Hairy Merremia	242
Flamboyant tree	390	Ginger	760	Hairy pigweed Kiss-me-quick	673
Flame flower	223	Ginger grass	644	Hairy Woodrose	242
Flame of the forest	410	Ginger-leaf morning-glory	244	Hairy-fruited eggplant	733
Flame tre	390	Glaming glory bower	357	Halfa grass	612
Flame wine	225	Globe amaranth	64	Harding grass	648
Flaming Katy	257	Glory bowee	356	Hard-stemmed golden beard	602
Flax	459	Glory bower	377	Hardy garden mum	148
Fleabane	140	Glory tree	357	Hardy garden verbena	747
Florida pimpernel	674	Glory-bowe	357	Hare leaf	249
Florida Pusley	709	Glossy nightshade	732	Hare's colwort	173
Florist kalanchoe	257	Glow vine	186	Hare's thistle	173
Florist's daisy	148	Goa-Butter	222	Hariali grass	610
Floss flower	139	Goat weed	139	Harkuch	154
Flowering Murdah	227	Goat's beard	175	Hary's plant	223
Foetid cassia	400	Goats foot creeper	249	Hawtayene's meyenia	42
Foetid senna	399	Goatsbeard	175	Hay fever weed	139
Foot ball lily	67	Goethe plant Life plant	256	Healing-leaf tree	733
Fountain palm	121	Gold Medallion Flower	165	Heart Leaf Philodendron	109
Fountain plant	586	Golden	394	Heartshape False pickerelweed	672
Four o'clock flower	519	Golden Bamboo	598	Heath aster	174
Fox tail	318	Golden berry	732	Hedge bind-weed	247
Foxtail amaranth	60	Golden buttons	150	Hedgehog	358
Foxtail millet	654	Golden crownbeard	176	Helencha	154
Foxtail palm	125	golden pothos	108	Helicopter Tree	348
Fragrant acacia	401	Golden Shower	399	Herbst's bloodleaf	64

Highland Betel Nut Palm	115	Indian rose chestnut	207	Kalo nut	339
Hill Mando	204	Indian rose wood	421	Kalo nut tree	339
Hill Rattlewort	414	Indian Rosewood	422	Kans grass	652
Hill Siris	386	Indian rubber fig tree	508	Kashmere tree	358
Hina	470	Indian sarsaparilla	91	Kearsney grass	597
Hippo grass	620	Indian spurge	324	Kerpis Palm	114
Hoary Basil	366	Indian spurge tree	328	Khaki weed	59
Hogweed	731	Indian stinging nettle	338	Kilimanjaro Basil	366
Hollyhock	477	Indian Tallow Tree	222	King Alexander palm	114
Honeyweed	361	Indian torch tree	693	King palm	114
Hong Kong Orchid Tree	403	Indian walnut	319	Kingfisher Daisy	156
Hong Kong wood oil tree	339	Indian Wormwood	140	King's-mantle	53
Hooded dwarf	103	Indian Zebrawood	237	Klein's dwarf senna	389
Hopea	304	Indra's creeper	53	Klip dagga	360
Horse Bean	413	Insulin plant	256	Knotroot bristlegrass	655
Horse gram	437	Intellect tree	217	Koda tree	196
Horseherb	146	Ipecacuahana	330	Kodagu Ornage	714
Horseweed	155	Iron wood of Malabar	304	Kokam Butter	222
Hot Dog Cactus	162	Iron Wood Tree	399	Kokam butter tree	222
Hummingbird Bush	690	Island morning glory	247	Kopsia Merah	94
Hungarian millet	654	Italian millet	654	Kris plant	104
hunter's robe	108	Italian senna	398	Lace fern	128
Hurricane Palm	119	ivy arum	108	Lad's love	140
Illawara flame tree	478	Ivy gourd	260	Lady Doorly's Morning Glory	246
Inadian Pivet	377	Ivy-leaved Morning Glory	246	Lady's Finger	475
Inca berry	732	Ixora plant	692	Lady's purse	206
Inch plant	237	Jack bean	413	Lalong grass	631
Indian almond	226	Jacob's ladder	330	Lantana	745
Indian Baim of Gilead	204	Japanese honeysuckle	214	Large field speedwell	587
Indian bdellium-tree	204	Japanese medlar	683	Large periwinkle	101
Indian Berry	222	Japanese mugwort	140	Large-veined verbena	747
Indian blanket	157	Japanese pie pumpkin	262	Latanier palm	121
Indian blanketflower	157	Japanese plum	683	Latin American fleabane	155
Indian borage	368	Japanese poinsettia	326, 330	Laurel clock vine	54
Indian Bread root	420	Japanese sunflower	175	Lawn daisy	141
Indian cat mint	354	Japanese tung oil tree	339	Lawn grass	597
Indian chrysanthemum	148	Japanese wood-oil-tree	339	Lawnflower	146
Indian coral tree	428	Japanese wormwood	140	Leaf pond weed	672
Indian Corck tree	189	Japanese-gree	158	Leafy Cassia	399
Indian dill	76	Japnease Mazus	566	Lemon	714
Indian forget- me- not	249	Jasmin	689	Lemon grass	608, 609
Indian Gamboge	222	Java indigo	432	Lemon marigold	174
Indian glory bower	356	Java patchouli	371	Leopard flower	352
Indian gum arabic	402	jelly bean tree	393	Leopard plant	156
Indian Gutta Percha	727	Jersey cudweed	164	Lesser bougainvillea	519
Indian Hog Plum	71	Jerusalem artichoke	162	Lesser duckweed	454
Indian kino tree	441	Jerusalem cherry	734	Lesser snapdragon	586
Indian Laburnum	388	Jerusalem thorn	393	Lesser spear grass	605
Indian lotus	518	Jewbush	330	Lettuce	163
Indian Madder	704, 709	Jew's slipper	330	Lettuce tree	519
Indian mahagony	501	Jowar	656	Limestone Cassia	400
Indian mint	368	Jowari	656	Linearleaf snapdragon	586
Indian Nightshade	733, 735	Joy perfume tree	473	Linseed	459
Indian oak	384	Jumbay	391	Lion's ear	360
Indian olibanum tree	203	Jungle cork tree	739	Lipstick palm	119
Indian patchouli	371	Jungle geranium	693	Litchi	724
Indian penny wort	77	Jungle lavender	360	Little bell morning glory	250
Indian Perismmon	307	Jungle Marking Nut	68	Little Christmas Flower	328
Indian Perry	37	Jwarancusa Grass	609	Little gourd	260
Indian pink	249	Kalahari Christmas tree	390	little hogweed	673
Indian Red Mustard	200	Kaliko Plant	326	lLeopard lily	352

Llogwood	391	Messina Creeper	245	musky gourd	263
Loddon pondweed	673	Metallic Palm	118	musky pumpkin	263
Longleaf pondweed	673	Mexican aster	150	musky squash	263
Long-leaved groundcherry	732	Mexican Bird of Paradise	388	Muzerabad creeper	54
Loquat	683	Mexican blood trumpet	185	Myrtle-leaved spurge	330
lotus	518	Mexican breadfruit	109	Mysore fig	508
Louisiana grass	597	Mexican bush sage	374	Mysore panicked indigo	434
Love-lies-bleeding	60	Mexican Creeper	668	Mysore thorn	387
Low Senna	399	Mexican devil	138	Napa thistle	147
Lucia grass	600	Mexican Fan Palm	125	Napier grass	647
Lucky bamboo	131	Mexican Fireplant	326	Natal grass	639
Lucuntu grass	635	Mexican Flame Bush	388	Natal Lily	66
Mac Arthur palm	123	Mexican fleabane	155	Native gooseberry	732
Macassar-oil plant	72	Mexican Linaloe tree	204	Navelwort	258
Mace	512	Mexican mint	368	Necklace-berried caper	214
Mackie's pest	605	Mexican paint brush	139	Needle bush	401
Madagascar periwinkle	85	Mexican Palmetto	123	Neem tree	499
Madagascar widow's-thrill	257	Mexican rose	673	Negro coffee	399
Madars leaf flower	576	Mexican shrubby spurge	325	Nepal tree	720
Madeira winter cherry	734	Mexican sunflower	175	Niger plant	160
Madras thorn	394	Mexican teosinte	664	Niger seeds	160
Maize	664	Mexican thyme	368	Nile trumpet	189
Malabar almond	226	Mexican tournesol	175	Nile tulip	189
Malabar cat mint	354	Mexican viper	585	Nipplefruit	734
Malabar glory lily	223	Mexican Washingtonia	125	Nitobe chrysanthemum	175
Malabar Mountain Ebony	404	Midnapur creeper	253	Nobilis Palm	115
Malabar spinach	184	Mile-a-minute Vine	245	Nodding Clerodendron	356
Malabar tamarind	222	Milk-hedge	330	Northern bangalow palm	114
Malay Apple	516	Milkweed	326	Nutan bleeding heart	356
Malayan spurge	324	Milky tassel	173	Nutmeg	512
Malbar mahogany	406	Milky yam	248	Oat	596
Maltese star thistle	147	Milo	656	Obedience plant	493
Mamey	207	Mimosa like senna	389	Ocean blue morning glory	247
Mamey apple	207	Miniature date palm	122	Oil cake tree	385
Mammee	207	Miniature Fishtail Palm	118	Oil palm	119
Mammee apple	207	Minute duckweed	454	old-field Goldenrod	172
Mandarin Orange	714	Miracle leaf	256	Old-man-in-the-Spring	171
Mangles Everlasting	162	Mistflower	139	Old-man-of-the-spring	171
Mango	69	Molluccan cabbage tree	519	Onion	458
Mango ginger	756	money plant	108	or Common Morning Glory	249
Mangosteen oil tree	222	monkey apple pond apple	71	Orange brasiletto climber	392
Manila Palm	114	Monster fruit	109	Orange eye	202
Manila tamarind	394	montanoa	166	Orchid tree	403
Maranta	493	Moore's crinum	66	Oregano	366
Marestail butter weed	155	Moreton Bay Chestnut	413	Oriental False hawksbeard	178
Marguerite daisy	140	Morning Glory	247, 248, 250	Oval-leaved pondweed	672
Marigold	174	Moroccan Fan Palm	118	Ox-eye daisy	165
Marking nut	70	Moses-in-the-Cradle	237	Paddy	642
Maroon blanke flower	157	Moss rose	673	Padus-leaved clipper plant	330
Marsh bristlegrass	655	Moss-rose purslane	673	Pagoda tree	96
Marsh Para Cress	138	Mother of herbs	368	Pagurda	587
Marvel of Peru	519	Mother-in-law tongue	135	Paintbrush lily	67
Masai love grass	625	Mottled Dutchman's Pipe	126	Painted Daisy	148
Masaul tree	693	mountain coffee	688	Painted Euphorbia	326
Maunaloa	412	Mu oil tree	339	Painted leaf	326
Mauritius Dracaena	131	Mugwort	140	Painted nettle	370
May flower	67	Mukul myrrh tree	204	Painted Spurge	326
meadow goldenrod	172	Mullein Nightshade	733	Palas Palm	120
Mediterranean Fan Palm	118	Mung bean	452	Palisade grass	600
Melampodium	165, 166	Musk Basil	355	palisade Signal grass	600
Mesquite	394	Muskmelon	262	Palmetto palm	124

Panama-rose	709	Pink Sunray	162	Purple wreath	746
Pandan	562	Pink trumpet tree	192	Purpletop vervain	747
pandan rampeh	562	Pinnate dahlia	152	pursley Red root	673
Pandan wangi	562	Pipian	262	Pussy foot	139
Paper flower	519	Piss-off plan	368	Pygmy date palm	122
Paper mulberry	506	Pitch-apple	222	Pyrethrum	148
Para cress flower	141	Plains coreopsis	150	Queen of herbs	368
Para Rubber tree	332	Plantain	511	Queen Palm	124
Paradise flower	735	Plantain herb	586	Queensland Umbealla tree	113
Pascuita	328	Pocketbook flower	206	Quilete	60
Pea Aubergine	734	Poinciana	388	Rabbit weed	249
Pea Eggplant	734	Poision nut	332	Ragwort	171
Peacock Flower	388	Poison Berry	733, 735	Railway creeper	245
Peacock ginger	759	Poison Bulb	66	Rain tree	386
Pear	684	Poison dart plant	103	Rangoon Creeper	225
Pear bamboo	639	Poison Devil Tree	81	Ravana's Moustach	657
Pearl millet	646	Pom Pom Tree	166	Red adambo	249
Pelican flower	126	Pomagranate	471	Red Bead Tree	385
Pendant amaranth	60	Pomelo	714	Red Bird of Paradise	388
Pennsylvania cudweed	158	Pongam oil tree	440	Red bitter-berry	733
Penny-pies	258	Ponytail palm	128	Red bush	670
pepper tree	70	Poor man pork	368	Red Cassia	388
peppercorn tree	70	Poor man's weather-glass	674	Red chickweed	674
Peppermint	365	Poorman's barometer	674	Red Flash	388
Perennial Basil	366	Porcupine flower	29	Red gaillardia	157
Perennial ragweed	139	Pot marigold	146	Red Gram	411
Perennial sow-thistle	172	Pot tamarind	222	Red hot cat's tail	318
Perennial Sunflower	161	Potato	735	Red Indian blanket	157
Perfume tree	72	Potato plum of Mysore	719	Red Jasmine	249
Persian chrysanthemum	148	Potato Tree	733	Red java tea	367
Persian Lilac	500	Potato Vine	735	Red orchid bush	403
Persian speedwell	587	Prairie Berry	733	Red Palm	119
Persimmon	309	prairie carnation	216	Red pepper	729
Peruvian cherry	732	Prairie goldenrod	172	Red pimpernel	674
Peruvian ground cherry	732	Prairie sun flower	162	Red powder puff	388
Peruvian masti	70	Pretty verbena	747	Red Sandalwood	385
Peruvian pepper	70	Prickly Lettuce	165	Red sanders	441
Peruvian pepper tree	70	Prickly Nightshade	734	Red sealing wax palm	119
Peruvian Zinnia	178	Prickly sow thistle	172	Red slipper spurge	330
Philippine tung	337	Pride of Barbados	388	Red sorrel	672
Philippine Violet-white	27	Princess Palm	119	Red spinach	60
Philippines ebony	309	Propeller Tree	348	Red Tassel Flower	388
Philippines Medusa	318	Prostrate bundleflower	390	Red vine spinach	184
physic nut	332	Provence rose	684	Redbird cactus	330
Pickernelweed	672	Pudding-pipe Tree	388	Redbird flower	330
Pigeon pea	411	Pui	184	Redflower ragleaf	151
Pigweed	673	Pull-back-and-hold	519	Redneck Palm	119
Pilewort	154	pulutus	741	Reed canary grass	648
Pilipiliula	605	Purging Cassia	388	Reed grass	648
Pineapple	202	Purging Fistula	388	Remarkable Dandelion	174
Pinecone ginger	760	purging nut	332	Rhodes grass	604
Pink and White Shower	388	Purple	186, 249	Ribbon bush	669
Pink Cassia	388	Purple Bauhinia	403	Ribbon grass	648
Pink Gardenia	94	Purple fruited pea eggplant	735	Ribbon plant	129, 131
Pink Giant Spider Lily	66	Purple heart glory	247	Rice	642
Pink Ipe	188	Purple moon flower	250	Rice bean	452
Pink Kopsia	94	Purple passion	160	Rice field nymph	349
Pink Lapacho	188	Purple passion plant	160	Rice paddy herb	584
Pink orchid tree	403	Purple star-thistle	147	Ridge or Ribbed gourd	264
Pink paper Daisy	162	Purple torch	141	Rigid Verbena	747
Pink Powderpuff	388	Purple velvet plant	160	Ringworm Cassia	397

Ringworm Plant	Ringworm Shrub	397	Sea rush	353	Smokebush	202
Ringworm root		44	Sea side potato	249	Smoketree spurge	325
River crinum lily		66	Seaside Indian oak	384	Smooth smartweed	669
River ebony		307	Senegal date palm	122	Smooth sow thistle	173
Robellini		122	Senegal Ebony	421	Smut grass	658
Robusta coffee plant		688	Serpent root	170	Snake gourd	267
Rock rose	Sun rose	673	Serpent's tounge	223	Snake jasmine	44
Rocket candytuft		201	Sesame	565	snake plant	135
Rocket larkspur		678	Sessile joy weed	59	Snakewood	464
Roman Candle Tree		397	Seven Golden Candlesticks	397	Snow bush	328
Roman wormwood		139	Sharp-fringed sow thistle	172	Snow flake euphorbia	328
Rondeletia		709	She oak	216	Snows of Kilimanjaro	328
Rooster Flower		126	Sheep's sorrel	672	Soap pod	397
Rose apple		515	Shepherd's clock	674	Soft hemp	211
Rose Cascade		388	Shepherd's weather glass	674	Sola pith plant	407
Rosha Grass		609	Shitwood	348	Solitaire palm	123
Rosy trumpet tree		192	Shoo-shoo Bush	734	Solomon Islands ivy	108
Royal palm		123	shorthair goldenrod	172	Sorghum	656
Royal palm of Cuba		123	Shower of Orchid	357	Soup mint	368
Royal Poinciana		390	Shower Orchid	357	Sour cherry	684
Rubber tree		332	Showy Sunflower	161	Sour lime	713
Ruffle palm		114	Shrub Vinca	94	Sour weed	672
Rusa grass		609	Siala tree	189	South African daisy	176
Rusty mimosa		396	Siamese Senn	399	South American apricot	207
Sabai Grass		627	Siberian Motherwort	361	South India elm	739
Sabal palm		124	Sickle pod	399	South Indian Willo	719
Sacred basil		366	Sicklebush	390	Southern cone marigold	174
Sacred lotus		518	Siemese tree senna	399	Southern cutgrass	636
Safflower		147	Signal grass	600	Southern waterbuttons	150
Saffron thistle		146	Signet marigold	174	Southern wormwood	140
Sage-leaved alangium		255	Silk floss tree	479	Southernwood	140
Salak palm		124	Silktree	385	Sow thistle	173
Salsify		175	Silktree Albizia	385	Soyabean	430
Salt reed-grass		612	Silver Bark Rain Tree	386	Spanish bayonet	135
San Miguelito Vine		668	Silver Bells	162	Spanish dagger	135
Sandal neem		501	Silver cock's comb	62	Spanish daisy	155
Sandalwood tree		720	Silver leaf Nettle	733	Spanish salsify	170
Sandan		439	Silver leaf nightshade	733	Spanish thyme	368
Santa Barbara daisy		155	Silver leaf Sun flower	161	Sparrow grass	127
Santo Domingo apricot		207	Silver Nightshade	733	Spear grass	630
Sapodilla		726	Silver oak	677	spider ivy	129
Sapota		726	Silver Thatch Palm	118	Spider Lily	66, 67
Sappan wood		387	silver vine	108	Spider plant	129
Sausage tree		189	Silvergrass	664	Spiderwort	237
Savanna grass		597	Silver-leaf bitter-apple	733	Spinach	65
Sawtooth love grass		625	Silver-leaved Nightshade	733	Spindle Pal	120
Sawtooth sunflower		161	Simson	171	Spindle tree	219
Scaredy Cat Plant		368	Sky rocket	356	Spine palm	114
Scarlet Bush		690	Slave bush	733	Spinous wild indigo	448
Scarlet comb		225	Slender amaranth	62	Spiny bottle brush	36
Scarlet Creeper		246	Slender knotweed	669	Spiny sow thistle	172
Scarlet ixora		692	Slender Lady palm	123	Spiny-leaved sow thistle	172
Scarlet Morning Glory		246	Slender-Leaf Senecio	171	Spiral Flag	256
Scented-top grass		602	Slender-leaved groundsel	171	Spleen Amaranth	60
Scholar tree		81	Slipper flower	206, 330	Square milk hedge	324
Scorzonera		170	Slipper plant	330	Square spurge	324
Scotch attorney		222	Slipper spurge	330	Squash gourd	262
Scottish marigold		146	Slipperwort	206	Squaw Weed	171
Screw pine		562	Slow Match Tree	384	Squirrel-tail fescue	664
Screw tree		562	Small Indian Ipecacunha	91	St. Bernard's lily	129
Sea almond		226	Small Kashmiri tree	358	stammerwort	139

Star Daisy	165	Texas Sabal Palm	123	Timor senna	400
Star Ipomoea	246	Thai green eggplant	735	Timora misha	330
Starfruit	561	Thai night shade	735	Tindora	260
Sterile oat	596	Thai striped eggplant	735	Tinnevelly senna	397
stickweed	139	thatch screwpine	563	Titty fruit	734
Sticky snakeroot	138	The Bamboo palm	118	Tobacco	731
Stiff sunflower	162	The beach spider lily	67	Tocalote	147
stinging tree	741	The Bismarck Palm	115	Toddy palm	115
Stinking roger	174	The Black Dammer tree	204	Tomato	731
Stinking Weed	399	The blood flower	67	Toon tree	501
Stinkwood	348	The Blues Blue Daisy	156	Toothache Plant	137, 173
Stipulate siris	385	The Calbash tree	187	Toothed dock	672
Straberry	683	The Carpentaria Palm tree	117	Toothed philodendron	109
Straggler daisy	146	The European Michaelmas Daisy	141	Torch ginger	758
Strelitzia	737	The Fruit Salad Plant	109	Torch tree	693
Sudan Ebony	421	The Lady Palm	118	Touch me not	392
Sugarcane	652	The Marguerite	140	Trailing St John's wort	350
Sulphur-flowered senna	400	The pink morning glory	245	Traveller's palm	736
Summer Chrysanthemum	148	The rose of Venezuela	405	Traveller's tree	736
Summer lilac	202	The white mugwort	140	Tree Chrysanthemum	166
Summer snapdragon	582	The Wild Coconut	115	tree daisy	166
Sun flower	161	The ylang-ylang vine	72	Tree marigold	175
Sunchoke	162	The autograph tree	222	Tree sorrel	561
Sunroot	162	The blue latan palm	120	Tree sow thistle	172
Sunshine tree	428	The Bottle Palm	120	Triangular milkwort	324
Superb lily	223	The candle tree	190	Triangular splurge	324
swamp apple	71	The Egyptian privet	470	Tricolor Chrysanthemum	148
Swamp cabbage	124	The French marigold	174	Tridax daisy	176
Swamp millet	632	The giant ambulia	583	tropical almond	226
Swamp rice grass	636	The henna tree	470	Tropical apricot	207
Sweep's brush	353	The Hill glory bower	356	Tropical carpet grass	597
Sweet acaia	401	The Hilton Daisy	158	tropical smoke bush	325
Sweet clock vine	54	The Indian Redwing	395	True cinnamon tree	380
Sweet flag	55	The Mangrove Fan Palm	120	True hemp	211
Sweet Orange	714	The mignonette tree	470	Tube flower	356
Sweet potato	244	The Pagoda flower	356	Tuberous honey suckle	441
Sweet wattle	401	The Palmiste Marron	120	Tulip tree	191
Swine thistle	172	The poinsettia	329	Tung nut	339
Swiss cheese plant	109	The Red Latan Palm	120	Tung oil tree	339
Sword bean	413	The Ruffled Fan Palm	120	Tung-oil tree	339
Tahitian screwpine	563	The scarlet flame bean	405	Turk's turban	356
Talipot palm	118	The Transvaal daisy	158	Turkey berry	734
Tall Albizia	386	The Triangle palm	119	Turmeric	757
tall goldenrod	172	The winter melon	258	Two leaf nightshade	733
Tall ironweed	176	Thick leaf thyme	368	Ulam raja	150
Tall verbena	747	Thickhead	151	Umbrella thorn	402
Tallow gourd	258	Thick-tooth sunflower	161	Umbrella thorn babool	402
Tamarind tree	407	Thief palm	121	umbrella tree	562
Tanner's cassia	398	Thomas tree	403	Unifoliate Rattlewort	419
tapa cloth tree	506	Thorn Apple	733	Vanuatu Fan Palm	120
Tapioca	336	Thorny bug-berry	733	Variegated Bauhinia	404
taro vine	108	Thorny staff tree	218	varnish tree	319
Tassel flower	60	Three leaved caper	214	Veld love grass	625
tassel weed	139	Three-in-one herb	368	Velvet flower	60
Tea	738	Threeleaf shrubverbena	746	Velvet Nightshade	733
Teak tree	375	Tic bean	451	Velvet plant	160
Teddy Bear Palm	119	Tick trefoil	450	Vernonia creeper	177
Telegraph plant	414	Tiger's claw	494	Vetiver grass	607
Tellichery bark	92	Tiger's foot bind weed	249	Vine spinach	184
Tennis ball tree	393	Tiger's claw	428	Viper's herb	170
Texas Palmetto	123	Timeless Rose	162	Viper's-grass	170

Wall Pennywort	258	White or Ash gourd	258	Wild-lettuce	165
Wallich's glorybower	356	White Pear	352	Willowleaf Angelonia	582
Wandering jew	237	White popinac	391	Wilmann lovegrass	625
Washing pod	397	White Siri	386	Wing stemmed Rattlewort	414
Water chestnut	473	White small leaf Poinsettia	328	Winged Senna	397
Water croton	332	White sweet clover	437	winter crookneck squash	263
Water Hemp	156	white thingan	304	Winter gourd	258
Water hyacinth	672	White thunbergia	53	Winter speedwell	587
Water hyssop	583	White trumpet tree	192	winter squash	263
Water melon	259	White weed	139	Winter wild oat	596
Water speedwell	587	White yam	248	Wire lettuce	519
Wax gourd	258	White-flower beach	246	Wiry indigo	432
Wax Mallow	488	Whorled finger grass	616	Wonga Wonga Vine	190
Weasel's snout	586	Wight's Sago Palm	115	Wood apple	715
Weeping lovegrass	623	Wild blue vine	413	Woolly distaff thistle	146
West Indian arrowroot	493	Wild candytuft	201	Wooly Congea	357
West Indian lemon grass	609	Wild cape gooseberry	732	Wooly headed gnidia	739
West Indian locust	406	wild celery	80	Yellow Bauhinia	403
West Indian Mahagony	501	Wild Coconut	115	Yellow bells	192
West Indian pinkroot	464	Wild date palm	122	Yellow berried nightshade	735
West Indian pumpkin	263	Wild Eggplant	734	Yellow bristlegrass	655
West Indian Star Apple	724	Wild foxtail millet	655	Yellow cadamba	690
Western goat's-beard	175	Wild ground nut	412	Yellow Flamboyant	394
Western ragweed	139	Wild Himalayan Cherry	684	Yellow Flame Tree	394
Western salsify	175	Wild indigo	448	Yellow goat's beard	175
Whirly Whirly Tree	348	Wild mangosteen	222, 307	yellow jade orchid tree	473
White aster	174	Wild marjoram	366	yellow myrobalan	227
White babool	401	Wild mussaenda	697	Yellow Parrot's beek	358
White brasiletto climber	395	Wild oat	596	Yellow Poinciana	394
White Butterfly	355	Wild oysterplant	175	Yellow salsify	175
White catamaran tree	331	Wild pea	413	Yellow sweet clover	437
White cutch	396	Wild Plantain	511	Yellow teak	690
White dead nettle	361	Wild Poinsettia	326	Yellow trumpet bush	192
White fuzzweed	177	Wild red oat	596	Yellow trumpet vine	185, 186
White gourd	258	Wild sword bean	412	Yellow-flower mugwort	140
White Gulmohar	390	Wild tamarind	392	Yellow-fruit nightshade	735
White Horse nettle	733	Wild tantan	390	Ylang-ylang	72
White Kongu	304	Wild tobacco	733	Zebra plant	493
White laced euphorbia	328	Wild tomatillo	732	Zephyr lily	68
White leadtree	391	Wild tomato	731	Zig-zag plant	330

Index to Vernacular Names (Kannada)

Aadu balli	249	Akasha mallige	189	Antarike gida	422
Aadu muttada balli	100	Akashagaruda balli	260	Anthara thavare	504
Aadu muttada gida	100	Akka jogi gida	497	Anthudikai	213
Aadu muttada soppu	100	Akka thangi balli	223	Anti kamini	587
Aakash balli	241, 379	Akkabu hullu	614	Antibale hullu	608
Aalu gadde	735	Akkasale	527	Antu garike hullu	600
Aame mara	708	Akkasarali	309	Antu kogge	433
Aane gulaganji	385	Akki	642	Antu parangi	735
Aane jondu	739	Akki balli	109	Antu purle hullu	661
Aane kattaale	127	Akki hullu	610, 644	Antu sura surige	338
Aane pada	404	Akku hullu	590	Antu thogari	489
Aane sunde gida	734	Alada mara	507	Antuhannu gida	519
Aane thordu	189	Alale kayi mara	227	Antupurale gida	65
Aane thumba	360	Alangi	190	Antuvala	724
Aapu	739	Alasande	453	Antuvina gida	172
Aatalumara	403	Allamanda gida	81	Arabevu	500
Abanasi tumari	307	Alle	496	arali mara	509
Abballige	30	Aloe	753	Aramandala	717
Abbe koralu	332	Alpabedhi soppu	321	Arapu kanne	136
Abbollige	30	Amaragandhi	584	Arashina dattura	575
Abbu garike	611	Amate amara	71	Archara	496
Ace gida	327	Ambagani	686	Ardala	223
Achari gida	238	Ambri	93	Arike	646
Adaku uppatana gida	518	Ambu sonde balli	735	Arimani gida	733
Adalu haralu	332	Amourette	377	Arisantige	404
Adambu balli	249	Amrutha balli	504	Arishina	757
Adavi bikke	689	Amti	676	Arishina booruga	193
Adavi Chogache	444	An ippeballi	437	Arishina thega	700
Adavi dasawala	485	Anakattu hullu	599	Arishina thegu	690
Adavi eerulli	132	Ananata gonde hullu	275	Arisina guruge	223
Adavi jirige	159	Anantha gonde hullu	274	Arisina tega	690
Adavi nugge	188	Anantha moola	91	Arka pushpa	161
Adavi thangadi	400	Anavu	690	Arne beelu	93
Adavi ulla gaddi	133	Anchet hullu	609	Arthigida	355
Adavimente	433	Andilu	752	Artichoke gedde	162
Adavulavangapatte	379	Ane jaji mallige	524	Ashoka mara	75, 407
Adayaala	692	Ane kalu gida	153	Ashru bija	608
Adda sarpa	81	Ane kathale	126	Ashwagandha	735
Adhomuki	200	Ane neggilu	565	Atibala	491
Adikabilu balli	109	Anegobli	401	Ativisha	24
Adikaral	169	Anekivi huvu	185	Attaka	690
Adike	114	Anesunde	733	Atti mara	509
Adike balli	109	Aneyadi	34	Avocado	383
Adike huvu	64	Anga menasu	321	Ayata	404
Adikke soppu	176	Anga tonde balli	263	Baai basle	184
Adka bale Kaai	711	Anigalu	690	Baale gida	511
Adkale	711	Anishe	696	Baale sugandhi	211
Adrae soppu	373	Anjam hullu	603	Baara nugge	188
Adusoge	37	Anji hullu	608	Bachali	27
Adve atti	487	Anju garike	600	Bachanige mara	373
Advi mendshi	717	Ankla	321	Bada bakka	395
Aelegaara	692	Ankola	255	Badane	734
Agalu shunti	759	Ankule mara	255	Badanike	241, 465
Agnishika	223	Anne soppu	62	Badedda-rige	570
Aithala beelu	681	Antagari	432	Badhe hullu	608
Ajaganda	221	Antamula	100	Badi hullu	613
Ajagara	153	Antara tavare	672	Baechaadi	188
Ajashringi	69	Antaragange	109	Bagani mara	118
Akalu pada	403	Antaragange gida	672	Bagari	196

Bage mara	386	Bellaka	487	Bhuja gumbala	245, 248
Baguli	226	Bellante gida	697	Bhumi chakra gedde	245, 248
Baingani	376	Bellarayi	302	Bhunepaale	189
Baini mara	118	Bellothi	697	Bhustroona gida	359
Baje	55	Bellotti gida	697	Bhutale	126
Bajri	646	Bellulli	458	Bidiru	597
Bakula	726, 727	Bende	141	Bidiru hullu	641
Bala	490	Bende kai	475	Bikki	690
Bala aladamara	507	Bendoli	348	Bikki gida	689
Balagajji	324	Bendu kasa	408	Bile kasa	560
Balagunte	308	Benduga	720	Bili agarada beru	34
Balai	307	Bendurki	93	Bili agilu	500
Balarakshi gida	488	Bengali jali	384	Bili agranga	483
Bale	306, 337	Bengaluru malle	525	Bili beete	421
Bale hullu	660	Benki gida	101	Bili bhringaraja	153
Bale soppu	244	Benki tuttori	492	Bili booruga	479
Balemara	306	Bennacchuga	425	Bili celle	194
Balevadukana soppu	55	Benne akki hullu	601	Bili Chinee Kanigalu	669
Bali papu	223	Benne balli	53	Bili chita bogari	248
Balige balli	220	Benne bidiru	223	Bili chitra moola	587
Balige mara	207	Beppale mara	102	Bili chitra pala	330
Ballari jali	394	Berumari gida	560	Bili doddakachi hullu	609
Balsu	686	Betta bende	485	Bili ekkada gida	84
Bana neerale	515	Betta bevu	500	Bili genasu	303
Banate	219	Betta hanche	572	Bili gulmohr	390
Banavara	571	Betta manijadi	439	Bili hambu	244
Banda	465, 573	Betta Nelli kaayi mara	575	Bili hooli	571
Bandada mara	307	Betta tavare	486	Bili huli Bili shooli gida	570
Bandarayani	691	Betta thangadi	398	Bili jali	401
Bandare	723	Bettada akkabu hullu	622	Bili jambu hullu	272
Bandaru	691	Bettada haralu Kadandla	332	Bili jola	656
Bandi hoobina hullu	591	Bettada kanigilu	300	Bili kaddi	325
Bandkalli	467	Bettada kuppi gida	163	Bili kaepala	693
Bangada balli	249	Bettada nelli	575	Bili komme	566
Bangeri	687	Bettada usumani hullu	283	Bili konde	669, 670
Bannegarugu gida	491	Bettadabendu gida	477	Bili kore hullu	655
Banni	394	Bettadavare	333	Bili lantana soppu	746
Banni mara	396	Bettanci hullu	661	Bili munugada hullu	591
Bapanamustigida	521	Betthu mara	113	Bili nandi	470
Bare hannina mara	681	Bevu	499	Bili polik	331
Basale soppu	184	Bhaarangi	373	Bili ranjaka	341
Basavana pada	404	Bhadra hullu	279	Bili rudrakshi huvu	64
Basavanapada	403, 404	Bhadra mushti	279	Bili same hullu	644
Batani	440	Bhadrakshi	484	Bili sanna Jambu hullu	271
Bavanchi gida	420	Bhandarli	109	Bili sarole	527
Bbogi mara	691	Bhandre hullu	273	Bili seege	396
Beedi soppu	326	Bhangi	211	Bili takta	670
Beedi yele	307	Bharanege	376	Bili thaale	331
Beegada mara	310, 739	Bharangi	356	Bili ummathi	730
Beelugali mara	421	Bharangi gida	373	Bili Uppi gida	720
Beete mara	421	Bhatta	642	Bili yele gida	697
Beeyada mara	739	bheemana kaddi	490	Biliakkabu hullu	616
Bekkina budde gida	723	Bheemana soppu	32	Bilibasari mara	507
Bekkina hejje balli	245, 518	Bhimana hanci hullu	661	Bilichuri mullu	682
Bekkinatale gida	490	Bhoochakra gedde	248	Biliganagalu	101
Belaachi	708	Bhoodu kumbala kayi	258	Bilihambu	749
Belada mara	715	Bhoorundi	197	Bilihindi soppu	57
Belati	386	Bhootale mara	483	Bilikada	101
Bele kalu soppu	443	Bhotale	491	Bilikamakasturi	748
Beli surige	745	Bhringraja	153	Bilikanjivala	404
Bella genasu	244	Bhtali	311	Bilikare mullu	686

Bilikasa	560	Chand moola	759	Chitrangi	745
Bilikowri	484	Chanda kanne	334	Chitte gida	733
Bilimatti	226	Chandana	720	Chittunde	499
Bilipatri	214	Chandara galli	324	Choodle	291
Bilisarali	309	Chandra kanti	244	Chotti	682
Bilitavare	520	Chandra pada	239	Chotti gida	682
Billothi	697	Chandra pushpa	244	Chouli kayi	420
Bilva patre	713	Chandrakala	334	Chulli	27
Bindaru	691	Chandrakasi soppu	505	Chunga	508, 737
Biradi	422	Chandrike	526	Chunge mara	737
Biratu	189	Chandu cheni hullu	273	Chunugur	681
Birte mara	189	Changaala koshta	256	Churachrike gida	338
Bisala balli	569	Chapate hambu	669	Churuchangee soppu	338
Bitter fence	377	Chappalu	495	Cibi gida	43
Bodina gida	675	Charnike gida	126	Cibira soppu	43
Bodliga	720	Chauati hoovu	223	Cilakarive soppu	62
Bokadi	248	Chaul moogra yenne mara	54	Citraleena balli	80
Boluheere kaayi	265	Chavi gida	732	Citra ballare	330
Bombya mallige	225	Chavuri hullu	270	Coffee fence	377
Bommaralu	682	Chedu hoo	174	Coffee gida	688
Bone kaare	687	Cheebe gida	43	Comb rungia	45
Boodhi taale	331	Chegu gadde	695	Congress gida	167
Boodu gaare	687	Chelle kaayi	194	Copper leaf	319
Boodu kattale	126	Chelu balad gida	197	Cough bush	377
Boodu Kumbala	258	Chelu kondi gida	197, 494	Curca	338
Boorugada mara	478	Chelu mani	197	Daasapatre	697
Boothaganni	737	Chendu kaare	712	Dabbe jambu hullu	276
Boralu paale	219	Chennengimara	470	Dabha galli	328
Bovu mara	304	Chenthakanni	334	Dagadi balli	502
Bpotaga	691	Cheppura	404	Dagli soppu	62
Brahmi	77	Cherugeru	69	Dalimbire	471
Brhamadande	153	Chibeera gida	31	Dalli mara	691
Bu tulsi	365	Chidaralanabilu	80	Dande mara	311
Budame kayi	262	Chigare	385	Dandele mara	311
Budde hannu	732	Chigatmara	501	Danti	320, 323
Budde jali	402	Chikana	490	Dantina soppu	61
Budde soppu	58	Chikka basavanapada	183	Dantu soppu	61
Bugari mara	492	Chikka dore	710	Darbe hullu, Hodakehullu	652
Bugudi hambu	101	Chikka kadu haralu	333	Dattura	730
Burle	331	Chikka kavali	83	Datturi	730
Butale	491	Chikka neerale	516	Datura jad	730
Butter fruit	383	Chikka nekki soppu	40	Daturi gida	564
Cedara kalli	324	Chikka nugu hullu	590	Deva Kanigalu	96
Cenakali soppu	63	Chikka tunge hullu	276	Devadaru	317
Chaankhaari	372	Chikke soppu	672	Devakanigilu	96
Chaaya vaeru	704	Chikku	726	Devana huli	223
Chaduranga	745	Chikku dippe	482	Devara gedde	83
Chaelu baalada gida	198	Chikoni	147	Dhadashi	115
Chagche	400	chilakeere	62	Dhana	176
Chaha	738	Chilikaesoppu	60	Dhavana	140
Chakke mara	380	Chilkarive soppu	61	Dhoodha valli	91
Chakkota	714	Chilla	465	Dhoopada kayi	204
Chakramuni	578	Chimpigana hullu	600	Dhoopada mara	203, 305
Chakrani	126	Chinimara	738	Dhrona pushpi	362
Chakrapani	126	Chinnadaavare gida	350	Dhudkondi	91
Challada beeja	465	Chinthakanni	334	Dhupada mara	222
Challe hannu	194	Chiri vaeru	704	Dindalu	224
Challe mara	194	Chironi	68	Dindiga mara	224
Chalmogra	54	Chita bogari	248	Dobre hullu	627
Chamlasulli	256	Chitar moola	587	Dodda antu purle hullu	654
Champaca	473	Chithra leena balli	80	Dodda bangu gida	417

Dodda bilihindi soppu	57	Emme tappare hullu	663	Gejje gida	419
Dodda bindige gida	490	Enne budugi	197	Gejjekadda	661
Dodda budde	732	Enne mara	406	Genasang	188
Dodda budde gida	732	Enne pundi gida	480	Genasangu	188
Dodda Chotti	682	Eruvanthige	523	Genasing	190
Dodda dore	710	Esgale	720	Genasu	244
Dodda eshwari balli	125	Eshwari balli	125	Genasu gedde	244
Dodda garike hullu	624	Eshwari beru	125	Geru	68
Dodda ghaadhaari	159	Eshwari beru balli	125	Ghatta rasava	159
Dodda hale	259	E-Sunhemp	417	Ghattvare	443
Dodda hanchi hullu	592	Ettina nalige gida	200	Gibi gida	31
Dodda jambu hullu	276	Falsa	484	Gidda hagala	266
Dodda kaare	687	Gabbu soppu	142	Gini hullu	643
Dodda kadaga	690	Gada hallae	571	Ginnannu	342
Dodda kana lakki	381	Gadde Vaduvina hullu	645	Gobbala kayi	384
Dodda kavale	85	Gajara	66	Gobbarada gida	430
Dodda natada gida	355	Gajina gida	66	Gobbra nerale	568
Dodda neggilu	565	Gajjaga	391	Gobli	402
Dodda patika	44	Gajjagana hullu	636	Godachi	682
Dodda pettika gida	44	Gajjiga balli	392	Godadhai	416
Dodda purle hullu	624	Galavara	378	Godi	663
Dodda salu	115	Gali mara	348	Godi barasan	24
Dodda Sarpag & ha	96	Gamhari	358	Godla jadi	248
Dodda sompu	78	Ganape kai	390	Godmurki	187
Dodda thumbe	354	Gandele	691	Godura hullu	621
Doddabanni	403	Gandha garike	501	Gogge	432
Doddagoni soopu	673	Gandhada mara	720	Goje mara	569
Doddakki hullu	615	Gandhari gida	358	Gojji	568
Doddanebde	493	Gandu akkabu hullu	614, 615	Gokantaka	37
Doddanekkar	495	Gandu bhattada hullu	620	Golimadi	37
Doddapatri	368	Gandu bidiru	612	Gomajjige	481
Doddathoppe	691	Gandu birana gida	354	Gomajjige gida	315
Doddippe	726	Gandu kari tumb	354	Gomti	315
Doddotte	447	Gandukaalinga	257	Gomuli	685
Doldatte mara	387	Ganeshan huvu	85	Gonde	64
Doli	691	Ganga tulasi	359	Goni gida	720
Donne huvu	96	Gangunde kayi	217	Goni soppu	673
Donni	401	Ganike	732	Gonne hannu mara	194
Dore	703	ganjali hullu	604	Goorellu	160
Doundi	190	Ganji garike hullu	605	Gopi	93
Dovana	159	Gante huvu	192	Gora bale	693
Draupadi maale	553	Gantu bharangi	373	Gorali kattige	693
Dravanti	130	Gantu kaalu gedde	41	Goramidi	37
Dubba kalli Dundu kalli	328	Gantu kasi hullu	661	Gorante	27, 470
Dudlehuli	714	Gantu thumbe	363	Gorate	29
Dugdhiga	90	Garaga	153	Goravi	692, 693
Dulagondi	338	Garagada soppu	153	Goravi gida	693
Duranta kanti	745	Garagalu	153	Goravi mara	693
Durvasane mara	352	Garate	651	Gori kayi	420
Dusaritegi	502	Garbale	692	Gorividi	37
Dutiyatle	707	Garda moogu mullu	494	Gorje pallye	63
Earghatta yelae balli	751	Gare	760	Gorte	27
Edamuri	484	Garike	610	Gosampige	96
Edatiga	225	Garike hullu	610	Gotle hoo	29
EdurUttarani	747	Garjala garike hullu	599	Gouda Kaare	695
Eechalu mara	122	Garni	692	Gouti gida	266
Eeji gida	373	Garuda paathaala	96	Gova gadde	360
Eerulli	458	Garudaphala	54	Govina mara	720
Ekka	84	Gauri balli	93	Govinda phala	213
Ekkada gida	84	Gauri bheeja	248	Gowri huvu	223
Elakki	758	Gedde gundu hullu	288	Grugudu	692

Gubbachhi bale	227	Haladi gorte	29	Hathi yele haralu	333
Gubbachhi basale	227	Haladi hoovu	81	Havalad	675
Gubbachhi mullu	27	Haladi kanigilu	99	Havu makke kayi	259
Gubbachi huvu	486	Haladi pavate	696	Havu mekke kayi	259
Gubbi mullu	27	Haladi sugandhi	759	Hebbalasu	506
Gubbi puchhada	657	Halagati	92	Heda patre	512
Gubbi Sauthe kayi	261	Halalbu	326	Hedaggal	511
Gudametake	750	Halape beelu	437	Heddae	690
Gudda dasal	692	Halasarp	350	Heddarani	708
Guddada goni	255	Halavu makkala balli	128	Heddumbe gida	365
Gudde genasu	245, 248	Halavu makkala tayi beru	128	Hedehagalu	511
Gudde geru	70	Halavu makkala tayi gida	128	Heera	677
Gudde hannu	732	Hale	102, 725	Heere kayi	264
Gudhi hullu	604	Hale mara	102	Hegal balli	90
Guggulu	204	Halemaddu	204	Hegala balli	53
Gula mavu	383	Hali balli	94	Heggare gida	687
Gulaganji	407	Halige balli	309	Heggejjuga	391
Guldu	358	Haligilu	338	Heggenasu	301
Guldu mara	358	Halippe	726	Heggodi mara	378
Guli	358	Halkoli	708	Heltige Kadamba vriksha	700
Guli kaayi	734	Halla nokki	332	Henagarike	708
Gulimidi	37	Halla shulli gida	759	Hennu akkabu hullu	615
Gulla	256, 734	Halle balli	238, 246	Hennu goravi	693
Gulle mara	256	Hallu cucoo hullu	592	Hennu karee tumbe	354
Guludu mara	358	Halmekke balli	262	Hennu mancada kalu Hullu	604
Gumadi gida	441	Haltambari	725	Hennu tumbe	354
Gumti	358	Halu balli	88	Hennunanne	574
Gunda kare	695	Halu betha	116	Henujaarige	739
Gundala mara	85, 727	Halu kortiga	96	Hepparige	404
Gundu mallige	525	Halu maddi	381	Heretega	690
Gundu naale hullu	660	Halu sunde	720	Hesaru	452
Gudukothi mullu	27	Halukudi Nenekki soppu	327	Hettari mullu	719
Gungurada hoovu	373	Hambu haraka hullu	600	Hetthega	690
Gunna madapatte balli	309	Hambu kalli	97	Hetthunbe	354
Guppatte gida	732	Hambu mallige	523	Hetutti	477
Gupsi	358	Hambu rubber gida	89	Hippalli	581
Gura	27	Hamsa padi	193	Hippe	725
Gurellu	160	Hanake	571	Hire kanigu	92
Gurgi	49	Hanalu	227	Hire maddina gida	735
Gurige	569	Hanchi haraku hullu	600	Hire maddu	735
Gurugu	321	Handara hoovu	249	Hire mara	691
Guthi mara	348	Handi balli	423	Hittarani	693
Guvan	720	Handi gedde	301	Hodakai hullu	651
Haagala beelu	263	Handi pode kode	214	Hodike hullu	652
Haale	81, 92	Handibetha	117	Hoge soppu	731
Haale mara	81	Handjee	306	Hole baise	738
Haalu baeru	91	Hannehu	62	Hole baysa	332
Haalu balli	91	Hannu Sampige	719	Hole chulli	23
Haalu genasu	93	Haraka	646	Hole dasala	692
Haalugangatti	508	Haraku hullu	646	Hole dasawala	470
Habbu sunde	735	Haralau	337	Hole hone	206
Haccu matti gida	354	Haridacchaga	65	Hole kanigilu	669
Hagala kayi	265	Haridachchga	30	Hole lakki	202, 376
Hague bush	377	Haridrata	30	Hole mekki	332
Haiga	304	Harivana	428	Hole nage	332
Hakki genasu	302	Harive soppu	61	Hole nekki	332, 376
Hakki kalina hullu	620	Harogida	331	Holehippe	726
Hakki varji hullu	596	Hasige mara	406	Holematti	226
Hal nerale	725	Hasiru niru patre	350	Holetupare	307
Hala gumbala	264	Hasiru ribbon gida	350	Hommagali hullu	298
Haladi	757	Hasum banda	721	Honagalu	227

Honagone soppu	59	Indrana gedde	223	Jumma mara	717
Honal	221, 227	Indrapushpa balli	53	Jwara gida	741
Honalu	227	Indravaruni	259	Jwarahara soppu	34
Honde	86	Ingula	760	Jyarahu medhe	631
Honey drops	745	Ipathi	26	K andaale	26
Hongal	227	Ippe	726	Kaachi	733
Honge mara	440	Ippe mara	725	Kaad kumbala	751
Honnambri gida	398	Ippi	213	Kaad mendshi	717
Honnehu hullu	280	Ippinta	697	Kaadellu	160
Hookosu	200	Irai	206	Kaadippe	725
Horamuchuga	561	Ishe	372	Kaadu anjura	716
Hothu thirigu hoovu	161	Ittai mara	356	Kaadu ashoka	406
Hotte hmbu	678	Itemajura	465	Kaadu baale	211
Hottebage	385	Ivana genasu	301	Kaadu badane	735
Houtige mara	385	Jabaru korlai hullu	648	Kaadu bende	475, 492
Hucchellu	160	Jacob's coat	319	Kaadu chunde	735
Hucchu kabbu	652	Jadegalli	324	Kaadu dantu	63
Hucchu tumbe	365	Jagalaganti	308	Kaadu dharbe hullu	620
Huchhu jola	656	Jaji kayi	512	Kaadu eerulli	132
Huchhu moothi gida	354	Jaji mallige	523, 524	Kaadu garuda pathataala	687
Huchu nimbe	713	Jake	273, 279	Kaadu gori kayi	453
Hudigullu	727	Jala brhami	583	Kaadu gulabi	745
Hula hiduka gida	305	Jala shulaka	348	Kaadu gumbala	303
Hula kaddi	568	Jalari	304	Kaadu hanchi hullu	591
Hula kaddi gida	568	Jalavada malle	64	Kaadu haraka hullu	619, 629
Huleechala balli	237	Jambe	402	Kaadu hunne gida	360
Huli	571	Jambu	739	Kaadu ippe	726
Huli gauri	485	Jambu hullu	272	Kaadu irulli	66
Huli gida	576	Jambu neerale	515	Kaadu jade navane hullu	624
Huli nakha	494	Jane	483	Kaadu jaji kayi	512
Huli oma	63	Jangli Airand	333	Kaadu kambu hullu	623
Huli Ugurina gida	494	Jani mara	484	Kaadu Kanagilu	101
Huli uguru	223, 494	Jantaala mara	81	Kaadu kanakambra	38
Hulichoppu	496	Japalabeeja	323	Kaadu kappara badane	734
Hulidantu	497	Japatri	512	Kaadu kappi	571
Hulige	309	Jaradsi soppu	505	Kaadu kari samae hullu	643
Hulikaddimara	719	Jari hullu	621	Kaadu kasi kanigalu	99
Hulimakke	718	Javalada malle	64	Kaadu katti kayi	244
Hulimeese	675	Javangi balli	372	Kaadu kuraba hullu	625
Hulisoppu	750	Jedubetha	117	Kaadu kurukurukan gida	742
Hulitharadu mara	491	Jeerige	77	Kaadu mallige	523, 524
Hulive	227	Jeeva haale	93	kaadu Navile	376
Hulube	227	Jeeva hale balli	93	Kaadu neerulli	132
Hulugala hullu	648	Jeeva kanegilu	96	Kaadu nimbe	713
Hulumari	70	Jeevanthi	93	Kaadu nugge	191
Huluvemara	227	Jeje gana hullu	636	Kaadu oma	79
Hunachikka	63	Jekina gedde	279	Kaadu saasuve	201
Hunagalu	227	Jenu kaddi gida	423	Kaadu sabsige	159
Hundase beelu	309	Jenukathla	491	Kaadu samae hullu	643
Hunise mara	407	Jgale	230	Kaadu sampige	474
Hunjika	356	Jhante	27	Kaadu sanna haraka hullu	629
Hunni gida	745	Jhile	435	Kaadu sanna same hullu	625
Huragalu mara	713	Jhinte	27	Kaadu seege	396
Hurali	437	Jigune balli	250	Kaadu seethapala	71
Hurukun hullu	612	Jirigehuli	223	Kaadu senabu	418, 420
Husu lanagi	357	Jokumarana balli	223	Kaadu sonde	735
Hutchu chadiraasi soppu	505	Jola	656	Kaadu tengu	300
Ibbane gida	357	Jorikanal	416	Kaadu thumbe	354
Ibbudala	262	Jothishmati	217	Kaadu togari	414, 432
Ili kivi	154, 252	Juari	656	Kaadu togri	436
Ilikivi gida	77	Juju garanga balli	239	Kaadu tumbe	360

Kaadu Uttarani	747	Kadu gandu hullu	288	Kaepala	692
Kaadubende	382, 492	Kadu ganige	730	Kage tonde	260
Kaadubimbe	267	Kadu gariathu mara	306	Kagemari balli	267
Kaadujola	746	Kadu garike	610	Kaggali	395
Kaadusurige Neeranjini	571	Kadu gasagase hullu	623	Kahi jola	656
Kaage purale	702	Kadu genasu	302	Kahi padavala	267
Kaala megha	25	Kadu haagala kaayi	266	Kahi sore balli	264
Kaaluhatta	723	Kadu hakki hullu	636	Kainka	352
Kaalukudari	574	Kadu hale	81	Kaipsi	740
Kaama patige balli	750	Kadu hale balli	90	Kakathundi	82
Kaande	86	Kadu hambu tavare	728	Kakatinduka	307
Kaaraveera	99	Kadu hanchi kaddi	590	Kake soppina gida	732
Kaare	687, 711	Kadu hesave	451	Kakisarali	309
Kaare gida	686, 687	Kadu hoge soppu	209	Kakkari	718
Kaare hannu gida	686	Kadu huliga	389	Kakke gida	388
Kaare kaayi gida	687	Kadu hurabi	451	Kakke hannu	733
Kaare kayi	85	Kadu kabbu	652	Kakki hannu	732
Kaare mara	686	Kadu kadale gidda	411	Kal shivaani	358
Kaare mullu gida	686	Kadu kambu hullu	656	Kala	719
Kaasarka	465	Kadu kari dappa sajje hullu	607	Kaladri	739
Kaasinasarada gida	24	Kadu kari kachi hullu	590	Kalajeerige	168
Kaavakula	528	Kadu kari same hullu	644	Kalamegha	25
Kabbu	652	Kadu Karibevu	716	Kalgare	689
Kach	395	Kadu kithale	716	Kalgarike	499
Kachchi	107	Kadu kondemara	387	Kalla basari	508
Kachchoora	759	Kadu mallige	523	Kalla sabsige soppu	158
Kachu	378	Kadu menasu	581	Kallamgadale	491
Kadala drakshi	669	Kadu nimbe	713	Kallana gida	238
Kadale	414	Kadu nugge	568	Kallana hambu	238
Kadale mullu gida	136	Kadu parivala	427	Kallangadi hannu	259
Kadamba	695	Kadu pullam puruche	431	Kallarige	690
Kadamba mara	700	Kadu ragi hullu	611	Kallathi	733
Kadambe	690	Kadu s absige hullu	283	Kallatti mara	508
Kadambolu	695	Kadu sabsige hullu	285	Kalli gida	330
Kadame	690	Kadu sanna hanchi hullu	591	Kallu baale	511
Kadasige	91	Kadu sanna kari sajjei hullu	637	Kallu hone	206
Kadatti	403	Kadu sanna patri gida	367	Kallu sabsige	159, 702
Kadavala	695	Kadu Sanna same hullu	632	Kallu shunti	754, 760
Kadavanchi	265	Kadu sasive	202	Kallu thodli	527
Kadavare	412	Kadu seege	395	Kallurive	469
Kaddi arakina gida	41	Kadu soge	92	Kalpoone	206
Kaddu oma	63	Kadu sunde	733	Kalu kadumberiya	308
Kadivala soppu	567	Kadu surige	569	Kama kastoori	365
Kadle naaru	439	Kadu suvarna gedde	104	Kama lata	246
Kadu adike	122	Kadu tamate gida	734	Kama lathe	249
Kadu agasebija	459	Kadu thambaku	209	Kamana billu balli	54
Kadu arshina	756	Kadu thene hullu	615	Kamancha hullu	608
Kadu avare balli	431	Kadu thogari	443	Kamarashi	561
Kadu baragu hullu	601	Kadu togari	412	Kamarupini	735
Kadu belluli	224	Kadu tutti	493	Kambali gida	510
Kadu bellulli	133	Kadu uddu	449	Kambihu	404
Kadu bettada nelli	576	Kadu usumani hullu	292	Kamboji	568
Kadu bikkane	568	Kadubasale	256	Kammara	406
Kadu bili sajjabu hullu	631	Kadugodavi	415	Kampale	727
Kadu bili sajje hullu	636	Kadukathari	213	Kampari	55
Kadu bili samae hullu	663	Kadukken hullu	635	Kanagalu	95
Kadu bilvapatre	716	Kadunawanai hullu	623	Kanagelu	85
Kadu budde gida	418	Kadurli	443	Kanagile	95
Kadu darbhe hullu	619	Kadusasive	222	Kanagina hullu	633
Kadu drakshi	749	Kadushunti	760	Kanakambra	30
Kadu gandha	499	Kaduvate balli	261	Kanchiwad	480

Kanchupranti	334	Kari naamada balli	88	Kegnike	212
Kanda bhattada hullu	613	Kari nekke	376	Kekkerike	262
Kanhari hullu	279	Kari otte hullu	654	Kempu bangada balli	249
kanigulu	300	Kari pungada hullu	630	Kempu gandagiri	501
Kanijali gida	363	Kari sanna jambu hullu	275	Kempu gandha	91
Kanjeerakayi	223	Kari suli	576	Kempu gogge	434
Kannaidile	520	Kari tulasi	366	Kempu gonde	64
Kannari hullu	279	Kari ugunia hambu	254	Kempu gorte	27
Kannaru	126	Kari Ummathi	730	Kempu gulla	733
Kanne soppu	227	Kari ummatti	730	Kempu jali	395
Kannegilu	434	Karibevu	715	Kempu jambu	276
Kannu pade	331	Karibijada buddegida	418	Kempu jambu hullu	276
Kanpathi	429	Kaributti	331	Kempu kasi kanigale	85
Kansura gida	693	Karichi balli	266	Kempu kepala	692
Kansurangi	693	Karigonne	217	Kempu malle	249
Kanta kari	735	Karihalsoppu	327	Kempu mallige	249
Kantakari	735	Karikhanamara	306	Kempu mandara	403
Kantulu	153	Karimara	306	Kempu menasu	729
Kantumri	306	Karimaralu	308	Kempu moolangi	77
Kanya baeru	91	Karimarlu	308	Kempu nela nelli	577
Kappu karani	33	Karimatti	226, 227	Kempu neli aki	671
Kappubobbili	33	Karisasive	200	Kempu sanna hanchi hullu	643
Kar manji	83	Kariteggi	373	Kempu sasive	200
Kar yekkada gida	84	Karitumari	306	Kempu seege	397
Kara mara	383	Kariuppigida	212	Kempu torai	390
Karadha hanchi hullu	608	Kariyale	376	Kempu uttarani	63
Karakani	202	Karjura	122	Kempu yatha Balli	403
Karalabhogi	404	Karkali	484	Kempudale	191
Karand	173	Karke hullu	610	Kempuganaile	55
Karanda gida	173	Karki	47	Kempugulla	735
Karande	83	Karnakundala	180	Kempukajivala	403
Karbbuja	262	Karnanaspu	403	Kempukenjiga	390
Karchi kayi	265	Karnochhi	332	Kempumandara	404
Kardi kannina gedde	223	Karpoorada gida	353	Kempunola	139
Kare anantha moola	93	Karpura tulasi	366	Kenchan daapu	223
Kare balli	88, 93	Karugana	309	Kendala	723
Kare bantana balli	93	Karugani hambu	246	Kendavare	520
Kare hindi	151, 177	Kasaaraka	465	Kendu	307
Kare hullu	605	Kasamarda	399	Kenjige mullu	391
Kare kodasiga	102	Kasarka	737	Kere hippali	746
Kare mara	306	Kasarkana mara	465	Kerebendu gida	528
Kari	306	Kashi gonde	64	Kesa raji	177
Kari balli	176	Kashmiri mara	358	Kesara	727
Kari bandha	91	Kasi hullu	608, 609	Kesave	107
Kari betha	117	Kasi kanagale	85	Kesave gedde	107
Kari chulli	27	Kasi ratna	249	Keshavadhana	153
Kari geru	70	Kasina sara	25	Kesu	107
Kari hambu	93	Kastoori jali	401	Kesuva	107
Kari hanchi hullu	590	Kasturi arshina	756	Ketta davana	139
Kari holi	576	kasturi bende	476	Kevala	692
Kari honne	439	Kasturi mallige	525	Khandasvala	514
Kari huli	577	Kathe kiribina gida	125	Khandki	721
kari hullu	653	Katmanagari	687	Kharada hullu	630
Kari jali	402	Kattaale	127	Kharada kasi hullu	599
Kari Jontu hullu	624	Katte tumbe soppu	200	Kindal	227
Kari Kasi gida	732	Kattu hingu	689	Kinkerika	495
Kari kode hullu	653	Kavale kaayi gida	85	Kinkiraatha	27
Kari korle hullu	652	Kavulu mara	384	Kir taggi gida	373
Kari lakki gida	376	Kedhige gida	563	Kira nelli	574
Kari menasu	581	Kedige	563	Kirajul mathi	227
Kari miniki	732	Keelukanchu	713	Kiral bogi	332

Kiralbhogi	304	Konana kombu mara	190	Kuntaga	96
Kiranimara	726	Konana tale hullu	611	Kunte kumblo	727
Kireegara kele	482	Konda hippa	382	Kunthi hullu	609
Kirel soppu	60	Konda javara hullu	604	Kuppe gida	318
Kiri bidiru	612	Konda mavu	204	Kuppi gida	318
Kiri rasana	557	Kondi gida	481	Kuranta	29
Kiri turachi	338	Kongu	695	Kurantike	29
Kiriberalu	338	Koogal balli	93	Kuravaka	27
Kiru brhami	583	Kooli mara	358	Kurchi mara	92
Kiru gulla	735	Koove	493	Kuri gida	125
Kiru manji balli	100	Kora	500	Kurigana balli	96
Kiru shivaani	358	Koraji	693	Kurigele	740
Kisgara hoovu	692	Korane hullu	655	Kurki	82
Kissara	692	Korasigina gida	92	Kur-koomar	308
Kisugare	692	Koravanke	37	Kurma mara	383
Kisukare	692	Korchu mara	92	Kurthike	201
Kithale	714	Korla	708	Kurubantana balli	88
Kkole	358	Kosu	200	Kurudi hannu	680
Koda gasale	38	Kothambari	77	Kurudu gejjuga	387
Koda gasale gida	46	Kothi gedde	102	Kurudu hannina gida	680
Koda patter	91	Kothi hejje balli	245	Kuruvaka	27
Kodacaga	92	Kotimullu	682	Kuruvinge	197
Kodali mara	719	Kotta genasu	350	Kusa	358
Kodali soppu	30	Kotti bija	608	Kusumale	692
Kodamurki	102	Kove mullu	27	Kusume	147
Kodasigae	92	Kowri	481	Kusunde	759
kodasige	102	Krishna chora	27	Kwali balli	83
Kodawaala	700	Krishna hoovu	53	Kyasatte mara	311
Kodu muruka balli	89	Krishna nelli	576	Lakki gida	376
Kodu muruke	92	Krishna tulasi	366	Lakki soppu	376
Kodurka	102	Kshaethra parpaata	702	Lalda kaddi	596
Kogelee	404	Kshoodra pashana bhedi	332	Lamanoa hullu	608
Koggi gida	448	Kudane	735	Langulika	223
Koise	693	Kudarepudak	491	Lantavani gida	745
Kokam mara	222	Kudasolu	92	Lavancha hullu	607
Kokilaksha	37	Kudure balada gida	350	Lavanga patra	379
Kolachulli	37	Kugini balli	246	Lavanga valli	26
Kolagolike	37	Kuichi	92	Lavangada yele	379
Kolalabu	410	Kukbuta	335	Lavange patre	379
Kolamulli	37	Kukkeballi	564	Lephenaballi	504
Kolani	62	Kuli	358	Limbe	713
Kolase mullina gida	37	Kulur mara	383	Linga menasu	320
Kolavalike	37	Kumada mara	358	Lingadare mara	191
Kolavanke	37	Kumathi gida	358	Litchi hannu	724
Kolee	526	Kumathi kadi	358	Loddagina mara	737
Kolgenasu	336	Kumbadi	358	Lokundi	495
Koli juttu gaddi	641	Kumbal	358	Lole sara	753
Koli kalu hullu	611	Kumbala	263	Maachi pathre	159
Koli kukkana gida	37	Kumbala mara	573	Maadala	714
Koli kukke	567	Kumbala Sigumbala	262	Mabbu ganijalu garike hullu	649
Koli kutumana gedde	223	Kumbhe	690	Madaki	451
Kolikannina gida	37	Kumkumadamara	334	Madale	527
Kolingii	448	Kumudageddae	257	Madana badame gida	710
Kolle	480	Kumulu	358	Madana phala	687
Kolli bheeja	248	Kunchigana mara	305	Maddarasa gida	98
Kolli kondai	62	Kundali gida	377	Maddarasara	98
Kollu galli	330	Kundali kivi gedde	326	Madde soppu	26
Kolthogache	399	Kundara gaddi hullu	633	Maddhaale	81
Koluru mauvu	383	Kunge mara	311	Maddhugunike ummatti	730
Komme gida	518	Kunta genasu	301	Maddle mara	98
Konana karalu	97	Kunta neerale	515	Madhu nasha balli	91

Madhu nashini	91	Maralu ummatti	178	Mula honne	569
Madi	203	Maramanjalu	503	Mulajemudu	324
Madras mallige	356, 357	Marasuthuballi	226	Mulakolike	523
Madras nelli	576	Maratega	301	Mulli balli	246
Madulatha	474	Mari gida	560	Mullodu balli	392
Magali beru	89	Marsanege	103	Mullu ankole	27, 459
Mahabala	491	Maruga	366	Mullu badane kaayi	734
Maithaala Kaddi	26	Marulingana kasa	93	Mullu chulli	23
Majjige hullu	608	Maruva	227	Mullu corate	29
Majjige soppu	608	Marvel hullu	612	Mullu genasu	303
Majjigebern gida	65	Masi mara	713	Mullu gogu	486
Makali beru	91	Masi patre	159	Mullu gorante	29
Makaranda mara	333	Matangi hullu	626	Mullu Gorate	27, 29
Makartendu	307	Mathi	227	Mullu honagone	59
Makli beru	89	Matle hambu	88	Mullu jaji	29
Mala mandi	433	Matre balli	218	Mullu Kaare	695
Malali	191	Matti	227	Mullu kanakambra	29
Malaraga	739	Mavina mara	69	Mullu Keechige	427
Malatilata	81	Mavinakai shunti	756	Mullu kolingii	448
Male bamboo	612	Meenange	517	Mullu madarangi	29
Male hoovu	692	Meese betha	116	Mullu muthala	499
Male sagade	500	Mekke jola	664	Mullu muttuga	427
Maligana mara	696	Mekke kayi	262	Mullu nelli	575, 576
Maligini mara	696	Mekke kayi balli	262	Mullu sauthe	262
Malingana balli	263	Melamale hullu	621	Mullu seege	396
Mallai	306	Menasina kaayi	729	Mullu thumbe	360
Mallige	525	Menasinakase	221	Mulludantu	61
Malvi balli	93	Menasu	581, 729	Mullukathari	213
mancada kalu Hullu	604	Menthya soppu	450	Mullumutga	481
Mancha patre	140	Metaguli hambu	88	Mulluthare	719
Manda kalli	324	Midi hagala	266	Mundi gedde	103
Mandagalli	330	Minnie root	45	Mundi genasu	301
Mandaka balli	751	Miracle fence	377	Mundi kasa	173
Mandara	404	Mirolhakai	54	Mundu kalli	324
Mandase	676	Mirza mullu	59	Munji hullu	651
Mandi kusubi gida	176	Mithayi hoovu gida	81	Murdari kaayi	531
Manga mari soppu	354	Mitle	752	Murgala	222
Mangana kodu	84	Modirakkani gida	459	Murina huli	223
Mangappe	717	Mokkudu	190	Murkali	68
Mangaravalli	751	Monalige	492	Muruganahuli	222
Mani hullu	605	Mondu kalli	324	Murugina beelu	109
Mani tonde	261	Monstera	109	Murugina huli	222
Mani tutti balli	487	Mooguthi mara	216	Murumule dodda jambu hullu	278
Manithristi	737	Mooguti soppu	167	Musukina bogari	248
Manjatte	737	Mookarike	216	Musukina jola	664
Manji patre	140	Moola hannu	677	Mutthugada balli	411
Manjina naaru	135	Moosha parna	449	Mutthugada mara	410
Manjista	709	Motirakanni	459	Muttidare Muni	392
Mannadke	194	Mrugandhi gida	587	Muttu karabe	159
Mannakki hullu	610, 615	Mudivaala	607	Muttu karasi gida	159
Manoranjini	72	Mudre gids	477	Mutulla hullu	652
Mara akkabu hullu	661	Mudu gattana gida	173	Myrole	376
Mara haralu	332	Mugli	396, 397	Mysore mallige	355
Mara kesu	110	Muguthi balli	248	Naaga mallige	44
Mara sauthe	189	Muguthi gida	139	Naagasampige	207
Mara tulasi	365	Mukargale	739	Naati pachi thene	370
Marabaale	529	Mukkare balli	446	Naayi nalige gida	153
Marabaksha	465, 466	Mukudaka	739	Naayi tulasi	139
Maradarishina	503	Mukura gaale	739	Naayi ugani hambu	238
Maraga tattu hullu	596	Mukute	739	Nadu Murukana balli	518
Maragacha	212	Mukuthi	739	Naga betha	116

Naga leekana gedde	223	Nayi mullu	153	Nela bevu	25
Nagadali	716	Nayi tulasi	365	Nela bidiru hullu	593
Nagalu kanne soppu	230	Nayi tulsi	359	Nela gudda genasu	248
Nagar gare	414	Nayisasuve	222	Nela gulla	735
Nagar kuda	98	Neela tavare	520	Nela herile	501
Nagari gida	521	Neela thamare	542	Nela hippali	746
Nagdali	66	Neelavahi	739	Nela kadale	410
Nagini	247	Neeli balli	433	Nela kughantu	519
Nagulika	223	Neeli budde gida	731	Nela muchchala	34
Naibela	401	Neeli gida	435	Nela muchilu	153
Naidile	520	Neeli mara	568	Nela nekkare	701
Nakkarike	495	Neer bogada banta	64	Nela nelli	574, 575
Nakshatra hoovu	246	Neer hatti hullu	631	Nela Nellikayi	575
Nalai hullu	653	Neer kaddi gida	580	Nela rudraksha hoovu	64
Nalle balli	246	Neer Lakki	377	Nela rudrakshi	64
Namaskarada mara	695	Neer nekki	332	Nela rudrakshi hu	64
Namasoghade	91	Neer sanne	669	Nela sampige	759
Nammada beru	91	Neera vatti	573	Nela suruli	759
Nandi kallu soppu	311	Neeral adchari	514	Nela tagache	389
Nandi nela bevu	38	Neeralagi	381	Nela tale	351
Nandibattlu	99	Neerale	515	Nela tavare	541
Nanj hullu	609	Neeranj	572	Nela tengu	351
Nanja battlu hoovu	98	Neerate beru	126	Nela thavarei	542
nanji mara	465	Neerchali	571	Nelabevina gida	25
Nanjina koradu	465	Neerganigile	332	Nelabevu	25
Nanju hullu	630	Neergundi	376	Neladali	351
Nanju naaraayani	30	Neerina peepi	108	Neladavare	398
Nannari beru	91	Neerjani	571	Nelamuchhe	34
Naralae balli	750	Neeru acrotu	473	Nelasakregedde	214
Narale	373	Neeru bale	224	nelatati gadde	351
Narangi balli	241	Neeru bili gedde hambu	244	Nelavarike	397
Nare kayi	720	Neeru bili gedde hoovu	244	Nelli mara	575
Nari bala gandu hullu	618	Neeru bili hambu	244	Nellikaayi mara	575
Nari bala hullu	618	Neeru brhami	583	Nellu	642
Nari balada hennu hullu	657	Neeru gobli gida	37	Nensi	306
Nari balada hullu	657	Neeru hambu	244	Nepala	323
Nari goodi	41	Neeru hippe	726	Nerale nelabevu	24
Nari kabbu	256	Neeru Kanagilu	669	Nergula	373
Nari meese hullu	648	Neeru kanigalu	384	Nerval	214
Nari mullu	153	Neeru kannaidile	669	Nervalam	323
Naribala	739	Neeru kayi mara	191	Nettavare	411
Naru hanchi hullu	653	Neeru kukku	573	Niganagile	332
Naruvale	373	Neeru paale	712	Nilagiri	513
Narve	373	Neeru sabsige hullu	285	Nilamunga hullu	635
Nasagunni	438	Neeru sajji hullu	589	Nili	102
Natadike	720	Neeru salle	571	Nili budde gida	732
Natigattapercha	727	Neeru sanne soppu	669	Nimbe	713
Nava mallige	523	Neeru thavare	504	Nimbe hannu	714
Navaludondi hullu	658	Neerubale	700	Nimbe hullu	608
Navanangi	152	Neerudantu	527	Nimbe tulasi	366
Navaraalu	373	Neerugoni soppu	460	Nimbede	404
Navatari	376	Neerulli	458	Nimbu	713
Navilu bannada hullu	639	Neeruppi gida	27, 37	Nirangi	390
Navladi	376	Neggena mullu	761	Niravanji	719
Nayebende	487	Neggilu mullu	668	Nirmali	465
Nayi beete	422	Nekki	376	Niru betta balli	728
Nayi belala	716	Nel gumbala	248	Niru sabsige hullu	283
Nayi halasu	682	Nela abbolige	33	Nirvisha	373, 687
Nayi hanchi gida	592	Nela antabu hullu	620	Nithya pushpa	85
Nayi kadamba	695	Nela badami hullu	276	Nitte malle	524
Nayi kode	567	Nela bevina gida	25	Nitya mallige	524

Node hullu	646	Parangi cekke	728	Raam thil	160
Nolle	214	Parapataka	159	Raami	739
Nona kasa	369	Pare mullu	42	Raatri rani	729
Nonna	55	Parera beru	502	Raatri rani hoovu	729
Nose hullu	621, 646	Parige hannu	682	Ragi	620
Nucchu nela bevu	40	Parivalada gida	428	Rahu beejad mara	739
Nugge mara	510	Parke kaddi hullu	592	rajakere	60
Nununni gida	257	Patanga-Chekke Sappanga	387	Raks patti	126
Nyare hullu	631	Pathagni	189	Rakshan karalu	244
Obina hullu	630	Pathakali	692	Rakta chandana	441
Okkalugodi gida	318	Pathala garudi	97	Rakta mara	511
Olle Honne	441	Patikada hoo	27	Rakta punarnava	518
Olle neeli	435	Patrike hullu	622	Ram patre	512
Olle thangadi	398	Pattega	690	Rama gulla	735
Olle thumba	361	Pavte	705	Rama tulasi	366
Ollellu	565	Peelalada mara	508	Ramatale gida	503
Oma	80	Peethumba	24	Ramdaun	728
Onapou	223	Pencil mara	385	Ramphal	71
Ondelaga	77	Pera nela birudu	42	Ranaberi	360
Ontibetha	116	Perale gida	514	Rangumale	193
Oodi mara	187	Peri hullu	613	Rasa bija	739
Oolagera	69	Petla kayi	717	Rasne	392
Oora kiriyathu	25	Petlu gori hullu	289	Ratha pushpa	356
Oorakiriyathu	25	Pettige	690	Ratnagandhi	388
Ooruganige	732	Piccane	309	Ravanana meese	657
Ottatti gida	493	Piddaman	728	Rayabore	711
Otte	425	Pideion berry	745	Reshme gida	510
Oudala gida	337	Pika jali	401	Rhoeo gida	237
Paadari Mukarti	191	Pindi	511	Rishipathiri	355
Paadavala balli	503	Pindikai	511	Robusta coffe gida	688
Paadri	191	Pinga dalchinni	380	Rohita	670
Paannan mara	574	Pini hullu	623	Rohithaca	499
Paapati	706	Pipi balli	93	Rojina huvu	746
Paarijatha	526	Pirangi gundina mara	332	Rubber gida	332
Pacchanike	690	Pisachi tavare	672	Rubber hambu	89
Pacche koralu	371	Pisaru kayi	452	Rubber mara	332
Pachambara	33	Pita padha	159	Rudrakshi mara	737
Pachhe kadiru	371	Pitari	159	Ruktroora	308
Pachhe thene	371	Pla thige balli	94	Saagade	724
Pachi	349	Ponpuli	223	Saaguvani mara	375
Pachi gida	349	Popli	681	Saame	654
Paci hullu	636	Pore hullu	600	Sabale	70
Padavala kaayi	267	Prayer berry	377	Sabsige	76
Padichinaaru	423	Prickly wild coffee	377	Sadaa pushpa	85
Padma	518	Privy hedge	377	Sadapu	716
Padmaka	684	Pruthu beeja	360	Sadli	527
Padvati	502	Psubabul	391	Sagari mullu	392
Pagade mara	727	Pulichakeere	486	Saguvani	375
Pala kire soppu	93	Pulikoelepukke	404	Saguvani mara	375
Pale	102	Pullampuruchi soppu	562	Sahadevi	151, 177
Palwan hullu	612	Pulli purase	567	Sajje	646
Pancha pathre	159	Punarpuli	222	Salai mara	572
Panchote mara	727	Punarvava	518	Salle mara	567
Pangra	427	Pundi	485	Sambaara balli	749
Pannerale	515	Pundi balli	751	Sambara balli	368
Papas kalli	205	Punya	207	Sambraani gida	369
Papate	705	Purachali gida	438	Sambrali	369
Papayi hannina gida	215	Purusharatna	748	Samudr balli	240
Paper hoovu	519	Putra kanda	247	Samudra baale	211
Papte	706	Putranjeevi	677	Samudra phala	384
Parangi akki hullu	661	Raa bikke	689	Sandika	518

Sandu balli	751	Seege	397	Soma balli	97
Sanjali hallu	125	Seeme Alde Mara	391	Somalate	97, 709
Sanje mallige	519	Seeme badane kayi	266	Some mara	501
Sanna adusoge	38	Seeme hunase	394	Sonde gida	732, 735
Sanna aggera	91	Seeme kattale	133	Sone mavu	712
Sanna antu purle hullu	661	Seeme pundi	486	Soole bottu	706
Sanna antupurale hullu	655	Seeme ummathi	730	Soorya kaanthi	161
Sanna bende	475	Seeranige soppu	671	Soorya mukhi	161
Sanna betha	116	Seerudure	187	Sooryakanathi gedde	162
Sanna darbe hullu	631	Seetale gida	553	Sooryavarthi	161
Sanna dravanti	130	Seetha dande	553	Sore kaayi	264
Sanna gabbu shyavantige	176	Semmuli	29	Sotige	337
Sanna gejjuga	387	Senabu	417, 479	Sottukoyina	572
Sanna gerese hambu	91	Senkeni	376	Soundagi gida	733
Sanna gundu hullu	292	Serantu gida	746	Spatika	27
Sanna haale	92	Sewanakudri	489	Spatikada Hoovu	27
Sanna hanchi hullu	658	Shadhu	404	Sri tulasi	366
Sanna holegara	68	Shanka huli	340	Srigandha	720
Sanna kaddi napier hullu	647	Shankpushpi gida	414	Sriparni	358
Sanna Kadu bili same hullu	601	Shantimara	226	Sritaale	118
Sanna kagesoppu	576	Sharapunkha	448	Sudaabu	46
Sanna Kare mullu	686	Shatav	128	Sudugadu davana	139
Sanna kari hullu	590	Shesike	717	Sugandharaja	134
Sanna kenka	500	Shihaale	93	sugandhi	759
Sanna mallige	523	Shikekai	397	Sugandhi balli	91
Sanna obina hullu	630	Shiva malli	432	Sugandhi беру	91
Sanna purale hullu	622	Shivaani mara	358	Suji mallige	523
Sanna shade hullu	653	Shivalinga balli	263	Sujjalu	396
Sanna turachi	338	Shivalinga pushpa	384	Suku Dabhe hullu	604
Sanna ummaathi	730	Shivanari balli	41	Sule bottu gida	705
Sanna vana muguli	137	Shivane mara	358	Sulgur	681
Sannakki hullu	614, 615	Shivanni	358	Suli	571
Sanne/Sanni gida	152	Shivaraktha balli	223	Sulle mara	571
Sannele bete balli	422	Shri hone	206	Sunde kayi	735
Sannele bogi	304	Shunti	760	Sundra balli	243
Sannele gida	326	Shunti hullu	608	Sunkada hullu	630
Sannippe	725	Shunti mara	54	Sunku dabbe hullu	640
Santhana beeja	501	Shvetha rangi Thaudatti	198	Sunnala	308
Sanuasotti	54	Shwetha shadevi	139	Sunti hullu	644
Sapanalige	453	Sidigolli	499	Sunuku dabbe hullu	630
Sapanga	696	Sigare badanike	465	Supaari	114
Sapota	726	Sigarebadinike	466	Suragi	693
Sappara	404	Sigatimullu	473	Surali	759
Sappe soppu	91	Sihi genasu	244	Surani	54
Sappl	70	Sihi kumbala kaayi	262	Suranti	54
Saptaparana	81	Sihi thonde	260	Surige mara	207
Saranige	671	Sike gida	396	Surimullu	682
Saraswati soppu	77	Silandi nayakana gida	32	Surti	54
Sardali gedde	25	Silver oak mara	677	Surya	738
Sardali gida	25	simpi neerale	517	Suryakanti soppu	674
Sarpagandha	96	Singara balli	243	Suttu mare	321
Sarpagenthige	33	Sirangi	482	Suvasane malle	689
Sarul	403	Siriganige hambu	97	Suvata bandhu	279
Sarve mara	216	Sirikalagida	221	Swarna mallige	525
Satavari	128	Sissu	422	Tadale	527
Sauthe	262	Sithaphal	72	Taggi gida	357
Sauthe balli	262	Siva potla gida	586	Tahatinunga	115
Sauthe kaayi	262	Slvashakthi balli	223	takkali	731
Savre mara	573	Sntututti	490	Takta rohita	669
Seebae	514	Sogade беру	91	Tale	118
Seegate gida	440	Solle mara	194	Tale gida	563

Talejadari	678	Tomato	731	Vaaji gandha	248
Tali	118	Tondarsi	218	Vaduvurada gida	390
Tamate balli	413	Toomri	307	Vakushi	168
Tambaku	173	Toppala	489	Vana hoovu	223
Tanakali	407	Torathi	54	Vana sampige	403
Tanasimale	218	Toratti	54	Vara mallige	524
Tandrasa	218	Tore nekki mara	376	Vasaka	37
Tapasi	739	Torementa	435	Vasukanthi	97
Tappare hullu	615	Totlagida	333	Vatanarayana	390
Tarani	711	Tottilu balli	213	Vate madika	707
Taremara	226	Tottilu darji	212	Vattajali	401
Tat putle	707	Triparni	358	Vaya vadang	676
Tatha hoovu	356	Trishula hoovina hullu	591	Vayu vilanga	675
Tavare	518	Tud genasu	377	Vayunarayani gida	390
Tega	375	Tudgenasu	378	Veebhuthi hoovu	519
Temru	307	Tulasi	366	Veelyadele	580
Tengina mara	118	Tumbe	362	Vidari	248
Tengina naru hullu	636	Tuna genasu	301	Vilari	691
Tengu	118	Tunge hullu	279	Vilayati haralu	333
Thaale	115	Tuparanda	307	Vilayati tulsi	359
Thadasalu	484	Tuppa kire	318	Vililu	690
Thagadathi	522	Tuppada hirekayi	265	Visha bidiru	66
Thaggi gida	356	Tupra	307	Visha Kanigale gida	85
Thalavarana balli	96	Tupru	307	Visha Kanigale soppu	85
Thalavarana balli	752	Turi beelballi	437	Visha koradu	465
Thali kire soppu	248	Turike	741	Visha munguli	66
Thali kiru soppu	247	Turike balli	338	Visha ummatti	730
Thantu gida	357	Turike gida	741	Vishamdhari	377
Thapasi mara	739	Turike soppu	338	Vishampuri	377
Thavadike	373	Turuku haralu	332	Vishnu kranthi	243
Thavasi	739	Turuku hesaru	451	Vishnu kranthi soppu	243
Thega	375	Uchche kayi mara	191	Vishnu tulasi	366
Theru hoovu	356	Uddu	452	Vishnuchakra hambu	565
Thilla	331	Udi	187	Vusumani hullu	273
Thindu toppalu gida	338	Udimara	69	Vyana	69
Thogari	411	Uguru suttu balli	96	Watenla	640
Thogari bele	411	Ulimara	567	Wontengule	640
Thonasi Thoppalu	419	Ulipe	403, 404	Wundi	207
Thonde balli	260	Ulpi	482	Yekkada gida	84
Thonde kaayi	260	Ulvi	227	Yelaekambullaballi	751
Thotlu mullina gida	213	Umbalagiji gedde	223	Yelavu sandhi gida	40
Thottala	212	Ummathi	730	Yele kalli	328
Thottalu	498	Ummatti gida	730	Yele tollu	272
Thripakshi gida	193	Uparsal	91	Yelegara	692
Thuggi gida	357	Uppaathi	26	Yella sunde	55
Thumbe	361, 363	Uppali mara	335	Yellu	565
Thumbe gida	361	Uppaligi	334	Yelu suthina mallige	525
Thumbri	307	Uppugaddi	604	Yeluva sandaku	43
Thumri	306	Uri seege	392	Yemme balli	240
Tigane maari balli	250	Urigamahari	91	Yemme murukalgida	68
Tike soppu	176	Urigattige	140	Yenne mar	691
Timburni	307	Urikiriyaathu	25	Yenu jariga	739
Tindura	307	Uriyamari	91	Yettegal	690
Tingalavare	440	Urki gida	702	Yetti mara	570
tirukalli	330	Usumani hullu	273	Zanti	27
Tittidika	222	Uttarani	56		
Tollu hanchi hullu	636	Utti gida	321		

Index to Vernacular Names (Sanskrit)

Aaditya valli	161	Brahma dande	176	Hira	358
Aakashavalle	241	Bramar challika	691	Indrpushpika	223
Aaku karni	247	Brhama ravha	691	Jala jabmu	332
Aavarthini	91	Brhinga mulika	691	Jalamuka	93
Adhityabhakata	161	Brihati	735	Jaleruha	93
Adyanda	28	Chagalantri	249	Jambu patra sariva	88
Agnimukhi	223	Chakrashreni	91	Jeevanthi	93
Agnishiksha	223	Chakshubhla	91	Jhinti	27
Ahijiva	223	Chakshushya	91	Kaakodumbari	358
Aja balli	91	Challi	691	Kaashmeeri	358
Aja gandhini	91	Chandan saariva	93	Kadambaka	690
Aja shrengi	91	Chandana	720	Kadambi	244
Aja shringi	91	Chandana gopa	93	Kakamachi	732
Ajamoda	80	Chandra kanthi	244	Kakubha	27
Ajanthri	248	Charak	159	Kala ghnteika	93
Ajwain	80	Chethasahacharam	27	Kala peshi	93
Akshi beshaja	91	Chinha dharani	93	Kalaka	244
Amardaaru	197	Chitraka	587	Kalambi	244
Amlaana	30	Chitramoola	587	Kalambika	244
Amrita	223	Chnandana	93	Kalashaka	244
Anantha	91	Damanaka	140	Kalihari	223
Anantha moola	91	Dasi	27	Kama latha	249
Anantha sariva	91	Dasikurantaka	27	Kambharika	358
Annata	223	Dhara Kadamba	695	Kanda granthi	244
Annthia	93	Dharkadamba	690	Kandali	223
Anyada	91	Dhattura	730	Karnika	91
Araka pushpi	93	Dheerga moola	93	Kasheena vartha	91
Aranya dhanya	631	Dipta	223	Kataphala	358
Aranya jali	631	Doorva	610	Kechuka	244
Arka	84	Dridha bandhini	93	Kemuka	256
Arkamula	125	Drona pushpi	363	Kitamari	125
Artagala	27, 29	Dugudhika	327	Kokilaksha	37
Asanamallika	81	Duraalabha	197	Kooshmanda	258
Ashra bindhu chhada	247	Durdharsha	93	Krishan bheeja	248
Ashvetha	358	Eswari	125	Krishna	358
Asphota	81	Gaandharya	358	Krishna Kutaja	102
Balachakshu	91	Gajavaji priya	248	Krishna mooli	93
Bana	27	Gajhist	248	Krishna saariva Krishna valli	93
Bandhu jivaka	692	Gamhari	358	Krishnaphala	358
Bandhuka	692	Gandha phala	248	Krishnavrintika	358
Bhadra	93	Gandhaari	358	Krisna	93
Bhadramunja	81	Garbha gathini	223	Kroorakarma	93
Bhadraparni	358	Garbha pathani	223	Ksheera vidaari	248
Bhadravalli	81	Garbhanuta	223	Ksheeradodi	93
Bharagi	356	Gava patta	249	Ksheerini	93, 357
Bharamapriya	690	Gopa	93	Kshiradru	691
Bhishaarni	91	Gopa vadhu	93	Kshoodra pashana bheda	332
Bhoomi amalakki	577	Gopabhadrika	358	Kumuda	358
Bhoorischivatali	197	Gopalli	93	Kurantee	560
Bhoorundi	197	Gopini	93	Kushtavairi	54
Bhrigath vaka	691	Grihadruma	91	Kutaja	92
Bhringraja	153	Grishti	358	Kutumbini	93
Bhuksha maandi	248	Grithakumaari	753	Laghududhica	330
Bhumi kush manda	248	hali	223	Lakshmana	248
Bhupala	690	Halini	223	Laksmama	247
Bhustrana	359	Haradra	690	Lamjak	609
Birhati	733	Haripriya	223	Lodhra	737
Bishani	91	Hashti shundi	199	Longalika	223
Bnringhava	691	Hasthishundi	198	Longuli	223

Madana	687	Pashana beda	332	Shwetha tahrū latha	249
Madhu nashini	91	Pathali	692	Shyama	93
Madhubhadra	358	Pattashaka	244	Shyamalata	93
Madhumati	358	Payasvini	248	Shyonaka	189
Madhuparnika	358	Pechu	244	Sikhaajihva	223
Madhurasā	358	Pechuli	244	Sithaparini	93
Maha shyama	93	Peetaphala	358	Snigdhaparni	358
Mahaakadamba	690	Peetarohini	358	Soovarchala	161
Mahabhadra	358	Peethavarna	690	Sthoolathvacha	358
Mahakumda	358	Pichhila	244	Sthouneyeka	356
Mahasaha	27	Pitakanchana	403	Subhadra	93. 357
Mahashatavari	127	Pithari	159	Sudridhavacha	358
Mahashweta	248	Praharkutavi	93	Sumana	81
Malati	81	Prasadika	631	Suphala	358
Mand avalli	244	Prasarini	705	Suryavalli	93
Manjika	247	Puchhada	247	Suvarna pushpa	223
Manjishta	709	Pushpa saurabha	223	Svarubhadra	358
Manmatha	249	Putra kanda	247	Swadu kandaka	244
Mar valli	249	Putrada	247	Tankasi	732
Marica	581	Putrajanani	247	Teja patre	379
Maryada	249	Raenu	159	Tindalu	244
Masura vindala	93	Ragaprasava	27	Tindithaka	244
Maurvi	91	Rajan	704	Trikantaka	330
Meda shringi	91	Raktha pushpa	249	Trina dhanya	631
Meda singi	91	Rakthaka	692	Trinodbhava	631
Medha shingi	91	Rakthalu	244	Tulini	247
Megha balli	91	Rasana	754	Turveraka	54
Menda singi	91	Rohini	358	Tuvaraka	54
Mesha shringi	91	Roma shakandaka	244	Tuvrak	54
Mesharingi	91	Roshisha	609	Ugra gandha	691
Modini	358	Saereyakah- nilapuspa	27	Ummatta	730
Muni dhanya	631	Sagara	249	Usheera	607
Musli	130	Sagara mekala	249	Utpla saariva	93
Mustaka	279	Sahachara	38	Utthangsa	30
Naadi	244	Sahadabhadra	358	Vacha gandha	248
Naadika	244	Sankini	325	Vajra vriksha	330
Naalika	244	Saptaparni	81	Vakrashalya	93
Naga danti	320	Sariva	91	Van haridra	756
Naga putri	247	Sarpakshee	671	Vana vrihi	631
Naga vha	247	Sarpkhyā	302	Vanhivatra	223
Nagini	247	Sarvathobhadra	358	Varahi kanda	301
Nakari	246	Sarvathobhadrika	358	Vasaka	37
Nakta	223	Seetha valli	246	Vasanti	81
Nand yaavarath	99	Shakara pushpi	223	Vataha	358
Nikalni	248	Shariva	93	Vidaari	358
Nila pushpin	248	Shatavari	128	Vidaarini	358
Nilamlaainduka	27	Shatha parana	244	Vidari	248
Nivara	631	Shathamooli	127	Vidutajwala	223
Oshthapala	354	Sheetha	93	Visalyakrit	81
Padamachaarini	541	Sheethala	93	Vishalya	223
Palanagini	629	Sheethaparani	93	Vishvarochanna	244
Palindi saariva	93	Shirinthica	93	Vranahrta	223
Paranthi	692	Shraddha shaka	244	Vriksha dani	465
Parapaata	46, 702	Shreeparni	358	Vyagra naki	249
Parapaataka	702	Shresta kan a	248	Yugma patra	249
Paravrishya	690	Shri galika	248	Yuthikaparani	44
Parpata	159	Shweta sahachara	38	yuvati	81