A web GIS using Open source geospatial tools-Some case studies

Dr. S. Narendra Prasad, SACON and Secretary Osgeo-India

Discussion meet on Open source geospatial- Current scenario CISTUP, IISc

Bangalore

Kerala wetland conservation(www.keralawetlands.in)


Rajahmundry GIS(www.osgeo.in/google/sample.htm)


Biodiversity Conservation(www.wetlandsofindia.org/attapady/attapady.php)


Thematic layers


- 1. Land use and land cover
- 2. Roads
- 3. Place Names
- 4. Drainage
- 5. Kerala State Boundary
- 6. Kerala Panchayats
- 7. Other administrative units like blocks or districts.


Desktop GIS






































Web GIS

Database Structure

- 1. k_bnd (Kerala Boundary)
- 2. k_drainage (Kerala Drainage)
- 3. k_fallow (Fallow lands in Kerala)
- 4. k_paddy (Paddy Lands in Kerala)
- 5. k_panchayat (Panchayat boundaries for Kerala)
- 6. k_roads (Kerala Roads)
- 7. k_stat (Statistical table)
- 8. k_wetland (Kerala Wetlands)
- 9. k_biodiversity (Kerala PAN FISH data table)

WEB GIS Tools used

- ➤ Google Map API
- > HTML
- > CSS
- > PHP
- ➤ Post GRE Sql
- > Post GIS
- > Azax/XML
- ➤ OGR Library
- ➤ Open Jump

Data Processing


Data
Uploading using
OpenJUMP


Database Design


Re/Projecting Data using GDAL library


Data Cleaning using OpenJUMP


Thematic Vector Data Collection on Land Use Land Cover including wetlands































Overlay of Google


satellite image


Imagery ©2009 DigitalGlobe, (nes/Spot Image, GeoEye, Map data ©2009 AND, Europa Technologies - Terms of Use








Imagery ©2009 DigitalGlobe, Cnes/Spot Image, GeoEye, Map data ©2009 AND, Europa Technologies - Terms of Use







































































Advantages:

- □ Free (except for developer time)
- Quick development time depending on complexity of application
- End product is light weight application, client side scripting
- □ Intuitive user interface general public already familiar with Google Maps interface and basic navigation
- □ Fast, good response time
- □ Google provides solid background services (satellite data, roads, traffic data, street view, geocoding)
- □ Effective for displaying selected GIS data not every mapping application requires multiple, complex map layers
- □ Great on-line resources for learning, multitude of samples and tutorials
- Best for focused applications

- ➤ Intuitive user interface general public already familiar with Google Maps interface and basic navigation
- Fast, good response time
- ➤ Google provides solid background services (satellite data, roads, traffic data, street view, geocoding)
- Effective for displaying selected GIS data not every mapping application requires multiple, complex map layers
- ➤ Great on-line resources for learning, multitude of samples and tutorials
- Best for focussed applications

Thank you...